

EXAMPLE 123: Isolation of cDNA clones Encoding Human PRO1287

An expressed sequence tag (EST) DNA database (LIFESEQ®, Incyte Pharmaceuticals, Palo Alto, CA) was searched and an EST was identified which showed homology to the fringe protein. This EST sequence was then compared to various EST databases including public EST databases (e.g., GenBank), and a proprietary EST database (LIFESEQ®, Incyte Pharmaceuticals, Palo Alto, CA) to identify homologous EST sequences. The comparison was performed using the computer program BLAST or BLAST2 [Altschul et al., Methods in Enzymology, 266:460-480 (1996)]. Those comparisons resulting in a BLAST score of 70 (or in some cases, 90) or greater that did not encode known proteins were clustered and assembled into a consensus DNA sequence with the program "phrap" (Phil Green, University of Washington, Seattle, Washington). This consensus sequence obtained is herein designated DNA40568.

Based on the DNA40568 consensus sequence, oligonucleotides were synthesized: 1) to identify by PCR a cDNA library that contained the sequence of interest, and 2) for use as probes to isolate a clone of the full-length coding sequence for PRO1287. Forward and reverse PCR primers generally range from 20 to 30 nucleotides and are often designed to give a PCR product of about 100-1000 bp in length. The probe sequences are typically 40-55 bp in length. In some cases, additional oligonucleotides are synthesized when the consensus sequence is greater than about 1-1.5kbp. In order to screen several libraries for a full-length clone, DNA from the libraries was screened by PCR amplification, as per Ausubel et al., Current Protocols in Molecular Biology, *supra*, with the PCR primer pair. A positive library was then used to isolate clones encoding the gene of interest using the probe oligonucleotide and one of the primer pairs.

PCR primers (forward and reverse) were synthesized:

forward PCR primer 5'-CTCGGGGAAAGGGACTTGATGTTGG-3' (SEQ ID NO:382)

reverse PCR primer 1 5'-GCGAAGGTGAGCCTCTATCTCGTGCC-3' (SEQ ID NO:383)

reverse PCR primer 2 5'-CAGCCTACACGTATTGAGG-3' (SEQ ID NO:384)

Additionally, a synthetic oligonucleotide hybridization probe was constructed from the consensus DNA40568 sequence which had the following nucleotide sequence

hybridization probe

5'-CAGTCAGTACAATCCTGGCATAATATACGGCCACCATGATGCAGTCCC-3' (SEQ ID NO:385).

In order to screen several libraries for a source of a full-length clone, DNA from the libraries was screened by PCR amplification with the PCR primer pairs identified above. A positive library was then used to isolate clones encoding the PRO1287 gene using the probe oligonucleotide and one of the PCR primers.

RNA for construction of the cDNA libraries was isolated from human bone marrow tissue. The cDNA libraries used to isolated the cDNA clones were constructed by standard methods using commercially available reagents such as those from Invitrogen, San Diego, CA. The cDNA was primed with oligo dT containing a NotI site, linked with blunt to SalI hemikinased adaptors, cleaved with NotI, sized appropriately by gel electrophoresis, and cloned in a defined orientation into a suitable cloning vector (such as pRKB or pRKD; pRK5B is a precursor of pRK5D that does not contain the SfiI site; see, Holmes et al., Science, 253:1278-1280 (1991)) in the unique XhoI and NotI sites.

DNA sequencing of the clones isolated as described above gave the full-length DNA sequence for PRO1287 (designated herein as DNA61755-1554 [Figure 275, SEQ ID NO:380]) and the derived protein sequence for PRO1287.

5 The entire nucleotide sequence of DNA61755-1554 is shown in Figure 275 (SEQ ID NO:380). The full length clone contained a single open reading frame with an apparent translational initiation site at nucleotide positions 655-657 and a stop signal at nucleotide positions 2251-2253 (Figure 275, SEQ ID NO:380). The predicted polypeptide precursor is 532 amino acids long, has a calculated molecular weight of approximately 61,351 daltons and an estimated pI of approximately 8.77. Analysis of the full-length PRO1287 sequence shown in Figure 276 (SEQ ID NO:381) evidences the presence of the following: a signal peptide from about amino acid 1 to about amino acid 27 and potential N-glycosylation sites from about amino acid 315 to about amino acid 318 and from about amino acid 324 to about amino acid 327. Clone DNA61755-1554 has been deposited with ATCC on August 11, 1998 and is assigned ATCC deposit no. 203112.

10 An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 276 (SEQ ID NO:381), evidenced significant homology between the PRO1287 amino acid sequence and the following Dayhoff sequences: CET24D1_1, EZRI_BOVIN, GGU19889_1, CC3_YEAST, S74244, NALS_MOUSE, MOES_PIG, S28660, S44860 and YNA4_CAEEL.

EXAMPLE 124: Isolation of cDNA clones Encoding Human PRO1312

20 DNA55773 was identified in a human fetal kidney cDNA library using a yeast screen that preferentially represents the 5' ends of the primary cDNA clones. Based on the DNA55773 sequence, oligonucleotides were synthesized for use as probes to isolate a clone of the full-length coding sequence for PRO1312.

25 The full length DNA61873-1574 clone shown in Figure 277 (SEQ ID NO:386) contained a single open reading frame with an apparent translational initiation site at nucleotide positions 7-9 and ending at the stop codon found at nucleotide positions 643-645. The predicted polypeptide precursor is 212 amino acids long (Figure 278, SEQ ID NO:387). PRO1312 has a calculated molecular weight of approximately 24,024 daltons and an estimated pI of approximately 6.26. Other features include a signal peptide at about amino acids 1-14; a transmembrane domain at about amino acids 141-160, and potential N-glycosylation sites at about amino acids 76-79 and 93-96.

30 An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 278 (SEQ ID NO:387), revealed some homology between the PRO1312 amino acid sequence and the following Dayhoff sequences: GCINTALPH_1, GIBMUC1A_1, P_R96298, AF001406_1, PVU88874_1, P_R85151, AF041409_1, CELC50F2_7, C45875, and AB009510_21.

35 Clone DNA61873-1574 has been deposited with ATCC and is assigned ATCC deposit no. 203132.

EXAMPLE 125: Isolation of cDNA clones Encoding Human PRO1192

A consensus DNA sequence was assembled relative to other EST sequences using phrap as described in Example 1 above. This consensus sequence is designated herein DNA35924. Based on the DNA35924 consensus sequence, oligonucleotides were synthesized: 1) to identify by PCR a cDNA library that contained the sequence of interest, and 2) for use as probes to isolate a clone of the full-length coding sequence for PRO1192.

PCR primers (forward and reverse) were synthesized:

forward PCR primer: 5'-CCGAGGCCATCTAGAGGCCAGAGC-3' (SEQ ID NO:390)

reverse PCR primer: 5'-ACAGGCAGAGCCAATGGCCAGAGC-3' (SEQ ID NO:391).

Additionally, a synthetic oligonucleotide hybridization probe was constructed from the consensus DNA35924 sequence which had the following nucleotide sequence:

hybridization probe:

5'-GAGAGGACTGCGGGAGTTTGGGACCTTTGTGCAGACGTGCTCATG-3' (SEQ ID NO:392).

In order to screen several libraries for a source of a full-length clone, DNA from the libraries was screened by PCR amplification with the PCR primer pair identified above. A positive library was then used to isolate clones encoding the PRO1192 gene using the probe oligonucleotide and one of the PCR primers. RNA for construction of the cDNA libraries was isolated from human fetal liver and spleen tissue.

DNA sequencing of the clones isolated as described above gave the full-length DNA sequence for PRO1192 designated herein as DNA62814-1521 and shown in Figure 279 (SEQ ID NO:388); and the derived protein sequence for PRO1192 which is shown in Figure 280 (SEQ ID NO:389).

The entire coding sequence of PRO1192 is shown in Figure 279 (SEQ ID NO:388). Clone DNA62814-1521 contains a single open reading frame with an apparent translational initiation site at nucleotide positions 121-123 and an apparent stop codon at nucleotide positions 766-768. The predicted polypeptide precursor is 215 amino acids long. The predicted polypeptide precursor has the following features: a signal peptide at about amino acids 1-21; a transmembrane domain at about amino acids 153-176; potential N-glycosylation sites at about amino acids 39-42 and 118-121; and homology with myelin P0 proteins at about amino acids 27-68 and 99-128 of Figure 280. The full-length PRO1192 protein shown in Figure 280 has an estimated molecular weight of about 24,484 daltons and a pI of about 6.98.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 280 (SEQ ID NO:389), revealed homology between the PRO1192 amino acid sequence and the following Dayhoff sequences: GEN12838, MYP0_HUMAN, AF049498_1, GEN14531, P_W14146, HS46KDA_1, CINB_RAT, OX2G_RAT, D87018_1, and D86996_2.

Clone DNA62814-1521 was deposited with the ATCC on August 4, 1998, and is assigned ATCC deposit no. 203093.

EXAMPLE 126: Isolation of cDNA clones Encoding Human PRO1160

A consensus DNA sequence was assembled relative to other EST sequences using phrap as described

in Example 1 above. This consensus sequence is herein designated DNA40650. Based on the DNA40650 consensus sequence, oligonucleotides were synthesized: 1) to identify by PCR a cDNA library that contained the sequence of interest, and 2) for use as probes to isolate a clone of the full-length coding sequence for PRO1160.

PCR primers (forward and reverse) were synthesized:

- 5 forward PCR primer 5'-GCTCCCTGATCTTCATGTCACCACC-3' (SEQ ID NO:395) .
 reverse PCR primer 5'-CAGGGACACACTCTACCATTCGGGAG-3' (SEQ ID NO:396)

Additionally, a synthetic oligonucleotide hybridization probe was constructed from the consensus DNA40650 sequence which had the following nucleotide sequence

- hybridization probe
 10 5'-CCATCTTTCTGGTCTCTGCCCAGAATCCGACAACAGCTGCTC-3' (SEQ ID NO:397)

In order to screen several libraries for a source of a full-length clone, DNA from the libraries was screened by PCR amplification with the PCR primer pair identified above. A positive library was then used to isolate clones encoding the PRO1160 gene using the probe oligonucleotide and one of the PCR primers. RNA for construction of the cDNA libraries was isolated from human breast tissue.

- 15 DNA sequencing of the clones isolated as described above gave the full-length DNA sequence for PRO1160 (designated herein as DNA62872-1509 [Figure 281, SEQ ID NO: 393]) and the derived protein sequence for PRO1160.

- The entire nucleotide sequence of DNA62872-1509 is shown in Figure 281 (SEQ ID NO:393). Clone DNA62872-1509 contains a single open reading frame with an apparent translational initiation site at nucleotide positions 40-42 and ending at the stop codon at nucleotide positions 310-312 (Figure 281). The predicted polypeptide precursor is 90 amino acids long (Figure 282). The full-length PRO1160 protein shown in Figure 282 has an estimated molecular weight of about 9,039 daltons and a pI of about 4.37. Analysis of the full-length PRO1160 sequence shown in Figure 282 (SEQ ID NO:394) evidences the presence of the following:
 20 a signal peptide from about amino acid 1 to about amino acid 19 and a protein kinase C phosphorylation site from about amino acid 68 to about amino acid 70. Clone DNA62872-1509 has been deposited with ATCC on August 4, 1998 and is assigned ATCC deposit no. 203100.

- An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 282 (SEQ ID NO:394), evidenced significant homology between the PRO1160 amino acid sequence and the following Dayhoff sequences: B30305,
 30 GEN13490, I53641, S53363, HA34_BRELC, SP96_DICDI, S36326, SSU51197_10, MUC1_XENLA, TCU32448_1 and AF000409_1.

EXAMPLE 127: Isolation of cDNA clones Encoding Human PRO1187

- Use of the signal sequence algorithm described in Example 3 above allowed identification of a single
 35 EST cluster sequence from the Incyte database. This EST cluster sequence was then compared to a variety of expressed sequence tag (EST) databases which included public EST databases (e.g., GenBank) and a proprietary EST DNA database (LIFESEQ®, Incyte Pharmaceuticals, Palo Alto, CA) to identify existing

homologies. The homology search was performed using the computer program BLAST or BLAST2 (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Those comparisons resulting in a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into a consensus DNA sequence with the program "phrap" (Phil Green, University of Washington, Seattle, Washington). The consensus sequence obtained therefrom is herein designated DNA57726.

5 In light of an observed sequence homology between the DNA57726 consensus sequence and an EST sequence encompassed within the Incyte EST clone no. 358563, the Incyte EST clone 358563 was purchased and the cDNA insert was obtained and sequenced. It was found that this insert encoded a full-length protein. The sequence of this cDNA insert is shown in Figure 283 and is herein designated as DNA62876-1517.

10 The full length clone shown in Figure 283 contained a single open reading frame with an apparent translational initiation site at nucleotide positions 121-123 and ending at the stop codon found at nucleotide positions 481-483 (Figure 283; SEQ ID NO:398). The predicted polypeptide precursor (Figure 284, SEQ ID NO:399) is 120 amino acids long. The signal peptide is at about amino acids 1-17 of SEQ ID NO:399. PRO1187 has a calculated molecular weight of approximately 12,925 daltons and an estimated pI of approximately 9.46. Clone DNA62876-1517 was deposited with the ATCC on August 4, 1998 and is assigned
15 ATCC deposit no. 203095. It is understood that the deposited clone contains the actual sequence and that the representations herein may have minor sequencing errors.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 284 (SEQ ID NO:399), revealed some sequence identity (and therefore some relation) between the PRO1187 amino acid sequence and the following Dayhoff
20 sequences: MGNENDOBX_1, CELF41G3_9, AMPG_STRLI, HSBBOVHERL_2, LEEXTEN10_1, AF029958_1 and P_W04957.

EXAMPLE 128: Isolation of cDNA clones Encoding Human PRO1185

25 Use of the signal sequence algorithm described in Example 3 above allowed identification of a single EST cluster sequence from the Incyte database. This EST cluster sequence was then compared to a variety of expressed sequence tag (EST) databases which included public EST databases (e.g., GenBank) and a proprietary EST DNA database (LIFESEQ®, Incyte Pharmaceuticals, Palo Alto, CA) to identify existing homologies. The homology search was performed using the computer program BLAST or BLAST2 (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Those comparisons resulting in a BLAST score of 70
30 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into a consensus DNA sequence with the program "phrap" (Phil Green, University of Washington, Seattle, Washington). The consensus sequence obtained therefrom is herein designated DNA56426.

In light of an observed sequence homology between the DNA56426 consensus sequence and an EST sequence encompassed within the Incyte EST clone no. 3284411, the Incyte EST clone 3284411 was purchased
35 and the cDNA insert was obtained and sequenced. It was found that this insert encoded a full-length protein. The sequence of this cDNA insert is shown in Figure 285 and is herein designated as DNA62881-1515.

The full length DNA62881-1515 clone shown in Figure 285 contained a single open reading frame with an apparent translational initiation site at nucleotide positions 4-6 and ending at the stop codon found at nucleotide positions 598-600 (Figure 285; SEQ ID NO:400). The predicted polypeptide precursor (Figure 286, SEQ ID NO:401) is 198 amino acids long. The signal peptide is at about amino acids 1-21 of SEQ ID NO:401. PRO1185 has a calculated molecular weight of approximately 22,105 daltons and an estimated pI of approximately 7.73. Clone DNA62881-1515 has been deposited with the ATCC and is assigned ATCC deposit no. 203096.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 286 (SEQ ID NO:401), revealed some sequence identity between the PRO1185 amino acid sequence and the following Dayhoff sequences: TUP1_YEAST, AF041382_1, MAOM_SOLTU, SPPBPHU9_1, I41024, EPCPLCFAIL_1, HSPLEC_1, YKL4_CAEEL, A44643, TGU65922_1.

EXAMPLE 129: Isolation of cDNA clones Encoding Human PRO1345

A consensus DNA sequence was assembled relative to other EST sequences using phrap as described in Example 1 above. This consensus sequence is herein designated DNA47364. Based on the DNA47364 consensus sequence, oligonucleotides were synthesized: 1) to identify by PCR a cDNA library that contained the sequence of interest, and 2) for use as probes to isolate a clone of the full-length coding sequence for PRO1345.

PCR primers (forward and reverse) were synthesized:

forward PCR primer 5'-CCTGGTTATCCCCAGGAAGTCCGAC-3' (SEQ ID NO:404)

reverse PCR primer 5'-CTCTTGCTGCTGCGACAGGCCTC-3' (SEQ ID NO:405)

Additionally, a synthetic oligonucleotide hybridization probe was constructed from the consensus DNA47364 sequence which had the following nucleotide sequence

hybridization probe

5'-CGCCCTCCAAGACTATGGTAAAAGGAGCCTGCCAGGTGTCAATGAC-3' (SEQ ID NO:406)

In order to screen several libraries for a source of a full-length clone, DNA from the libraries was screened by PCR amplification with the PCR primer pair identified above. A positive library was then used to isolate clones encoding the PRO1345 gene using the probe oligonucleotide and one of the PCR primers. RNA for construction of the cDNA libraries was isolated from human breast carcinoma tissue.

DNA sequencing of the clones isolated as described above gave the full-length DNA sequence for PRO1345 (designated herein as DNA64852-1589 [Figure 287, SEQ ID NO:402]) and the derived protein sequence for PRO1345.

The entire nucleotide sequence of DNA64852-1589 is shown in Figure 287 (SEQ ID NO:402). Clone DNA64852-1589 contains a single open reading frame with an apparent translational initiation site at nucleotide positions 7-9 or 34-36 and ending at the stop codon at nucleotide positions 625-627 (Figure 287). The predicted polypeptide precursor is 206 amino acids long (Figure 288). The full-length PRO1345 protein shown in Figure 288 has an estimated molecular weight of about 23,190 daltons and a pI of about 9.40. Analysis of

the full-length PRO1345 sequence shown in Figure 288 (SEQ ID NO:403) evidences the presence of the following: a signal peptide from about amino acid 1 to about amino acid 31 or from about amino acid 10 to about amino acid 31 and a C-type lectin domain signature sequence from about amino acid 176 to about amino acid 190. Clone DNA64852-1589 has been deposited with ATCC on August 18, 1998 and is assigned ATCC deposit no. 203127.

5 An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 288 (SEQ ID NO:403), evidenced significant homology between the PRO1345 amino acid sequence and the following Dayhoff sequences: BTU22298_1, TETN_CARSP, TETN_HUMAN, MABA_RAT, S34198, P_W13144, MACMBPA_1, A46274, PSPD_RAT AND P_R32188.

10 EXAMPLE 130: Isolation of cDNA clones Encoding Human PRO1245

Use of the signal sequence algorithm described in Example 3 above allowed identification of a single EST cluster sequence from the Incyte database. This EST cluster sequence was then compared to a variety of expressed sequence tag (EST) databases which included public EST databases (e.g., GenBank) and a
15 proprietary EST DNA database (LIFESEQ®, Incyte Pharmaceuticals, Palo Alto, CA) to identify existing homologies. The homology search was performed using the computer program BLAST or BLAST2 (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Those comparisons resulting in a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into a consensus DNA sequence with the program "phrap" (Phil Green, University of Washington, Seattle,
20 Washington). The consensus sequence obtained therefrom is herein designated DNA56019.

In light of an observed sequence homology between the DNA56019 consensus sequence and an EST sequence encompassed within the Incyte EST clone no. 1327836, the Incyte EST clone 1327836 was purchased and the cDNA insert was obtained and sequenced. It was found that this insert encoded a full-length protein. The sequence of this cDNA insert is shown in Figure 289 and is herein designated as DNA64884-1527.

25 The full length clone shown in Figure 289 contained a single open reading frame with an apparent translational initiation site at nucleotide positions 79-81 and ending at the stop codon found at nucleotide positions 391-393 (Figure 289; SEQ ID NO:407). The predicted polypeptide precursor (Figure 290, SEQ ID NO:408) is 104 amino acids long, with a signal peptide sequence at about amino acid 1 to about amino acid 18. PRO1245 has a calculated molecular weight of approximately 10,100 daltons and an estimated pI of
30 approximately 8.76.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 290 (SEQ ID NO:408), revealed some homology between the PRO1245 amino acid sequence and the following Dayhoff sequences: SYA_THETH, GEN11167, MTV044_4, AB011151_1, RLAJ2750_3, SNELIPTRA_1, S63624, C28391, A37907, and
35 S14064.

Clone DNA64884-1245 was deposited with the ATCC on August 25, 1998 and is assigned ATCC deposit no. 203155.

EXAMPLE 131: Isolation of cDNA clones Encoding Human PRO1358

Use of the signal sequence algorithm described in Example 3 above allowed identification of a single EST cluster sequence from the Incyte database. This EST cluster sequence was then compared to a variety of expressed sequence tag (EST) databases which included public EST databases (e.g., GenBank) and a proprietary EST DNA database (LIFESEQ®, Incyte Pharmaceuticals, Palo Alto, CA) to identify existing homologies. The homology search was performed using the computer program BLAST or BLAST2 (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Those comparisons resulting in a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into a consensus DNA sequence with the program "phrap" (Phil Green, University of Washington, Seattle, Washington).

In light of an observed sequence homology between the consensus sequence and an EST sequence encompassed within the Incyte EST clone no. 88718, the Incyte EST clone 88718 was purchased and the cDNA insert was obtained and sequenced. It was found that this insert encoded a full-length protein. The sequence of this cDNA insert is shown in Figure 291 and is herein designated as DNA64890-1612.

The full length clone shown in Figure 291 contained a single open reading frame with an apparent translational initiation site at nucleotide positions 86 through 88 and ending at the stop codon found at nucleotide positions 1418 through 1420 (Figure 291; SEQ ID NO:409). The predicted polypeptide precursor (Figure 292, SEQ ID NO:410) is 444 amino acids long. The signal peptide is at about amino acids 1-18 of SEQ ID NO:410. PRO1358 has a calculated molecular weight of approximately 50,719 daltons and an estimated pI of approximately 8.82. Clone DNA64890-1612 was deposited with the ATCC on August 18, 1998 and is assigned ATCC deposit no. 203131.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 292 (SEQ ID NO:410), revealed sequence identity between the PRO1358 amino acid sequence and the following Dayhoff sequences: P_W07607, AB000545_1, AB000546_1, A1AT_RAT, AB015164_1, P_P50021, COTR_CAVPO, and HAMHPP_1. The variants claimed in this application exclude these sequences.

EXAMPLE 132: Isolation of cDNA clones Encoding Human PRO1195

Use of the signal sequence algorithm described in Example 3 above allowed identification of a single EST cluster sequence from the Incyte database. This EST cluster sequence was then compared to a variety of expressed sequence tag (EST) databases which included public EST databases (e.g., GenBank) and a proprietary EST DNA database (LIFESEQ®, Incyte Pharmaceuticals, Palo Alto, CA) to identify existing homologies. The homology search was performed using the computer program BLAST or BLAST2 (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Those comparisons resulting in a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into a consensus DNA sequence with the program "phrap" (Phil Green, University of Washington, Seattle, Washington). The consensus sequence obtained therefrom is herein designated DNA55716.

In light of an observed sequence homology between the DNA55716 consensus sequence and an EST sequence encompassed within the Incyte EST clone no. 3252980, the Incyte EST clone 3252980 was purchased and the cDNA insert was obtained and sequenced. It was found that this insert encoded a full-length protein. The sequence of this cDNA insert is shown in Figure 293 and is herein designated as DNA65412-1523.

5 The full length clone shown in Figure 293 contained a single open reading frame with an apparent translational initiation site at nucleotide positions 58-60 and ending at the stop codon found at nucleotide positions 511-513 (Figure 293; SEQ ID NO:411). The predicted polypeptide precursor (Figure 294, SEQ ID NO:412) is 151 amino acids long. The signal sequence is at about amino acids 1-22 of SEQ ID NO:412. PRO1195 has a calculated molecular weight of approximately 17,277 daltons and an estimated pI of approximately 5.33. Clone DNA65412-1523 was deposited with the ATCC on August 4, 1998 and is assigned
10 ATCC deposit no. 203094.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 294 (SEQ ID NO:412), revealed some sequence identity between the PRO1195 amino acid sequence and the following Dayhoff sequences: MMU28486_1, AF044205_1, P_W31186, CELK03C7_1, F69034, EF1A_METVA, AF024540_1, SSU90353_1,
15 MRSP_STAAU and P_R97680.

EXAMPLE 133: Isolation of cDNA clones Encoding Human PRO1270

Use of the signal sequence algorithm described in Example 3 above allowed identification of a single EST cluster sequence from the Incyte database. This EST cluster sequence was then compared to a variety
20 of expressed sequence tag (EST) databases which included public EST databases (e.g., GenBank) and a proprietary EST DNA database (LIFESEQ®, Incyte Pharmaceuticals, Palo Alto, CA) to identify existing homologies. The homology search was performed using the computer program BLAST or BLAST2 (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Those comparisons resulting in a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into a
25 consensus DNA sequence with the program "phrap" (Phil Green, University of Washington, Seattle, Washington). The consensus sequence obtained therefrom is herein designated DNA57951.

In light of an observed sequence homology between the DNA57951 consensus sequence and an EST sequence encompassed within the Merck EST clone no. 124878, the Merck EST clone 124878 was purchased and the cDNA insert was obtained and sequenced. It was found that this insert encoded a full-length protein.
30 The sequence of this cDNA insert is shown in Figure 295 and is herein designated as DNA66308-1537.

Clone DNA66308-1537 contains a single open reading frame with an apparent translational initiation site at nucleotide positions 103-105 and ending at the stop codon at nucleotide positions 1042-1044 (Figure 295). The predicted polypeptide precursor is 313 amino acids long (Figure 296). The full-length PRO1270 protein shown in Figure 296 has an estimated molecular weight of about 34,978 daltons and a pI of about 5.71.
35 Analysis of the full-length PRO1270 sequence shown in Figure 296 (SEQ ID NO:414) evidences the presence of the following: a signal peptide from about amino acid 1 to about amino acid 16, a potential N-glycosylation site from about amino acid 163 to about amino acid 166 and glycosaminoglycan attachment sites from about



amino acid 74 to about amino acid 77 and from about amino acid 289 to about amino acid 292. Clone DNA66308-1537 has been deposited with ATCC on August 25, 1998 and is assigned ATCC deposit no. 203159.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 296 (SEQ ID NO:414), evidenced significant homology between the PRO1270 amino acid sequence and the following Dayhoff sequences: XLU86699_1, S49589, FIBA_PARPA, FIBB_HUMAN, P_R47189, AF004326_1, DRTENASCN_1, AF004327_1, P_W01411 and FIBG_BOVIN.

EXAMPLE 134: Isolation of cDNA clones Encoding Human PRO1271

Use of the signal sequence algorithm described in Example 3 above allowed identification of a single EST cluster sequence from the Incyte database. This EST cluster sequence was then compared to a variety of expressed sequence tag (EST) databases which included public EST databases (e.g., GenBank) and a proprietary EST DNA database (LIFESEQ®, Incyte Pharmaceuticals, Palo Alto, CA) to identify existing homologies. The homology search was performed using the computer program BLAST or BLAST2 (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Those comparisons resulting in a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into a consensus DNA sequence with the program "phrap" (Phil Green, University of Washington, Seattle, Washington). The consensus sequence obtained therefrom is herein designated DNA57955.

In light of an observed sequence homology between the DNA57955 consensus sequence and an EST sequence encompassed within the Merck EST clone no. AA625350, the Merck EST clone AA625350 was purchased and the cDNA insert was obtained and sequenced. It was found that this insert encoded a full-length protein. The sequence of this cDNA insert is shown in Figure 297 and is herein designated as DNA66309-1538.

Clone DNA66309-1538 contains a single open reading frame with an apparent translational initiation site at nucleotide positions 94-96 and ending at the stop codon at nucleotide positions 718-720 (Figure 297). The predicted polypeptide precursor is 208 amino acids long (Figure 298). The full-length PRO1271 protein shown in Figure 298 has an estimated molecular weight of about 21,531 daltons and a pI of about 8.99. Analysis of the full-length PRO1271 sequence shown in Figure 298 (SEQ ID NO:416) evidences the presence of the following: a signal peptide from about amino acid 1 to about amino acid 31 and a transmembrane domain from about amino acid 166 to about amino acid 187. Clone DNA66309-1538 has been deposited with ATCC on September 15, 1998 and is assigned ATCC deposit no. 203235.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 298 (SEQ ID NO:416), evidenced significant homology between the PRO1271 amino acid sequence and the following Dayhoff sequences: S57180, S63257, AGA1_YEAST, BPU43599_1, YS8A_CAEEL, S67570, LSU54556_2, S70305, VGLX_HSVEB, and D88733_1.

EXAMPLE 135: Isolation of cDNA clones Encoding Human PRO1375

A Merck/Wash. U. database was searched and a Merck EST was identified. This sequence was then put in a program which aligns it with other sequences from the Swiss-Prot public database, public EST databases (e.g., GenBank, Merck/Wash. U.), and a proprietary EST database (LIFESEQ®, Incyte Pharmaceuticals, Palo Alto, CA). The search was performed using the computer program BLAST or BLAST2 [Altschul et al., Methods in Enzymology, 266:460-480 (1996)] as a comparison of the extracellular domain (ECD) protein sequences to a 6 frame translation of the EST sequences. Those comparisons resulting in a BLAST score of 70 (or in some cases, 90) or greater that did not encode known proteins were clustered and assembled into consensus DNA sequences with the program "phrap" (Phil Green, University of Washington, Seattle, Washington).

A consensus DNA sequence was assembled relative to other EST sequences using phrap. This consensus sequence is designated herein "DNA67003".

Based on the DNA67003 consensus sequence, the nucleic acid (SEQ ID NO:417) was identified in a human pancreas library. DNA sequencing of the clone gave the full-length DNA sequence for PRO1375 and the derived protein sequence for PRO1375.

The entire coding sequence of PRO1375 is shown in Figure 299 (SEQ ID NO:417). Clone DNA67004-1614 contains a single open reading frame with an apparent translational initiation site at nucleotide positions 104-106 and an apparent stop codon at nucleotide positions 698-700 of SEQ ID NO:417. The predicted polypeptide precursor is 198 amino acids long. The transmembrane domains are at about amino acids 11-28 (type II) and 103-125 of SEQ ID NO:418. Clone DNA67004-1614 has been deposited with ATCC and is assigned ATCC deposit no. 203115. The full-length PRO1375 protein shown in Figure 300 has an estimated molecular weight of about 22,531 daltons and a pI of about 8.47.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 300 (SEQ ID NO:418), revealed sequence identity between the PRO1375 amino acid sequence and the following Dayhoff sequences: AF026198_5, CELR12C12_5, S73465, Y011_MYCPN, S64538_1, P_P8150, MUVSHPO10_1, VSH_MUMPL and CVU59751_5.

EXAMPLE 136: Isolation of cDNA clones Encoding Human PRO1385

Use of the signal sequence algorithm described in Example 3 above allowed identification of a single EST cluster sequence from the Incyte database. This EST cluster sequence was then compared to a variety of expressed sequence tag (EST) databases which included public EST databases (e.g., GenBank) and a proprietary EST DNA database (LIFESEQ®, Incyte Pharmaceuticals, Palo Alto, CA) to identify existing homologies. The homology search was performed using the computer program BLAST or BLAST2 (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Those comparisons resulting in a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into a consensus DNA sequence with the program "phrap" (Phil Green, University of Washington, Seattle, Washington). The consensus sequence obtained therefrom is herein designated DNA57952.

In light of an observed sequence homology between the DNA57952 consensus sequence and an EST sequence encompassed within the Incyte EST clone no. 3129630, the Incyte EST clone 3129630 was purchased and the cDNA insert was obtained and sequenced. It was found that this insert encoded a full-length protein. The sequence of this cDNA insert is shown in Figure 301 and is herein designated as DNA68869-1610.

Clone DNA68869-1610 contains a single open reading frame with an apparent translational initiation site at nucleotide positions 26-28 and ending at the stop codon at nucleotide positions 410-412 (Figure 301). The predicted polypeptide precursor is 128 amino acids long (Figure 302). The full-length PRO1385 protein shown in Figure 302 has an estimated molecular weight of about 13,663 daltons and a pI of about 10.97. Analysis of the full-length PRO1385 sequence shown in Figure 302 (SEQ ID NO:420) evidences the presence of the following: a signal peptide from about amino acid 1 to about amino acid 28, and glycosylaminoglycan attachment sites from about amino acid 82 to about amino acid 85 and from about amino acid 91 to about amino acid 94. Clone DNA68869-1610 has been deposited with ATCC on August 25, 1998 and is assigned ATCC deposit no. 203164.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 302 (SEQ ID NO:420), evidenced low homology between the PRO1385 amino acid sequence and the following Dayhoff sequences: CELT14A8_1, LMNACHRA1_1, HXD9_HUMAN, CHKCMLF_1, HS5PP34_2, DMDRING_1, A37107_1, MMLUNGENE_1, PUM_DROME and DMU25117_1.

EXAMPLE 137: Isolation of cDNA clones Encoding Human PRO1387

Use of the signal sequence algorithm described in Example 3 above allowed identification of a single EST cluster sequence from the Incyte database. This EST cluster sequence was then compared to a variety of expressed sequence tag (EST) databases which included public EST databases (e.g., GenBank) and a proprietary EST DNA database (LIFESEQ®, Incyte Pharmaceuticals, Palo Alto, CA) to identify existing homologies. The homology search was performed using the computer program BLAST or BLAST2 (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Those comparisons resulting in a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into a consensus DNA sequence with the program "phrap" (Phil Green, University of Washington, Seattle, Washington). The consensus sequence obtained therefrom is herein designated DNA56259.

In light of an observed sequence homology between the DNA56259 consensus sequence and an EST sequence encompassed within the Incyte EST clone no. 3507924, the Incyte EST clone 3507924 was purchased and the cDNA insert was obtained and sequenced. It was found that this insert encoded a full-length protein. The sequence of this cDNA insert is shown in Figure 303 and is herein designated as DNA68872-1620.

Clone DNA68872-1620 contains a single open reading frame with an apparent translational initiation site at nucleotide positions 85-87 and ending at the stop codon at nucleotide positions 1267-1269 (Figure 303). The predicted polypeptide precursor is 394 amino acids long (Figure 304). The full-length PRO1387 protein shown in Figure 304 has an estimated molecular weight of about 44,339 daltons and a pI of about 7.10. Analysis of the full-length PRO1387 sequence shown in Figure 304 (SEQ ID NO:422) evidences the presence

of the following: a signal peptide from about amino acid 1 to about amino acid 19, a transmembrane domain from about amino acid 275 to about amino acid 296, potential N-glycosylation sites from about amino acid 76 to about amino acid 79, from about amino acid 231 to about amino acid 234, from about amino acid 302 to about amino acid 305, from about amino acid 307 to about amino acid 310 and from about amino acid 376 to about amino acid 379, and amino acid sequence blocks having homology to myelin p0 protein from about amino acid 210 to about amino acid 239 and from about amino acid 92 to about amino acid 121. Clone DNA68872-1620 has been deposited with ATCC on August 25, 1998 and is assigned ATCC deposit no. 203160.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 304 (SEQ ID NO:422), evidenced significant homology between the PRO1387 amino acid sequence and the following Dayhoff sequences: P_W36955, MYPO_HETFR, HS46KDA_1, AF049498_1, MYO0_HUMAN, AF030454_1, A53268, SHPTCRA_1, P_W14146 and GEN12838.

EXAMPLE 138: Isolation of cDNA clones Encoding Human PRO1384

A consensus DNA sequence was assembled relative to other EST sequences using phrap as described in Example 1 above. This consensus sequence is herein designated DNA54192. Based on the DNA54192 sequence, oligonucleotides were synthesized: 1) to identify by PCR a cDNA library that contained the sequence of interest, and 2) for use as probes to isolate a clone of the full-length coding sequence for PRO1384.

PCR primers (forward and reverse) were synthesized:

forward PCR primer 5'-TGCAGCCCCTGTGACACAACTGG-3' (SEQ ID NO:425)

reverse PCR primer 5'-CTGAGATAACCGAGCCATCCTCCAC-3' (SEQ ID NO:426)

Additionally, a synthetic oligonucleotide hybridization probe was constructed from the DNA54192 sequence which had the following nucleotide sequence:

hybridization probe

5'-GGAGATAGCTGCTATGGGTTCTTCAGGCACAACCTAACATGGGAAG-3' (SEQ ID NO:427)

In order to screen several libraries for a source of a full-length clone, DNA from the libraries was screened by PCR amplification with the PCR primer pair identified above. A positive library was then used to isolate clones encoding the PRO1384 gene using the probe oligonucleotide and one of the PCR primers. RNA for construction of the cDNA libraries was isolated from human fetal liver.

DNA sequencing of the clones isolated as described above gave the full-length DNA sequence for PRO1384 (designated herein as DNA71159-1617 [Figure 305, SEQ ID NO:423]; and the derived protein sequence for PRO1384.

The entire coding sequence of PRO1384 is shown in Figure 305 (SEQ ID NO:423). Clone DNA71159-1617 contains a single open reading frame with an apparent translational initiation site at nucleotide positions 182-184 and an apparent stop codon at nucleotide positions 869-871. The predicted polypeptide precursor is 229 amino acids long. The full-length PRO1384 protein shown in Figure 306 has an estimated molecular weight of about 26,650 daltons and a pI of about 8.76. Additional features include a type II

transmembrane domain at about amino acids 32-57, and potential N-glycosylation sites at about amino acids 68-71, 120-123, and 134-137.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using a WU-BLAST2 sequence alignment analysis of the full-length sequence shown in Figure 306 (SEQ ID NO:424), revealed homology between the PRO1384 amino acid sequence and the following Dayhoff sequences: AF054819_1, HSAJ1687_1, AF009511_1, AB010710_1, GEN13595, HSAJ673_1, GEN13961, AB005900_1, LECH_CHICK, AF021349_1, and NK13_RAT.

Clone DNA71159-1617 has been deposited with ATCC and is assigned ATCC deposit no. 203135.

EXAMPLE 139: Use of PRO as a hybridization probe

The following method describes use of a nucleotide sequence encoding PRO as a hybridization probe.

DNA comprising the coding sequence of full-length or mature PRO as disclosed herein is employed as a probe to screen for homologous DNAs (such as those encoding naturally-occurring variants of PRO) in human tissue cDNA libraries or human tissue genomic libraries.

Hybridization and washing of filters containing either library DNAs is performed under the following high stringency conditions. Hybridization of radiolabeled PRO-derived probe to the filters is performed in a solution of 50% formamide, 5x SSC, 0.1% SDS, 0.1% sodium pyrophosphate, 50 mM sodium phosphate, pH 6.8, 2x Denhardt's solution, and 10% dextran sulfate at 42°C for 20 hours. Washing of the filters is performed in an aqueous solution of 0.1x SSC and 0.1% SDS at 42°C.

DNAs having a desired sequence identity with the DNA encoding full-length native sequence PRO can then be identified using standard techniques known in the art.

EXAMPLE 140: Expression of PRO in *E. coli*

This example illustrates preparation of an unglycosylated form of PRO by recombinant expression in *E. coli*.

The DNA sequence encoding PRO is initially amplified using selected PCR primers. The primers should contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector. A variety of expression vectors may be employed. An example of a suitable vector is pBR322 (derived from *E. coli*; see Bolivar et al., *Gene*, 2:95 (1977)) which contains genes for ampicillin and tetracycline resistance. The vector is digested with restriction enzyme and dephosphorylated. The PCR amplified sequences are then ligated into the vector. The vector will preferably include sequences which encode for an antibiotic resistance gene, a trp promoter, a polyhis leader (including the first six STII codons, polyhis sequence, and enterokinase cleavage site), the PRO coding region, lambda transcriptional terminator, and an argU gene.

The ligation mixture is then used to transform a selected *E. coli* strain using the methods described in Sambrook et al., *supra*. Transformants are identified by their ability to grow on LB plates and antibiotic resistant colonies are then selected. Plasmid DNA can be isolated and confirmed by restriction analysis and DNA sequencing.

Selected clones can be grown overnight in liquid culture medium such as LB broth supplemented with antibiotics. The overnight culture may subsequently be used to inoculate a larger scale culture. The cells are then grown to a desired optical density, during which the expression promoter is turned on.

After culturing the cells for several more hours, the cells can be harvested by centrifugation. The cell pellet obtained by the centrifugation can be solubilized using various agents known in the art, and the solubilized PRO protein can then be purified using a metal chelating column under conditions that allow tight binding of the protein.

PRO may be expressed in *E. coli* in a poly-His tagged form, using the following procedure. The DNA encoding PRO is initially amplified using selected PCR primers. The primers will contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector, and other useful sequences providing for efficient and reliable translation initiation, rapid purification on a metal chelation column, and proteolytic removal with enterokinase. The PCR-amplified, poly-His tagged sequences are then ligated into an expression vector, which is used to transform an *E. coli* host based on strain 52 (W3110 fuhA(tonA) lon galE rpoHts(htpRts) clpP(lacIq). Transformants are first grown in LB containing 50 mg/ml carbenicillin at 30°C with shaking until an O.D.600 of 3-5 is reached. Cultures are then diluted 50-100 fold into CRAP media (prepared by mixing 3.57 g (NH₄)₂SO₄, 0.71 g sodium citrate•2H₂O, 1.07 g KCl, 5.36 g Difco yeast extract, 5.36 g Sheffield hycase SF in 500 mL water, as well as 110 mM MPOS, pH 7.3, 0.55% (w/v) glucose and 7 mM MgSO₄) and grown for approximately 20-30 hours at 30°C with shaking. Samples are removed to verify expression by SDS-PAGE analysis, and the bulk culture is centrifuged to pellet the cells. Cell pellets are frozen until purification and refolding.

E. coli paste from 0.5 to 1 L fermentations (6-10 g pellets) is resuspended in 10 volumes (w/v) in 7 M guanidine, 20 mM Tris, pH 8 buffer. Solid sodium sulfite and sodium tetrathionate is added to make final concentrations of 0.1M and 0.02 M, respectively, and the solution is stirred overnight at 4°C. This step results in a denatured protein with all cysteine residues blocked by sulfitolization. The solution is centrifuged at 40,000 rpm in a Beckman Ultracentrifuge for 30 min. The supernatant is diluted with 3-5 volumes of metal chelate column buffer (6 M guanidine, 20 mM Tris, pH 7.4) and filtered through 0.22 micron filters to clarify. The clarified extract is loaded onto a 5 ml Qiagen Ni-NTA metal chelate column equilibrated in the metal chelate column buffer. The column is washed with additional buffer containing 50 mM imidazole (Calbiochem, Utrol grade), pH 7.4. The protein is eluted with buffer containing 250 mM imidazole. Fractions containing the desired protein are pooled and stored at 4°C. Protein concentration is estimated by its absorbance at 280 nm using the calculated extinction coefficient based on its amino acid sequence.

The proteins are refolded by diluting the sample slowly into freshly prepared refolding buffer consisting of: 20 mM Tris, pH 8.6, 0.3 M NaCl, 2.5 M urea, 5 mM cysteine, 20 mM glycine and 1 mM EDTA. Refolding volumes are chosen so that the final protein concentration is between 50 to 100 micrograms/ml. The refolding solution is stirred gently at 4°C for 12-36 hours. The refolding reaction is quenched by the addition of TFA to a final concentration of 0.4% (pH of approximately 3). Before further purification of the protein, the solution is filtered through a 0.22 micron filter and acetonitrile is added to 2-10% final concentration. The refolded protein is chromatographed on a Poros R1/H reversed phase column

using a mobile buffer of 0.1% TFA with elution with a gradient of acetonitrile from 10 to 80%. Aliquots of fractions with A280 absorbance are analyzed on SDS polyacrylamide gels and fractions containing homogeneous refolded protein are pooled. Generally, the properly refolded species of most proteins are eluted at the lowest concentrations of acetonitrile since those species are the most compact with their hydrophobic interiors shielded from interaction with the reversed phase resin. Aggregated species are usually eluted at higher acetonitrile concentrations. In addition to resolving misfolded forms of proteins from the desired form, the reversed phase step also removes endotoxin from the samples.

Fractions containing the desired folded PRO polypeptide are pooled and the acetonitrile removed using a gentle stream of nitrogen directed at the solution. Proteins are formulated into 20 mM Hepes, pH 6.8 with 0.14 M sodium chloride and 4% mannitol by dialysis or by gel filtration using G25 Superfine (Pharmacia) resins equilibrated in the formulation buffer and sterile filtered.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 141: Expression of PRO in mammalian cells

This example illustrates preparation of a potentially glycosylated form of PRO by recombinant expression in mammalian cells.

The vector, pRK5 (see EP 307,247, published March 15, 1989), is employed as the expression vector. Optionally, the PRO DNA is ligated into pRK5 with selected restriction enzymes to allow insertion of the PRO DNA using ligation methods such as described in Sambrook et al., *supra*. The resulting vector is called pRK5-PRO.

In one embodiment, the selected host cells may be 293 cells. Human 293 cells (ATCC CCL 1573) are grown to confluence in tissue culture plates in medium such as DMEM supplemented with fetal calf serum and optionally, nutrient components and/or antibiotics. About 10 μ g pRK5-PRO DNA is mixed with about 1 μ g DNA encoding the VA RNA gene [Thimmappaya et al., *Cell*, 31:543 (1982)] and dissolved in 500 μ l of 1 mM Tris-HCl, 0.1 mM EDTA, 0.227 M CaCl_2 . To this mixture is added, dropwise, 500 μ l of 50 mM HEPES (pH 7.35), 280 mM NaCl, 1.5 mM NaPO_4 , and a precipitate is allowed to form for 10 minutes at 25°C. The precipitate is suspended and added to the 293 cells and allowed to settle for about four hours at 37°C. The culture medium is aspirated off and 2 ml of 20% glycerol in PBS is added for 30 seconds. The 293 cells are then washed with serum free medium, fresh medium is added and the cells are incubated for about 5 days.

Approximately 24 hours after the transfections, the culture medium is removed and replaced with culture medium (alone) or culture medium containing 200 μ Ci/ml ^{35}S -cysteine and 200 μ Ci/ml ^{35}S -methionine. After a 12 hour incubation, the conditioned medium is collected, concentrated on a spin filter, and loaded onto a 15% SDS gel. The processed gel may be dried and exposed to film for a selected period of time to reveal the presence of PRO polypeptide. The cultures containing transfected cells may undergo further incubation (in serum free medium) and the medium is tested in selected bioassays.

In an alternative technique, PRO may be introduced into 293 cells transiently using the dextran sulfate method described by Sompayrac et al., *Proc. Natl. Acad. Sci.*, 12:7575 (1981). 293 cells are grown to

maximal density in a spinner flask and 700 µg pRK5-PRO DNA is added. The cells are first concentrated from the spinner flask by centrifugation and washed with PBS. The DNA-dextran precipitate is incubated on the cell pellet for four hours. The cells are treated with 20% glycerol for 90 seconds, washed with tissue culture medium, and re-introduced into the spinner flask containing tissue culture medium, 5 µg/ml bovine insulin and 0.1 µg/ml bovine transferrin. After about four days, the conditioned media is centrifuged and filtered to remove cells and debris. The sample containing expressed PRO can then be concentrated and purified by any selected method, such as dialysis and/or column chromatography.

In another embodiment, PRO can be expressed in CHO cells. The pRK5-PRO can be transfected into CHO cells using known reagents such as CaPO₄ or DEAE-dextran. As described above, the cell cultures can be incubated, and the medium replaced with culture medium (alone) or medium containing a radiolabel such as ³⁵S-methionine. After determining the presence of PRO polypeptide, the culture medium may be replaced with serum free medium. Preferably, the cultures are incubated for about 6 days, and then the conditioned medium is harvested. The medium containing the expressed PRO can then be concentrated and purified by any selected method.

Epitope-tagged PRO may also be expressed in host CHO cells. The PRO may be subcloned out of the pRK5 vector. The subclone insert can undergo PCR to fuse in frame with a selected epitope tag such as a poly-his tag into a Baculovirus expression vector. The poly-his tagged PRO insert can then be subcloned into a SV40 driven vector containing a selection marker such as DHFR for selection of stable clones. Finally, the CHO cells can be transfected (as described above) with the SV40 driven vector. Labeling may be performed, as described above, to verify expression. The culture medium containing the expressed poly-His tagged PRO can then be concentrated and purified by any selected method, such as by Ni²⁺-chelate affinity chromatography.

PRO may also be expressed in CHO and/or COS cells by a transient expression procedure or in CHO cells by another stable expression procedure.

Stable expression in CHO cells is performed using the following procedure. The proteins are expressed as an IgG construct (immunoadhesin), in which the coding sequences for the soluble forms (e.g. extracellular domains) of the respective proteins are fused to an IgG1 constant region sequence containing the hinge, CH2 and CH2 domains and/or is a poly-His tagged form.

Following PCR amplification, the respective DNAs are subcloned in a CHO expression vector using standard techniques as described in Ausubel et al., Current Protocols of Molecular Biology, Unit 3.16, John Wiley and Sons (1997). CHO expression vectors are constructed to have compatible restriction sites 5' and 3' of the DNA of interest to allow the convenient shuttling of cDNA's. The vector used expression in CHO cells is as described in Lucas et al., Nucl. Acids Res. 24:9 (1774-1779 (1996), and uses the SV40 early promoter/enhancer to drive expression of the cDNA of interest and dihydrofolate reductase (DHFR). DHFR expression permits selection for stable maintenance of the plasmid following transfection.

Twelve micrograms of the desired plasmid DNA is introduced into approximately 10 million CHO cells using commercially available transfection reagents Superfect[®] (Quiagen), Dosper[®] or Fugene[®] (Boehringer Mannheim). The cells are grown as described in Lucas et al., supra. Approximately 3 x 10⁷ cells are frozen

in an ampule for further growth and production as described below.

The ampules containing the plasmid DNA are thawed by placement into water bath and mixed by vortexing. The contents are pipetted into a centrifuge tube containing 10 mLs of media and centrifuged at 1000 rpm for 5 minutes. The supernatant is aspirated and the cells are resuspended in 10 mL of selective media (0.2 μ m filtered PS20 with 5% 0.2 μ m diafiltered fetal bovine serum). The cells are then aliquoted into a 100 mL spinner containing 90 mL of selective media. After 1-2 days, the cells are transferred into a 250 mL spinner filled with 150 mL selective growth medium and incubated at 37°C. After another 2-3 days, 250 mL, 500 mL and 2000 mL spinners are seeded with 3×10^5 cells/mL. The cell media is exchanged with fresh media by centrifugation and resuspension in production medium. Although any suitable CHO media may be employed, a production medium described in U.S. Patent No. 5,122,469, issued June 16, 1992 may actually be used. A 3L production spinner is seeded at 1.2×10^6 cells/mL. On day 0, the cell number pH is determined. On day 1, the spinner is sampled and sparging with filtered air is commenced. On day 2, the spinner is sampled, the temperature shifted to 33°C, and 30 mL of 500 g/L glucose and 0.6 mL of 10% antifoam (e.g., 35% polydimethylsiloxane emulsion, Dow Corning 365 Medical Grade Emulsion) taken. Throughout the production, the pH is adjusted as necessary to keep it at around 7.2. After 10 days, or until the viability dropped below 70%, the cell culture is harvested by centrifugation and filtering through a 0.22 μ m filter. The filtrate was either stored at 4°C or immediately loaded onto columns for purification.

For the poly-His tagged constructs, the proteins are purified using a Ni-NTA column (Qiagen). Before purification, imidazole is added to the conditioned media to a concentration of 5 mM. The conditioned media is pumped onto a 6 ml Ni-NTA column equilibrated in 20 mM Hepes, pH 7.4, buffer containing 0.3 M NaCl and 5 mM imidazole at a flow rate of 4-5 ml/min. at 4°C. After loading, the column is washed with additional equilibration buffer and the protein eluted with equilibration buffer containing 0.25 M imidazole. The highly purified protein is subsequently desalted into a storage buffer containing 10 mM Hepes, 0.14 M NaCl and 4% mannitol, pH 6.8, with a 25 ml G25 Superfine (Pharmacia) column and stored at -80°C.

Immunoadhesin (Fc-containing) constructs are purified from the conditioned media as follows. The conditioned medium is pumped onto a 5 ml Protein A column (Pharmacia) which had been equilibrated in 20 mM Na phosphate buffer, pH 6.8. After loading, the column is washed extensively with equilibration buffer before elution with 100 mM citric acid, pH 3.5. The eluted protein is immediately neutralized by collecting 1 ml fractions into tubes containing 275 μ L of 1 M Tris buffer, pH 9. The highly purified protein is subsequently desalted into storage buffer as described above for the poly-His tagged proteins. The homogeneity is assessed by SDS polyacrylamide gels and by N-terminal amino acid sequencing by Edman degradation.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 142: Expression of PRO in Yeast

The following method describes recombinant expression of PRO in yeast.

First, yeast expression vectors are constructed for intracellular production or secretion of PRO from the ADH2/GAPDH promoter. DNA encoding PRO and the promoter is inserted into suitable restriction enzyme sites in the selected plasmid to direct intracellular expression of PRO. For secretion, DNA encoding

PRO can be cloned into the selected plasmid, together with DNA encoding the ADH2/GAPDH promoter, a native PRO signal peptide or other mammalian signal peptide, or, for example, a yeast alpha-factor or invertase secretory signal/leader sequence, and linker sequences (if needed) for expression of PRO.

Yeast cells, such as yeast strain AB110, can then be transformed with the expression plasmids described above and cultured in selected fermentation media. The transformed yeast supernatants can be analyzed by precipitation with 10% trichloroacetic acid and separation by SDS-PAGE, followed by staining of the gels with Coomassie Blue stain.

Recombinant PRO can subsequently be isolated and purified by removing the yeast cells from the fermentation medium by centrifugation and then concentrating the medium using selected cartridge filters. The concentrate containing PRO may further be purified using selected column chromatography resins.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 143: Expression of PRO in Baculovirus-Infected Insect Cells

The following method describes recombinant expression of PRO in Baculovirus-infected insect cells.

The sequence coding for PRO is fused upstream of an epitope tag contained within a baculovirus expression vector. Such epitope tags include poly-his tags and immunoglobulin tags (like Fc regions of IgG). A variety of plasmids may be employed, including plasmids derived from commercially available plasmids such as pVL1393 (Novagen). Briefly, the sequence encoding PRO or the desired portion of the coding sequence of PRO such as the sequence encoding the extracellular domain of a transmembrane protein or the sequence encoding the mature protein if the protein is extracellular is amplified by PCR with primers complementary to the 5' and 3' regions. The 5' primer may incorporate flanking (selected) restriction enzyme sites. The product is then digested with those selected restriction enzymes and subcloned into the expression vector.

Recombinant baculovirus is generated by co-transfecting the above plasmid and BaculoGold™ virus DNA (Pharmingen) into *Spodoptera frugiperda* ("Sf9") cells (ATCC CRL 1711) using lipofectin (commercially available from GIBCO-BRL). After 4 - 5 days of incubation at 28°C, the released viruses are harvested and used for further amplifications. Viral infection and protein expression are performed as described by O'Reilley et al., Baculovirus expression vectors: A Laboratory Manual, Oxford: Oxford University Press (1994).

Expressed poly-his tagged PRO can then be purified, for example, by Ni²⁺-chelate affinity chromatography as follows. Extracts are prepared from recombinant virus-infected Sf9 cells as described by Rupert et al., Nature, 362:175-179 (1993). Briefly, Sf9 cells are washed, resuspended in sonication buffer (25 mL Hepes, pH 7.9; 12.5 mM MgCl₂; 0.1 mM EDTA; 10% glycerol; 0.1% NP-40; 0.4 M KCl), and sonicated twice for 20 seconds on ice. The sonicates are cleared by centrifugation, and the supernatant is diluted 50-fold in loading buffer (50 mM phosphate, 300 mM NaCl, 10% glycerol, pH 7.8) and filtered through a 0.45 μm filter. A Ni²⁺-NTA agarose column (commercially available from Qiagen) is prepared with a bed volume of 5 mL, washed with 25 mL of water and equilibrated with 25 mL of loading buffer. The filtered cell extract is loaded onto the column at 0.5 mL per minute. The column is washed to baseline A₂₈₀ with loading buffer, at which point fraction collection is started. Next, the column is washed with a secondary wash buffer (50 mM phosphate; 300 mM NaCl, 10% glycerol, pH 6.0), which elutes nonspecifically bound

protein. After reaching A_{280} baseline again, the column is developed with a 0 to 500 mM Imidazole gradient in the secondary wash buffer. One mL fractions are collected and analyzed by SDS-PAGE and silver staining or Western blot with Ni^{2+} -NTA-conjugated to alkaline phosphatase (Qiagen). Fractions containing the eluted His₁₀-tagged PRO are pooled and dialyzed against loading buffer.

5 Alternatively, purification of the IgG tagged (or Fc tagged) PRO can be performed using known chromatography techniques, including for instance, Protein A or protein G column chromatography.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 144: Preparation of Antibodies that Bind PRO

This example illustrates preparation of monoclonal antibodies which can specifically bind PRO.

10 Techniques for producing the monoclonal antibodies are known in the art and are described, for instance, in Goding, *supra*. Immunogens that may be employed include purified PRO, fusion proteins containing PRO, and cells expressing recombinant PRO on the cell surface. Selection of the immunogen can be made by the skilled artisan without undue experimentation.

15 Mice, such as Balb/c, are immunized with the PRO immunogen emulsified in complete Freund's adjuvant and injected subcutaneously or intraperitoneally in an amount from 1-100 micrograms. Alternatively, the immunogen is emulsified in MPL-TDM adjuvant (Ribi Immunochemical Research, Hamilton, MT) and injected into the animal's hind foot pads. The immunized mice are then boosted 10 to 12 days later with additional immunogen emulsified in the selected adjuvant. Thereafter, for several weeks, the mice may also be boosted with additional immunization injections. Serum samples may be periodically obtained from the mice by retro-orbital bleeding for testing in ELISA assays to detect anti-PRO antibodies.

20 After a suitable antibody titer has been detected, the animals "positive" for antibodies can be injected with a final intravenous injection of PRO. Three to four days later, the mice are sacrificed and the spleen cells are harvested. The spleen cells are then fused (using 35% polyethylene glycol) to a selected murine myeloma cell line such as P3X63AgU.1, available from ATCC, No. CRL 1597. The fusions generate hybridoma cells which can then be plated in 96 well tissue culture plates containing HAT (hypoxanthine, aminopterin, and thymidine) medium to inhibit proliferation of non-fused cells, myeloma hybrids, and spleen cell hybrids.

25 The hybridoma cells will be screened in an ELISA for reactivity against PRO. Determination of "positive" hybridoma cells secreting the desired monoclonal antibodies against PRO is within the skill in the art.

30 The positive hybridoma cells can be injected intraperitoneally into syngeneic Balb/c mice to produce ascites containing the anti-PRO monoclonal antibodies. Alternatively, the hybridoma cells can be grown in tissue culture flasks or roller bottles. Purification of the monoclonal antibodies produced in the ascites can be accomplished using ammonium sulfate precipitation, followed by gel exclusion chromatography. Alternatively, affinity chromatography based upon binding of antibody to protein A or protein G can be employed.

35

EXAMPLE 145: Purification of PRO Polypeptides Using Specific Antibodies

Native or recombinant PRO polypeptides may be purified by a variety of standard techniques in the

art of protein purification. For example, pro-PRO polypeptide, mature PRO polypeptide, or pre-PRO polypeptide is purified by immunoaffinity chromatography using antibodies specific for the PRO polypeptide of interest. In general, an immunoaffinity column is constructed by covalently coupling the anti-PRO polypeptide antibody to an activated chromatographic resin.

Polyclonal immunoglobulins are prepared from immune sera either by precipitation with ammonium sulfate or by purification on immobilized Protein A (Pharmacia LKB Biotechnology, Piscataway, N.J.). Likewise, monoclonal antibodies are prepared from mouse ascites fluid by ammonium sulfate precipitation or chromatography on immobilized Protein A. Partially purified immunoglobulin is covalently attached to a chromatographic resin such as CnBr-activated SEPHAROSE™ (Pharmacia LKB Biotechnology). The antibody is coupled to the resin, the resin is blocked, and the derivative resin is washed according to the manufacturer's instructions.

Such an immunoaffinity column is utilized in the purification of PRO polypeptide by preparing a fraction from cells containing PRO polypeptide in a soluble form. This preparation is derived by solubilization of the whole cell or of a subcellular fraction obtained via differential centrifugation by the addition of detergent or by other methods well known in the art. Alternatively, soluble PRO polypeptide containing a signal sequence may be secreted in useful quantity into the medium in which the cells are grown.

A soluble PRO polypeptide-containing preparation is passed over the immunoaffinity column, and the column is washed under conditions that allow the preferential absorbance of PRO polypeptide (*e.g.*, high ionic strength buffers in the presence of detergent). Then, the column is eluted under conditions that disrupt antibody/PRO polypeptide binding (*e.g.*, a low pH buffer such as approximately pH 2-3, or a high concentration of a chaotrope such as urea or thiocyanate ion), and PRO polypeptide is collected.

EXAMPLE 146: Drug Screening

This invention is particularly useful for screening compounds by using PRO polypeptides or binding fragment thereof in any of a variety of drug screening techniques. The PRO polypeptide or fragment employed in such a test may either be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the PRO polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One may measure, for example, the formation of complexes between PRO polypeptide or a fragment and the agent being tested. Alternatively, one can examine the diminution in complex formation between the PRO polypeptide and its target cell or target receptors caused by the agent being tested.

Thus, the present invention provides methods of screening for drugs or any other agents which can affect a PRO polypeptide-associated disease or disorder. These methods comprise contacting such an agent with an PRO polypeptide or fragment thereof and assaying (i) for the presence of a complex between the agent and the PRO polypeptide or fragment, or (ii) for the presence of a complex between the PRO polypeptide or fragment and the cell, by methods well known in the art. In such competitive binding assays, the PRO polypeptide or fragment is typically labeled. After suitable incubation, free PRO polypeptide or fragment is

separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of the particular agent to bind to PRO polypeptide or to interfere with the PRO polypeptide/cell complex.

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to a polypeptide and is described in detail in WO 84/03564, published on September 13, 1984. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. As applied to a PRO polypeptide, the peptide test compounds are reacted with PRO polypeptide and washed. Bound PRO polypeptide is detected by methods well known in the art. Purified PRO polypeptide can also be coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies can be used to capture the peptide and immobilize it on the solid support.

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding PRO polypeptide specifically compete with a test compound for binding to PRO polypeptide or fragments thereof. In this manner, the antibodies can be used to detect the presence of any peptide which shares one or more antigenic determinants with PRO polypeptide.

EXAMPLE 147: Rational Drug Design

The goal of rational drug design is to produce structural analogs of biologically active polypeptide of interest (*i.e.*, a PRO polypeptide) or of small molecules with which they interact, *e.g.*, agonists, antagonists, or inhibitors. Any of these examples can be used to fashion drugs which are more active or stable forms of the PRO polypeptide or which enhance or interfere with the function of the PRO polypeptide *in vivo* (*c.f.*, Hodgson, Bio/Technology, 9: 19-21 (1991)).

In one approach, the three-dimensional structure of the PRO polypeptide, or of an PRO polypeptide-inhibitor complex, is determined by x-ray crystallography, by computer modeling or, most typically, by a combination of the two approaches. Both the shape and charges of the PRO polypeptide must be ascertained to elucidate the structure and to determine active site(s) of the molecule. Less often, useful information regarding the structure of the PRO polypeptide may be gained by modeling based on the structure of homologous proteins. In both cases, relevant structural information is used to design analogous PRO polypeptide-like molecules or to identify efficient inhibitors. Useful examples of rational drug design may include molecules which have improved activity or stability as shown by Braxton and Wells, Biochemistry, 31:7796-7801 (1992) or which act as inhibitors, agonists, or antagonists of native peptides as shown by Athauda *et al.*, J. Biochem., 113:742-746 (1993).

It is also possible to isolate a target-specific antibody, selected by functional assay, as described above, and then to solve its crystal structure. This approach, in principle, yields a pharmacore upon which subsequent drug design can be based. It is possible to bypass protein crystallography altogether by generating anti-idiotypic antibodies (anti-ids) to a functional, pharmacologically active antibody. As a mirror image of a mirror image, the binding site of the anti-ids would be expected to be an analog of the original receptor. The anti-id could then be used to identify and isolate peptides from banks of chemically or biologically produced

peptides. The isolated peptides would then act as the pharmacore.

By virtue of the present invention, sufficient amounts of the PRO polypeptide may be made available to perform such analytical studies as X-ray crystallography. In addition, knowledge of the PRO polypeptide amino acid sequence provided herein will provide guidance to those employing computer modeling techniques in place of or in addition to x-ray crystallography.

5

EXAMPLE 148: Stimulation of Heart Neonatal Hypertrophy (Assay 1)

This assay is designed to measure the ability of PRO polypeptides to stimulate hypertrophy of neonatal heart. PRO polypeptides testing positive in this assay are expected to be useful for the therapeutic treatment of various cardiac insufficiency disorders.

10

Cardiac myocytes from 1-day old Harlan Sprague Dawley rats were obtained. Cells (180 μ l at 7.5×10^4 /ml, serum <0.1%, freshly isolated) are added on day 1 to 96-well plates previously coated with DMEM/F12 + 4% FCS. Test samples containing the test PRO polypeptide or growth medium only (negative control) (20 μ l/well) are added directly to the wells on day 1. PGF (20 μ l/well) is then added on day 2 at final concentration of 10^{-6} M. The cells are then stained on day 4 and visually scored on day 5, wherein cells showing no increase in size as compared to negative controls are scored 0.0, cells showing a small to moderate increase in size as compared to negative controls are scored 1.0 and cells showing a large increase in size as compared to negative controls are scored 2.0. A positive result in the assay is a score of 1.0 or greater.

15

The following polypeptides tested positive in this assay: PRO1312.

20

EXAMPLE 149: Stimulation of Endothelial Cell Proliferation (Assay 8)

This assay is designed to determine whether PRO polypeptides of the present invention show the ability to stimulate adrenal cortical capillary endothelial cell (ACE) growth. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of conditions or disorders where angiogenesis would be beneficial including, for example, wound healing, and the like (as would agonists of these PRO polypeptides). Antagonists of the PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of cancerous tumors.

25

Bovine adrenal cortical capillary endothelial (ACE) cells (from primary culture, maximum of 12-14 passages) were plated in 96-well plates at 500 cells/well per 100 microliter. Assay media included low glucose DMEM, 10% calf serum, 2 mM glutamine, and 1X penicillin/streptomycin/fungizone. Control wells included the following: (1) no ACE cells added; (2) ACE cells alone; (3) ACE cells plus VEGF (5 ng/ml); and (4) ACE cells plus FGF (5ng/ml). The control or test sample, (in 100 microliter volumes), was then added to the wells (at dilutions of 1%, 0.1% and 0.01%, respectively). The cell cultures were incubated for 6-7 days at 37°C/5% CO₂. After the incubation, the media in the wells was aspirated, and the cells were washed 1X with PBS. An acid phosphatase reaction mixture (100 microliter; 0.1M sodium acetate, pH 5.5, 0.1% Triton X-100, 10 mM p-nitrophenyl phosphate) was then added to each well. After a 2 hour incubation at 37°C, the reaction was stopped by addition of 10 microliters 1N NaOH. Optical density (OD) was measured on a microplate reader at 405 nm.

30

35

The activity of a PRO polypeptide was calculated as the fold increase in proliferation (as determined by the acid phosphatase activity, OD 405 nm) relative to (1) cell only background, and (2) relative to maximum stimulation by VEGF. VEGF (at 3-10 ng/ml) and FGF (at 1-5 ng/ml) were employed as an activity reference for maximum stimulation. Results of the assay were considered "positive" if the observed stimulation was \geq 50% increase over background. VEGF (5 ng/ml) control at 1% dilution gave 1.24 fold stimulation; FGF (5 ng/ml) control at 1% dilution gave 1.46 fold stimulation.

The following PRO polypeptides tested positive in this assay: PRO1154 and PRO1186.

EXAMPLE 150: Inhibition of Vascular Endothelial Growth Factor (VEGF) Stimulated Proliferation of Endothelial Cell Growth (Assay 9)

The ability of various PRO polypeptides to inhibit VEGF stimulated proliferation of endothelial cells was tested. Polypeptides testing positive in this assay are useful for inhibiting endothelial cell growth in mammals where such an effect would be beneficial, e.g., for inhibiting tumor growth.

Specifically, bovine adrenal cortical capillary endothelial cells (ACE) (from primary culture, maximum of 12-14 passages) were plated in 96-well plates at 500 cells/well per 100 microliter. Assay media included low glucose DMEM, 10% calf serum, 2 mM glutamine, and 1X penicillin/streptomycin/fungizone. Control wells included the following: (1) no ACE cells added; (2) ACE cells alone; (3) ACE cells plus 5 ng/ml FGF; (4) ACE cells plus 3 ng/ml VEGF; (5) ACE cells plus 3 ng/ml VEGF plus 1 ng/ml TGF-beta; and (6) ACE cells plus 3 ng/ml VEGF plus 5 ng/ml LIF. The test samples, poly-his tagged PRO polypeptides (in 100 microliter volumes), were then added to the wells (at dilutions of 1%, 0.1% and 0.01%, respectively). The cell cultures were incubated for 6-7 days at 37°C/5% CO₂. After the incubation, the media in the wells was aspirated, and the cells were washed 1X with PBS. An acid phosphatase reaction mixture (100 microliter; 0.1M sodium acetate, pH 5.5, 0.1% Triton X-100, 10 mM p-nitrophenyl phosphate) was then added to each well. After a 2 hour incubation at 37°C, the reaction was stopped by addition of 10 microliters 1N NaOH. Optical density (OD) was measured on a microplate reader at 405 nm.

The activity of PRO polypeptides was calculated as the percent inhibition of VEGF (3 ng/ml) stimulated proliferation (as determined by measuring acid phosphatase activity at OD 405 nm) relative to the cells without stimulation. TGF-beta was employed as an activity reference at 1 ng/ml, since TGF-beta blocks 70-90% of VEGF-stimulated ACE cell proliferation. The results are indicative of the utility of the PRO polypeptides in cancer therapy and specifically in inhibiting tumor angiogenesis. Numerical values (relative inhibition) are determined by calculating the percent inhibition of VEGF stimulated proliferation by the PRO polypeptides relative to cells without stimulation and then dividing that percentage into the percent inhibition obtained by TGF- β at 1 ng/ml which is known to block 70-90% of VEGF stimulated cell proliferation. The results are considered positive if the PRO polypeptide exhibits 30% or greater inhibition of VEGF stimulation of endothelial cell growth (relative inhibition 30% or greater).

The following polypeptide tested positive in this assay: PRO812.

EXAMPLE 151: Stimulatory Activity in Mixed Lymphocyte Reaction (MLR) Assay (Assay 24)

This example shows that certain polypeptides of the invention are active as a stimulator of the proliferation of stimulated T-lymphocytes. Compounds which stimulate proliferation of lymphocytes are useful therapeutically where enhancement of an immune response is beneficial. A therapeutic agent may take the form of antagonists of the polypeptide of the invention, for example, murine-human chimeric, humanized or human antibodies against the polypeptide.

The basic protocol for this assay is described in Current Protocols in Immunology, unit 3.12; edited by J E Coligan, A M Kruisbeek, D H Marglies, E M Shevach, W Strober, National Institutes of Health, Published by John Wiley & Sons, Inc.

More specifically, in one assay variant, peripheral blood mononuclear cells (PBMC) are isolated from mammalian individuals, for example a human volunteer, by leukopheresis (one donor will supply stimulator PBMCs, the other donor will supply responder PBMCs). If desired, the cells are frozen in fetal bovine serum and DMSO after isolation. Frozen cells may be thawed overnight in assay media (37°C, 5% CO₂) and then washed and resuspended to 3x10⁶ cells/ml of assay media (RPMI; 10% fetal bovine serum, 1% penicillin/streptomycin, 1% glutamine, 1% HEPES, 1% non-essential amino acids, 1% pyruvate). The stimulator PBMCs are prepared by irradiating the cells (about 3000 Rads).

The assay is prepared by plating in triplicate wells a mixture of:

100:1 of test sample diluted to 1% or to 0.1%,

50 :1 of irradiated stimulator cells, and

50 :1 of responder PBMC cells.

100 microliters of cell culture media or 100 microliter of CD4-IgG is used as the control. The wells are then incubated at 37°C, 5% CO₂ for 4 days. On day 5, each well is pulsed with tritiated thymidine (1.0 mCi/well; Amersham). After 6 hours the cells are washed 3 times and then the uptake of the label is evaluated.

In another variant of this assay, PBMCs are isolated from the spleens of Balb/c mice and C57B6 mice. The cells are teased from freshly harvested spleens in assay media (RPMI; 10% fetal bovine serum, 1% penicillin/streptomycin, 1% glutamine, 1% HEPES, 1% non-essential amino acids, 1% pyruvate) and the PBMCs are isolated by overlaying these cells over Lympholyte M (Organon Teknika), centrifuging at 2000 rpm for 20 minutes, collecting and washing the mononuclear cell layer in assay media and resuspending the cells to 1x10⁷ cells/ml of assay media. The assay is then conducted as described above.

Positive increases over control are considered positive with increases of greater than or equal to 180% being preferred. However, any value greater than control indicates a stimulatory effect for the test protein.

The following PRO polypeptides tested positive in this assay: PRO826, PRO1068, PRO1184, PRO1346 and PRO1375.

EXAMPLE 152: Retinal Neuron Survival (Assay 52)

This example demonstrates that certain PRO polypeptides have efficacy in enhancing the survival of retinal neuron cells and, therefore, are useful for the therapeutic treatment of retinal disorders or injuries including, for example, treating sight loss in mammals due to retinitis pigmentosum, AMD, etc.

Sprague Dawley rat pups at postnatal day 7 (mixed population: glia and retinal neuronal types) are killed by decapitation following CO₂ anesthesia and the eyes are removed under sterile conditions. The neural retina is dissected away from the pigment epithelium and other ocular tissue and then dissociated into a single cell suspension using 0.25% trypsin in Ca²⁺, Mg²⁺-free PBS. The retinas are incubated at 37°C for 7-10 minutes after which the trypsin is inactivated by adding 1 ml soybean trypsin inhibitor. The cells are plated at 100,000 cells per well in 96 well plates in DMEM/F12 supplemented with N2 and with or without the specific test PRO polypeptide. Cells for all experiments are grown at 37°C in a water saturated atmosphere of 5% CO₂. After 2-3 days in culture, cells are stained with calcein AM then fixed using 4% paraformaldehyde and stained with DAPI for determination of total cell count. The total cells (fluorescent) are quantified at 20X objective magnification using CCD camera and NIH image software for MacIntosh. Fields in the well are chosen at random.

The effect of various concentration of PRO polypeptides are reported herein where percent survival is calculated by dividing the total number of calcein AM positive cells at 2-3 days in culture by the total number of DAPI-labeled cells at 2-3 days in culture. Anything above 30% survival is considered positive.

The following PRO polypeptides tested positive in this assay using polypeptide concentrations within the range of 0.01% to 1.0% in the assay: PRO828, PRO826, PRO1068 and PRO1132.

EXAMPLE 153: Rod Photoreceptor Cell Survival (Assay 56)

This assay shows that certain polypeptides of the invention act to enhance the survival/proliferation of rod photoreceptor cells and, therefore, are useful for the therapeutic treatment of retinal disorders or injuries including, for example, treating sight loss in mammals due to retinitis pigmentosum, AMD, etc.

Sprague Dawley rat pups at 7 day postnatal (mixed population: glia and retinal neuronal cell types) are killed by decapitation following CO₂ anesthesia and the eyes are removed under sterile conditions. The neural retina is dissected away from the pigment epithelium and other ocular tissue and then dissociated into a single cell suspension using 0.25% trypsin in Ca²⁺, Mg²⁺-free PBS. The retinas are incubated at 37°C for 7-10 minutes after which the trypsin is inactivated by adding 1 ml soybean trypsin inhibitor. The cells are plated at 100,000 cells per well in 96 well plates in DMEM/F12 supplemented with N₂. Cells for all experiments are grown at 37°C in a water saturated atmosphere of 5% CO₂. After 2-3 days in culture, cells are fixed using 4% paraformaldehyde, and then stained using CellTracker Green CMFDA. Rho 4D2 (ascites or IgG 1:100), a monoclonal antibody directed towards the visual pigment rhodopsin is used to detect rod photoreceptor cells by indirect immunofluorescence. The results are calculated as % survival: total number of calcein- rhodopsin positive cells at 2-3 days in culture, divided by the total number of rhodopsin positive cells at time 2-3 days in culture. The total cells (fluorescent) are quantified at 20x objective magnification using a CCD camera and NIH image software for MacIntosh. Fields in the well are chosen at random.

The following polypeptides tested positive in this assay: PRO536, PRO943, PRO828, PRO826, PRO1068 and PRO1132.

EXAMPLE 154: Induction of c-fos in Endothelial Cells (Assay 34)

This assay is designed to determine whether PRO polypeptides show the ability to induce c-fos in endothelial cells. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of conditions or disorders where angiogenesis would be beneficial including, for example, wound healing, and the like (as would agonists of these PRO polypeptides). Antagonists of the PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of cancerous tumors.

Human venous umbilical vein endothelial cells (HUVEC, Cell Systems) in growth media (50% Ham's F12 w/o GHT: low glucose, and 50% DMEM without glycine: with NaHCO₃, 1% glutamine, 10 mM HEPES, 10% FBS, 10 ng/ml bFGF) were plated on 96-well microtiter plates at a cell density of 1x10⁴ cells/well. The day after plating, the cells were starved by removing the growth media and treating the cells with 100 µl/well test samples and controls (positive control = growth media; negative control = Protein 32 buffer = 10 mM HEPES, 140 mM NaCl, 4% (w/v) mannitol, pH 6.8). The cells were incubated for 30 minutes at 37°C, in 5% CO₂. The samples were removed, and the first part of the bDNA kit protocol (Chiron Diagnostics, cat. #6005-037) was followed, where each capitalized reagent/buffer listed below was available from the kit.

Briefly, the amounts of the TM Lysis Buffer and Probes needed for the tests were calculated based on information provided by the manufacturer. The appropriate amounts of thawed Probes were added to the TM Lysis Buffer. The Capture Hybridization Buffer was warmed to room temperature. The bDNA strips were set up in the metal strip holders, and 100 µl of Capture Hybridization Buffer was added to each b-DNA well needed, followed by incubation for at least 30 minutes. The test plates with the cells were removed from the incubator, and the media was gently removed using the vacuum manifold. 100 µl of Lysis Hybridization Buffer with Probes were quickly pipetted into each well of the microtiter plates. The plates were then incubated at 55°C for 15 minutes. Upon removal from the incubator, the plates were placed on the vortex mixer with the microtiter adapter head and vortexed on the #2 setting for one minute. 80 µl of the lysate was removed and added to the bDNA wells containing the Capture Hybridization Buffer, and pipetted up and down to mix. The plates were incubated at 53°C for at least 16 hours.

On the next day, the second part of the bDNA kit protocol was followed. Specifically, the plates were removed from the incubator and placed on the bench to cool for 10 minutes. The volumes of additions needed were calculated based upon information provided by the manufacturer. An Amplifier Working Solution was prepared by making a 1:100 dilution of the Amplifier Concentrate (20 fm/µl) in AL Hybridization Buffer. The hybridization mixture was removed from the plates and washed twice with Wash A. 50 µl of Amplifier Working Solution was added to each well and the wells were incubated at 53°C for 30 minutes. The plates were then removed from the incubator and allowed to cool for 10 minutes. The Label Probe Working Solution was prepared by making a 1:100 dilution of Label Concentrate (40 pmoles/µl) in AL Hybridization Buffer. After the 10-minute cool-down period, the amplifier hybridization mixture was removed and the plates were washed twice with Wash A. 50 µl of Label Probe Working Solution was added to each well and the wells were incubated at 53°C for 15 minutes. After cooling for 10 minutes, the Substrate was warmed to room

temperature. Upon addition of 3 μ l of Substrate Enhancer to each ml of Substrate needed for the assay, the plates were allowed to cool for 10 minutes, the label hybridization mixture was removed, and the plates were washed twice with Wash A and three times with Wash D. 50 μ l of the Substrate Solution with Enhancer was added to each well. The plates were incubated for 30 minutes at 37°C and RLU was read in an appropriate luminometer.

5 The replicates were averaged and the coefficient of variation was determined. The measure of activity of the fold increase over the negative control (Protein 32/HEPES buffer described above) value was indicated by chemiluminescence units (RLU). The results are considered positive if the PRO polypeptide exhibits at least a two-fold value over the negative buffer control. Negative control = 1.00 RLU at 1.00% dilution. Positive control = 8.39 RLU at 1.00% dilution.

10 The following PRO polypeptides tested positive in this assay: PRO535, PRO826, PRO819, PRO1126, PRO1160 and PRO1387.

EXAMPLE 155: Inhibitory Activity in Mixed Lymphocyte Reaction (MLR) Assay (Assay 67)

15 This example shows that one or more of the polypeptides of the invention are active as inhibitors of the proliferation of stimulated T-lymphocytes. Compounds which inhibit proliferation of lymphocytes are useful therapeutically where suppression of an immune response is beneficial.

 The basic protocol for this assay is described in Current Protocols in Immunology, unit 3.12; edited by J E Coligan, A M Kruisbeek, D H Marglies, E M Shevach, W Strober, National Institutes of Health, Published by John Wiley & Sons, Inc.

20 More specifically, in one assay variant, peripheral blood mononuclear cells (PBMC) are isolated from mammalian individuals, for example a human volunteer, by leukopheresis (one donor will supply stimulator PBMCs, the other donor will supply responder PBMCs). If desired, the cells are frozen in fetal bovine serum and DMSO after isolation. Frozen cells may be thawed overnight in assay media (37°C, 5% CO₂) and then washed and resuspended to 3x10⁶ cells/ml of assay media (RPMI; 10% fetal bovine serum, 1% penicillin/streptomycin, 1% glutamine, 1% HEPES, 1% non-essential amino acids, 1% pyruvate). The
25 stimulator PBMCs are prepared by irradiating the cells (about 3000 Rads).

 The assay is prepared by plating in triplicate wells a mixture of:

 100:1 of test sample diluted to 1% or to 0.1%,

 50 :1 of irradiated stimulator cells, and

30 50 :1 of responder PBMC cells.

100 microliters of cell culture media or 100 microliter of CD4-IgG is used as the control. The wells are then incubated at 37°C, 5% CO₂ for 4 days. On day 5, each well is pulsed with tritiated thymidine (1.0 mCi/well; Amersham). After 6 hours the cells are washed 3 times and then the uptake of the label is evaluated.

 In another variant of this assay, PBMCs are isolated from the spleens of Balb/c mice and C57B6 mice.
35 The cells are teased from freshly harvested spleens in assay media (RPMI; 10% fetal bovine serum, 1% penicillin/streptomycin, 1% glutamine, 1% HEPES, 1% non-essential amino acids, 1% pyruvate) and the PBMCs are isolated by overlaying these cells over Lympholyte M (Organon Teknika), centrifuging at 2000

rpm for 20 minutes, collecting and washing the mononuclear cell layer in assay media and resuspending the cells to 1×10^7 cells/ml of assay media. The assay is then conducted as described above.

Any decreases below control is considered to be a positive result for an inhibitory compound, with decreases of less than or equal to 80% being preferred. However, any value less than control indicates an inhibitory effect for the test protein.

- 5 The following polypeptide tested positive in this assay: PRO1114, PRO836, PRO1159, PRO1312, PRO1192, PRO1195 and PRO1387.

EXAMPLE 156: Mouse Kidney Mesangial Cell Proliferation Assay (Assay 92)

- 10 This assay shows that certain polypeptides of the invention act to induce proliferation of mammalian kidney mesangial cells and, therefore, are useful for treating kidney disorders associated with decreased mesangial cell function such as Berger disease or other nephropathies associated with Schönlein-Henoch purpura, celiac disease, dermatitis herpetiformis or Crohn disease. The assay is performed as follows. On day one, mouse kidney mesangial cells are plated on a 96 well plate in growth media (3:1 mixture of Dulbecco's modified Eagle's medium and Ham's F12 medium, 95% fetal bovine serum, 5% supplemented with 14 mM HEPES) and grown overnight. On day 2, PRO polypeptides are diluted at 2 concentrations (1% and 0.1%) in serum-free medium and added to the cells. Control samples are serum-free medium alone. On day 4, 20 μ l of the Cell Titer 96 Aqueous one solution reagent (Progenia) was added to each well and the colorimetric reaction was allowed to proceed for 2 hours. The absorbance (OD) is then measured at 490 nm. A positive
15 in the assay is anything that gives an absorbance reading which is at least 15% above the control reading.
20

 The following polypeptide tested positive in this assay: PRO819, PRO813 and PRO1066.

EXAMPLE 157: Pericyte c-Fos Induction (Assay 93)

- 25 This assay shows that certain polypeptides of the invention act to induce the expression of c-fos in pericyte cells and, therefore, are useful not only as diagnostic markers for particular types of pericyte-associated tumors but also for giving rise to antagonists which would be expected to be useful for the therapeutic treatment of pericyte-associated tumors. Specifically, on day 1, pericytes are received from VEC Technologies and all but 5 ml of media is removed from flask. On day 2, the pericytes are trypsinized, washed, spun and then plated onto 96 well plates. On day 7, the media is removed and the pericytes are
30 treated with 100 μ l of PRO polypeptide test samples and controls. (positive control = DME + 5% serum +/- PDGF at 500 ng/ml; negative control = protein 32). Replicates are averaged and SD/CV are determined. Fold increase over Protein 32 (buffer control) value indicated by chemiluminescence units (RLU) luminometer reading verses frequency is plotted on a histogram. Two-fold above Protein 32 value is considered positive for the assay. ASY Matrix: Growth media = low glucose DMEM = 20% FBS + 1X pen strep + 1X fungizone.
35 Assay Media = low glucose DMEM + 5% FBS.

 The following polypeptides tested positive in this assay: PRO943 and PRO819.

EXAMPLE 158: Detection of PRO Polypeptides That Affect Glucose or FFA Uptake by Primary Rat Adipocytes (Assay 94)

This assay is designed to determine whether PRO polypeptides show the ability to affect glucose or FFA uptake by adipocyte cells. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of disorders where either the stimulation or inhibition of glucose uptake by adipocytes would be beneficial including, for example, obesity, diabetes or hyper- or hypo-insulinemia.

In a 96 well format, PRO polypeptides to be assayed are added to primary rat adipocytes, and allowed to incubate overnight. Samples are taken at 4 and 16 hours and assayed for glycerol, glucose and FFA uptake. After the 16 hour incubation, insulin is added to the media and allowed to incubate for 4 hours. At this time, a sample is taken and glycerol, glucose and FFA uptake is measured. Media containing insulin without the PRO polypeptide is used as a positive reference control. As the PRO polypeptide being tested may either stimulate or inhibit glucose and FFA uptake, results are scored as positive in the assay if greater than 1.5 times or less than 0.5 times the insulin control.

The following PRO polypeptides tested positive as stimulators of glucose and/or FFA uptake in this assay: PRO1114, PRO1007, PRO1066, PRO848, PRO1182, PRO1198, PRO1192, PRO1271, PRO1375 and PRO1387.

The following PRO polypeptides tested positive as inhibitors of glucose and/or FFA uptake in this assay: PRO1184, PRO1360, PRO1309, PRO1154, PRO1181, PRO1186, PRO1160 and PRO1384.

EXAMPLE 159: Chondrocyte Re-differentiation Assay (Assay 110)

This assay shows that certain polypeptides of the invention act to induce redifferentiation of chondrocytes, therefore, are expected to be useful for the treatment of various bone and/or cartilage disorders such as, for example, sports injuries and arthritis. The assay is performed as follows. Porcine chondrocytes are isolated by overnight collagenase digestion of articular cartilage of metacarpophalangeal joints of 4-6 month old female pigs. The isolated cells are then seeded at 25,000 cells/cm² in Ham F-12 containing 10% FBS and 4 µg/ml gentamycin. The culture media is changed every third day and the cells are then seeded in 96 well plates at 5,000 cells/well in 100 µl of the same media without serum and 100 µl of the test PRO polypeptide, 5 nM staurosporin (positive control) or medium alone (negative control) is added to give a final volume of 200 µl/well. After 5 days of incubation at 37°C, a picture of each well is taken and the differentiation state of the chondrocytes is determined. A positive result in the assay occurs when the redifferentiation of the chondrocytes is determined to be more similar to the positive control than the negative control.

The following polypeptide tested positive in this assay: PRO1282, PRO1310, PRO619, PRO943, PRO820, PRO1080, PRO1016, PRO1007, PRO1056, PRO791, PRO1111, PRO1184, PRO1360, PRO1309, PRO1107, PRO1132, PRO1131, PRO848, PRO1181, PRO1186, PRO1159, PRO1312, PRO1192 and PRO1384.

EXAMPLE 160: Chondrocyte Proliferation Assay (Assay 111)

This assay is designed to determine whether PRO polypeptides of the present invention show the ability to induce the proliferation and/or redifferentiation of chondrocytes in culture. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of various bone and/or cartilage disorders such as, for example, sports injuries and arthritis.

5 Porcine chondrocytes are isolated by overnight collagenase digestion of articular cartilage of the metacarpophalangeal joint of 4-6 month old female pigs. The isolated cells are then seeded at 25,000 cells/cm² in Ham F-12 containing 10% FBS and 4 µg/ml gentamycin. The culture media is changed every third day and the cells are reseeded to 25,000 cells/cm² every five days. On day 12, the cells are seeded in 96 well plates at 5,000 cells/well in 100 µl of the same media without serum and 100 µl of either serum-free medium (negative control), staurosporin (final concentration of 5 nM; positive control) or the test PRO polypeptide are added to give a final volume of 200 µl/well. After 5 days at 37°C, 20 µl of Alamar blue is added to each well and the plates are incubated for an additional 3 hours at 37°C. The fluorescence is then measured in each well (Ex:530 nm; Em: 590 nm). The fluorescence of a plate containing 200 µl of the serum-free medium is measured to obtain the background. A positive result in the assay is obtained when the fluorescence of the

10

15 PRO polypeptide treated sample is more like that of the positive control than the negative control.

The following PRO polypeptides tested positive in this assay: PRO1310, PRO844, PRO1312, PRO1192 and PRO1387.

EXAMPLE 161: Induction of Pancreatic β-Cell Precursor Proliferation (Assay 117)

20 This assay shows that certain polypeptides of the invention act to induce an increase in the number of pancreatic β-cell precursor cells and, therefore, are useful for treating various insulin deficient states in mammals, including diabetes mellitus. The assay is performed as follows. The assay uses a primary culture of mouse fetal pancreatic cells and the primary readout is an alteration in the expression of markers that represent either β-cell precursors or mature β-cells. Marker expression is measured by real time quantitative

25 PCR (RTQ-PCR); wherein the marker being evaluated is a transcription factor called Pdx1.

The pancreata are dissected from E14 embryos (CD1 mice). The pancreata are then digested with collagenase/dispase in F12/DMEM at 37°C for 40 to 60 minutes (collagenase/dispase, 1.37 mg/ml, Boehringer Mannheim, #1097113). The digestion is then neutralized with an equal volume of 5% BSA and the cells are washed once with RPMI1640. At day 1, the cells are seeded into 12-well tissue culture plates (pre-coated with laminin, 20 µg/ml in PBS, Boehringer Mannheim, #124317). Cells from pancreata from 1-2 embryos are distributed per well. The culture medium for this primary culture is 14F/1640. At day 2, the media is removed and the attached cells washed with RPMI/1640. Two mls of minimal media are added in addition to the protein to be tested. At day 4, the media is removed and RNA prepared from the cells and marker expression analyzed by real time quantitative RT-PCR. A protein is considered to be active in the assay if it increases the expression

30

35 of the relevant β-cell marker as compared to untreated controls.

14F/1640 is RPMI1640 (Gibco) plus the following:

group A 1:1000

group B 1:1000

recombinant human insulin 10 µg/ml

Aprotinin (50µg/ml) 1:2000 (Boehringer manheim #981532)

Bovine pituitary extract (BPE) 60µg/ml

5 Gentamycin 100 ng/ml

Group A : (in 10ml PBS)

Transferrin, 100mg (Sigma T2252)

Epidermal Growth Factor, 100µg (BRL 100004)

Triiodothyronine, 10µl of 5×10^{-6} M (Sigma T5516)

10 Ethanolamine, 100µl of 10^{-1} M (Sigma E0135)

Phosphoethanolamine, 100µl of 10^{-1} M (Sigma P0503)

Selenium, 4µl of 10^{-1} M (Aesar #12574)

Group C : (in 10ml 100% ethanol)

Hydrocortisone, 2µl of 5×10^{-3} M (Sigma #H0135)

15 Progesterone, 100µl of 1×10^{-3} M (Sigma #P6149)

Forskolin, 500µl of 20mM (Calbiochem #344270)

Minimal media:

RPMI 1640 plus transferrin (10 µg/ml), insulin (1 µg/ml), gentamycin (100 ng/ml), aprotinin (50 µg/ml) and BPE (15 µg/ml).

20 Defined media:

RPMI 1640 plus transferrin (10 µg/ml), insulin (1 µg/ml), gentamycin (100 ng/ml) and aprotinin (50 µg/ml).

The following polypeptides tested positive in this assay: PRO1310, PRO1188, PRO1131 and PRO1387.

25

EXAMPLE 162: Detection of Polypeptides That Affect Glucose or FFA Uptake in Skeletal Muscle (Assay 106)

30 This assay is designed to determine whether PRO polypeptides show the ability to affect glucose or FFA uptake by skeletal muscle cells. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of disorders where either the stimulation or inhibition of glucose uptake by skeletal muscle would be beneficial including, for example, diabetes or hyper- or hypo-insulinemia.

35 In a 96 well format, PRO polypeptides to be assayed are added to primary rat differentiated skeletal muscle, and allowed to incubate overnight. Then fresh media with the PRO polypeptide and +/- insulin are added to the wells. The sample media is then monitored to determine glucose and FFA uptake by the skeletal muscle cells. The insulin will stimulate glucose and FFA uptake by the skeletal muscle, and insulin in media without the PRO polypeptide is used as a positive control, and a limit for scoring. As the PRO polypeptide being tested may either stimulate or inhibit glucose and FFA uptake, results are scored as positive in the assay

if greater than 1.5 times or less than 0.5 times the insulin control.

The following PRO polypeptides tested positive as either stimulators or inhibitors of glucose and/or FFA uptake in this assay: PRO358, PRO1016, PRO1007, PRO826, PRO1066, PRO1029 and PRO1309.

EXAMPLE 163: Fetal Hemoglobin Induction in an Erythroblastic Cell Line (Assay 107)

This assay is useful for screening PRO polypeptides for the ability to induce the switch from adult hemoglobin to fetal hemoglobin in an erythroblastic cell line. Molecules testing positive in this assay are expected to be useful for therapeutically treating various mammalian hemoglobin-associated disorders such as the various thalassemias. The assay is performed as follows. Erythroblastic cells are plated in standard growth medium at 1000 cells/well in a 96 well format. PRO polypeptides are added to the growth medium at a concentration of 0.2% or 2% and the cells are incubated for 5 days at 37°C. As a positive control, cells are treated with 100 μ M hemin and as a negative control, the cells are untreated. After 5 days, cell lysates are prepared and analyzed for the expression of gamma globin (a fetal marker). A positive in the assay is a gamma globin level at least 2-fold above the negative control.

The following polypeptides tested positive in this assay: PRO1114, PRO826, PRO1066, PRO844, PRO1192 and PRO1358.

EXAMPLE 164: Induction of Pancreatic β -Cell Precursor Differentiation (Assay 89)

This assay shows that certain polypeptides of the invention act to induce differentiation of pancreatic β -cell precursor cells into mature pancreatic β -cells and, therefore, are useful for treating various insulin deficient states in mammals, including diabetes mellitus. The assay is performed as follows. The assay uses a primary culture of mouse fetal pancreatic cells and the primary readout is an alteration in the expression of markers that represent either β -cell precursors or mature β -cells. Marker expression is measured by real time quantitative PCR (RTQ-PCR); wherein the marker being evaluated is insulin.

The pancreata are dissected from E14 embryos (CD1 mice). The pancreata are then digested with collagenase/dispase in F12/DMEM at 37°C for 40 to 60 minutes (collagenase/dispase, 1.37 mg/ml, Boehringer Mannheim, #1097113). The digestion is then neutralized with an equal volume of 5% BSA and the cells are washed once with RPMI1640. At day 1, the cells are seeded into 12-well tissue culture plates (pre-coated with laminin, 20 μ g/ml in PBS, Boehringer Mannheim, #124317). Cells from pancreata from 1-2 embryos are distributed per well. The culture medium for this primary culture is 14F/1640. At day 2, the media is removed and the attached cells washed with RPMI/1640. Two mls of minimal media are added in addition to the protein to be tested. At day 4, the media is removed and RNA prepared from the cells and marker expression analyzed by real time quantitative RT-PCR. A protein is considered to be active in the assay if it increases the expression of the relevant β -cell marker as compared to untreated controls.

14F/1640 is RPMI1640 (Gibco) plus the following:

group A 1:1000

group B 1:1000

recombinant human insulin 10 μ g/ml

Aprotinin (50 μ g/ml) 1:2000 (Boehringer manheim #981532)

Bovine pituitary extract (BPE) 60 μ g/ml

Gentamycin 100 ng/ml

Group A : (in 10ml PBS)

Transferrin, 100mg (Sigma T2252)

5 Epidermal Growth Factor, 100 μ g (BRL 100004)

Triiodothyronine, 10 μ l of 5 $\times 10^{-6}$ M (Sigma T5516)

Ethanolamine, 100 μ l of 10 $^{-1}$ M (Sigma E0135)

Phosphoethalamine, 100 μ l of 10 $^{-1}$ M (Sigma P0503)

Selenium, 4 μ l of 10 $^{-1}$ M (Aesar #12574)

10 Group C : (in 10ml 100% ethanol)

Hydrocortisone, 2 μ l of 5 $\times 10^{-3}$ M (Sigma #H0135)

Progesterone, 100 μ l of 1 $\times 10^{-3}$ M (Sigma #P6149)

Forskolin, 500 μ l of 20mM (Calbiochem #344270)

Minimal media:

15 RPMI 1640 plus transferrin (10 μ g/ml), insulin (1 μ g/ml), gentamycin (100 ng/ml), aprotinin (50 μ g/ml) and BPE (15 μ g/ml).

Defined media:

RPMI 1640 plus transferrin (10 μ g/ml), insulin (1 μ g/ml), gentamycin (100 ng/ml) and aprotinin (50 μ g/ml).

20 The following polypeptides were positive in this assay: PRO1188, PRO1132, PRO1131 and PRO1181.

EXAMPLE 165: Skin Vascular Permeability Assay (Assay 64)

25 This assay shows that certain polypeptides of the invention stimulate an immune response and induce inflammation by inducing mononuclear cell, eosinophil and PMN infiltration at the site of injection of the animal. Compounds which stimulate an immune response are useful therapeutically where stimulation of an immune response is beneficial. This skin vascular permeability assay is conducted as follows. Hairless guinea pigs weighing 350 grams or more are anesthetized with ketamine (75-80 mg/Kg) and 5 mg/Kg xylazine intramuscularly (IM). A sample of purified polypeptide of the invention or a conditioned media test sample

30 is injected intradermally onto the backs of the test animals with 100 μ l per injection site. It is possible to have about 10-30, preferably about 16-24, injection sites per animal. One μ l of Evans blue dye (1% in physiologic buffered saline) is injected intracardially. Blemishes at the injection sites are then measured (mm diameter) at 1 hr and 6 hr post injection. Animals were sacrificed at 6 hrs after injection. Each skin injection site is biopsied and fixed in formalin. The skins are then prepared for histopathologic evaluation. Each site is

35 evaluated for inflammatory cell infiltration into the skin. Sites with visible inflammatory cell inflammation are scored as positive. Inflammatory cells may be neutrophilic, eosinophilic, monocytic or lymphocytic. At least a minimal perivascular infiltrate at the injection site is scored as positive, no infiltrate at the site of injection is

scored as negative.

The following polypeptide tested positive in this assay: PRO1007, PRO1358 and PRO1375.

EXAMPLE 166: Induction of Endothelial Cell Apoptosis (ELISA) (Assay 109)

The ability of PRO polypeptides to induce apoptosis in endothelial cells was tested in human venous umbilical vein endothelial cells (HUVEC, Cell Systems) using a 96-well format, in 0% serum media supplemented with 100 ng/ml VEGF, 0.1% BSA, 1X penn/strep. A positive result in this assay indicates the usefulness of the polypeptide for therapeutically treating any of a variety of conditions associated with undesired endothelial cell growth including, for example, the inhibition of tumor growth. The 96-well plates used were manufactured by Falcon (No. 3072). Coating of 96 well plates were prepared by allowing gelatinization to occur for >30 minutes with 100 μ l of 0.2% gelatin in PBS solution. The gelatin mix was aspirated thoroughly before plating HUVEC cells at a final concentration of 2×10^4 cells/ml in 10% serum containing medium - 100 μ l volume per well. The cells were grown for 24 hours before adding test samples containing the PRO polypeptide of interest.

To all wells, 100 μ l of 0% serum media (Cell Systems) complemented with 100 ng/ml VEGF, 0.1% BSA, 1X penn/strep was added. Test samples containing PRO polypeptides were added in triplicate at dilutions of 1%, 0.33% and 0.11%. Wells without cells were used as a blank and wells with cells only were used as a negative control. As a positive control, 1:3 serial dilutions of 50 μ l of a 3x stock of staurosporine were used. The cells were incubated for 24 to 35 hours prior to ELISA.

ELISA was used to determine levels of apoptosis preparing solutions according to the Boehringer Manual [Boehringer, Cell Death Detection ELISA plus, Cat No. 1 920 685]. Sample preparations: 96 well plates were spun down at 1 krpm for 10 minutes (200g); the supernatant was removed by fast inversion, placing the plate upside down on a paper towel to remove residual liquid. To each well, 200 μ l of 1X Lysis buffer was added and incubation allowed at room temperature for 30 minutes without shaking. The plates were spun down for 10 minutes at 1 krpm, and 20 μ l of the lysate (cytoplasmic fraction) was transferred into streptavidin coated MTP. 80 μ l of immunoreagent mix was added to the 20 μ l lysate in each well. The MTP was covered with adhesive foil and incubated at room temperature for 2 hours by placing it on an orbital shaker (200 rpm). After two hours, the supernatant was removed by suction and the wells rinsed three times with 250 μ l of 1X incubation buffer per well (removed by suction). Substrate solution was added (100 μ l) into each well and incubated on an orbital shaker at room temperature at 250 rpm until color development was sufficient for a photometric analysis (approx. after 10-20 minutes). A 96 well reader was used to read the plates at 405 nm, reference wavelength, 492 nm. The levels obtained for PIN 32 (control buffer) was set to 100%. Samples with levels >130% were considered positive for induction of apoptosis.

The following PRO polypeptides tested positive in this assay: PRO844.

EXAMPLE 167: Guinea Pig Vascular Leak (Assay 32)

This assay is designed to determine whether PRO polypeptides of the present invention show the ability to induce vascular permeability. Polypeptides testing positive in this assay are expected to be useful

for the therapeutic treatment of conditions which would benefit from enhanced vascular permeability including, for example, conditions which may benefit from enhanced local immune system cell infiltration.

Hairless guinea pigs weighing 350 grams or more were anesthetized with Ketamine (75-80 mg/kg) and 5 mg/kg Xylazine intramuscularly. Test samples containing the PRO polypeptide or a physiological buffer without the test polypeptide are injected into skin on the back of the test animals with 100 μ l per injection site intradermally. There were approximately 16-24 injection sites per animal. One ml of Evans blue dye (1% in PBS) is then injected intracardially. Skin vascular permeability responses to the compounds (*i.e.*, blemishes at the injection sites of injection) are visually scored by measuring the diameter (in mm) of blue-colored leaks from the site of injection at 1, 6 and 24 hours post administration of the test materials. The mm diameter of blueness at the site of injection is observed and recorded as well as the severity of the vascular leakage. Blemishes of at least 5 mm in diameter are considered positive for the assay when testing purified proteins, being indicative of the ability to induce vascular leakage or permeability. A response greater than 7 mm diameter is considered positive for conditioned media samples. Human VEGF at 0.1 μ g/100 μ l is used as a positive control, inducing a response of 4-8 mm diameter.

The following PRO polypeptides tested positive in this assay: PRO1155.

EXAMPLE 168: Mouse Mesengial Cell Inhibition Assay (Assay 114)

This assay is designed to determine whether PRO polypeptides of the present invention show the ability to inhibit the proliferation of mouse mesengial cells in culture. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of such diseases or conditions where inhibition of mesengial cell proliferation would be beneficial such as, for example, cystic renal dysplasia, polycystic kidney disease, or other kidney disease assoiciated with abnormal mesengial cell proliferation, renal tumors, and the like.

On day 1, mouse mesengial cells are plated on a 96 well plate in growth medium (a 3:1 mixture of Dulbecco's modified Eagle's medium and Ham's F12 medium, 95%; fetal bovine serum, 5%; supplemented with 14mM HEPES) and then are allowed to grow overnight. On day 2, the PRO polypeptide is diluted at 2 different concentrations (1%, 0.1%) in serum-free medium and is added to the cells. The negative control is growth medium without added PRO polypeptide. After the cells are allowed to incubate for 48 hours, 20 μ l of the Cell Titer 96 Aqueous one solution reagent (Promega) is added to each well and the colormetric reaction is allowed to proceed for 2 hours. The absorbance (OD) is then measured at 490 nm. A positive in the assay is an absorbance reading which is at least 10% above the negative control.

The following PRO polypeptides tested positive in this assay: PRO1192 and PRO1195.

Example 169: *In Vitro* Antitumor Assay (Assay 161)

The antiproliferative activity of various PRO polypeptides was determined in the investigational, disease-oriented *in vitro* anti-cancer drug discovery assay of the National Cancer Institute (NCI), using a sulforhodamine B (SRB) dye binding assay essentially as described by Skehan et al., J. Natl. Cancer Inst. 82:1107-1112 (1990). The 60 tumor cell lines employed in this study ("the NCI panel"), as well as conditions

for their maintenance and culture *in vitro* have been described by Monks et al., *J. Natl. Cancer Inst.* 83:757-766 (1991). The purpose of this screen is to initially evaluate the cytotoxic and/or cytostatic activity of the test compounds against different types of tumors (Monks et al., *supra*; Boyd, *Cancer: Princ. Pract. Oncol. Update* 3(10):1-12 [1989]).

5 Cells from approximately 60 human tumor cell lines were harvested with trypsin/EDTA (Gibco), washed once, resuspended in IMEM and their viability was determined. The cell suspensions were added by pipet (100 μ L volume) into separate 96-well microtiter plates. The cell density for the 6-day incubation was less than for the 2-day incubation to prevent overgrowth. Inoculates were allowed a preincubation period of 24 hours at 37°C for stabilization. Dilutions at twice the intended test concentration were added at time zero in 100 μ L aliquots to the microtiter plate wells (1:2 dilution). Test compounds were evaluated at five half-log
10 dilutions (1000 to 100,000-fold). Incubations took place for two days and six days in a 5% CO₂ atmosphere and 100% humidity.

After incubation, the medium was removed and the cells were fixed in 0.1 ml of 10% trichloroacetic acid at 40°C. The plates were rinsed five times with deionized water, dried, stained for 30 minutes with 0.1 ml of 0.4% sulforhodamine B dye (Sigma) dissolved in 1% acetic acid, rinsed four times with 1% acetic acid
15 to remove unbound dye, dried, and the stain was extracted for five minutes with 0.1 ml of 10 mM Tris base [tris(hydroxymethyl)aminomethane], pH 10.5. The absorbance (OD) of sulforhodamine B at 492 nm was measured using a computer-interfaced, 96-well microtiter plate reader.

A test sample is considered positive if it shows at least 50% growth inhibitory effect at one or more concentrations. The results are shown in the following table, where the abbreviations are as follows:

20 NSCL = non-small cell lung carcinoma

CNS = central nervous system

Table 7

	Test compound	Concentration	Days	Tumor Cell Line Type	Cell Line Designation
25	PRO1016	0.1 nM	2	Leukemia	K-568
	PRO1016	0.1 nM	2	Leukemia	MOLT-4
	PRO1016	0.1 nM	2	Leukemia	RPMI-8226
	PRO1016	0.1 nM	2	NSCL	A549/ATCC
30	PRO1016	0.1 nM	2	NSCL	EKVX
	PRO1016	0.1 nM	2	NSCL	NCI-H23
	PRO1016	0.1 nM	2	NSCL	NCI-H522
	PRO1016	0.1 nM	2	Colon	KM-12
	PRO1016	0.1 nM	2	CNS	SF-295
35	PRO1016	0.1 nM	2	Melanoma	SK-MEL-5
	PRO1016	0.1 nM	2	Melanoma	UACC-257
	PRO1016	0.1 nM	2	Ovarian	OVCA-3
	PRO1016	0.1 nM	2	Ovarian	OVCA-4
	PRO1016	0.1 nM	2	Breast	NCI/SDR-RES
40	PRO1016	0.1 nM	2	Breast	T-47D
	PRO1016	0.1 nM	6	Leukemia	CCRF-CEM
	PRO1016	0.1 nM	6	Leukemia	K-562

Table 7 (cont')

	Test compound	Concentration	Days	Tumor Cell Line Type	<u>C e l l L i n e</u>
					<u>Designation</u>
5	PRO1016	0.1 nM	6	Leukemia	MOLT-4
	PRO1016	0.1 nM	6	Leukemia	RPMI-8226
	PRO1016	0.1 nM	6	NSCL	A549/ATCC
	PRO1016	0.1 nM	6	NSCL	EKVX
	PRO1016	0.1 nM	6	NSCL	HOP-62
10	PRO1016	0.1 nM	6	NSCL	NCI-H23
	PRO1016	0.1 nM	6	NSCL	NCI-H322M
	PRO1016	0.1 nM	6	NSCL	NCI-H460
	PRO1016	0.1 nM	6	NSCL	NCI-H522
	PRO1016	0.1 nM	6	Colon	COLO 205
15	PRO1016	0.1 nM	6	Colon	CHT-116
	PRO1016	0.1 nM	6	Colon	HCT-15
	PRO1016	0.1 nM	6	Colon	HT-29
	PRO1016	0.1 nM	6	Colon	SW-620
	PRO1016	0.1 nM	6	CNS	SF-295
20	PRO1016	0.1 nM	6	CNS	SF-539
	PRO1016	0.1 nM	6	CNS	SNB-19
	PRO1016	0.1 nM	6	CNS	U251
	PRO1016	0.1 nM	6	Melanoma	LOX IMVI
	PRO1016	0.1 nM	6	Melanoma	MALME-3M
25	PRO1016	0.1 nM	6	Melanoma	SK-MEL-28
	PRO1016	0.1 nM	6	Melanoma	SK-MEL-5
	PRO1016	0.1 nM	6	Melanoma	UACC-257
	PRO1016	0.1 nM	6	Melanoma	UACC-62
	PRO1016	0.1 nM	6	Ovarian	IGROV1
30	PRO1016	0.1 nM	6	Ovarian	OVCAR-3
	PRO1016	0.1 nM	6	Ovarian	OVCAR-4
	PRO1016	0.1 nM	6	Ovarian	OVCAR-8
	PRO1016	0.1 nM	6	Renal	ACHN
	PRO1016	0.1 nM	6	Renal	RXF 393
35	PRO1016	0.1 nM	6	Renal	SN12C
	PRO1016	0.1 nM	6	Renal	TK-10
	PRO1016	0.1 nM	6	Prostate	PC-3
	PRO1016	0.1 nM	6	Breast	MCF-7
	PRO1016	0.1 nM	6	Breast	NCI/ADR-RES
40	PRO1016	0.1 nM	6	Breast	MDA-MB-231
	PRO1016	0.1 nM	6	Breast	MDA-MB-435
	PRO1016	0.1 nM	6	Breast	MDA-N
	PRO1016	0.1 nM	6	Breast	BT-549
	PRO1016	0.1 nM	6	Breast	T-47D
45	PRO1186	95 nM	2	NSCL	NCI-H226
	PRO1186	95 nM	2	Colon	Colo205
	PRO1186	2.2 nM	6	Breast	MDA-N
	PRO1186	114 nM	2	NSCL	NCI-H322M
	PRO1186	114 nM	2	CNS	SF-268; SF-539
50	PRO1186	114 nM	2	Ovarian	IGFOV1
	PRO1186	114 nM	2	Renal	786-0; SN12C; TK-10
	PRO1186	114 nM	6	Leukemia	MOLT-4; RPMI-8226
	PRO1186	114 nM	6	Melanoma	LOX IMVI
	PRO1186	114 nM	6	Ovarian	OVCAR-4; SK-OV-3

Table 7 (cont')				
Test compound	Concentration	Days	Tumor Cell Line Type	Cell Line Designation
PRO1186	114 nM	6	Breast	MDA-MB-435; T-47D
5 PRO1186	8.1 nM	6	Leukemia	K-562
PRO1186	8.1 nM	6	NSCL	HOP-62
PRO1186	8.1 nM	6	Colon	Colo205; HCC-2998
PRO1186	8.1 nM	6	Breast	T-47D
PRO1186	15.4 nM	6	Leukemia	K-562
10 PRO1186	3.6 nM	2	Ovarian	OVCAR-3
PRO1186	3.6 nM	6	NSCL	HOP-62

The results of these assays demonstrate that the positive testing PRO polypeptides are useful for inhibiting neoplastic growth in a number of different tumor cell types and may be used therapeutically therefor.. Antibodies against these PRO polypeptides are useful for affinity purification of these useful polypeptides. Nucleic acids encoding these PRO polypeptides are useful for the recombinant preparation of these polypeptides.

EXAMPLE 170: Gene Amplification in Tumors

This example shows that certain PRO polypeptide-encoding genes are amplified in the genome of certain human lung, colon and/or breast cancers and/or cell lines. Amplification is associated with overexpression of the gene product, indicating that the polypeptides are useful targets for therapeutic intervention in certain cancers such as colon, lung, breast and other cancers and diagnostic determination of the presence of those cancers. Therapeutic agents may take the form of antagonists of the PRO polypeptide, for example, murine-human chimeric, humanized or human antibodies against a PRO polypeptide.

The starting material for the screen was genomic DNA isolated from a variety cancers. The DNA is quantitated precisely, *e.g.*, fluorometrically. As a negative control, DNA was isolated from the cells of ten normal healthy individuals which was pooled and used as assay controls for the gene copy in healthy individuals (not shown). The 5' nuclease assay (for example, TaqMan™) and real-time quantitative PCR (for example, ABI Prizm 7700 Sequence Detection System™ (Perkin Elmer, Applied Biosystems Division, Foster City, CA)), were used to find genes potentially amplified in certain cancers. The results were used to determine whether the DNA encoding the PRO polypeptide is over-represented in any of the primary lung or colon cancers or cancer cell lines or breast cancer cell lines that were screened. The primary lung cancers were obtained from individuals with tumors of the type and stage as indicated in Table 8. An explanation of the abbreviations used for the designation of the primary tumors listed in Table 8 and the primary tumors and cell lines referred to throughout this example are given below.

The results of the TaqMan™ are reported in delta (Δ) Ct units. One unit corresponds to 1 PCR cycle or approximately a 2-fold amplification relative to normal, two units corresponds to 4-fold, 3 units to 8-fold amplification and so on. Quantitation was obtained using primers and a TaqMan™ fluorescent probe derived from the PRO polypeptide-encoding gene. Regions of the PRO polypeptide-encoding gene which are most likely to contain unique nucleic acid sequences and which are least likely to have spliced out introns are

preferred for the primer and probe derivation, *e.g.*, 3'-untranslated regions. The sequences for the primers and probes (forward, reverse and probe) used for the PRO polypeptide gene amplification analysis were as follows:

PRO290 (DNA35680-1212):

35680.tm.p:

5 5'-CCACCAATGGCAGCCCCACCT-3' (SEQ ID NO:428)

35680.tm.f:

5'-GACTGCCCTCCCTGCCA-3' (SEQ ID NO:429)

35680.tm.r:

10 5'-CAAAAAGCCTGGAAGCTTCAAAG-3' (SEQ ID NO:430)

PRO341 (DNA26288-1239):

26288.tm.fl:

5'-CAGCTGGACTGCAGGTGCTA-3' (SEQ ID NO:431)

26288.tm.rl:

15 5'-CAGTGAGCACAGCAAGTGTCCCT-3' (SEQ ID NO:432)

26288.tm.pl:

5'-GGCCACCTCCTTGAGTCTTCAGTTCCT-3' (SEQ ID NO:433)

PRO535 (DNA49143-1429):

20 49143.tm.fl:

5'-CAACTACTGGCTAAAGCTGGTGAA-3' (SEQ ID NO:434)

49143.tm.rl:

5'-CCTTTCTGTATAGGTGATACCCAATGA-3' (SEQ ID NO:435)

49143.tm.pl:

25 5'-TGGCCATCCCTACCAGAGGCAAAA-3' (SEQ ID NO:436)

PRO619 (DNA49821-1562):

49821.tm.fl:

5'-CTGAAGACGACGCGGATTACTA-3' (SEQ ID NO:437)

30 49821.tm.rl:

5'-GGCAGAAATGGGAGGCAGA-3' (SEQ ID NO:438)

49821.tm.pl:

5'-TGCTCTGTTGGCTACGGCTTTAGTCCCTAG-3' (SEQ ID NO:439)

35 PRO809 (DNA57836-1338):

57836.tm.fl:

5'-AGCAGCAGCCATGTAGAATGAA-3' (SEQ ID NO:440)

- 57836.tm.r1:
5'-AATACGAACAGTGCACGCTGAT-3' (SEQ ID NO:441)
57836.tm.p1:
5'-TCCAGAGAGCCAAGCACGGCAGA-3' (SEQ ID NO:442)
- 5 PRO830 (DNA56866-1342):
56866.tm.f1:
5'-TCTAGCCAGCTTGGCTCCAATA-3' (SEQ ID NO:443)
56866.tm.r1:
5'-CCTGGCTCTAGCACCAACTCATA-3' (SEQ ID NO:444)
10 56866.tm.p1:
5'-TCAGTGGCCCTAAGGAGATGGGCCT-3' (SEQ ID NO:445)
- PRO848 (DNA59839-1461):
59839.tm.f1:
15 5'-CAGGATACAGTGGGAATCTTGAGA-3' (SEQ ID NO:446)
59839.tm.r1:
5'-CCTGAAGGGCTTGGAGCTTAGT-3' (SEQ ID NO:447)
59839.tm.p1:
5'-TCTTTGGCCATTTCCCATGGCTCA-3' (SEQ ID NO:448)
20
- PRO943 (DNA52192-1369):
52192.tm.f1:
5'-CCCATGGCGAGGAGGAAT-3' (SEQ ID NO:449)
52192.tm.r1:
25 5'-TGCGTACGTGTGCCTTCAG-3' (SEQ ID NO:450)
52192.tm.p1:
5'-CAGCACCCCAGGCAGTCTGTGTGT-3' (SEQ ID NO:451)
- PRO1005 (DNA57708-1411):
30 57708.tm.f1:
5'-AACGTGCTACACGACCAGTGTACT-3' (SEQ ID NO:452)
57708.tm.r1:
5'-CACAGCATATTCAGATGACTAAATCCA-3' (SEQ ID NO:453)
57708.tm.p1:
35 5'-TTGTTTAGTTCTCCACCGTGTCTCCACAGAA-3' (SEQ ID NO:454)

PRO1009 (DNA57129-1413):57129.tm.fl:

5'-TGTCAGAATGCAACCTGGCTT-3' (SEQ ID NO:455)

57129.tm.rl:

5'-TGATGTGCCTGGCTCAGAAC-3' (SEQ ID NO:456)

5 57129.tm.pl:

5'-TGCACCTAGATGTCCCCAGCACCC-3' (SEQ ID NO:457)

PRO1097 (DNA59841-1460):59841.tm.fl:

10 5'-AAGATGCGCCAGGCTTCTTA-3' (SEQ ID NO:458)

59841.tm.rl:

5'-CTCCTGTACGGTCTGCTCACTTAT-3' (SEQ ID NO:459)

59841.tm.pl:

15 5'-TGGCTGTCAAGTCCAGTGTGCATGG-3' (SEQ ID NO:460)

PRO1107 (DNA59606-1471):59606.tm.fl:

5'-GCATAGGGATAGATAAGATCCTGCTTTAT-3' (SEQ ID NO:461)

59606.tm.rl:

20 5'-CAAATTAAAGTACCCATCAGGAGAGAA-3' (SEQ ID NO:462)

59606.tm.pl:

5'-AAGTTGCTAAATATATACATTATCTGCGCCAAGTCCA-3' (SEQ ID NO:463)

PRO1111 (DNA58721-1475):25 58721.tm.fl:

5'-GTGCTGCCCCACAATTCATGA-3' (SEQ ID NO:464)

58721.tm.rl:

5'-GTCCTTGGTATGGGTCTGAATTATAT-3' (SEQ ID NO:465)

58721.tm.pl:

30 5'-ACTCTCTGCACCCACAGTCACCACTATCTC-3' (SEQ ID NO:466)

PRO1153 (DNA59842-1502):59842.tm.fl:

5'-CTGAGGAACCAGCCATGTCTCT-3' (SEQ ID NO:467)

35 59842.tm.rl:

5'-GACCAGATGCAGGTACAGGATGA-3' (SEQ ID NO:468)

59842.tm.pl:

5'-CTGCCCCCTTCAGTGATGCCAACCTT-3'

(SEQ ID NO:469)

PRO1182 (DNA59848-1512):59848.tm.fl:

5 5'-GGGTGGAGGCTCACTGAGTAGA-3'

(SEQ ID NO:470)

59848.tm.rl:

5'-CAATACAGGTAATGAAACTCTGCTTCTT-3'

(SEQ ID NO:471)

59848.tm.pl:

10 5'-TCCTCTTAAGCATAGGCCATTTTCTCAGTTTAGACA-3'

(SEQ ID NO:472)

PRO1184 (DNA59220-1514):59220.tm.fl:

5'-GGTGGTCTTGCTTGGTCTCAC-3'

(SEQ ID NO:473)

59220.tm.rl:

15 5'-CCGTCGTTCAAGCAACATGAC-3'

(SEQ ID NO:474)

59220.tm.pl:

5'-ACCGCCTACCGCTGTGCCCA-3'

(SEQ ID NO:475)

PRO1187 (DNA62876-1517):20 62876.tm.fl:

5'-CAGTAAAACACAGGCTGGATTT-3'

(SEQ ID NO:476)

62876.tm.rl:

5'-CCTGAGAGCAAGAAGTTGAGAAT-3'

(SEQ ID NO:477)

62876.tm.pl:

25 5'-TAGACAGGGACCATGGCCCCGCA-3'

(SEQ ID NO:478)

PRO1281 (DNA59820-1549):59820.tm.fl:

5'-TGGGCTGTAGAAGAGTTGTTG-3'

(SEQ ID NO:479)

30 59820.tm.rl:

5'-TCCACACTTGCCAGTTTAT-3'

(SEQ ID NO:480)

59820.tm.pl:

5'-CCCAACTTCTCCCTTTTGGACCCT-3'

(SEQ ID NO:481)

35 PRO1112 (DNA57702-1476):57702.tm.fl

5'-GTCCCTTCACTGTTTAGAGCATGA-3'

(SEQ ID NO:482)

57702.tm.p1

5'-ACTCTCCCCCTCAACAGCCTCCTGAG-3' (SEQ ID NO:483)

57702.tm.r1

5'-GTGGTCAGGGCAGATCCTTT-3' (SEQ ID NO:484)

5 PRO1185 (DNA62881-1515):62881.tm.f1:

5'-ACAGATCCAGGAGAGACTCCACA -3' (SEQ ID NO:485)

62881.tm.p1:

5'-AGCGGCGCTCCCAGCCTGAAT -3' (SEQ ID NO:486)

10 62881.tm.r1:

5'-CATGATTGGTCCTCAGTTCCATC -3' (SEQ ID NO:487)

PRO1245 (DNA64884-1527):64884.tm.f1:

15 5'-ATAGAGGGCTCCCAGAAGTG -3' (SEQ ID NO:488)

64884.tm.p1:

5'-CAGGGCCTTCAGGGCCTTCAC-3' (SEQ ID NO:489)

64884.tm.r1:

5'-GCTCAGCCAAACACTGTCA-3' (SEQ ID NO:490)

20 64884.tm.f2:

5'-GGGGCCCTGACAGTGTT -3' (SEQ ID NO:491)

64884.tm.p2:

5'-CTGAGCCGAGACTGGAGCATCTACAC-3' (SEQ ID NO:492)

64884.tm.r2:

25 5'-GTGGGCAGCGTCTTGTC-3' (SEQ ID NO:493)

The 5' nuclease assay reaction is a fluorescent PCR-based technique which makes use of the 5' exonuclease activity of Taq DNA polymerase enzyme to monitor amplification in real time. Two oligonucleotide primers (forward [.f] and reverse [.r]) are used to generate an amplicon typical of a PCR reaction. A third oligonucleotide, or probe (.p), is designed to detect nucleotide sequence located between the two PCR primers. The probe is non-extendible by Taq DNA polymerase enzyme, and is labeled with a reporter fluorescent dye and a quencher fluorescent dye. Any laser-induced emission from the reporter dye is quenched by the quenching dye when the two dyes are located close together as they are on the probe. During the amplification reaction, the Taq DNA polymerase enzyme cleaves the probe in a template-dependent manner. The resultant probe fragments disassociate in solution, and signal from the released reporter dye is free from the quenching effect of the second fluorophore. One molecule of reporter dye is liberated for each new molecule synthesized, and detection of the unquenched reporter dye provides the basis for quantitative interpretation of the data.

The 5' nuclease procedure is run on a real-time quantitative PCR device such as the ABI Prism 7700™ Sequence Detection. The system consists of a thermocycler, laser, charge-coupled device (CCD) camera and computer. The system amplifies samples in a 96-well format on a thermocycler. During amplification, laser-induced fluorescent signal is collected in real-time through fiber optics cables for all 96 wells, and detected at the CCD. The system includes software for running the instrument and for analyzing the data.

5' Nuclease assay data are initially expressed as Ct, or the threshold cycle. This is defined as the cycle at which the reporter signal accumulates above the background level of fluorescence. The ΔC_t values are used as quantitative measurement of the relative number of starting copies of a particular target sequence in a nucleic acid sample when comparing cancer DNA results to normal human DNA results.

Table 8 describes the stage, T stage and N stage of various primary tumors which were used to screen the PRO polypeptide compounds of the invention.

Table 8
Primary Lung and Colon Tumor Profiles

	<u>Primary Tumor Stage</u>	<u>Stage</u>	<u>Other Stage</u>	<u>Dukes Stage</u>	<u>T Stage</u>	<u>N Stage</u>
5	Human lung tumor AdenoCa (SRCC724) [LT1]	IIA			T1	N1
	Human lung tumor SqCCa (SRCC725) [LT1a]	IIB			T3	N0
	Human lung tumor AdenoCa (SRCC726) [LT2]	IB			T2	N0
	Human lung tumor AdenoCa (SRCC727) [LT3]	IIIA			T1	N2
	Human lung tumor AdenoCa (SRCC728) [LT4]	IB			T2	N0
10	Human lung tumor SqCCa (SRCC729) [LT6]	IB			T2	N0
	Human lung tumor Aden/SqCCa (SRCC730) [LT7]	IA			T1	N0
	Human lung tumor AdenoCa (SRCC731) [LT9]	IB			T2	N0
	Human lung tumor SqCCa (SRCC732) [LT10]	IIB			T2	N1
	Human lung tumor SqCCa (SRCC733) [LT11]	IIA			T1	N1
15	Human lung tumor AdenoCa (SRCC734) [LT12]	IV			T2	N0
	Human lung tumor AdenoSqCCa (SRCC735) [LT13]	IIB			T2	N0
	Human lung tumor SqCCa (SRCC736) [LT15]	IB			T2	N0
	Human lung tumor SqCCa (SRCC737) [LT16]	IB			T2	N0
	Human lung tumor SqCCa (SRCC738) [LT17]	IIB			T2	N1
20	Human lung tumor SqCCa (SRCC739) [LT18]	IB			T2	N0
	Human lung tumor SqCCa (SRCC740) [LT19]	IB			T2	N0
	Human lung tumor LCCa (SRCC741) [LT21]	IIB			T3	N1
	Human lung AdenoCa (SRCC811) [LT22]	IA			T1	N0
	Human colon AdenoCa (SRCC742) [CT2]		M1	D	pT4	N0
25	Human colon AdenoCa (SRCC743) [CT3]			B	pT3	N0
	Human colon AdenoCa (SRCC744) [CT8]			B	T3	N0
	Human colon AdenoCa (SRCC745) [CT10]			A	pT2	N0
	Human colon AdenoCa (SRCC746) [CT12]		MO, R1	B	T3	N0
	Human colon AdenoCa (SRCC747) [CT14]		pMO, RO	B	pT3	pN0
30	Human colon AdenoCa (SRCC748) [CT15]		M1, R2	D	T4	N2
	Human colon AdenoCa (SRCC749) [CT16]		pMO	B	pT3	pN0
	Human colon AdenoCa (SRCC750) [CT17]			C1	pT3	pN1
	Human colon AdenoCa (SRCC751) [CT1]		MO, R1	B	pT3	N0
	Human colon AdenoCa (SRCC752) [CT4]			B	pT3	M0
35	Human colon AdenoCa (SRCC753) [CT5]		G2	C1	pT3	pN0
	Human colon AdenoCa (SRCC754) [CT6]		pMO, RO	B	pT3	pN0
	Human colon AdenoCa (SRCC755) [CT7]		G1	A	pT2	pN0
	Human colon AdenoCa (SRCC756) [CT9]		G3	D	pT4	pN2
	Human colon AdenoCa (SRCC757) [CT11]			B	T3	N0
40	Human colon AdenoCa (SRCC758) [CT18]		MO, RO	B	pT3	pN0

DNA Preparation:

DNA was prepared from cultured cell lines, primary tumors, normal human blood. The isolation was performed using purification kit, buffer set and protease and all from Quiagen, according to the manufacturer's instructions and the description below.

45 Cell culture lysis:

Cells were washed and trypsinized at a concentration of 7.5×10^8 per tip and pelleted by centrifuging at 1000 rpm for 5 minutes at 4°C, followed by washing again with 1/2 volume of PBS recentrifugation. The pellets were washed a third time, the suspended cells collected and washed 2x with PBS. The cells were then suspended into 10 ml PBS. Buffer C1 was equilibrated at 4°C. Qiagen protease #19155 was diluted into 6.25 ml cold ddH₂O to a final concentration of 20 mg/ml and equilibrated at 4°C. 10 ml of G2 Buffer was prepared

by diluting Qiagen RNase A stock (100 mg/ml) to a final concentration of 200 μ g/ml.

Buffer C1 (10 ml, 4°C) and ddH₂O (40 ml, 4°C) were then added to the 10 ml of cell suspension, mixed by inverting and incubated on ice for 10 minutes. The cell nuclei were pelleted by centrifuging in a Beckman swinging bucket rotor at 2500 rpm at 4°C for 15 minutes. The supernatant was discarded and the nuclei were suspended with a vortex into 2 ml Buffer C1 (at 4°C) and 6 ml ddH₂O, followed by a second 4°C centrifugation at 2500 rpm for 15 minutes. The nuclei were then resuspended into the residual buffer using 200 μ l per tip. G2 buffer (10 ml) was added to the suspended nuclei while gentle vortexing was applied. Upon completion of buffer addition, vigorous vortexing was applied for 30 seconds. Quiagen protease (200 μ l, prepared as indicated above) was added and incubated at 50°C for 60 minutes. The incubation and centrifugation was repeated until the lysates were clear (*e.g.*, incubating additional 30-60 minutes, pelleting at 3000 x g for 10 min., 4°C).

Solid human tumor sample preparation and lysis:

Tumor samples were weighed and placed into 50 ml conical tubes and held on ice. Processing was limited to no more than 250 mg tissue per preparation (1 tip/preparation). The protease solution was freshly prepared by diluting into 6.25 ml cold ddH₂O to a final concentration of 20 mg/ml and stored at 4°C. G2 buffer (20 ml) was prepared by diluting DNase A to a final concentration of 200 mg/ml (from 100 mg/ml stock). The tumor tissue was homogenated in 19 ml G2 buffer for 60 seconds using the large tip of the polytron in a laminar-flow TC hood in order to avoid inhalation of aerosols, and held at room temperature. Between samples, the polytron was cleaned by spinning at 2 x 30 seconds each in 2L ddH₂O, followed by G2 buffer (50 ml). If tissue was still present on the generator tip, the apparatus was disassembled and cleaned.

Quiagen protease (prepared as indicated above, 1.0 ml) was added, followed by vortexing and incubation at 50°C for 3 hours. The incubation and centrifugation was repeated until the lysates were clear (*e.g.*, incubating additional 30-60 minutes, pelleting at 3000 x g for 10 min., 4°C).

Human blood preparation and lysis:

Blood was drawn from healthy volunteers using standard infectious agent protocols and citrated into 10 ml samples per tip. Quiagen protease was freshly prepared by dilution into 6.25 ml cold ddH₂O to a final concentration of 20 mg/ml and stored at 4°C. G2 buffer was prepared by diluting RNase A to a final concentration of 200 μ g/ml from 100 mg/ml stock. The blood (10 ml) was placed into a 50 ml conical tube and 10 ml C1 buffer and 30 ml ddH₂O (both previously equilibrated to 4°C) were added, and the components mixed by inverting and held on ice for 10 minutes. The nuclei were pelleted with a Beckman swinging bucket rotor at 2500 rpm, 4°C for 15 minutes and the supernatant discarded. With a vortex, the nuclei were suspended into 2 ml C1 buffer (4°C) and 6 ml ddH₂O (4°C). Vortexing was repeated until the pellet was white. The nuclei were then suspended into the residual buffer using a 200 μ l tip. G2 buffer (10 ml) were added to the suspended nuclei while gently vortexing, followed by vigorous vortexing for 30 seconds. Quiagen protease was added (200 μ l) and incubated at 50°C for 60 minutes. The incubation and centrifugation was repeated until the lysates were clear (*e.g.*, incubating additional 30-60 minutes, pelleting at 3000 x g for 10 min., 4°C).

Purification of cleared lysates:(1) Isolation of genomic DNA:

Genomic DNA was equilibrated (1 sample per maxi tip preparation) with 10 ml QBT buffer. QF elution buffer was equilibrated at 50°C. The samples were vortexed for 30 seconds, then loaded onto equilibrated tips and drained by gravity. The tips were washed with 2 x 15 ml QC buffer. The DNA was eluted into 30 ml silanized, autoclaved 30 ml Corex tubes with 15 ml QF buffer (50°C). Isopropanol (10.5 ml) was added to each sample, the tubes covered with parafilm and mixed by repeated inversion until the DNA precipitated. Samples were pelleted by centrifugation in the SS-34 rotor at 15,000 rpm for 10 minutes at 4°C. The pellet location was marked, the supernatant discarded, and 10 ml 70% ethanol (4°C) was added. Samples were pelleted again by centrifugation on the SS-34 rotor at 10,000 rpm for 10 minutes at 4°C. The pellet location was marked and the supernatant discarded. The tubes were then placed on their side in a drying rack and dried 10 minutes at 37°C, taking care not to overdry the samples.

After drying, the pellets were dissolved into 1.0 ml TE (pH 8.5) and placed at 50°C for 1-2 hours. Samples were held overnight at 4°C as dissolution continued. The DNA solution was then transferred to 1.5 ml tubes with a 26 gauge needle on a tuberculin syringe. The transfer was repeated 5x in order to shear the DNA. Samples were then placed at 50°C for 1-2 hours.

(2) Quantitation of genomic DNA and preparation for gene amplification assay:

The DNA levels in each tube were quantified by standard A_{260} , A_{280} spectrophotometry on a 1:20 dilution (5 μ l DNA + 95 μ l ddH₂O) using the 0.1 ml quartz cuvettes in the Beckman DU640 spectrophotometer. A_{260}/A_{280} ratios were in the range of 1.8-1.9. Each DNA sample was then diluted further to approximately 200 ng/ml in TE (pH 8.5). If the original material was highly concentrated (about 700 ng/ μ l), the material was placed at 50°C for several hours until resuspended.

Fluorometric DNA quantitation was then performed on the diluted material (20-600 ng/ml) using the manufacturer's guidelines as modified below. This was accomplished by allowing a Hoeffer DyNA Quant 200 fluorometer to warm-up for about 15 minutes. The Hoechst dye working solution (#H33258, 10 μ l, prepared within 12 hours of use) was diluted into 100 ml 1 x TNE buffer. A 2 ml cuvette was filled with the fluorometer solution, placed into the machine, and the machine was zeroed. pGEM 3Zf(+) (2 μ l, lot #360851026) was added to 2 ml of fluorometer solution and calibrated at 200 units. An additional 2 μ l of pGEM 3Zf(+) DNA was then tested and the reading confirmed at 400 +/- 10 units. Each sample was then read at least in triplicate. When 3 samples were found to be within 10% of each other, their average was taken and this value was used as the quantification value.

The fluorometrically determined concentration was then used to dilute each sample to 10 ng/ μ l in ddH₂O. This was done simultaneously on all template samples for a single TaqMan plate assay, and with enough material to run 500-1000 assays. The samples were tested in triplicate with Taqman™ primers and probe both B-actin and GAPDH on a single plate with normal human DNA and no-template controls. The diluted samples were used provided that the CT value of normal human DNA subtracted from test DNA was +/- 1 Ct. The diluted, lot-qualified genomic DNA was stored in 1.0 ml aliquots at -80°C. Aliquots which were subsequently to be used in the gene amplification assay were stored at 4°C. Each 1 ml aliquot is enough

for 8-9 plates or 64 tests.

Gene amplification assay:

The PRO polypeptide compounds of the invention were screened in the following primary tumors and the resulting ΔC_t values greater than or equal to 1.0 are reported in Tables 9A-C below.

Table 9A
 Δ Ct values in lung and colon primary tumors and cell line models

Primary Tumor	PRO290	PRO341	PRO535	PRO619	PRO1112	PRO809	PRO830	PRO848
LT-1a	--	--	--	--	--	--	1.13	--
LT3	--	--	--	1.04	--	--	--	--
				1.68				
LT7	--	--	--	1.21	--	--	--	--
				1.34				
LT9	--	--	--	1.19	--	--	--	--
				1.34				
LT10	--	--	--	1.41	1.135	--	--	--
				2.02				
LT11	1.63	--	1.40	1.69	1.525	1.40	1.25	1.04
				1.57				
LT12	--	--	--	1.81	1.195	1.61	1.35	1.22
LT13	1.47	--	1.37	2.13	1.635	1.03	--	--
				1.74				
LT15	1.67	--	--	2.08	1.775	--	--	--
				1.52				
LT16	--	1.12	--	--	--	--	--	--
LT17	1.22	1.33	1.42	1.83	1.455	1.10	1.17	--
				1.67				
LT18	--	--	--	1.32	1.255	--	--	--
				1.14				
LT19	2.07	--	--	2.33	--	--	1.31	--
				1.90				
LT21	--	1.15	--	1.15	--	1.05	--	1.07
				1.09				
CT2	1.56	--	--	1.22	2.265	--	--	--

Table 9A (cont')

		<u>ΔCt values in lung and colon primary tumors and cell line models</u>						
Primary Tumor	PRO290	PRO341	PRO535	PRO619	PRO1112	PRO809	PRO830	PRO848
CT3	--	--	1.28	1.49	---	---	---	---
CT8	--	--	--	---	1.065	---	---	---
CT10	--	--	1.34	---	1.575	---	---	---
CT12	--	--	--	---	1.315	---	---	---
CT14	--	--	1.29	---	1.895	---	---	---
CT15	--	--	1.10	1.00	1.465	---	---	---
CT16	--	--	1.35	1.02	1.255	---	---	---
CT17	--	--	1.26	1.23	---	---	---	---
CT1	--	--	--	1.12	1.245	---	---	---
CT4	--	--	1.03	1.25	1.535	---	---	---
CT5	--	--	--	1.34	1.975	---	---	---
CT6	--	--	1.00	1.06	1.575	---	---	---
CT11	1.16	--	1.25	1.80	2.285	---	---	---

Table 9B
 Δ Ct values in lung and colon primary tumors and cell line models

Primary Tumor	PRO943	PRO1005	PRO1009	PRO1185	PRO1245	PRO1097	PRO1107	PRO1111	PRO1153
LT-1	--	1.07	--	--	--	--	--	--	--
LT-1a	--	3.87	--	--	--	--	--	--	--
LT2	--	--	--	--	--	1.23	--	--	--
LT3	--	1.61	--	1.01	--	--	--	1.39	--
LT4	--	--	--	--	--	--	--	1.49	1.01
LT6	--	1.29	--	--	--	--	--	--	--
LT7	--	--	--	--	--	--	--	1.58	1.52
LT9	--	2.50	--	--	--	1.21	--	1.44	--
LT10	--	--	--	--	--	--	--	1.05	--
LT11	2.06	--	--	--	--	--	--	1.45	--
LT12	1.94	1.21	--	--	--	--	--	--	--
LT13	1.64	2.30	--	--	3.84	--	3.55	--	--
	1.27	--	--	--	--	--	--	--	--
LT15	2.05	1.03	--	--	1.01	--	2.47	--	--
LT16	--	1.05	--	--	1.98	--	2.45	--	--
LT17	1.93	--	--	--	--	--	--	1.47	--
LT19	2.90	--	--	--	--	--	--	--	--
LT26	--	--	--	1.66	--	--	--	--	--
LT30	--	--	--	1.58	--	--	--	--	--
CT2	1.92	--	2.00	1.73	--	--	4.75	--	--
	1.70	--	--	--	--	--	--	--	--
CT3	--	--	1.75	--	--	--	1.52	--	--
CT8	1.37	--	1.29	--	--	--	--	--	--
	1.12	--	--	--	--	--	--	--	--

Table 9B (cont')
ΔCt values in lung and colon primary tumors and cell line models

Primary Tumor	PRO943	PRO1005	PRO1009	PRO1185	PRO1245	PRO1097	PRO1107	PRO1111	PRO1153
CT10	2.13	--	1.73	--	--	--	2.82	--	--
	1.67								
CT12	1.43	--	1.92	--	--	--	--	--	--
CT14	1.46	--	2.10	--	--	1.08	1.54	1.38	--
CT15	--	--	2.02	--	1.00	--	--	--	--
CT16	--	--	1.56	--	--	1.11	--	--	--
CT17	1.30	--	1.76	--	--	1.34	--	--	--
CT1	1.36	--	--	--	--	--	1.57	--	--
CT4	--	--	1.06	--	--	--	1.59	--	--
CT5	1.88	--	1.43	--	--	--	--	--	--
	2.51								
CT6	1.41	--	--	--	--	--	--	--	--
	1.75								
CT7	--	--	--	--	--	--	--	1.16	--
CT11	2.80	--	1.83	--	--	--	--	1.17	--
	2.61								
CT18	1.30	--	--	--	--	--	--	1.05	--
H522	--	--	--	--	1.10	--	--	--	--

Table 9C

 Δ Ct values in lung and colon primary tumors and cell line models

	Primary Tumor	PRO1182	PRO1184	PRO1187	PRO1281
5	LT-1	1.81	---	---	---
	LT-1a	---	1.14	---	---
			1.09		
10	LT4	1.43	1.37	---	---
			1.18		
	LT6	---	1.78	---	---
15			1.66		
			1.05		
	LT9	1.43	---	---	---
20	LT12	---	2.47	1.17	---
			2.61		
			1.80		
25	LT15	---	---	1.55	---
	LT16	---	1.01	1.33	---
	LT17	---	---	---	---
30	LT18	---	1.07	---	---
			1.13		
	LT19	---	1.19	---	---
			1.35		
			1.02		
	LT21	---	1.00	---	---
			1.20		
	CT2	---	---	---	1.15
	CT12	---	---	---	1.07

Because amplification of the various DNAs described above occurs in various cancerous tumors and tumor cell lines derived from various human tissues, these molecules likely play a significant role in tumor formation and/or growth. As a result, amplification and/or enhanced expression of these molecules can serve as a diagnostic for detecting the presence of tumor in an individual and antagonists (*e.g.*, antibodies) directed against the proteins encoded by the above described DNA molecules would be expected to have utility in cancer therapy.

EXAMPLE 171: Identification of Receptor/Ligand Interactions

In this assay, various PRO polypeptides are tested for ability to bind to a panel of potential receptor molecules for the purpose of identifying receptor/ligand interactions. The identification of a ligand for a known receptor, a receptor for a known ligand or a novel receptor/ligand pair is useful for a variety of indications including, for example, targeting bioactive molecules (linked to the ligand or receptor) to a cell known to express the receptor or ligand, use of the receptor or ligand as a reagent to detect the presence of the ligand or receptor in a composition suspected of containing the same, wherein the composition may comprise cells suspected of expressing the ligand or receptor, modulating the growth of or another biological or immunological activity of a cell known to express or respond to the receptor or ligand, modulating the immune response of cells or toward cells that express the receptor or ligand, allowing the preparation of agonists, antagonists and/or antibodies directed against the receptor or ligand which will modulate the growth of or a biological or immunological activity of a cell expressing the receptor or ligand, and various other indications which will be readily apparent to the ordinarily skilled artisan.

The assay is performed as follows. A PRO polypeptide of the present invention suspected of being a ligand for a receptor is expressed as a fusion protein containing the Fc domain of human IgG (an immunoadhesin). Receptor-ligand binding is detected by allowing interaction of the immunoadhesin polypeptide with cells (*e.g.* Cos cells) expressing candidate PRO polypeptide receptors and visualization of bound immunoadhesin with fluorescent reagents directed toward the Fc fusion domain and examination by microscope. Cells expressing candidate receptors are produced by transient transfection, in parallel, of defined subsets of a library of cDNA expression vectors encoding PRO polypeptides that may function as receptor molecules. Cells are then incubated for 1 hour in the presence of the PRO polypeptide immunoadhesin being tested for possible receptor binding. The cells are then washed and fixed with paraformaldehyde. The cells are then incubated with fluorescent conjugated antibody directed against the Fc portion of the PRO polypeptide immunoadhesin (*e.g.* FITC conjugated goat anti-human-Fc antibody). The cells are then washed again and examined by microscope. A positive interaction is judged by the presence of fluorescent labeling of cells transfected with cDNA encoding a particular PRO polypeptide receptor or pool of receptors and an absence of similar fluorescent labeling of similarly prepared cells that have been transfected with other cDNA or pools of cDNA. If a defined pool of cDNA expression vectors is judged to be positive for interaction with a PRO polypeptide immunoadhesin, the individual cDNA species that comprise the pool are tested individually (the pool is "broken down") to determine the specific cDNA that encodes a receptor able to interact with the PRO polypeptide immunoadhesin.

In another embodiment of this assay, an epitope-tagged potential ligand PRO polypeptide (e.g. 8 histidine "His" tag) is allowed to interact with a panel of potential receptor PRO polypeptide molecules that have been expressed as fusions with the Fc domain of human IgG (immunoadhesins). Following a 1 hour co-incubation with the epitope tagged PRO polypeptide, the candidate receptors are each immunoprecipitated with protein A beads and the beads are washed. Potential ligand interaction is determined by western blot analysis of the immunoprecipitated complexes with antibody directed towards the epitope tag. An interaction is judged to occur if a band of the anticipated molecular weight of the epitope tagged protein is observed in the western blot analysis with a candidate receptor, but is not observed to occur with the other members of the panel of potential receptors.

Using these assays, the following receptor/ligand interactions have been herein identified:

- 10 (1) PRO943 binds to FHF1, PRO183 (FHF2), PRO184 (FHF3) and PRO185 (FHF4) and vice versa.
- (2) PRO331 binds to PRO1133 and vice versa.
- (3) PRO363 binds to PRO1387 and vice versa.
- (4) PRO5723 binds to PRO1387 and vice versa.
- (5) PRO1114 binds to PRO3301 and PRO9940 and vice versa.
- 15 (6) PRO9828 appears to be a novel fibroblast growth factor receptor (FGFR) ligand in that it binds to the known FGF receptors FGFR1, FGFR2IIIC, FGFR3IIIC and FGFR4. PRO9828 and agonists, therefore, will find use for activating the biological activities normally activated by FGF molecules including, for example, cell growth and proliferation. Antagonists of PRO9828 will find use in blocking the biological activities mediated through the FGF receptor.
- 20 (7) PRO1181 binds to PRO7170, PRO361 and PRO846.

EXAMPLE 172: Tissue Expression Distribution

Oligonucleotide probes were constructed from the PRO polypeptide-encoding nucleotide sequences shown in the figures for use in quantitative PCR amplification reactions. The oligonucleotide probes were chosen so as to give an approximately 200-600 base pair amplified fragment from the 3' end of its associated template in a standard PCR reaction. The oligonucleotide probes were employed in standard quantitative PCR amplification reactions with cDNA libraries isolated from different human adult and/or fetal tissue sources and analyzed by agarose gel electrophoresis so as to obtain a quantitative determination of the level of expression of the PRO polypeptide-encoding nucleic acids in the various tissues tested. Knowledge of the expression pattern or the differential expression of the PRO polypeptide-encoding nucleic acids in various different human tissue types provides a diagnostic marker useful for tissue typing, with or without other tissue-specific markers, for determining the primary tissue source of a metastatic tumor, disease diagnosis, and the like. These assays provided the following results.

<u>DNA Molecule</u>	<u>Tissues w/ Significant Expression</u>	<u>Tissues w/o Significant Expression</u>
35 DNA16422-1209	substantia nigra, dendrocytes, uterus	hippocampus
DNA16435-1208	substantia nigra, dendrocytes, uterus	hippocampus
DNA26843-1389	dendrocytes, heart, uterus, colon tumor	hippocampus, substantia nigra, cartilage

	<u>DNA Molecule</u>	<u>Tissues w/ Significant Expression</u>	<u>Tissues w/o Significant Expression</u>
	DNA26844-1394	HUVEC, dendrocytes, cartilage	substantia nigra, hippocampus, uterus, prostate
5	DNA40621-1440	prostate, uterus, colon tumor	brain, heart, HUVEC, cartilage
	DNA44161-1434	colon tumor, dendrocytes	substantia nigra, hippocampus, prostate, uterus
	DNA44694-1500	dendrocytes, hippocampus, prostate	colon tumor, substantia nigra, heart
	DNA48320-1433	prostate, uterus	colon tumor, brain, heart, cartilage
	DNA49647-1398	brain, heart, prostate, uterus	cartilage
10	DNA53913-1490	hippocampus	substantia nigra, dendrocytes
	DNA53978-1443	dendrocytes, uterus, prostate	substantia nigra, colon tumor
	DNA53996-1442	spleen, prostate, uterus, hippocampus	substantia nigra, heart
	DNA56050-1455	prostate, uterus, cartilage, hippocampus	heart, colon tumor, dendrocytes
	DNA56110-1437	spleen, colon tumor, brain, prostate	heart
15	DNA56410-1414	uterus, dendrocytes	hippocampus, substantia nigra, heart
	DNA56436-1448	substantia nigra, prostate, hippocampus	dendrocytes, heart, HUVEC
	DNA56855-1447	prostate, uterus	brain, cartilage, heart, colon tumor
	DNA56860-1510	colon tumor	prostate, uterus, dendrocytes
	DNA56868-1478	colon tumor, prostate	uterus, brain, heart, cartilage
20	DNA56869-1545	prostate, uterus, cartilage	brain, colon tumor, spleen, heart
	DNA57699-1412	dendrocytes, hippocampus, prostate	substantia nigra, heart
	DNA57704-1452	brain, heart, spleen, uterus, prostate	colon tumor
	DNA57710-1451	dendrocytes, hippocampus, spleen, uterus	substantia nigra, heart
	DNA57711-1501	dendrocytes, hippocampus, heart, cartilage	substantia nigra
25	DNA57827-1493	colon tumor, hippocampus, prostate	substantia nigra, dendrocytes, uterus
	DNA58723-1588	substantia nigra, cartilage uterus	hippocampus, dendrocytes, HUVEC
	DNA58743-1609	brain, prostate, uterus	colon tumor, heart, spleen, cartilage
	DNA58846-1409	hippocampus, dendrocytes	substantia nigra, uterus, prostate, colon tumor
			brain, uterus, cartilage, heart, colon tumor
30	DNA58849-1494	prostate	hippocampus, substantia nigra, colon tumor
	DNA58850-1495	spleen, prostate, dendrocytes	heart, hippocampus, dendrocytes
35	DNA59213-1487	spleen, cartilage, prostate, substantia nigra	cartilage, hippocampus, substantia nigra
	DNA59497-1496	dendrocytes, prostate, uterus, heart	hippocampus, substantia nigra, colon tumor
	DNA59605-1418	dendrocytes, prostate, uterus	substantia nigra, hippocampus, heart, prostate, uterus, spleen
40	DNA59609-1470	dendrocytes	hippocampus, substantia nigra, uterus, colon tumor
	DNA59612-1466	prostate, dendrocytes	hippocampus
45	DNA59616-1465	dendrocytes, substantia nigra, colon tumor	hippocampus
	DNA59619-1464	dendrocytes, substantia nigra, colon tumor	THP-1 macrophages
	DNA59625-1498	brain, colon tumor, prostate, uterus	hippocampus, dendrocytes, heart
	DNA59827-1426	substantia nigra, prostate, uterus	hippocampus
	DNA59828-1608	dendrocytes, substantia nigra, colon tumor	brain, uterus, spleen, heart, colon tumor
50	DNA59853-1505	prostate	prostate, brain, heart, colon tumor
	DNA59854-1459	cartilage	hippocampus, substantia nigra, heart
	DNA60283-1484	dendrocytes, spleen, prostate, uterus	hippocampus
	DNA60619-1482	dendrocytes, substantia nigra, colon tumor	prostate, brain, heart, colon tumor
	DNA60625-1507	cartilage	hippocampus, dendrocytes, spleen, prostate
55	DNA60629-1481	uterus, colon tumor, substantia nigra	hippocampus
	DNA61755-1554	dendrocytes, substantia nigra, colon tumor	

<u>DNA Molecule</u>	<u>Tissues w/ Significant Expression</u>	<u>Tissues w/o Significant Expression</u>
DNA64852-1589	prostate, uterus	brain, heart, cartilage, colon tumor
DNA66308-1537	prostate, heart uterus	brain, colon tumor, cartilage
DNA68869-1610	spleen, prostate, heart, uterus, colon tumor, substantia nigra	hippocampus, dendrocytes, prostate

5

EXAMPLE 173: Isolation of cDNA Clones Encoding Human PRO846

A consensus sequence was obtained relative to a variety of EST sequences as described in Example 1 above, wherein the consensus sequence obtained is herein designated DNA39949. Based on the DNA39949 consensus sequence, oligonucleotides were synthesized: 1) to identify by PCR a cDNA library that contained the sequence of interest, and 2) for use as probes to isolate a clone of the full-length coding sequence for PRO846.

10

Forward and reverse PCR primers were synthesized:

forward PCR primer 5'-CCCTGCAGTGCACCTACAGGGAAG-3' (SEQ ID NO:518)

reverse PCR primer 5'-CTGTCTTCCCCTGCTTGGCTGTGG-3' (SEQ ID NO:519)

15

Additionally, a synthetic oligonucleotide hybridization probe was constructed from the consensus DNA39949 sequence which had the following nucleotide sequence

hybridization probe

5'-GGTGCAGGAAGGGTGGGATCCTCTTCTCTCGCTGCTCTGGCCACATC-3'

(SEQ ID NO:520)

20

In order to screen several libraries for a source of a full-length clone, DNA from the libraries was screened by PCR amplification with one of the PCR primer pairs identified above. A positive library was then used to isolate clones encoding the PRO846 gene using the probe oligonucleotide and one of the PCR primers. RNA for construction of the cDNA libraries was isolated from human fetal kidney tissue (LIB227).

25

DNA sequencing of the clones isolated as described above gave the full-length DNA sequence for PRO846 [herein designated as DNA44196-1353] (SEQ ID NO:516) and the derived protein sequence for PRO846.

30

The entire nucleotide sequence of UNQ422 (DNA44196-1353) is shown in Figure 329 (SEQ ID NO:516). Clone UNQ422 (DNA44196-1353) contains a single open reading frame with an apparent translational initiation site at nucleotide positions 25-27 and ending at the stop codon at nucleotide positions 1021-1023 (Figure 329). The predicted polypeptide precursor is 332 amino acids long (Figure 330). The full-length PRO846 protein shown in Figure 330 has an estimated molecular weight of about 36,143 daltons and a pI of about 5.89. Important regions of the amino acid sequence of PRO846 include the signal peptide, the transmembrane domain, an N-glycosylation site, a sequence typical of fibrinogen beta and gamma chains C-terminal domain, and a sequence typical of Ig like V-type domain as shown in Figure 330. Clone UNQ422 (DNA44196-1353) has been deposited with ATCC and is assigned ATCC deposit no. 209847.

35

EXAMPLE 174: Isolation of cDNA Clones Encoding Human PRO363

A consensus sequence was obtained relative to a variety of EST sequences as described in Example 1 above, wherein the consensus sequence obtained is herein designated DNA42828. Based on the DNA42828 consensus sequence, oligonucleotides were synthesized: 1) to identify by PCR a cDNA library that contained the sequence of interest, and 2) for use as probes to isolate a clone of the full-length coding sequence for PRO363.

A pair of PCR primers (forward and reverse) were synthesized:

forward PCR primer (42828.f1) 5'-CCAGTGCACAGCAGGCAACGAAGC-3' (SEQ ID NO:521)

reverse PCR primer (42828.r1) 5'-ACTAGGCTGTATGCCTGGGTGGGC-3' (SEQ ID NO:522)

Additionally, a synthetic oligonucleotide hybridization probe was constructed from the consensus DNA42828 sequence which had the following nucleotide sequence

hybridization probe (42828.p1)

5'-GTATGTACAAAGCATCGGCATGGTTGCAGGAGCAGTGACAGGC-3' (SEQ ID NO:523)

In order to screen several libraries for a source of a full-length clone, DNA from the libraries was screened by PCR amplification with the PCR primer pair identified above. A positive library was then used to isolate clones encoding the PRO363 gene using the probe oligonucleotide and one of the PCR primers. RNA for construction of the cDNA libraries was isolated from human fetal kidney tissue (LIB227).

DNA sequencing of the clones isolated as described above gave the full-length DNA sequence for PRO363 [herein designated as UNQ318 (DNA45419-1252)] (SEQ ID NO:500) and the derived protein sequence for PRO363.

The entire nucleotide sequence of UNQ318 (DNA45419-1252) is shown in Figure 313 (SEQ ID NO:500). Clone UNQ318 (DNA45419-1252) contains a single open reading frame with an apparent translational initiation site at nucleotide positions 190-192 and ending at the stop codon at nucleotide positions 1309-1311 (Figure 313). The predicted polypeptide precursor is 373 amino acids long (Figure 314). The full-length PRO363 protein shown in Figure 314 has an estimated molecular weight of about 41,281 daltons and a pI of about 8.33. A transmembrane domain exists at amino acids 221 to 254 of the amino acid sequence shown in Figure 314 (SEQ ID NO:501). The PRO363 polypeptide also possesses at least two myelin P0 protein domains from about amino acids 15 to 56 and from about amino acids 87 to 116. Clone UNQ318 (DNA45419-1252) has been deposited with ATCC on February 5, 1998 and is assigned ATCC deposit no. 209616.

Analysis of the amino acid sequence of the full-length PRO363 polypeptide suggests that it possesses significant sequence similarity to the cell surface protein HCAR, thereby indicating that PRO363 may be a novel HCAR homolog. More specifically, an analysis of the Dayhoff database (version 35.45 SwissProt 35) evidenced significant homology between the PRO363 amino acid sequence and the following Dayhoff sequences, HS46KDA_1, HSU90716_1, MMCARH_1, MMCARHOM_1, MMU90715_1, A33_HUMAN, P_W14146, P_W14148, A42632 and B42632.

EXAMPLE 175: Isolation of cDNA Clones Encoding a Human PRO9828

A consensus DNA sequence was assembled relative to other nucleic sequences using phrap as described in Example 1 above. This consensus sequence is herein designated DNA139814. Based on the DNA139814 consensus sequence, oligonucleotides were synthesized: 1) to identify by PCR a cDNA library that contained the sequence of interest, and 2) for use as probes to isolate a clone of the full-length coding sequence for PRO9828. Forward and reverse PCR primers generally range from 20 to 30 nucleotides and are often designed to give a PCR product of about 100-1000 bp in length. The probe sequences are typically 40-55 bp in length. In some cases, additional oligonucleotides are synthesized when the consensus sequence is greater than about 1-1.5kbp. In order to screen several libraries for a full-length clone, DNA from the libraries was screened by PCR amplification, as per Ausubel et al., Current Protocols in Molecular Biology, *supra*, with the PCR primer pair. A positive library was then used to isolate clones encoding the gene of interest using the probe oligonucleotide and one of the primer pairs.

PCR primers (forward and reverse) were synthesized:

5'-AATCTCAGCACCAGCCACTCAGAGCA-3' (SEQ ID NO:524)

5'-GTTAAAGAGGGTGGCCTTCCAGCGA-3' (SEQ ID NO:525)

5'-TATCCCAATGCCTCCCCACTGCTC-3' (SEQ ID NO:526)

5'-GATGAACTTGCGAAGGGGCGGCA-3' (SEQ ID NO:527)

RNA for construction of the cDNA libraries was isolated from human fetal liver tissue. The cDNA libraries used to isolate the cDNA clones were constructed by standard methods using commercially available reagents such as those from Invitrogen, San Diego, CA. The cDNA was primed with oligo dT containing a NotI site, linked with blunt to SalI hemikinased adaptors, cleaved with NotI, sized appropriately by gel electrophoresis, and cloned in a defined orientation into a suitable cloning vector (such as pRKB or pRKD; pRK5B is a precursor of pRK5D that does not contain the SfiI site; see, Holmes et al., Science, **253**:1278-1280 (1991)) in the unique XhoI and NotI sites.

DNA sequencing of the clones isolated as described above gave the full-length DNA sequence for a full-length PRO9828 polypeptide (designated herein as DNA142238-2768 [Figure 323, SEQ ID NO:510]) and the derived protein sequence for that PRO9828 polypeptide.

The full length clone identified above contained a single open reading frame with an apparent translational initiation site at nucleotide positions 232-234 and a stop signal at nucleotide positions 985-987 (Figure 323, SEQ ID NO:510). The predicted polypeptide precursor is 251 amino acids long, has a calculated molecular weight of approximately 27,954 daltons and an estimated pI of approximately 9.22. Analysis of the full-length PRO9828 sequence shown in Figure 324 (SEQ ID NO:511) evidences the presence of a variety of important polypeptide domains as shown in Figure 324, wherein the locations given for those important polypeptide domains are approximate as described above. Chromosome mapping evidences that the PRO9828-encoding nucleic acid maps to chromosome 12p13 in humans. Clone DNA142238-2768 has been deposited with ATCC on October 5, 1999 and is assigned ATCC deposit no. 819-PTA.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using the ALIGN-2 sequence alignment analysis of the full-length sequence shown in Figure 324 (SEQ ID NO:511), evidenced sequence

identity between the PRO9828 amino acid sequence and the following Dayhoff sequences: P_Y08581, AB018122_1, FGF3_HUMAN, P_R70824, S54407, P_R80780, P_Y23761, P_W92312, OMFGF6_1 and P_R80871.

EXAMPLE 176: Isolation of cDNA Clones Encoding a Human PRO7170

5 DNA108722-2743 was identified by applying a proprietary signal sequence finding algorithm developed by Genentech, Inc. (South San Francisco, CA) upon ESTs as well as clustered and assembled EST fragments from public (e.g., Genbank) and/or private (LIFESEQ®, Incyte Pharmaceuticals, Inc., Palo Alto, CA) databases. The signal sequence algorithm computes a secretion signal score based on the character of the DNA nucleotides surrounding the first and optionally the second methionine codon(s) (ATG) at the 5'-end of
10 the sequence or sequence fragment under consideration. The nucleotides following the first ATG must code for at least 35 unambiguous amino acids without any stop codons. If the first ATG has the required amino acids, the second is not examined. If neither meets the requirement, the candidate sequence is not scored. In order to determine whether the EST sequence contains an authentic signal sequence, the DNA and corresponding amino acid sequences surrounding the ATG codon are scored using a set of seven sensors
15 (evaluation parameters) known to be associated with secretion signals.

Use of the above described signal sequence algorithm allowed identification of an EST cluster sequence from the LIFESEQ® database, Incyte Pharmaceuticals, Palo Alto, designated herein as CLU57836. This EST cluster sequence was then compared to a variety of expressed sequence tag (EST) databases which included public EST databases (e.g., Genbank) and a proprietary EST DNA database (LIFESEQ®, Incyte
20 Pharmaceuticals, Palo Alto, CA) to identify existing homologies. The homology search was performed using the computer program BLAST or BLAST2 (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Those comparisons resulting in a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into a consensus DNA sequence with the program "phrap" (Phil Green, University of Washington, Seattle, Washington). The consensus sequence obtained therefrom is herein
25 designated DNA58756.

In light of an observed sequence homology between the DNA58756 sequence and an EST sequence encompassed within clone no. 2251462 from the LIFESEQ® database, Incyte Pharmaceuticals, Palo Alto, CA, clone no. 2251462 was purchased and the cDNA insert was obtained and sequenced. It was found herein that that cDNA insert encoded a full-length protein. The sequence of this cDNA insert is shown in Figure 325 and
30 is herein designated as DNA108722-2743.

Clone DNA108722-2743 contains a single open reading frame with an apparent translational initiation site at nucleotide positions 60-62 and ending at the stop codon at nucleotide positions 1506-1508 (Figure 325). The predicted polypeptide precursor is 482 amino acids long (Figure 326). The full-length PRO7170 protein shown in Figure 326 has an estimated molecular weight of about 49,060 daltons and a pI of about 4.74.
35 Analysis of the full-length PRO7170 sequence shown in Figure 326 (SEQ ID NO:513) evidences the presence of a variety of important polypeptide domains as shown in Figure 326, wherein the locations given for those important polypeptide domains are approximate as described above. Clone DNA108722-2743 has been

deposited with ATCC on August 17, 1999 and is assigned ATCC Deposit No. 552-PTA.

An analysis of the Dayhoff database (version 35.45 SwissProt 35), using the ALIGN-2 sequence alignment analysis of the full-length sequence shown in Figure 326 (SEQ ID NO:513), evidenced sequence identity between the PRO7170 amino acid sequence and the following Dayhoff sequences: P_Y12291, I47141, D88733_1, DMC56G7_1, P_Y11606, HWPI_CANAL, HSMUC5BEX_1, HSU78550_1, HSU70136_1, and SGS3_DROME.

EXAMPLE 177: Isolation of cDNA Clones Encoding Human PRO361

A consensus DNA sequence was assembled relative to other EST sequences using phrap as described in Example 1 above. This consensus sequence is herein designated DNA40654. Based on the DNA40654 consensus sequence, oligonucleotides were synthesized: 1) to identify by PCR a cDNA library that contained the sequence of interest, and 2) for use as probes to isolate a clone of the full-length coding sequence for PRO361.

Forward and reverse PCR primers were synthesized as follows:

<u>forward PCR primer</u>	5'-AGGGAGGATTATCCTTGACCTTTGAAGACC-3'	(SEQ ID NO:528)
<u>forward PCR primer</u>	5'-GAAGCAAGTGCCCAGCTC-3'	(SEQ ID NO:529)
<u>forward PCR primer</u>	5'-CGGGTCCCTGCTCTTTGG-3'	(SEQ ID NO:530)
<u>reverse PCR primer</u>	5'-CACCGTAGCTGGGAGCGCACTCAC-3'	(SEQ ID NO:531)
<u>reverse PCR primer</u>	5'-AGTGTAAGTCAAGCTCCC-3'	(SEQ ID NO:532)

Additionally, a synthetic oligonucleotide hybridization probe was constructed from the consensus DNA40654 sequence which had the following nucleotide sequence

hybridization probe

5'- GCTTCCTGACACTAAGGCTGTCTGCTAGTCAGAATTGCCTCAAAAAGAG-3' (SEQ ID NO:533)

In order to screen several libraries for a source of a full-length clone, DNA from the libraries was screened by PCR amplification with one of the PCR primer pairs identified above. A positive library was then used to isolate clones encoding the PRO361 gene using the probe oligonucleotide. RNA for construction of the cDNA libraries was isolated from human fetal kidney tissue.

DNA sequencing of the clones isolated as described above gave the full-length DNA sequence for PRO361 [herein designated as DNA45410-1250] (SEQ ID NO:514) and the derived protein sequence for PRO361.

The entire nucleotide sequence of DNA45410-1250 is shown in Figure 327 (SEQ ID NO:514). Clone DNA45410-1250 contains a single open reading frame with an apparent translational initiation site at nucleotide positions 226-228 and ending at the stop codon at nucleotide positions 1519-1521 (Figure 327). The predicted polypeptide precursor is 431 amino acids long (Figure 328). The full-length PRO361 protein shown in Figure 328 has an estimated molecular weight of about 46,810 daltons and a pI of about 6.45. In addition, regions of interest including the transmembrane domain (amino acids 380-409) and sequences typical of the arginase family of proteins (amino acids 3-14 and 39-57) are designated in Figure 328. Clone DNA45410-1250 has been deposited with ATCC and is assigned ATCC deposit no. ATCC 209621.

Analysis of the amino acid sequence of the full-length PRO361 polypeptide suggests that portions of it possess significant homology to the mucin and/or chitinase proteins, thereby indicating that PRO361 may be a novel mucin and/or chitinase protein.

EXAMPLE 178: Isolation of cDNA Clones Encoding a Human PRO183, PRO184, PRO185, PRO5723, PRO3301 or PRO9940

DNA molecules encoding the PRO183, PRO184, PRO185, PRO5723, PRO3301 or PRO9940 polypeptides shown in the accompanying figures were obtained through GenBank.

Deposit of Material

The following materials have been deposited with the American Type Culture Collection, 10801 University Blvd., Manassas, VA 20110-2209, USA (ATCC):

Table 10

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
15	DNA45410-1250	209621	February 5, 1998
	DNA108722-2743	552-PTA	August 17, 1999
	DNA142238-2768	819-PTA	October 5, 1999
	DNA40981-1234	209439	November 7, 1997
	DNA45419-1252	209616	February 5, 1998
20	DNA44196-1353	209847	May 6, 1998
	DNA16422-1209	209929	June 2, 1998
	DNA16435-1208	209930	June 2, 1998
	DNA21624-1391	209917	June 2, 1998
	DNA23334-1392	209918	June 2, 1998
25	DNA26288-1239	209792	April 21, 1998
	DNA26843-1389	203099	August 4, 1998
	DNA26844-1394	209926	June 2, 1998
	DNA30862-1396	209920	June 2, 1998
	DNA35680-1212	209790	April 21, 1998
30	DNA40621-1440	209922	June 2, 1998
	DNA44161-1434	209907	May 27, 1998
	DNA44694-1500	203114	August 11, 1998
	DNA45495-1550	203156	August 25, 1998
	DNA47361-1154	209431	November 7, 1997
35	DNA47394-1572	203109	August 11, 1998
	DNA48320-1433	209904	May 27, 1998
	DNA48334-1435	209924	June 2, 1998
	DNA48606-1479	203040	July 1, 1998
	DNA49141-1431	203003	June 23, 1998
40	DNA49142-1430	203002	June 23, 1998
	DNA49143-1429	203013	June 23, 1998
	DNA49647-1398	209919	June 2, 1998
	DNA49819-1439	209931	June 2, 1998
	DNA49820-1427	209932	June 2, 1998
45	DNA49821-1562	209981	June 16, 1998
	DNA52192-1369	203042	July 1, 1998
	DNA52598-1518	203107	August 11, 1998
	DNA53913-1490	203162	August 25, 1998

Table 10 (cont')

	DNA53978-1443	209983	June 16, 1998
	DNA53996-1442	209921	June 2, 1998
	DNA56041-1416	203012	June 23, 1998
	DNA56047-1456	209948	June 9, 1998
5	DNA56050-1455	203011	June 23, 1998
	DNA56110-1437	203113	August 11, 1998
	DNA56113-1378	203049	July 1, 1998
	DNA56410-1414	209923	June 2, 1998
	DNA56436-1448	209902	May 27, 1998
10	DNA56855-1447	203004	June 23, 1998
	DNA56859-1445	203019	June 23, 1998
	DNA56860-1510	209952	June 9, 1998
	DNA56865-1491	203022	June 23, 1998
	DNA56866-1342	203023	June 23, 1998
15	DNA56868-1209	203024	June 23, 1998
	DNA56869-1545	203161	August 25, 1998
	DNA56870-1492	209925	June 2, 1998
	DNA57033-1403	209905	May 27, 1998
	DNA57037-1444	209903	May 27, 1998
20	DNA57129-1413	209977	June 16, 1998
	DNA57690-1374	209950	June 9, 1998
	DNA57693-1424	203008	June 23, 1998
	DNA57694-1341	203017	June 23, 1998
	DNA57695-1340	203006	June 23, 1998
25	DNA57699-1412	203020	June 23, 1998
	DNA57702-1476	209951	June 9, 1998
	DNA57704-1452	209953	June 9, 1998
	DNA57708-1411	203021	June 23, 1998
	DNA57710-1451	203048	July 1, 1998
30	DNA57711-1501	203047	July 1, 1998
	DNA57827-1493	203045	July 1, 1998
	DNA57834-1339	209954	June 9, 1998
	DNA57836-1338	203025	June 23, 1998
	DNA57838-1337	203014	June 23, 1998
35	DNA57844-1410	203010	June 23, 1998
	DNA58721-1475	203110	August 11, 1998
	DNA58723-1588	203133	August 18, 1998
	DNA58737-1473	203136	August 18, 1998
	DNA58743-1609	203154	August 25, 1998
40	DNA58846-1409	209957	June 9, 1998
	DNA58848-1472	209955	June 9, 1998
	DNA58849-1494	209958	June 9, 1998
	DNA58850-1495	209956	June 9, 1998
	DNA58853-1423	203016	June 23, 1998
45	DNA58855-1422	203018	June 23, 1998
	DNA59205-1421	203009	June 23, 1998
	DNA59211-1450	209960	June 9, 1998
	DNA59213-1487	209959	June 9, 1998
	DNA59214-1449	203046	July 1, 1998
50	DNA59215-1425	209961	June 9, 1998
	DNA59220-1514	209962	June 9, 1998
	DNA59488-1603	203157	August 25, 1998
	DNA59493-1420	203050	July 1, 1998
	DNA59497-1496	209941	June 4, 1998
55	DNA59588-1571	203106	August 11, 1998

Table 10 (cont')

	DNA59603-1419	209944	June 9, 1998
	DNA59605-1418	203005	June 23, 1998
	DNA59606-1471	209945	June 9, 1998
	DNA59607-1497	209957	June 9, 1998
5	DNA59609-1470	209963	June 9, 1998
	DNA59610-1559	209990	June 16, 1998
	DNA59612-1466	209947	June 9, 1998
	DNA59613-1417	203007	June 23, 1998
	DNA59616-1465	209991	June 16, 1998
10	DNA59619-1464	203041	July 1, 1998
	DNA59620-1463	209989	June 16, 1998
	DNA59625-1498	209992	June 17, 1998
	DNA59767-1489	203108	August 11, 1998
	DNA59776-1600	203128	August 18, 1998
15	DNA59777-1480	203111	August 11, 1998
	DNA59820-1549	203129	August 18, 1998
	DNA59827-1426	203089	August 4, 1998
	DNA59828-1608	203158	August 25, 1998
	DNA59838-1462	209976	June 16, 1998
20	DNA59839-1461	209988	June 16, 1998
	DNA59841-1460	203044	July 1, 1998
	DNA59842-1502	209982	June 16, 1998
	DNA59846-1503	209978	June 16, 1998
	DNA59847-1511	203098	August 4, 1998
25	DNA59848-1512	203088	August 4, 1998
	DNA59849-1504	209986	June 16, 1998
	DNA59853-1505	209985	June 16, 1998
	DNA59854-1459	209974	June 16, 1998
	DNA60283-1484	203043	July 1, 1998
30	DNA60615-1483	209980	June 16, 1998
	DNA60619-1482	209993	June 16, 1998
	DNA60621-1516	203091	August 4, 1998
	DNA60622-1525	203090	August 4, 1998
	DNA60625-1507	209975	June 16, 1998
35	DNA60627-1508	203092	August 4, 1998
	DNA60629-1481	209979	June 16, 1998
	DNA61755-1554	203112	August 11, 1998
	DNA61873-1574	203132	August 18, 1998
	DNA62814-1521	203093	August 4, 1998
40	DNA62872-1509	203100	August 4, 1998
	DNA62876-1517	203095	August 4, 1998
	DNA62881-1515	203096	August 4, 1998
	DNA64852-1589	203127	August 18, 1998
	DNA64884-1527	203155	August 25, 1998
45	DNA64890-1612	203131	August 18, 1998
	DNA65412-1523	203094	August 4, 1998
	DNA66308-1537	203159	August 25, 1998
	DNA66309-1538	203235	September 15, 1998
	DNA67004-1614	203115	August 11, 1998
50	DNA68869-1610	203164	August 25, 1998
	DNA68872-1620	203160	August 25, 1998
	DNA71159-1617	203135	August 18, 1998

These deposit were made under the provisions of the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for the Purpose of Patent Procedure and the Regulations thereunder (Budapest Treaty). This assures maintenance of a viable culture of the deposit for 30 years from the date of deposit. The deposits will be made available by ATCC under the terms of the Budapest Treaty, and subject to an agreement between Genentech, Inc. and ATCC, which assures permanent and unrestricted availability of the progeny of the culture of the deposit to the public upon issuance of the pertinent U.S. patent or upon laying open to the public of any U.S. or foreign patent application, whichever comes first, and assures availability of the progeny to one determined by the U.S. Commissioner of Patents and Trademarks to be entitled thereto according to 35 USC §122 and the Commissioner's rules pursuant thereto (including 37 CFR §1.14 with particular reference to 886 OG 638).

The assignee of the present application has agreed that if a culture of the materials on deposit should die or be lost or destroyed when cultivated under suitable conditions, the materials will be promptly replaced on notification with another of the same. Availability of the deposited material is not to be construed as a license to practice the invention in contravention of the rights granted under the authority of any government in accordance with its patent laws.

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by the construct deposited, since the deposited embodiment is intended as a single illustration of certain aspects of the invention and any constructs that are functionally equivalent are within the scope of this invention. The deposit of material herein does not constitute an admission that the written description herein contained is inadequate to enable the practice of any aspect of the invention, including the best mode thereof, nor is it to be construed as limiting the scope of the claims to the specific illustrations that it represents. Indeed, various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims.

WHAT IS CLAIMED IS:

1. Isolated nucleic acid having at least 80% sequence identity to a nucleotide sequence that encodes a polypeptide comprising an amino acid sequence selected from the group consisting of the amino acid sequence shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:6), Figure 6 (SEQ ID NO:8), Figure 9 (SEQ ID NO:14), Figure 12 (SEQ ID NO:20), Figure 15 (SEQ ID NO:23), Figure 18 (SEQ ID NO:28),
5 Figure 20 (SEQ ID NO:30), Figure 23 (SEQ ID NO:33), Figure 25 (SEQ ID NO:36), Figure 27 (SEQ ID NO:41), Figure 30 (SEQ ID NO:47), Figure 32 (SEQ ID NO:52), Figure 34 (SEQ ID NO:57), Figure 36 (SEQ ID NO:62), Figure 38 (SEQ ID NO:67), Figure 41 (SEQ ID NO:73), Figure 47 (SEQ ID NO:84), Figure 49 (SEQ ID NO:95), Figure 51 (SEQ ID NO:97), Figure 53 (SEQ ID NO:99), Figure 57 (SEQ ID NO:103), Figure 64 (SEQ ID NO:113), Figure 66 (SEQ ID NO:115), Figure 68 (SEQ ID NO:117), Figure
10 70 (SEQ ID NO:119), Figure 72 (SEQ ID NO:124), Figure 74 (SEQ ID NO:129), Figure 76 (SEQ ID NO:135), Figure 79 (SEQ ID NO:138), Figure 83 (SEQ ID NO:146), Figure 85 (SEQ ID NO:148), Figure 88 (SEQ ID NO:151), Figure 90 (SEQ ID NO:153), Figure 93 (SEQ ID NO:156), Figure 95 (SEQ ID NO:158), Figure 97 (SEQ ID NO:160), Figure 99 (SEQ ID NO:165), Figure 101 (SEQ ID NO:167), Figure 103 (SEQ ID NO:169), Figure 105 (SEQ ID NO:171), Figure 109 (SEQ ID NO:175), Figure 111 (SEQ ID NO:177), Figure 113 (SEQ ID NO:179), Figure 115 (SEQ ID NO:181), Figure 117 (SEQ ID NO:183), Figure
15 120 (SEQ ID NO:189), Figure 122 (SEQ ID NO:194), Figure 125 (SEQ ID NO:197), Figure 127 (SEQ ID NO:199), Figure 129 (SEQ ID NO:201), Figure 131 (SEQ ID NO:203), Figure 133 (SEQ ID NO:205), Figure 135 (SEQ ID NO:207), Figure 137 (SEQ ID NO:209), Figure 139 (SEQ ID NO:211), Figure 141 (SEQ ID NO:213), Figure 144 (SEQ ID NO:216), Figure 147 (SEQ ID NO:219), Figure 149 (SEQ ID NO:221), Figure
20 151 (SEQ ID NO:223), Figure 153 (SEQ ID NO:225), Figure 155 (SEQ ID NO:227), Figure 157 (SEQ ID NO:229), Figure 159 (SEQ ID NO:231), Figure 161 (SEQ ID NO:236), Figure 163 (SEQ ID NO:241), Figure 165 (SEQ ID NO:246), Figure 167 (SEQ ID NO:248), Figure 169 (SEQ ID NO:250), Figure 171 (SEQ ID NO:253), Figure 174 (SEQ ID NO:256), Figure 176 (SEQ ID NO:258), Figure 178 (SEQ ID NO:260), Figure 180 (SEQ ID NO:262), Figure 182 (SEQ ID NO:264), Figure 184 (SEQ ID NO:266), Figure 186 (SEQ ID NO:268), Figure 188 (SEQ ID NO:270), Figure 190 (SEQ ID NO:272), Figure 192 (SEQ ID NO:274), Figure 194 (SEQ ID NO:276), Figure 196 (SEQ ID NO:278), Figure 198 (SEQ ID NO:281), Figure 200 (SEQ ID NO:283), Figure 202 (SEQ ID NO:285), Figure 204 (SEQ ID NO:287), Figure 206 (SEQ ID NO:289), Figure 208 (SEQ ID NO:291), Figure 210 (SEQ ID NO:293), Figure 212 (SEQ ID NO:295), Figure 214 (SEQ ID NO:297), Figure 216 (SEQ ID NO:299), Figure 218 (SEQ ID NO:301), Figure 220 (SEQ ID NO:303), Figure
30 226 (SEQ ID NO:309), Figure 228 (SEQ ID NO:314), Figure 230 (SEQ ID NO:319), Figure 233 (SEQ ID NO:326), Figure 235 (SEQ ID NO:334), Figure 238 (SEQ ID NO:340), Figure 240 (SEQ ID NO:345), Figure 242 (SEQ ID NO:347), Figure 244 (SEQ ID NO:349), Figure 246 (SEQ ID NO:351), Figure 248 (SEQ ID NO:353), Figure 250 (SEQ ID NO:355), Figure 252 (SEQ ID NO:357), Figure 254 (SEQ ID NO:359), Figure 256 (SEQ ID NO:361), Figure 258 (SEQ ID NO:363), Figure 260 (SEQ ID NO:365), Figure 262 (SEQ ID NO:367), Figure 264 (SEQ ID NO:369), Figure 266 (SEQ ID NO:371), Figure 268 (SEQ ID NO:373), Figure
35 270 (SEQ ID NO:375), Figure 272 (SEQ ID NO:377), Figure 274 (SEQ ID NO:379), Figure 276 (SEQ ID NO:381), Figure 278 (SEQ ID NO:387), Figure 280 (SEQ ID NO:389), Figure 282 (SEQ ID NO:394), Figure

284 (SEQ ID NO:399), Figure 286 (SEQ ID NO:401), Figure 288 (SEQ ID NO:403), Figure 290 (SEQ ID NO:408), Figure 292 (SEQ ID NO:410), Figure 294 (SEQ ID NO:412), Figure 296 (SEQ ID NO:414), Figure 298 (SEQ ID NO:416), Figure 300 (SEQ ID NO:418), Figure 302 (SEQ ID NO:420), Figure 304 (SEQ ID NO:422), Figure 306 (SEQ ID NO:424), Figure 308 (SEQ ID NO:495), Figure 310 (SEQ ID NO:497), Figure 312 (SEQ ID NO:499), Figure 314 (SEQ ID NO:501), Figure 316 (SEQ ID NO:503), Figure 318 (SEQ ID NO:505), Figure 320 (SEQ ID NO:507), Figure 322 (SEQ ID NO:509), Figure 324 (SEQ ID NO:511), Figure 326 (SEQ ID NO:513), Figure 328 (SEQ ID NO:515) and Figure 330 (SEQ ID NO:517).

2. The nucleic acid sequence of Claim 1, wherein said nucleotide sequence comprises a nucleotide sequence selected from the group consisting of the sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:5), Figure 5 (SEQ ID NO:7), Figure 8 (SEQ ID NO:13), Figure 11 (SEQ ID NO:19), Figure 14 (SEQ ID NO:22), Figure 17 (SEQ ID NO:27), Figure 19 (SEQ ID NO:29), Figure 22 (SEQ ID NO:32), Figure 24 (SEQ ID NO:35), Figure 26 (SEQ ID NO:40), Figure 29 (SEQ ID NO:46), Figure 31 (SEQ ID NO:51), Figure 33 (SEQ ID NO:56), Figure 35 (SEQ ID NO:61), Figure 37 (SEQ ID NO:66), Figure 40 (SEQ ID NO:72), Figure 46 (SEQ ID NO:83), Figure 48 (SEQ ID NO:94), Figure 50 (SEQ ID NO:96), Figure 52 (SEQ ID NO:98), Figure 56 (SEQ ID NO:102), Figure 63 (SEQ ID NO:112), Figure 65 (SEQ ID NO:114), Figure 67 (SEQ ID NO:116), Figure 69 (SEQ ID NO:118), Figure 71 (SEQ ID NO:123), Figure 73 (SEQ ID NO:128), Figure 75 (SEQ ID NO:134), Figure 78 (SEQ ID NO:137), Figure 82 (SEQ ID NO:145), Figure 84 (SEQ ID NO:147), Figure 87 (SEQ ID NO:150), Figure 89 (SEQ ID NO:152), Figure 92 (SEQ ID NO:155), Figure 94 (SEQ ID NO:157), Figure 96 (SEQ ID NO:159), Figure 98 (SEQ ID NO:164), Figure 100 (SEQ ID NO:166), Figure 102 (SEQ ID NO:168), Figure 104 (SEQ ID NO:170), Figure 108 (SEQ ID NO:174), Figure 110 (SEQ ID NO:176), Figure 112 (SEQ ID NO:178), Figure 114 (SEQ ID NO:180), Figure 116 (SEQ ID NO:182), Figure 119 (SEQ ID NO:188), Figure 121 (SEQ ID NO:193), Figure 124 (SEQ ID NO:196), Figure 126 (SEQ ID NO:198), Figure 128 (SEQ ID NO:200), Figure 130 (SEQ ID NO:202), Figure 132 (SEQ ID NO:204), Figure 134 (SEQ ID NO:206), Figure 136 (SEQ ID NO:208), Figure 138 (SEQ ID NO:210), Figure 140 (SEQ ID NO:212), Figure 143 (SEQ ID NO:215), Figure 146 (SEQ ID NO:218), Figure 148 (SEQ ID NO:220), Figure 150 (SEQ ID NO:222), Figure 152 (SEQ ID NO:224), Figure 154 (SEQ ID NO:226), Figure 156 (SEQ ID NO:228), Figure 158 (SEQ ID NO:230), Figure 160 (SEQ ID NO:235), Figure 162 (SEQ ID NO:240), Figure 164 (SEQ ID NO:245), Figure 166 (SEQ ID NO:247), Figure 168 (SEQ ID NO:249), Figure 170 (SEQ ID NO:252), Figure 173 (SEQ ID NO:255), Figure 175 (SEQ ID NO:257), Figure 177 (SEQ ID NO:259), Figure 179 (SEQ ID NO:261), Figure 181 (SEQ ID NO:263), Figure 183 (SEQ ID NO:265), Figure 185 (SEQ ID NO:267), Figure 187 (SEQ ID NO:269), Figure 189 (SEQ ID NO:271), Figure 191 (SEQ ID NO:273), Figure 193 (SEQ ID NO:275), Figure 195 (SEQ ID NO:277), Figure 197 (SEQ ID NO:280), Figure 199 (SEQ ID NO:282), Figure 201 (SEQ ID NO:284), Figure 203 (SEQ ID NO:286), Figure 205 (SEQ ID NO:288), Figure 207 (SEQ ID NO:290), Figure 209 (SEQ ID NO:292), Figure 211 (SEQ ID NO:294), Figure 213 (SEQ ID NO:296), Figure 215 (SEQ ID NO:298), Figure 217 (SEQ ID NO:300), Figure 219 (SEQ ID NO:302), Figure 225 (SEQ ID NO:308), Figure 227 (SEQ ID NO:313), Figure 229 (SEQ ID NO:318), Figure 232 (SEQ ID NO:325), Figure 234 (SEQ ID NO:333), Figure 237 (SEQ ID

NO:339), Figure 239 (SEQ ID NO:344), Figure 241 (SEQ ID NO:346), Figure 243 (SEQ ID NO:348), Figure 245 (SEQ ID NO:350), Figure 247 (SEQ ID NO:352), Figure 249 (SEQ ID NO:354), Figure 251 (SEQ ID NO:356), Figure 253 (SEQ ID NO:358), Figure 255 (SEQ ID NO:360), Figure 257 (SEQ ID NO:362), Figure 259 (SEQ ID NO:364), Figure 261 (SEQ ID NO:366), Figure 263 (SEQ ID NO:368), Figure 265 (SEQ ID NO:370), Figure 267 (SEQ ID NO:372), Figure 269 (SEQ ID NO:374), Figure 271 (SEQ ID NO:376), Figure 273 (SEQ ID NO:378), Figure 275 (SEQ ID NO:380), Figure 277 (SEQ ID NO:386), Figure 279 (SEQ ID NO:388), Figure 281 (SEQ ID NO:393), Figure 283 (SEQ ID NO:398), Figure 285 (SEQ ID NO:400), Figure 287 (SEQ ID NO:402), Figure 289 (SEQ ID NO:407), Figure 291 (SEQ ID NO:409), Figure 293 (SEQ ID NO:411), Figure 295 (SEQ ID NO:413), Figure 297 (SEQ ID NO:415), Figure 299 (SEQ ID NO:417), Figure 301 (SEQ ID NO:419), Figure 303 (SEQ ID NO:421), Figure 305 (SEQ ID NO:423), Figure 307 (SEQ ID NO:494), Figure 309 (SEQ ID NO:496), Figure 311 (SEQ ID NO:498), Figure 313 (SEQ ID NO:500), Figure 315 (SEQ ID NO:502), Figure 317 (SEQ ID NO:504), Figure 319 (SEQ ID NO:506), Figure 321 (SEQ ID NO:508), Figure 323 (SEQ ID NO:510), Figure 325 (SEQ ID NO:512), Figure 327 (SEQ ID NO:514) and Figure 329 (SEQ ID NO:516).

3. The nucleic acid of Claim 1, wherein said nucleotide sequence comprises a nucleotide sequence selected from the group consisting of the full-length coding sequence of the sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:5), Figure 5 (SEQ ID NO:7), Figure 8 (SEQ ID NO:13), Figure 11 (SEQ ID NO:19), Figure 14 (SEQ ID NO:22), Figure 17 (SEQ ID NO:27), Figure 19 (SEQ ID NO:29), Figure 22 (SEQ ID NO:32), Figure 24 (SEQ ID NO:35), Figure 26 (SEQ ID NO:40), Figure 29 (SEQ ID NO:46), Figure 31 (SEQ ID NO:51), Figure 33 (SEQ ID NO:56), Figure 35 (SEQ ID NO:61), Figure 37 (SEQ ID NO:66), Figure 40 (SEQ ID NO:72), Figure 46 (SEQ ID NO:83), Figure 48 (SEQ ID NO:94), Figure 50 (SEQ ID NO:96), Figure 52 (SEQ ID NO:98), Figure 56 (SEQ ID NO:102), Figure 63 (SEQ ID NO:112), Figure 65 (SEQ ID NO:114), Figure 67 (SEQ ID NO:116), Figure 69 (SEQ ID NO:118), Figure 71 (SEQ ID NO:123), Figure 73 (SEQ ID NO:128), Figure 75 (SEQ ID NO:134), Figure 78 (SEQ ID NO:137), Figure 82 (SEQ ID NO:145), Figure 84 (SEQ ID NO:147), Figure 87 (SEQ ID NO:150), Figure 89 (SEQ ID NO:152), Figure 92 (SEQ ID NO:155), Figure 94 (SEQ ID NO:157), Figure 96 (SEQ ID NO:159), Figure 98 (SEQ ID NO:164), Figure 100 (SEQ ID NO:166), Figure 102 (SEQ ID NO:168), Figure 104 (SEQ ID NO:170), Figure 108 (SEQ ID NO:174), Figure 110 (SEQ ID NO:176), Figure 112 (SEQ ID NO:178), Figure 114 (SEQ ID NO:180), Figure 116 (SEQ ID NO:182), Figure 119 (SEQ ID NO:188), Figure 121 (SEQ ID NO:193), Figure 124 (SEQ ID NO:196), Figure 126 (SEQ ID NO:198), Figure 128 (SEQ ID NO:200), Figure 130 (SEQ ID NO:202), Figure 132 (SEQ ID NO:204), Figure 134 (SEQ ID NO:206), Figure 136 (SEQ ID NO:208), Figure 138 (SEQ ID NO:210), Figure 140 (SEQ ID NO:212), Figure 143 (SEQ ID NO:215), Figure 146 (SEQ ID NO:218), Figure 148 (SEQ ID NO:220), Figure 150 (SEQ ID NO:222), Figure 152 (SEQ ID NO:224), Figure 154 (SEQ ID NO:226), Figure 156 (SEQ ID NO:228), Figure 158 (SEQ ID NO:230), Figure 160 (SEQ ID NO:235), Figure 162 (SEQ ID NO:240), Figure 164 (SEQ ID NO:245), Figure 166 (SEQ ID NO:247), Figure 168 (SEQ ID NO:249), Figure 170 (SEQ ID NO:252), Figure 173 (SEQ ID NO:255), Figure 175 (SEQ ID NO:257), Figure 177 (SEQ ID NO:259), Figure 179 (SEQ ID NO:261), Figure

181 (SEQ ID NO:263), Figure 183 (SEQ ID NO:265), Figure 185 (SEQ ID NO:267), Figure 187 (SEQ ID NO:269), Figure 189 (SEQ ID NO:271), Figure 191 (SEQ ID NO:273), Figure 193 (SEQ ID NO:275), Figure 195 (SEQ ID NO:277), Figure 197 (SEQ ID NO:280), Figure 199 (SEQ ID NO:282), Figure 201 (SEQ ID NO:284), Figure 203 (SEQ ID NO:286), Figure 205 (SEQ ID NO:288), Figure 207 (SEQ ID NO:290), Figure 209 (SEQ ID NO:292), Figure 211 (SEQ ID NO:294), Figure 213 (SEQ ID NO:296), Figure 215 (SEQ ID NO:298), Figure 217 (SEQ ID NO:300), Figure 219 (SEQ ID NO:302), Figure 225 (SEQ ID NO:308), Figure 227 (SEQ ID NO:313), Figure 229 (SEQ ID NO:318), Figure 232 (SEQ ID NO:325), Figure 234 (SEQ ID NO:333), Figure 237 (SEQ ID NO:339), Figure 239 (SEQ ID NO:344), Figure 241 (SEQ ID NO:346), Figure 243 (SEQ ID NO:348), Figure 245 (SEQ ID NO:350), Figure 247 (SEQ ID NO:352), Figure 249 (SEQ ID NO:354), Figure 251 (SEQ ID NO:356), Figure 253 (SEQ ID NO:358), Figure 255 (SEQ ID NO:360), Figure 257 (SEQ ID NO:362), Figure 259 (SEQ ID NO:364), Figure 261 (SEQ ID NO:366), Figure 263 (SEQ ID NO:368), Figure 265 (SEQ ID NO:370), Figure 267 (SEQ ID NO:372), Figure 269 (SEQ ID NO:374), Figure 271 (SEQ ID NO:376), Figure 273 (SEQ ID NO:378), Figure 275 (SEQ ID NO:380), Figure 277 (SEQ ID NO:386), Figure 279 (SEQ ID NO:388), Figure 281 (SEQ ID NO:393), Figure 283 (SEQ ID NO:398), Figure 285 (SEQ ID NO:400), Figure 287 (SEQ ID NO:402), Figure 289 (SEQ ID NO:407), Figure 291 (SEQ ID NO:409), Figure 293 (SEQ ID NO:411), Figure 295 (SEQ ID NO:413), Figure 297 (SEQ ID NO:415), Figure 299 (SEQ ID NO:417), Figure 301 (SEQ ID NO:419), Figure 303 (SEQ ID NO:421), Figure 305 (SEQ ID NO:423), Figure 307 (SEQ ID NO:494), Figure 309 (SEQ ID NO:496), Figure 311 (SEQ ID NO:498), Figure 313 (SEQ ID NO:500), Figure 315 (SEQ ID NO:502), Figure 317 (SEQ ID NO:504), Figure 319 (SEQ ID NO:506), Figure 321 (SEQ ID NO:508), Figure 323 (SEQ ID NO:510), Figure 325 (SEQ ID NO:512), Figure 327 (SEQ ID NO:514) and Figure 329 (SEQ ID NO:516).

4. Isolated nucleic acid which comprises the full-length coding sequence of the DNA deposited under any ATCC accession number shown in Table 10.
5. A vector comprising the nucleic acid of Claim 1.
6. The vector of Claim 5 operably linked to control sequences recognized by a host cell transformed with the vector.
7. A host cell comprising the vector of Claim 5.
8. The host cell of Claim 7 wherein said cell is a CHO cell.
9. The host cell of Claim 7 wherein said cell is an *E. coli*.
10. The host cell of Claim 7 wherein said cell is a yeast cell.

11. A process for producing a PRO polypeptides comprising culturing the host cell of Claim 7 under conditions suitable for expression of said PRO polypeptide and recovering said PRO polypeptide from the cell culture.

12. Isolated PRO polypeptide having at least 80% sequence identity to an amino acid sequence selected from the group consisting of the amino acid sequence shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:6), Figure 6 (SEQ ID NO:8), Figure 9 (SEQ ID NO:14), Figure 12 (SEQ ID NO:20), Figure 15 (SEQ ID NO:23), Figure 18 (SEQ ID NO:28), Figure 20 (SEQ ID NO:30), Figure 23 (SEQ ID NO:33), Figure 25 (SEQ ID NO:36), Figure 27 (SEQ ID NO:41), Figure 30 (SEQ ID NO:47), Figure 32 (SEQ ID NO:52), Figure 34 (SEQ ID NO:57), Figure 36 (SEQ ID NO:62), Figure 38 (SEQ ID NO:67), Figure 41 (SEQ ID NO:73), Figure 47 (SEQ ID NO:84), Figure 49 (SEQ ID NO:95), Figure 51 (SEQ ID NO:97), Figure 53 (SEQ ID NO:99), Figure 57 (SEQ ID NO:103), Figure 64 (SEQ ID NO:113), Figure 66 (SEQ ID NO:115), Figure 68 (SEQ ID NO:117), Figure 70 (SEQ ID NO:119), Figure 72 (SEQ ID NO:124), Figure 74 (SEQ ID NO:129), Figure 76 (SEQ ID NO:135), Figure 79 (SEQ ID NO:138), Figure 83 (SEQ ID NO:146), Figure 85 (SEQ ID NO:148), Figure 88 (SEQ ID NO:151), Figure 90 (SEQ ID NO:153), Figure 93 (SEQ ID NO:156), Figure 95 (SEQ ID NO:158), Figure 97 (SEQ ID NO:160), Figure 99 (SEQ ID NO:165), Figure 101 (SEQ ID NO:167), Figure 103 (SEQ ID NO:169), Figure 105 (SEQ ID NO:171), Figure 109 (SEQ ID NO:175), Figure 111 (SEQ ID NO:177), Figure 113 (SEQ ID NO:179), Figure 115 (SEQ ID NO:181), Figure 117 (SEQ ID NO:183), Figure 120 (SEQ ID NO:189), Figure 122 (SEQ ID NO:194), Figure 125 (SEQ ID NO:197), Figure 127 (SEQ ID NO:199), Figure 129 (SEQ ID NO:201), Figure 131 (SEQ ID NO:203), Figure 133 (SEQ ID NO:205), Figure 135 (SEQ ID NO:207), Figure 137 (SEQ ID NO:209), Figure 139 (SEQ ID NO:211), Figure 141 (SEQ ID NO:213), Figure 144 (SEQ ID NO:216), Figure 147 (SEQ ID NO:219), Figure 149 (SEQ ID NO:221), Figure 151 (SEQ ID NO:223), Figure 153 (SEQ ID NO:225), Figure 155 (SEQ ID NO:227), Figure 157 (SEQ ID NO:229), Figure 159 (SEQ ID NO:231), Figure 161 (SEQ ID NO:236), Figure 163 (SEQ ID NO:241), Figure 165 (SEQ ID NO:246), Figure 167 (SEQ ID NO:248), Figure 169 (SEQ ID NO:250), Figure 171 (SEQ ID NO:253), Figure 174 (SEQ ID NO:256), Figure 176 (SEQ ID NO:258), Figure 178 (SEQ ID NO:260), Figure 180 (SEQ ID NO:262), Figure 182 (SEQ ID NO:264), Figure 184 (SEQ ID NO:266), Figure 186 (SEQ ID NO:268), Figure 188 (SEQ ID NO:270), Figure 190 (SEQ ID NO:272), Figure 192 (SEQ ID NO:274), Figure 194 (SEQ ID NO:276), Figure 196 (SEQ ID NO:278), Figure 198 (SEQ ID NO:281), Figure 200 (SEQ ID NO:283), Figure 202 (SEQ ID NO:285), Figure 204 (SEQ ID NO:287), Figure 206 (SEQ ID NO:289), Figure 208 (SEQ ID NO:291), Figure 210 (SEQ ID NO:293), Figure 212 (SEQ ID NO:295), Figure 214 (SEQ ID NO:297), Figure 216 (SEQ ID NO:299), Figure 218 (SEQ ID NO:301), Figure 220 (SEQ ID NO:303), Figure 226 (SEQ ID NO:309), Figure 228 (SEQ ID NO:314), Figure 230 (SEQ ID NO:319), Figure 233 (SEQ ID NO:326), Figure 235 (SEQ ID NO:334), Figure 238 (SEQ ID NO:340), Figure 240 (SEQ ID NO:345), Figure 242 (SEQ ID NO:347), Figure 244 (SEQ ID NO:349), Figure 246 (SEQ ID NO:351), Figure 248 (SEQ ID NO:353), Figure 250 (SEQ ID NO:355), Figure 252 (SEQ ID NO:357), Figure 254 (SEQ ID NO:359), Figure 256 (SEQ ID NO:361), Figure 258 (SEQ ID NO:363), Figure 260 (SEQ ID NO:365), Figure 262 (SEQ ID NO:367), Figure 264 (SEQ ID NO:369), Figure 266 (SEQ ID

NO:371), Figure 268 (SEQ ID NO:373), Figure 270 (SEQ ID NO:375), Figure 272 (SEQ ID NO:377), Figure 274 (SEQ ID NO:379), Figure 276 (SEQ ID NO:381), Figure 278 (SEQ ID NO:387), Figure 280 (SEQ ID NO:389), Figure 282 (SEQ ID NO:394), Figure 284 (SEQ ID NO:399), Figure 286 (SEQ ID NO:401), Figure 288 (SEQ ID NO:403), Figure 290 (SEQ ID NO:408), Figure 292 (SEQ ID NO:410), Figure 294 (SEQ ID NO:412), Figure 296 (SEQ ID NO:414), Figure 298 (SEQ ID NO:416), Figure 300 (SEQ ID NO:418), Figure 302 (SEQ ID NO:420), Figure 304 (SEQ ID NO:422), Figure 306 (SEQ ID NO:424), Figure 308 (SEQ ID NO:495), Figure 310 (SEQ ID NO:497), Figure 312 (SEQ ID NO:499), Figure 314 (SEQ ID NO:501), Figure 316 (SEQ ID NO:503), Figure 318 (SEQ ID NO:505), Figure 320 (SEQ ID NO:507), Figure 322 (SEQ ID NO:509), Figure 324 (SEQ ID NO:511), Figure 326 (SEQ ID NO:513), Figure 328 (SEQ ID NO:515) and Figure 330 (SEQ ID NO:517).

13. Isolated PRO polypeptide having at least 80% sequence identity to the amino acid sequence encoded by a nucleic acid molecule deposited under any ATCC accession number shown in Table 10.

14. A chimeric molecule comprising a polypeptide according to Claim 12 fused to a heterologous amino acid sequence.

15. The chimeric molecule of Claim 14 wherein said heterologous amino acid sequence is an epitope tag sequence.

16. The chimeric molecule of Claim 14 wherein said heterologous amino acid sequence is a Fc region of an immunoglobulin.

17. An antibody which specifically binds to a PRO polypeptide according to Claim 12.

18. The antibody of Claim 17 wherein said antibody is a monoclonal antibody.

19. The antibody of Claim 17 wherein said antibody is a humanized antibody.

20. The antibody of Claim 17 wherein said antibody is an antibody fragment.

21. An isolated nucleic acid molecule which has at least 80% sequence identity to a nucleic acid which comprises a nucleotide sequence selected from the group consisting of that shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:5), Figure 5 (SEQ ID NO:7), Figure 8 (SEQ ID NO:13), Figure 11 (SEQ ID NO:19), Figure 14 (SEQ ID NO:22), Figure 17 (SEQ ID NO:27), Figure 19 (SEQ ID NO:29), Figure 22 (SEQ ID NO:32), Figure 24 (SEQ ID NO:35), Figure 26 (SEQ ID NO:40), Figure 29 (SEQ ID NO:46), Figure 31 (SEQ ID NO:51), Figure 33 (SEQ ID NO:56), Figure 35 (SEQ ID NO:61), Figure 37 (SEQ ID NO:66), Figure 40 (SEQ ID NO:72), Figure 46 (SEQ ID NO:83), Figure 48 (SEQ ID NO:94), Figure 50

(SEQ ID NO:96), Figure 52 (SEQ ID NO:98), Figure 56 (SEQ ID NO:102), Figure 63 (SEQ ID NO:112), Figure 65 (SEQ ID NO:114), Figure 67 (SEQ ID NO:116), Figure 69 (SEQ ID NO:118), Figure 71 (SEQ ID NO:123), Figure 73 (SEQ ID NO:128), Figure 75 (SEQ ID NO:134), Figure 78 (SEQ ID NO:137), Figure 82 (SEQ ID NO:145), Figure 84 (SEQ ID NO:147), Figure 87 (SEQ ID NO:150), Figure 89 (SEQ ID NO:152), Figure 92 (SEQ ID NO:155), Figure 94 (SEQ ID NO:157), Figure 96 (SEQ ID NO:159), Figure 98 (SEQ ID NO:164), Figure 100 (SEQ ID NO:166), Figure 102 (SEQ ID NO:168), Figure 104 (SEQ ID NO:170), Figure 108 (SEQ ID NO:174), Figure 110 (SEQ ID NO:176), Figure 112 (SEQ ID NO:178), Figure 114 (SEQ ID NO:180), Figure 116 (SEQ ID NO:182), Figure 119 (SEQ ID NO:188), Figure 121 (SEQ ID NO:193), Figure 124 (SEQ ID NO:196), Figure 126 (SEQ ID NO:198), Figure 128 (SEQ ID NO:200), Figure 130 (SEQ ID NO:202), Figure 132 (SEQ ID NO:204), Figure 134 (SEQ ID NO:206), Figure 136 (SEQ ID NO:208), Figure 138 (SEQ ID NO:210), Figure 140 (SEQ ID NO:212), Figure 143 (SEQ ID NO:215), Figure 146 (SEQ ID NO:218), Figure 148 (SEQ ID NO:220), Figure 150 (SEQ ID NO:222), Figure 152 (SEQ ID NO:224), Figure 154 (SEQ ID NO:226), Figure 156 (SEQ ID NO:228), Figure 158 (SEQ ID NO:230), Figure 160 (SEQ ID NO:235), Figure 162 (SEQ ID NO:240), Figure 164 (SEQ ID NO:245), Figure 166 (SEQ ID NO:247), Figure 168 (SEQ ID NO:249), Figure 170 (SEQ ID NO:252), Figure 173 (SEQ ID NO:255), Figure 175 (SEQ ID NO:257), Figure 177 (SEQ ID NO:259), Figure 179 (SEQ ID NO:261), Figure 181 (SEQ ID NO:263), Figure 183 (SEQ ID NO:265), Figure 185 (SEQ ID NO:267), Figure 187 (SEQ ID NO:269), Figure 189 (SEQ ID NO:271), Figure 191 (SEQ ID NO:273), Figure 193 (SEQ ID NO:275), Figure 195 (SEQ ID NO:277), Figure 197 (SEQ ID NO:280), Figure 199 (SEQ ID NO:282), Figure 201 (SEQ ID NO:284), Figure 203 (SEQ ID NO:286), Figure 205 (SEQ ID NO:288), Figure 207 (SEQ ID NO:290), Figure 209 (SEQ ID NO:292), Figure 211 (SEQ ID NO:294), Figure 213 (SEQ ID NO:296), Figure 215 (SEQ ID NO:298), Figure 217 (SEQ ID NO:300), Figure 219 (SEQ ID NO:302), Figure 225 (SEQ ID NO:308), Figure 227 (SEQ ID NO:313), Figure 229 (SEQ ID NO:318), Figure 232 (SEQ ID NO:325), Figure 234 (SEQ ID NO:333), Figure 237 (SEQ ID NO:339), Figure 239 (SEQ ID NO:344), Figure 241 (SEQ ID NO:346), Figure 243 (SEQ ID NO:348), Figure 245 (SEQ ID NO:350), Figure 247 (SEQ ID NO:352), Figure 249 (SEQ ID NO:354), Figure 251 (SEQ ID NO:356), Figure 253 (SEQ ID NO:358), Figure 255 (SEQ ID NO:360), Figure 257 (SEQ ID NO:362), Figure 259 (SEQ ID NO:364), Figure 261 (SEQ ID NO:366), Figure 263 (SEQ ID NO:368), Figure 265 (SEQ ID NO:370), Figure 267 (SEQ ID NO:372), Figure 269 (SEQ ID NO:374), Figure 271 (SEQ ID NO:376), Figure 273 (SEQ ID NO:378), Figure 275 (SEQ ID NO:380), Figure 277 (SEQ ID NO:386), Figure 279 (SEQ ID NO:388), Figure 281 (SEQ ID NO:393), Figure 283 (SEQ ID NO:398), Figure 285 (SEQ ID NO:400), Figure 287 (SEQ ID NO:402), Figure 289 (SEQ ID NO:407), Figure 291 (SEQ ID NO:409), Figure 293 (SEQ ID NO:411), Figure 295 (SEQ ID NO:413), Figure 297 (SEQ ID NO:415), Figure 299 (SEQ ID NO:417), Figure 301 (SEQ ID NO:419), Figure 303 (SEQ ID NO:421), Figure 305 (SEQ ID NO:423), Figure 307 (SEQ ID NO:494), Figure 309 (SEQ ID NO:496), Figure 311 (SEQ ID NO:498), Figure 313 (SEQ ID NO:500), Figure 315 (SEQ ID NO:502), Figure 317 (SEQ ID NO:504), Figure 319 (SEQ ID NO:506), Figure 321 (SEQ ID NO:508), Figure 323 (SEQ ID NO:510), Figure 325 (SEQ ID NO:512), Figure 327 (SEQ ID NO:514) and Figure 329 (SEQ ID NO:516).

22. An isolated nucleic acid molecule which has at least 80% sequence identity to the full-length coding sequence of a nucleotide sequence selected from the group consisting of that shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:5), Figure 5 (SEQ ID NO:7), Figure 8 (SEQ ID NO:13), Figure 11 (SEQ ID NO:19), Figure 14 (SEQ ID NO:22), Figure 17 (SEQ ID NO:27), Figure 19 (SEQ ID NO:29), Figure 22 (SEQ ID NO:32), Figure 24 (SEQ ID NO:35), Figure 26 (SEQ ID NO:40), Figure 29 (SEQ ID NO:46),
5 Figure 31 (SEQ ID NO:51), Figure 33 (SEQ ID NO:56), Figure 35 (SEQ ID NO:61), Figure 37 (SEQ ID NO:66), Figure 40 (SEQ ID NO:72), Figure 46 (SEQ ID NO:83), Figure 48 (SEQ ID NO:94), Figure 50 (SEQ ID NO:96), Figure 52 (SEQ ID NO:98), Figure 56 (SEQ ID NO:102), Figure 63 (SEQ ID NO:112), Figure 65 (SEQ ID NO:114), Figure 67 (SEQ ID NO:116), Figure 69 (SEQ ID NO:118), Figure 71 (SEQ ID NO:123), Figure 73 (SEQ ID NO:128), Figure 75 (SEQ ID NO:134), Figure 78 (SEQ ID NO:137), Figure
10 82 (SEQ ID NO:145), Figure 84 (SEQ ID NO:147), Figure 87 (SEQ ID NO:150), Figure 89 (SEQ ID NO:152), Figure 92 (SEQ ID NO:155), Figure 94 (SEQ ID NO:157), Figure 96 (SEQ ID NO:159), Figure 98 (SEQ ID NO:164), Figure 100 (SEQ ID NO:166), Figure 102 (SEQ ID NO:168), Figure 104 (SEQ ID NO:170), Figure 108 (SEQ ID NO:174), Figure 110 (SEQ ID NO:176), Figure 112 (SEQ ID NO:178), Figure 114 (SEQ ID NO:180), Figure 116 (SEQ ID NO:182), Figure 119 (SEQ ID NO:188), Figure 121 (SEQ ID NO:193), Figure 124 (SEQ ID NO:196), Figure 126 (SEQ ID NO:198), Figure 128 (SEQ ID NO:200), Figure
15 130 (SEQ ID NO:202), Figure 132 (SEQ ID NO:204), Figure 134 (SEQ ID NO:206), Figure 136 (SEQ ID NO:208), Figure 138 (SEQ ID NO:210), Figure 140 (SEQ ID NO:212), Figure 143 (SEQ ID NO:215), Figure 146 (SEQ ID NO:218), Figure 148 (SEQ ID NO:220), Figure 150 (SEQ ID NO:222), Figure 152 (SEQ ID NO:224), Figure 154 (SEQ ID NO:226), Figure 156 (SEQ ID NO:228), Figure 158 (SEQ ID NO:230), Figure
20 160 (SEQ ID NO:235), Figure 162 (SEQ ID NO:240), Figure 164 (SEQ ID NO:245), Figure 166 (SEQ ID NO:247), Figure 168 (SEQ ID NO:249), Figure 170 (SEQ ID NO:252), Figure 173 (SEQ ID NO:255), Figure 175 (SEQ ID NO:257), Figure 177 (SEQ ID NO:259), Figure 179 (SEQ ID NO:261), Figure 181 (SEQ ID NO:263), Figure 183 (SEQ ID NO:265), Figure 185 (SEQ ID NO:267), Figure 187 (SEQ ID NO:269), Figure 189 (SEQ ID NO:271), Figure 191 (SEQ ID NO:273), Figure 193 (SEQ ID NO:275), Figure 195 (SEQ ID NO:277), Figure 197 (SEQ ID NO:280), Figure 199 (SEQ ID NO:282), Figure 201 (SEQ ID NO:284), Figure
25 203 (SEQ ID NO:286), Figure 205 (SEQ ID NO:288), Figure 207 (SEQ ID NO:290), Figure 209 (SEQ ID NO:292), Figure 211 (SEQ ID NO:294), Figure 213 (SEQ ID NO:296), Figure 215 (SEQ ID NO:298), Figure 217 (SEQ ID NO:300), Figure 219 (SEQ ID NO:302), Figure 225 (SEQ ID NO:308), Figure 227 (SEQ ID NO:313), Figure 229 (SEQ ID NO:318), Figure 232 (SEQ ID NO:325), Figure 234 (SEQ ID NO:333), Figure
30 237 (SEQ ID NO:339), Figure 239 (SEQ ID NO:344), Figure 241 (SEQ ID NO:346), Figure 243 (SEQ ID NO:348), Figure 245 (SEQ ID NO:350), Figure 247 (SEQ ID NO:352), Figure 249 (SEQ ID NO:354), Figure 251 (SEQ ID NO:356), Figure 253 (SEQ ID NO:358), Figure 255 (SEQ ID NO:360), Figure 257 (SEQ ID NO:362), Figure 259 (SEQ ID NO:364), Figure 261 (SEQ ID NO:366), Figure 263 (SEQ ID NO:368), Figure 265 (SEQ ID NO:370), Figure 267 (SEQ ID NO:372), Figure 269 (SEQ ID NO:374), Figure 271 (SEQ ID NO:376), Figure 273 (SEQ ID NO:378), Figure 275 (SEQ ID NO:380), Figure 277 (SEQ ID NO:386), Figure
35 279 (SEQ ID NO:388), Figure 281 (SEQ ID NO:393), Figure 283 (SEQ ID NO:398), Figure 285 (SEQ ID NO:400), Figure 287 (SEQ ID NO:402), Figure 289 (SEQ ID NO:407), Figure 291 (SEQ ID NO:409), Figure

293 (SEQ ID NO:411), Figure 295 (SEQ ID NO:413), Figure 297 (SEQ ID NO:415), Figure 299 (SEQ ID NO:417), Figure 301 (SEQ ID NO:419), Figure 303 (SEQ ID NO:421), Figure 305 (SEQ ID NO:423), Figure 307 (SEQ ID NO:494), Figure 309 (SEQ ID NO:496), Figure 311 (SEQ ID NO:498), Figure 313 (SEQ ID NO:500), Figure 315 (SEQ ID NO:502), Figure 317 (SEQ ID NO:504), Figure 319 (SEQ ID NO:506), Figure 321 (SEQ ID NO:508), Figure 323 (SEQ ID NO:510), Figure 325 (SEQ ID NO:512), Figure 327 (SEQ ID NO:514) and Figure 329 (SEQ ID NO:516).

23. An isolated extracellular domain of of PRO polypeptide.

24. An isolated PRO polypeptide lacking its associated signal peptide.

25. An isolated polypeptide having at least about 80% amino acid sequence identity to an extracellular domain of of PRO polypeptide.

26. An isolated polypeptide having at least about 80% amino acid sequence identity to a PRO polypeptide lacking its associated signal peptide.

27. Isolated nucleic acid having at least 80% nucleic acid sequence identity to:

(a) a nucleotide sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:6), Figure 6 (SEQ ID NO:8), Figure 9 (SEQ ID NO:14), Figure 12 (SEQ ID NO:20), Figure 15 (SEQ ID NO:23), Figure 18 (SEQ ID NO:28), Figure 20 (SEQ ID NO:30), Figure 23 (SEQ ID NO:33), Figure 25 (SEQ ID NO:36), Figure 27 (SEQ ID NO:41), Figure 30 (SEQ ID NO:47), Figure 32 (SEQ ID NO:52), Figure 34 (SEQ ID NO:57), Figure 36 (SEQ ID NO:62), Figure 38 (SEQ ID NO:67), Figure 41 (SEQ ID NO:73), Figure 47 (SEQ ID NO:84), Figure 49 (SEQ ID NO:95), Figure 51 (SEQ ID NO:97), Figure 53 (SEQ ID NO:99), Figure 57 (SEQ ID NO:103), Figure 64 (SEQ ID NO:113), Figure 66 (SEQ ID NO:115), Figure 68 (SEQ ID NO:117), Figure 70 (SEQ ID NO:119), Figure 72 (SEQ ID NO:124), Figure 74 (SEQ ID NO:129), Figure 76 (SEQ ID NO:135), Figure 79 (SEQ ID NO:138), Figure 83 (SEQ ID NO:146), Figure 85 (SEQ ID NO:148), Figure 88 (SEQ ID NO:151), Figure 90 (SEQ ID NO:153), Figure 93 (SEQ ID NO:156), Figure 95 (SEQ ID NO:158), Figure 97 (SEQ ID NO:160), Figure 99 (SEQ ID NO:165), Figure 101 (SEQ ID NO:167), Figure 103 (SEQ ID NO:169), Figure 105 (SEQ ID NO:171), Figure 109 (SEQ ID NO:175), Figure 111 (SEQ ID NO:177), Figure 113 (SEQ ID NO:179), Figure 115 (SEQ ID NO:181), Figure 117 (SEQ ID NO:183), Figure 120 (SEQ ID NO:189), Figure 122 (SEQ ID NO:194), Figure 125 (SEQ ID NO:197), Figure 127 (SEQ ID NO:199), Figure 129 (SEQ ID NO:201), Figure 131 (SEQ ID NO:203), Figure 133 (SEQ ID NO:205), Figure 135 (SEQ ID NO:207), Figure 137 (SEQ ID NO:209), Figure 139 (SEQ ID NO:211), Figure 141 (SEQ ID NO:213), Figure 144 (SEQ ID NO:216), Figure 147 (SEQ ID NO:219), Figure 149 (SEQ ID NO:221), Figure 151 (SEQ ID NO:223), Figure 153 (SEQ ID NO:225), Figure 155 (SEQ ID NO:227), Figure 157 (SEQ ID NO:229), Figure 159 (SEQ ID NO:231), Figure 161 (SEQ ID NO:236), Figure 163 (SEQ ID NO:241), Figure 165 (SEQ ID NO:246), Figure 167 (SEQ ID NO:248), Figure

169 (SEQ ID NO:250), Figure 171 (SEQ ID NO:253), Figure 174 (SEQ ID NO:256), Figure 176 (SEQ ID NO:258), Figure 178 (SEQ ID NO:260), Figure 180 (SEQ ID NO:262), Figure 182 (SEQ ID NO:264), Figure 184 (SEQ ID NO:266), Figure 186 (SEQ ID NO:268), Figure 188 (SEQ ID NO:270), Figure 190 (SEQ ID NO:272), Figure 192 (SEQ ID NO:274), Figure 194 (SEQ ID NO:276), Figure 196 (SEQ ID NO:278), Figure 198 (SEQ ID NO:281), Figure 200 (SEQ ID NO:283), Figure 202 (SEQ ID NO:285), Figure 204 (SEQ ID NO:287), Figure 206 (SEQ ID NO:289), Figure 208 (SEQ ID NO:291), Figure 210 (SEQ ID NO:293), Figure 212 (SEQ ID NO:295), Figure 214 (SEQ ID NO:297), Figure 216 (SEQ ID NO:299), Figure 218 (SEQ ID NO:301), Figure 220 (SEQ ID NO:303), Figure 226 (SEQ ID NO:309), Figure 228 (SEQ ID NO:314), Figure 230 (SEQ ID NO:319), Figure 233 (SEQ ID NO:326), Figure 235 (SEQ ID NO:334), Figure 238 (SEQ ID NO:340), Figure 240 (SEQ ID NO:345), Figure 242 (SEQ ID NO:347), Figure 244 (SEQ ID NO:349), Figure 246 (SEQ ID NO:351), Figure 248 (SEQ ID NO:353), Figure 250 (SEQ ID NO:355), Figure 252 (SEQ ID NO:357), Figure 254 (SEQ ID NO:359), Figure 256 (SEQ ID NO:361), Figure 258 (SEQ ID NO:363), Figure 260 (SEQ ID NO:365), Figure 262 (SEQ ID NO:367), Figure 264 (SEQ ID NO:369), Figure 266 (SEQ ID NO:371), Figure 268 (SEQ ID NO:373), Figure 270 (SEQ ID NO:375), Figure 272 (SEQ ID NO:377), Figure 274 (SEQ ID NO:379), Figure 276 (SEQ ID NO:381), Figure 278 (SEQ ID NO:387), Figure 280 (SEQ ID NO:389), Figure 282 (SEQ ID NO:394), Figure 284 (SEQ ID NO:399), Figure 286 (SEQ ID NO:401), Figure 288 (SEQ ID NO:403), Figure 290 (SEQ ID NO:408), Figure 292 (SEQ ID NO:410), Figure 294 (SEQ ID NO:412), Figure 296 (SEQ ID NO:414), Figure 298 (SEQ ID NO:416), Figure 300 (SEQ ID NO:418), Figure 302 (SEQ ID NO:420), Figure 304 (SEQ ID NO:422), Figure 306 (SEQ ID NO:424), Figure 308 (SEQ ID NO:495), Figure 310 (SEQ ID NO:497), Figure 312 (SEQ ID NO:499), Figure 314 (SEQ ID NO:501), Figure 316 (SEQ ID NO:503), Figure 318 (SEQ ID NO:505), Figure 320 (SEQ ID NO:507), Figure 322 (SEQ ID NO:509), Figure 324 (SEQ ID NO:511), Figure 326 (SEQ ID NO:513), Figure 328 (SEQ ID NO:515) or Figure 330 (SEQ ID NO:517), lacking its associated signal peptide;

(b) a nucleotide sequence encoding an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:6), Figure 6 (SEQ ID NO:8), Figure 9 (SEQ ID NO:14), Figure 12 (SEQ ID NO:20), Figure 15 (SEQ ID NO:23), Figure 18 (SEQ ID NO:28), Figure 20 (SEQ ID NO:30), Figure 23 (SEQ ID NO:33), Figure 25 (SEQ ID NO:36), Figure 27 (SEQ ID NO:41), Figure 30 (SEQ ID NO:47), Figure 32 (SEQ ID NO:52), Figure 34 (SEQ ID NO:57), Figure 36 (SEQ ID NO:62), Figure 38 (SEQ ID NO:67), Figure 41 (SEQ ID NO:73), Figure 47 (SEQ ID NO:84), Figure 49 (SEQ ID NO:95), Figure 51 (SEQ ID NO:97), Figure 53 (SEQ ID NO:99), Figure 57 (SEQ ID NO:103), Figure 64 (SEQ ID NO:113), Figure 66 (SEQ ID NO:115), Figure 68 (SEQ ID NO:117), Figure 70 (SEQ ID NO:119), Figure 72 (SEQ ID NO:124), Figure 74 (SEQ ID NO:129), Figure 76 (SEQ ID NO:135), Figure 79 (SEQ ID NO:138), Figure 83 (SEQ ID NO:146), Figure 85 (SEQ ID NO:148), Figure 88 (SEQ ID NO:151), Figure 90 (SEQ ID NO:153), Figure 93 (SEQ ID NO:156), Figure 95 (SEQ ID NO:158), Figure 97 (SEQ ID NO:160), Figure 99 (SEQ ID NO:165), Figure 101 (SEQ ID NO:167), Figure 103 (SEQ ID NO:169), Figure 105 (SEQ ID NO:171), Figure 109 (SEQ ID NO:175), Figure 111 (SEQ ID NO:177), Figure 113 (SEQ ID NO:179), Figure 115 (SEQ ID NO:181), Figure 117 (SEQ ID NO:183), Figure 120 (SEQ ID NO:189), Figure 122 (SEQ ID NO:194), Figure 125 (SEQ ID NO:197), Figure 127 (SEQ ID NO:199), Figure 129 (SEQ ID

NO:201), Figure 131 (SEQ ID NO:203), Figure 133 (SEQ ID NO:205), Figure 135 (SEQ ID NO:207), Figure 137 (SEQ ID NO:209), Figure 139 (SEQ ID NO:211), Figure 141 (SEQ ID NO:213), Figure 144 (SEQ ID NO:216), Figure 147 (SEQ ID NO:219), Figure 149 (SEQ ID NO:221), Figure 151 (SEQ ID NO:223), Figure 153 (SEQ ID NO:225), Figure 155 (SEQ ID NO:227), Figure 157 (SEQ ID NO:229), Figure 159 (SEQ ID NO:231), Figure 161 (SEQ ID NO:236), Figure 163 (SEQ ID NO:241), Figure 165 (SEQ ID NO:246), Figure 167 (SEQ ID NO:248), Figure 169 (SEQ ID NO:250), Figure 171 (SEQ ID NO:253), Figure 174 (SEQ ID NO:256), Figure 176 (SEQ ID NO:258), Figure 178 (SEQ ID NO:260), Figure 180 (SEQ ID NO:262), Figure 182 (SEQ ID NO:264), Figure 184 (SEQ ID NO:266), Figure 186 (SEQ ID NO:268), Figure 188 (SEQ ID NO:270), Figure 190 (SEQ ID NO:272), Figure 192 (SEQ ID NO:274), Figure 194 (SEQ ID NO:276), Figure 196 (SEQ ID NO:278), Figure 198 (SEQ ID NO:281), Figure 200 (SEQ ID NO:283), Figure 202 (SEQ ID NO:285), Figure 204 (SEQ ID NO:287), Figure 206 (SEQ ID NO:289), Figure 208 (SEQ ID NO:291), Figure 210 (SEQ ID NO:293), Figure 212 (SEQ ID NO:295), Figure 214 (SEQ ID NO:297), Figure 216 (SEQ ID NO:299), Figure 218 (SEQ ID NO:301), Figure 220 (SEQ ID NO:303), Figure 226 (SEQ ID NO:309), Figure 228 (SEQ ID NO:314), Figure 230 (SEQ ID NO:319), Figure 233 (SEQ ID NO:326), Figure 235 (SEQ ID NO:334), Figure 238 (SEQ ID NO:340), Figure 240 (SEQ ID NO:345), Figure 242 (SEQ ID NO:347), Figure 244 (SEQ ID NO:349), Figure 246 (SEQ ID NO:351), Figure 248 (SEQ ID NO:353), Figure 250 (SEQ ID NO:355), Figure 252 (SEQ ID NO:357), Figure 254 (SEQ ID NO:359), Figure 256 (SEQ ID NO:361), Figure 258 (SEQ ID NO:363), Figure 260 (SEQ ID NO:365), Figure 262 (SEQ ID NO:367), Figure 264 (SEQ ID NO:369), Figure 266 (SEQ ID NO:371), Figure 268 (SEQ ID NO:373), Figure 270 (SEQ ID NO:375), Figure 272 (SEQ ID NO:377), Figure 274 (SEQ ID NO:379), Figure 276 (SEQ ID NO:381), Figure 278 (SEQ ID NO:387), Figure 280 (SEQ ID NO:389), Figure 282 (SEQ ID NO:394), Figure 284 (SEQ ID NO:399), Figure 286 (SEQ ID NO:401), Figure 288 (SEQ ID NO:403), Figure 290 (SEQ ID NO:408), Figure 292 (SEQ ID NO:410), Figure 294 (SEQ ID NO:412), Figure 296 (SEQ ID NO:414), Figure 298 (SEQ ID NO:416), Figure 300 (SEQ ID NO:418), Figure 302 (SEQ ID NO:420), Figure 304 (SEQ ID NO:422), Figure 306 (SEQ ID NO:424), Figure 308 (SEQ ID NO:495), Figure 310 (SEQ ID NO:497), Figure 312 (SEQ ID NO:499), Figure 314 (SEQ ID NO:501), Figure 316 (SEQ ID NO:503), Figure 318 (SEQ ID NO:505), Figure 320 (SEQ ID NO:507), Figure 322 (SEQ ID NO:509), Figure 324 (SEQ ID NO:511), Figure 326 (SEQ ID NO:513), Figure 328 (SEQ ID NO:515) or Figure 330 (SEQ ID NO:517), with its associated signal peptide; or

(c) a nucleotide sequence encoding an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:6), Figure 6 (SEQ ID NO:8), Figure 9 (SEQ ID NO:14), Figure 12 (SEQ ID NO:20), Figure 15 (SEQ ID NO:23), Figure 18 (SEQ ID NO:28), Figure 20 (SEQ ID NO:30), Figure 23 (SEQ ID NO:33), Figure 25 (SEQ ID NO:36), Figure 27 (SEQ ID NO:41), Figure 30 (SEQ ID NO:47), Figure 32 (SEQ ID NO:52), Figure 34 (SEQ ID NO:57), Figure 36 (SEQ ID NO:62), Figure 38 (SEQ ID NO:67), Figure 41 (SEQ ID NO:73), Figure 47 (SEQ ID NO:84), Figure 49 (SEQ ID NO:95), Figure 51 (SEQ ID NO:97), Figure 53 (SEQ ID NO:99), Figure 57 (SEQ ID NO:103), Figure 64 (SEQ ID NO:113), Figure 66 (SEQ ID NO:115), Figure 68 (SEQ ID NO:117), Figure 70 (SEQ ID NO:119), Figure 72 (SEQ ID NO:124), Figure 74 (SEQ ID NO:129), Figure 76 (SEQ ID NO:135), Figure 79 (SEQ ID NO:138), Figure 83 (SEQ ID NO:146), Figure 85 (SEQ ID NO:148), Figure 88 (SEQ ID NO:151), Figure

90 (SEQ ID NO:153), Figure 93 (SEQ ID NO:156), Figure 95 (SEQ ID NO:158), Figure 97 (SEQ ID NO:160), Figure 99 (SEQ ID NO:165), Figure 101 (SEQ ID NO:167), Figure 103 (SEQ ID NO:169), Figure 105 (SEQ ID NO:171), Figure 109 (SEQ ID NO:175), Figure 111 (SEQ ID NO:177), Figure 113 (SEQ ID NO:179), Figure 115 (SEQ ID NO:181), Figure 117 (SEQ ID NO:183), Figure 120 (SEQ ID NO:189), Figure 122 (SEQ ID NO:194), Figure 125 (SEQ ID NO:197), Figure 127 (SEQ ID NO:199), Figure 129 (SEQ ID NO:201), Figure 131 (SEQ ID NO:203), Figure 133 (SEQ ID NO:205), Figure 135 (SEQ ID NO:207), Figure 137 (SEQ ID NO:209), Figure 139 (SEQ ID NO:211), Figure 141 (SEQ ID NO:213), Figure 144 (SEQ ID NO:216), Figure 147 (SEQ ID NO:219), Figure 149 (SEQ ID NO:221), Figure 151 (SEQ ID NO:223), Figure 153 (SEQ ID NO:225), Figure 155 (SEQ ID NO:227), Figure 157 (SEQ ID NO:229), Figure 159 (SEQ ID NO:231), Figure 161 (SEQ ID NO:236), Figure 163 (SEQ ID NO:241), Figure 165 (SEQ ID NO:246), Figure 167 (SEQ ID NO:248), Figure 169 (SEQ ID NO:250), Figure 171 (SEQ ID NO:253), Figure 174 (SEQ ID NO:256), Figure 176 (SEQ ID NO:258), Figure 178 (SEQ ID NO:260), Figure 180 (SEQ ID NO:262), Figure 182 (SEQ ID NO:264), Figure 184 (SEQ ID NO:266), Figure 186 (SEQ ID NO:268), Figure 188 (SEQ ID NO:270), Figure 190 (SEQ ID NO:272), Figure 192 (SEQ ID NO:274), Figure 194 (SEQ ID NO:276), Figure 196 (SEQ ID NO:278), Figure 198 (SEQ ID NO:281), Figure 200 (SEQ ID NO:283), Figure 202 (SEQ ID NO:285), Figure 204 (SEQ ID NO:287), Figure 206 (SEQ ID NO:289), Figure 208 (SEQ ID NO:291), Figure 210 (SEQ ID NO:293), Figure 212 (SEQ ID NO:295), Figure 214 (SEQ ID NO:297), Figure 216 (SEQ ID NO:299), Figure 218 (SEQ ID NO:301), Figure 220 (SEQ ID NO:303), Figure 226 (SEQ ID NO:309), Figure 228 (SEQ ID NO:314), Figure 230 (SEQ ID NO:319), Figure 233 (SEQ ID NO:326), Figure 235 (SEQ ID NO:334), Figure 238 (SEQ ID NO:340), Figure 240 (SEQ ID NO:345), Figure 242 (SEQ ID NO:347), Figure 244 (SEQ ID NO:349), Figure 246 (SEQ ID NO:351), Figure 248 (SEQ ID NO:353), Figure 250 (SEQ ID NO:355), Figure 252 (SEQ ID NO:357), Figure 254 (SEQ ID NO:359), Figure 256 (SEQ ID NO:361), Figure 258 (SEQ ID NO:363), Figure 260 (SEQ ID NO:365), Figure 262 (SEQ ID NO:367), Figure 264 (SEQ ID NO:369), Figure 266 (SEQ ID NO:371), Figure 268 (SEQ ID NO:373), Figure 270 (SEQ ID NO:375), Figure 272 (SEQ ID NO:377), Figure 274 (SEQ ID NO:379), Figure 276 (SEQ ID NO:381), Figure 278 (SEQ ID NO:387), Figure 280 (SEQ ID NO:389), Figure 282 (SEQ ID NO:394), Figure 284 (SEQ ID NO:399), Figure 286 (SEQ ID NO:401), Figure 288 (SEQ ID NO:403), Figure 290 (SEQ ID NO:408), Figure 292 (SEQ ID NO:410), Figure 294 (SEQ ID NO:412), Figure 296 (SEQ ID NO:414), Figure 298 (SEQ ID NO:416), Figure 300 (SEQ ID NO:418), Figure 302 (SEQ ID NO:420), Figure 304 (SEQ ID NO:422), Figure 306 (SEQ ID NO:424), Figure 308 (SEQ ID NO:495), Figure 310 (SEQ ID NO:497), Figure 312 (SEQ ID NO:499), Figure 314 (SEQ ID NO:501), Figure 316 (SEQ ID NO:503), Figure 318 (SEQ ID NO:505), Figure 320 (SEQ ID NO:507), Figure 322 (SEQ ID NO:509), Figure 324 (SEQ ID NO:511), Figure 326 (SEQ ID NO:513), Figure 328 (SEQ ID NO:515) or Figure 330 (SEQ ID NO:517), lacking its associated signal peptide.

28. An isolated polypeptide having at least 80% amino acid sequence identity to:
- 35 (a) the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:6), Figure 6 (SEQ ID NO:8), Figure 9 (SEQ ID NO:14), Figure 12 (SEQ ID NO:20), Figure 15 (SEQ ID NO:23), Figure 18 (SEQ ID NO:28), Figure 20 (SEQ ID NO:30), Figure 23 (SEQ ID NO:33), Figure 25 (SEQ ID NO:36),

Figure 27 (SEQ ID NO:41), Figure 30 (SEQ ID NO:47), Figure 32 (SEQ ID NO:52), Figure 34 (SEQ ID NO:57), Figure 36 (SEQ ID NO:62), Figure 38 (SEQ ID NO:67), Figure 41 (SEQ ID NO:73), Figure 47 (SEQ ID NO:84), Figure 49 (SEQ ID NO:95), Figure 51 (SEQ ID NO:97), Figure 53 (SEQ ID NO:99), Figure 57 (SEQ ID NO:103), Figure 64 (SEQ ID NO:113), Figure 66 (SEQ ID NO:115), Figure 68 (SEQ ID NO:117), Figure 70 (SEQ ID NO:119), Figure 72 (SEQ ID NO:124), Figure 74 (SEQ ID NO:129), Figure 76 (SEQ ID NO:135), Figure 79 (SEQ ID NO:138), Figure 83 (SEQ ID NO:146), Figure 85 (SEQ ID NO:148), Figure 88 (SEQ ID NO:151), Figure 90 (SEQ ID NO:153), Figure 93 (SEQ ID NO:156), Figure 95 (SEQ ID NO:158), Figure 97 (SEQ ID NO:160), Figure 99 (SEQ ID NO:165), Figure 101 (SEQ ID NO:167), Figure 103 (SEQ ID NO:169), Figure 105 (SEQ ID NO:171), Figure 109 (SEQ ID NO:175), Figure 111 (SEQ ID NO:177), Figure 113 (SEQ ID NO:179), Figure 115 (SEQ ID NO:181), Figure 117 (SEQ ID NO:183), Figure 120 (SEQ ID NO:189), Figure 122 (SEQ ID NO:194), Figure 125 (SEQ ID NO:197), Figure 127 (SEQ ID NO:199), Figure 129 (SEQ ID NO:201), Figure 131 (SEQ ID NO:203), Figure 133 (SEQ ID NO:205), Figure 135 (SEQ ID NO:207), Figure 137 (SEQ ID NO:209), Figure 139 (SEQ ID NO:211), Figure 141 (SEQ ID NO:213), Figure 144 (SEQ ID NO:216), Figure 147 (SEQ ID NO:219), Figure 149 (SEQ ID NO:221), Figure 151 (SEQ ID NO:223), Figure 153 (SEQ ID NO:225), Figure 155 (SEQ ID NO:227), Figure 157 (SEQ ID NO:229), Figure 159 (SEQ ID NO:231), Figure 161 (SEQ ID NO:236), Figure 163 (SEQ ID NO:241), Figure 165 (SEQ ID NO:246), Figure 167 (SEQ ID NO:248), Figure 169 (SEQ ID NO:250), Figure 171 (SEQ ID NO:253), Figure 174 (SEQ ID NO:256), Figure 176 (SEQ ID NO:258), Figure 178 (SEQ ID NO:260), Figure 180 (SEQ ID NO:262), Figure 182 (SEQ ID NO:264), Figure 184 (SEQ ID NO:266), Figure 186 (SEQ ID NO:268), Figure 188 (SEQ ID NO:270), Figure 190 (SEQ ID NO:272), Figure 192 (SEQ ID NO:274), Figure 194 (SEQ ID NO:276), Figure 196 (SEQ ID NO:278), Figure 198 (SEQ ID NO:281), Figure 200 (SEQ ID NO:283), Figure 202 (SEQ ID NO:285), Figure 204 (SEQ ID NO:287), Figure 206 (SEQ ID NO:289), Figure 208 (SEQ ID NO:291), Figure 210 (SEQ ID NO:293), Figure 212 (SEQ ID NO:295), Figure 214 (SEQ ID NO:297), Figure 216 (SEQ ID NO:299), Figure 218 (SEQ ID NO:301), Figure 220 (SEQ ID NO:303), Figure 226 (SEQ ID NO:309), Figure 228 (SEQ ID NO:314), Figure 230 (SEQ ID NO:319), Figure 233 (SEQ ID NO:326), Figure 235 (SEQ ID NO:334), Figure 238 (SEQ ID NO:340), Figure 240 (SEQ ID NO:345), Figure 242 (SEQ ID NO:347), Figure 244 (SEQ ID NO:349), Figure 246 (SEQ ID NO:351), Figure 248 (SEQ ID NO:353), Figure 250 (SEQ ID NO:355), Figure 252 (SEQ ID NO:357), Figure 254 (SEQ ID NO:359), Figure 256 (SEQ ID NO:361), Figure 258 (SEQ ID NO:363), Figure 260 (SEQ ID NO:365), Figure 262 (SEQ ID NO:367), Figure 264 (SEQ ID NO:369), Figure 266 (SEQ ID NO:371), Figure 268 (SEQ ID NO:373), Figure 270 (SEQ ID NO:375), Figure 272 (SEQ ID NO:377), Figure 274 (SEQ ID NO:379), Figure 276 (SEQ ID NO:381), Figure 278 (SEQ ID NO:387), Figure 280 (SEQ ID NO:389), Figure 282 (SEQ ID NO:394), Figure 284 (SEQ ID NO:399), Figure 286 (SEQ ID NO:401), Figure 288 (SEQ ID NO:403), Figure 290 (SEQ ID NO:408), Figure 292 (SEQ ID NO:410), Figure 294 (SEQ ID NO:412), Figure 296 (SEQ ID NO:414), Figure 298 (SEQ ID NO:416), Figure 300 (SEQ ID NO:418), Figure 302 (SEQ ID NO:420), Figure 304 (SEQ ID NO:422), Figure 306 (SEQ ID NO:424), Figure 308 (SEQ ID NO:495), Figure 310 (SEQ ID NO:497), Figure 312 (SEQ ID NO:499), Figure 314 (SEQ ID NO:501), Figure 316 (SEQ ID NO:503), Figure 318 (SEQ ID NO:505), Figure 320 (SEQ ID NO:507), Figure 322 (SEQ ID NO:509), Figure 324 (SEQ ID

NO:511), Figure 326 (SEQ ID NO:513), Figure 328 (SEQ ID NO:515) or Figure 330 (SEQ ID NO:517), lacking its associated signal peptide;

(b) an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:6), Figure 6 (SEQ ID NO:8), Figure 9 (SEQ ID NO:14), Figure 12 (SEQ ID NO:20), Figure 15 (SEQ ID NO:23), Figure 18 (SEQ ID NO:28), Figure 20 (SEQ ID NO:30), Figure 23 (SEQ ID NO:33), Figure 25 (SEQ ID NO:36), Figure 27 (SEQ ID NO:41), Figure 30 (SEQ ID NO:47), Figure 32 (SEQ ID NO:52), Figure 34 (SEQ ID NO:57), Figure 36 (SEQ ID NO:62), Figure 38 (SEQ ID NO:67), Figure 41 (SEQ ID NO:73), Figure 47 (SEQ ID NO:84), Figure 49 (SEQ ID NO:95), Figure 51 (SEQ ID NO:97), Figure 53 (SEQ ID NO:99), Figure 57 (SEQ ID NO:103), Figure 64 (SEQ ID NO:113), Figure 66 (SEQ ID NO:115), Figure 68 (SEQ ID NO:117), Figure 70 (SEQ ID NO:119), Figure 72 (SEQ ID NO:124), Figure 74 (SEQ ID NO:129), Figure 76 (SEQ ID NO:135), Figure 79 (SEQ ID NO:138), Figure 83 (SEQ ID NO:146), Figure 85 (SEQ ID NO:148), Figure 88 (SEQ ID NO:151), Figure 90 (SEQ ID NO:153), Figure 93 (SEQ ID NO:156), Figure 95 (SEQ ID NO:158), Figure 97 (SEQ ID NO:160), Figure 99 (SEQ ID NO:165), Figure 101 (SEQ ID NO:167), Figure 103 (SEQ ID NO:169), Figure 105 (SEQ ID NO:171), Figure 109 (SEQ ID NO:175), Figure 111 (SEQ ID NO:177), Figure 113 (SEQ ID NO:179), Figure 115 (SEQ ID NO:181), Figure 117 (SEQ ID NO:183), Figure 120 (SEQ ID NO:189), Figure 122 (SEQ ID NO:194), Figure 125 (SEQ ID NO:197), Figure 127 (SEQ ID NO:199), Figure 129 (SEQ ID NO:201), Figure 131 (SEQ ID NO:203), Figure 133 (SEQ ID NO:205), Figure 135 (SEQ ID NO:207), Figure 137 (SEQ ID NO:209), Figure 139 (SEQ ID NO:211), Figure 141 (SEQ ID NO:213), Figure 144 (SEQ ID NO:216), Figure 147 (SEQ ID NO:219), Figure 149 (SEQ ID NO:221), Figure 151 (SEQ ID NO:223), Figure 153 (SEQ ID NO:225), Figure 155 (SEQ ID NO:227), Figure 157 (SEQ ID NO:229), Figure 159 (SEQ ID NO:231), Figure 161 (SEQ ID NO:236), Figure 163 (SEQ ID NO:241), Figure 165 (SEQ ID NO:246), Figure 167 (SEQ ID NO:248), Figure 169 (SEQ ID NO:250), Figure 171 (SEQ ID NO:253), Figure 174 (SEQ ID NO:256), Figure 176 (SEQ ID NO:258), Figure 178 (SEQ ID NO:260), Figure 180 (SEQ ID NO:262), Figure 182 (SEQ ID NO:264), Figure 184 (SEQ ID NO:266), Figure 186 (SEQ ID NO:268), Figure 188 (SEQ ID NO:270), Figure 190 (SEQ ID NO:272), Figure 192 (SEQ ID NO:274), Figure 194 (SEQ ID NO:276), Figure 196 (SEQ ID NO:278), Figure 198 (SEQ ID NO:281), Figure 200 (SEQ ID NO:283), Figure 202 (SEQ ID NO:285), Figure 204 (SEQ ID NO:287), Figure 206 (SEQ ID NO:289), Figure 208 (SEQ ID NO:291), Figure 210 (SEQ ID NO:293), Figure 212 (SEQ ID NO:295), Figure 214 (SEQ ID NO:297), Figure 216 (SEQ ID NO:299), Figure 218 (SEQ ID NO:301), Figure 220 (SEQ ID NO:303), Figure 226 (SEQ ID NO:309), Figure 228 (SEQ ID NO:314), Figure 230 (SEQ ID NO:319), Figure 233 (SEQ ID NO:326), Figure 235 (SEQ ID NO:334), Figure 238 (SEQ ID NO:340), Figure 240 (SEQ ID NO:345), Figure 242 (SEQ ID NO:347), Figure 244 (SEQ ID NO:349), Figure 246 (SEQ ID NO:351), Figure 248 (SEQ ID NO:353), Figure 250 (SEQ ID NO:355), Figure 252 (SEQ ID NO:357), Figure 254 (SEQ ID NO:359), Figure 256 (SEQ ID NO:361), Figure 258 (SEQ ID NO:363), Figure 260 (SEQ ID NO:365), Figure 262 (SEQ ID NO:367), Figure 264 (SEQ ID NO:369), Figure 266 (SEQ ID NO:371), Figure 268 (SEQ ID NO:373), Figure 270 (SEQ ID NO:375), Figure 272 (SEQ ID NO:377), Figure 274 (SEQ ID NO:379), Figure 276 (SEQ ID NO:381), Figure 278 (SEQ ID NO:387), Figure 280 (SEQ ID NO:389), Figure 282 (SEQ ID NO:394), Figure 284 (SEQ ID NO:399), Figure 286 (SEQ ID NO:401), Figure 288 (SEQ ID

NO:403), Figure 290 (SEQ ID NO:408), Figure 292 (SEQ ID NO:410), Figure 294 (SEQ ID NO:412), Figure 296 (SEQ ID NO:414), Figure 298 (SEQ ID NO:416), Figure 300 (SEQ ID NO:418), Figure 302 (SEQ ID NO:420), Figure 304 (SEQ ID NO:422), Figure 306 (SEQ ID NO:424), Figure 308 (SEQ ID NO:495), Figure 310 (SEQ ID NO:497), Figure 312 (SEQ ID NO:499), Figure 314 (SEQ ID NO:501), Figure 316 (SEQ ID NO:503), Figure 318 (SEQ ID NO:505), Figure 320 (SEQ ID NO:507), Figure 322 (SEQ ID NO:509), Figure 324 (SEQ ID NO:511), Figure 326 (SEQ ID NO:513), Figure 328 (SEQ ID NO:515) or Figure 330 (SEQ ID NO:517), with its associated signal peptide; or

(c) an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:6), Figure 6 (SEQ ID NO:8), Figure 9 (SEQ ID NO:14), Figure 12 (SEQ ID NO:20), Figure 15 (SEQ ID NO:23), Figure 18 (SEQ ID NO:28), Figure 20 (SEQ ID NO:30), Figure 23 (SEQ ID NO:33), Figure 25 (SEQ ID NO:36), Figure 27 (SEQ ID NO:41), Figure 30 (SEQ ID NO:47), Figure 32 (SEQ ID NO:52), Figure 34 (SEQ ID NO:57), Figure 36 (SEQ ID NO:62), Figure 38 (SEQ ID NO:67), Figure 41 (SEQ ID NO:73), Figure 47 (SEQ ID NO:84), Figure 49 (SEQ ID NO:95), Figure 51 (SEQ ID NO:97), Figure 53 (SEQ ID NO:99), Figure 57 (SEQ ID NO:103), Figure 64 (SEQ ID NO:113), Figure 66 (SEQ ID NO:115), Figure 68 (SEQ ID NO:117), Figure 70 (SEQ ID NO:119), Figure 72 (SEQ ID NO:124), Figure 74 (SEQ ID NO:129), Figure 76 (SEQ ID NO:135), Figure 79 (SEQ ID NO:138), Figure 83 (SEQ ID NO:146), Figure 85 (SEQ ID NO:148), Figure 88 (SEQ ID NO:151), Figure 90 (SEQ ID NO:153), Figure 93 (SEQ ID NO:156), Figure 95 (SEQ ID NO:158), Figure 97 (SEQ ID NO:160), Figure 99 (SEQ ID NO:165), Figure 101 (SEQ ID NO:167), Figure 103 (SEQ ID NO:169), Figure 105 (SEQ ID NO:171), Figure 109 (SEQ ID NO:175), Figure 111 (SEQ ID NO:177), Figure 113 (SEQ ID NO:179), Figure 115 (SEQ ID NO:181), Figure 117 (SEQ ID NO:183), Figure 120 (SEQ ID NO:189), Figure 122 (SEQ ID NO:194), Figure 125 (SEQ ID NO:197), Figure 127 (SEQ ID NO:199), Figure 129 (SEQ ID NO:201), Figure 131 (SEQ ID NO:203), Figure 133 (SEQ ID NO:205), Figure 135 (SEQ ID NO:207), Figure 137 (SEQ ID NO:209), Figure 139 (SEQ ID NO:211), Figure 141 (SEQ ID NO:213), Figure 144 (SEQ ID NO:216), Figure 147 (SEQ ID NO:219), Figure 149 (SEQ ID NO:221), Figure 151 (SEQ ID NO:223), Figure 153 (SEQ ID NO:225), Figure 155 (SEQ ID NO:227), Figure 157 (SEQ ID NO:229), Figure 159 (SEQ ID NO:231), Figure 161 (SEQ ID NO:236), Figure 163 (SEQ ID NO:241), Figure 165 (SEQ ID NO:246), Figure 167 (SEQ ID NO:248), Figure 169 (SEQ ID NO:250), Figure 171 (SEQ ID NO:253), Figure 174 (SEQ ID NO:256), Figure 176 (SEQ ID NO:258), Figure 178 (SEQ ID NO:260), Figure 180 (SEQ ID NO:262), Figure 182 (SEQ ID NO:264), Figure 184 (SEQ ID NO:266), Figure 186 (SEQ ID NO:268), Figure 188 (SEQ ID NO:270), Figure 190 (SEQ ID NO:272), Figure 192 (SEQ ID NO:274), Figure 194 (SEQ ID NO:276), Figure 196 (SEQ ID NO:278), Figure 198 (SEQ ID NO:281), Figure 200 (SEQ ID NO:283), Figure 202 (SEQ ID NO:285), Figure 204 (SEQ ID NO:287), Figure 206 (SEQ ID NO:289), Figure 208 (SEQ ID NO:291), Figure 210 (SEQ ID NO:293), Figure 212 (SEQ ID NO:295), Figure 214 (SEQ ID NO:297), Figure 216 (SEQ ID NO:299), Figure 218 (SEQ ID NO:301), Figure 220 (SEQ ID NO:303), Figure 226 (SEQ ID NO:309), Figure 228 (SEQ ID NO:314), Figure 230 (SEQ ID NO:319), Figure 233 (SEQ ID NO:326), Figure 235 (SEQ ID NO:334), Figure 238 (SEQ ID NO:340), Figure 240 (SEQ ID NO:345), Figure 242 (SEQ ID NO:347), Figure 244 (SEQ ID NO:349), Figure 246 (SEQ ID NO:351), Figure 248 (SEQ ID NO:353), Figure 250 (SEQ ID NO:355), Figure 252 (SEQ ID NO:357), Figure

254 (SEQ ID NO:359), Figure 256 (SEQ ID NO:361), Figure 258 (SEQ ID NO:363), Figure 260 (SEQ ID NO:365), Figure 262 (SEQ ID NO:367), Figure 264 (SEQ ID NO:369), Figure 266 (SEQ ID NO:371), Figure 268 (SEQ ID NO:373), Figure 270 (SEQ ID NO:375), Figure 272 (SEQ ID NO:377), Figure 274 (SEQ ID NO:379), Figure 276 (SEQ ID NO:381), Figure 278 (SEQ ID NO:387), Figure 280 (SEQ ID NO:389), Figure 282 (SEQ ID NO:394), Figure 284 (SEQ ID NO:399), Figure 286 (SEQ ID NO:401), Figure 288 (SEQ ID NO:403), Figure 290 (SEQ ID NO:408), Figure 292 (SEQ ID NO:410), Figure 294 (SEQ ID NO:412), Figure 296 (SEQ ID NO:414), Figure 298 (SEQ ID NO:416), Figure 300 (SEQ ID NO:418), Figure 302 (SEQ ID NO:420), Figure 304 (SEQ ID NO:422), Figure 306 (SEQ ID NO:424), Figure 308 (SEQ ID NO:495), Figure 310 (SEQ ID NO:497), Figure 312 (SEQ ID NO:499), Figure 314 (SEQ ID NO:501), Figure 316 (SEQ ID NO:503), Figure 318 (SEQ ID NO:505), Figure 320 (SEQ ID NO:507), Figure 322 (SEQ ID NO:509), Figure 324 (SEQ ID NO:511), Figure 326 (SEQ ID NO:513), Figure 328 (SEQ ID NO:515) or Figure 330 (SEQ ID NO:517), lacking its associated signal peptide.

29. A method of detecting a PRO943 polypeptide in a sample suspected of containing a PRO943 polypeptide, said method comprising contacting said sample with a PRO183, PRO184 or PRO185 polypeptide and determining the formation of a PRO943/PRO183, PRO184 or PRO185 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO943 polypeptide in said sample.

30. The method according to Claim 29, wherein said sample comprises cells suspected of expressing said PRO943 polypeptide.

31. The method according to Claim 29, wherein said PRO183, PRO184 or PRO185 polypeptide is labeled with a detectable label.

32. The method according to Claim 29, wherein said PRO183, PRO184 or PRO185 polypeptide is attached to a solid support.

33. A method of detecting a PRO183, PRO184 or PRO185 polypeptide in a sample suspected of containing a PRO183, PRO184 or PRO185 polypeptide, said method comprising contacting said sample with a PRO943 polypeptide and determining the formation of a PRO943/PRO183, PRO184 or PRO185 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO183, PRO184 or PRO185 polypeptide in said sample.

34. The method according to Claim 33, wherein said sample comprises cells suspected of expressing said PRO183, PRO184 or PRO185 polypeptide.

35. The method according to Claim 33, wherein said PRO943 polypeptide is labeled with a detectable label.

36. The method according to Claim 33, wherein said PRO943 polypeptide is attached to a solid support.

5

37. A method of detecting a PRO331 polypeptide in a sample suspected of containing a PRO331 polypeptide, said method comprising contacting said sample with a PRO1133 polypeptide and determining the formation of a PRO331/PRO1133 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO331 polypeptide in said sample.

10

38. The method according to Claim 37, wherein said sample comprises cells suspected of expressing said PRO331 polypeptide.

39. The method according to Claim 37, wherein said PRO1133 polypeptide is labeled with a detectable label.

15

40. The method according to Claim 37, wherein said PRO1133 polypeptide is attached to a solid support.

41. A method of detecting a PRO1133 polypeptide in a sample suspected of containing a PRO1133 polypeptide, said method comprising contacting said sample with a PRO331 polypeptide and determining the formation of a PRO331/PRO1133 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO1133 polypeptide in said sample.

20

42. The method according to Claim 41, wherein said sample comprises cells suspected of expressing said PRO1133 polypeptide.

25

43. The method according to Claim 41, wherein said PRO331 polypeptide is labeled with a detectable label.

30

44. The method according to Claim 41, wherein said PRO331 polypeptide is attached to a solid support.

45. A method of detecting a PRO363 or PRO5723 polypeptide in a sample suspected of containing a PRO363 or PRO5723 polypeptide, said method comprising contacting said sample with a PRO1387 polypeptide and determining the formation of a PRO363 or PRO5723/PRO1387 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO363

35

or PRO5723 polypeptide in said sample.

46. The method according to Claim 45, wherein said sample comprises cells suspected of expressing said PRO363 or PRO5723 polypeptide.

5 47. The method according to Claim 45, wherein said PRO1387 polypeptide is labeled with a detectable label.

48. The method according to Claim 45, wherein said PRO1387 polypeptide is attached to a solid support.

10

49. A method of detecting a PRO1387 polypeptide in a sample suspected of containing a PRO1387 polypeptide, said method comprising contacting said sample with a PRO363 or PRO5723 polypeptide and determining the formation of a PRO363 or PRO5723/PRO1387 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO1387 polypeptide in said sample.

15

50. The method according to Claim 49, wherein said sample comprises cells suspected of expressing said PRO1387 polypeptide.

51. The method according to Claim 49, wherein said PRO363 or PRO5723 polypeptide is labeled with a detectable label.

20

52. The method according to Claim 49, wherein said PRO363 or PRO5723 polypeptide is attached to a solid support.

25

53. A method of detecting a PRO1114 polypeptide in a sample suspected of containing a PRO1114 polypeptide, said method comprising contacting said sample with a PRO3301 or PRO9940 polypeptide and determining the formation of a PRO1114/PRO3301 or PRO9940 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO1114 polypeptide in said sample.

30

54. The method according to Claim 53, wherein said sample comprises cells suspected of expressing said PRO1114 polypeptide.

55. The method according to Claim 53, wherein said PRO3301 or PRO9940 polypeptide is labeled with a detectable label.

35

56. The method according to Claim 53, wherein said PRO3301 or PRO9940 polypeptide is attached to a solid support.

57. A method of detecting a PRO3301 or PRO9940 polypeptide in a sample suspected of containing a PRO3301 or PRO9940 polypeptide, said method comprising contacting said sample with a PRO1114 polypeptide and determining the formation of a PRO3301 or PRO9940/PRO1114 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO3301 or PRO9940 polypeptide in said sample.

58. The method according to Claim 57, wherein said sample comprises cells suspected of expressing said PRO3301 or PRO9940 polypeptide.

59. The method according to Claim 57, wherein said PRO1114 polypeptide is labeled with a detectable label.

60. The method according to Claim 57, wherein said PRO1114 polypeptide is attached to a solid support.

61. A method of detecting a PRO1181 polypeptide in a sample suspected of containing a PRO1181 polypeptide, said method comprising contacting said sample with a PRO7170, PRO361 or PRO846 polypeptide and determining the formation of a PRO1181/PRO7170, PRO361 or PRO846 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO1181 polypeptide in said sample.

62. The method according to Claim 61, wherein said sample comprises cells suspected of expressing said PRO1181 polypeptide.

63. The method according to Claim 61, wherein said PRO7170, PRO361 or PRO846 polypeptide is labeled with a detectable label.

64. The method according to Claim 61, wherein said PRO7170, PRO361 or PRO846 polypeptide is attached to a solid support.

65. A method of detecting a PRO7170, PRO361 or PRO846 polypeptide in a sample suspected of containing a PRO7170, PRO361 or PRO846 polypeptide, said method comprising contacting said sample with a PRO1181 polypeptide and determining the formation of a PRO1181/PRO7170, PRO361 or PRO846 polypeptide conjugate in said sample, wherein the formation of said conjugate is indicative of the presence of a PRO7170, PRO361 or PRO846 polypeptide in said sample.

66. The method according to Claim 65, wherein said sample comprises cells suspected of expressing said PRO7170, PRO361 or PRO846 polypeptide.

67. The method according to Claim 65, wherein said PRO1181 polypeptide is labeled with a detectable label.

68. The method according to Claim 65, wherein said PRO1181 polypeptide is attached to a solid support.

69. A method of linking a bioactive molecule to a cell expressing a PRO943 polypeptide, said method comprising contacting said cell with a PRO183, PRO184 or PRO185 polypeptide that is bound to said bioactive molecule and allowing said PRO943 and PRO183, PRO184 or PRO185 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

70. The method according to Claim 69, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

71. The method according to Claim 69, wherein said bioactive molecule causes the death of said cell.

72. A method of linking a bioactive molecule to a cell expressing a PRO183, PRO184 or PRO185 polypeptide, said method comprising contacting said cell with a PRO943 polypeptide that is bound to said bioactive molecule and allowing said PRO943 and PRO183, PRO184 or PRO185 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

73. The method according to Claim 72, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

74. The method according to Claim 73, wherein said bioactive molecule causes the death of said cell.

75. A method of linking a bioactive molecule to a cell expressing a PRO331 polypeptide, said method comprising contacting said cell with a PRO1133 polypeptide that is bound to said bioactive molecule and allowing said PRO331 and PRO1133 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

76. The method according to Claim 75, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

77. The method according to Claim 75, wherein said bioactive molecule causes the death of said cell.

78. A method of linking a bioactive molecule to a cell expressing a PRO1133 polypeptide, said method comprising contacting said cell with a PRO331 polypeptide that is bound to said bioactive molecule and allowing said PRO331 and PRO1133 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

79. The method according to Claim 78, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

80. The method according to Claim 78, wherein said bioactive molecule causes the death of said cell.

81. A method of linking a bioactive molecule to a cell expressing a PRO1387 polypeptide, said method comprising contacting said cell with a PRO363 or PRO5723 polypeptide that is bound to said bioactive molecule and allowing said PRO1387 and PRO363 or PRO5723 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

82. The method according to Claim 81, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

83. The method according to Claim 81, wherein said bioactive molecule causes the death of said cell.

84. A method of linking a bioactive molecule to a cell expressing a PRO363 or PRO5723 polypeptide, said method comprising contacting said cell with a PRO1387 polypeptide that is bound to said bioactive molecule and allowing said PRO1387 and PRO363 or PRO5723 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

85. The method according to Claim 84, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

86. The method according to Claim 84, wherein said bioactive molecule causes the death of said cell.

87. A method of linking a bioactive molecule to a cell expressing a PRO1114 polypeptide, said method comprising contacting said cell with a PRO3301 or PRO9940 polypeptide that is bound to said bioactive molecule and allowing said PRO1114 and PRO3301 or PRO9940 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

5 88. The method according to Claim 87, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

89. The method according to Claim 87, wherein said bioactive molecule causes the death of said cell.

10

90. A method of linking a bioactive molecule to a cell expressing a PRO3301 or PRO9940 polypeptide, said method comprising contacting said cell with a PRO1114 polypeptide that is bound to said bioactive molecule and allowing said PRO1114 and PRO3301 or PRO9940 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

15

91. The method according to Claim 90, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

92. The method according to Claim 90, wherein said bioactive molecule causes the death of said cell.

20

93. A method of linking a bioactive molecule to a cell expressing a PRO1181 polypeptide, said method comprising contacting said cell with a PRO7170, PRO361 or PRO846 polypeptide that is bound to said bioactive molecule and allowing said PRO1181 and PRO7170, PRO361 or PRO846 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

25

94. The method according to Claim 93, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

95. The method according to Claim 93, wherein said bioactive molecule causes the death of said cell.

30

96. A method of linking a bioactive molecule to a cell expressing a PRO7170, PRO361 or PRO846 polypeptide, said method comprising contacting said cell with a PRO1181 polypeptide that is bound to said bioactive molecule and allowing said PRO1181 and PRO7170, PRO361 or PRO846 polypeptides to bind to one another, thereby linking said bioactive molecules to said cell.

35

97. The method according to Claim 96, wherein said bioactive molecule is a toxin, a radiolabel or an antibody.

98. The method according to Claim 96, wherein said bioactive molecule causes the death of said cell.

99. A method of modulating at least one biological activity of a cell expressing a PRO943 polypeptide, said method comprising contacting said cell with a PRO183, PRO184 or PRO185 polypeptide or an anti-PRO943 antibody, whereby said PRO183, PRO184 or PRO185 polypeptide or said anti-PRO943 antibody binds to said PRO943 polypeptide, thereby modulating at least one biological activity of said cell.

100. The method according to Claim 99, wherein said cell is killed.

101. A method of modulating at least one biological activity of a cell expressing a PRO183, PRO184 or PRO185 polypeptide, said method comprising contacting said cell with a PRO943 polypeptide or an anti-PRO183, anti-PRO184 or anti-PRO185 antibody, whereby said PRO943 polypeptide or said anti-PRO183, anti-PRO184 or anti-PRO185 antibody binds to said PRO183, PRO184 or PRO185 polypeptide, thereby modulating at least one biological activity of said cell.

102. The method according to Claim 101, wherein said cell is killed.

103. A method of modulating at least one biological activity of a cell expressing a PRO331 polypeptide, said method comprising contacting said cell with a PRO1133 polypeptide or an anti-PRO331 antibody, whereby said PRO1133 polypeptide or said anti-PRO331 antibody binds to said PRO331 polypeptide, thereby modulating at least one biological activity of said cell.

104. The method according to Claim 103, wherein said cell is killed.

105. A method of modulating at least one biological activity of a cell expressing a PRO1133 polypeptide, said method comprising contacting said cell with a PRO331 polypeptide or an anti-PRO1133 antibody, whereby said PRO331 polypeptide or said anti-PRO1133 antibody binds to said PRO1133 polypeptide, thereby modulating at least one biological activity of said cell.

106. The method according to Claim 105, wherein said cell is killed.

107. A method of modulating at least one biological activity of a cell expressing a PRO1387 polypeptide, said method comprising contacting said cell with a PRO363 or PRO5723 polypeptide or an anti-PRO1387 antibody, whereby said PRO363 or PRO5723 polypeptide or said anti-PRO1387 antibody binds to said PRO1387 polypeptide, thereby modulating at least one biological activity of said cell.

5 108. The method according to Claim 107, wherein said cell is killed.

109. A method of modulating at least one biological activity of a cell expressing a PRO363 or PRO5723 polypeptide, said method comprising contacting said cell with a PRO1387 polypeptide or an anti-PRO363 or anti-PRO5723 antibody, whereby said PRO1387 polypeptide or said anti-PRO363 or anti-PRO5723 antibody binds to said PRO363 or PRO5723 polypeptide, thereby modulating at least one biological activity of said cell.

10

110. The method according to Claim 109, wherein said cell is killed.

111. A method of modulating at least one biological activity of a cell expressing a PRO1114 polypeptide, said method comprising contacting said cell with a PRO3301 or PRO9940 polypeptide or an anti-PRO1114 antibody, whereby said PRO3301 or PRO9940 polypeptide or said anti-PRO1114 antibody binds to said PRO1114 polypeptide, thereby modulating at least one biological activity of said cell.

15

20 112. The method according to Claim 111, wherein said cell is killed.

113. A method of modulating at least one biological activity of a cell expressing a PRO3301 or PRO9940 polypeptide, said method comprising contacting said cell with a PRO1114 polypeptide or an anti-PRO3301 or anti-PRO9940 antibody, whereby said PRO1114 polypeptide or said anti-PRO3301 or anti-PRO9940 antibody binds to said PRO3301 or PRO9940 polypeptide, thereby modulating at least one biological activity of said cell.

25

114. The method according to Claim 113, wherein said cell is killed.

115. A method of modulating at least one biological activity of a cell expressing a PRO1181 polypeptide, said method comprising contacting said cell with a PRO7170, PRO361 or PRO846 polypeptide or an anti-PRO1181 antibody, whereby said PRO7170, PRO361 or PRO846 polypeptide or said anti-PRO1181 antibody binds to said PRO1181 polypeptide, thereby modulating at least one biological activity of said cell.

30

35 116. The method according to Claim 115, wherein said cell is killed.

117. A method of modulating at least one biological activity of a cell expressing a PRO7170, PRO361 or PRO846 polypeptide, said method comprising contacting said cell with a PRO1181 polypeptide or an anti-PRO7170, anti-PRO361 or anti-PRO846 antibody, whereby said PRO1181 polypeptide or said anti-PRO7170, anti-PRO361 or anti-PRO846 antibody binds to said PRO7170, PRO361 or PRO846 polypeptide, thereby modulating at least one biological activity of said cell.

5

118. The method according to Claim 117, wherein said cell is killed.

1/330

FIGURE 1

CGGACGCGTGGGTGCGAGGCGAAGGTGACCGGGGACCGAGCATTTTCAGATCTGCTCGGTAGA
CCTGGTGCACCACCACCATGTTGGCTGCAAGGCTGGTGTGTCTCCGGACACTACCTTCTAGG
GTTTTCCACCCAGCTTTCACCAAGGCCTCCCCTGTTGTGAAGAATTCCATCACGAAGAATCA
ATGGCTGTTAACACCTAGCAGGGAATATGCCACCAAAACAAGAATTGGGATCCGGCGTGGGA
GAACTGGCCAAGAAGCTCAAAGAGGCGAGCATTGGAACCATCGATGGAAAAATATTTAAATTT
GATCAGATGGGAAGATGGTTTGTGCTGGAGGGGCTGCTGTTGGTCTTGGAGCATTGTGCTA
CTATGGCTTGGGACTGTCTAATGAGATTGGAGCTATTGAAAAGGCTGTAATTTGGCCTCAGT
ATGTCAAGGATAGAATTCATTCCACCTATATGTACTTAGCAGGGAGTATTGGTTTAAACAGCT
TTGTCTGCCATAGCAATCAGCAGAACGCCTGTTCTCATGAACTTCATGATGAGAGGCTCTTG
GGTGACAATTGGTGTGACCTTTGCAGCCATGGTTGGAGCTGGAATGCTGGTACGATCAATAC
CATATGACCAGAGCCCAGGCCCAAAGCATCTTGCTTGGTTGCTACATTCTGGTGTGATGGGT
GCAGTGGTGGCTCCTCTGACAATATTAGGGGGTCTCTTCTCATCAGAGCTGCATGGTACAC
AGCTGGCATTGTGGGAGGCCTCTCCACTGTGGCCATGTGTGCGCCAGTGAAAAGTTTCTGA
ACATGGGTGCACCCCTGGGAGTGGGCCTGGGTCTCGTCTTTGTGTCCTCATTGGGATCTATG
TTTCTTCCACCTACCACCGTGGCTGGTGCCACTCTTACTCAGTGGCAATGTACGGTGGATT
AGTTCCTTTTCAGCATGTTCTCTGTATGATACCCAGAAAGTAATCAAGCGTGCAGAAGTAT
CACCAATGTATGGAGTTCAAAAATATGATCCCATTAAGTTCGATGCTGAGTATCTACATGGAT
ACATTAAATATATTTATGCGAGTTGCAACTATGCTGGCAACTGGAGGCAACAGAAAGAAATG
AAGTGACTCAGCTTCTGGCTTCTCTGCTACATCAAATATCTTGTTAATGGGGCAGATATGC
ATTAAATAGTTTGTACAAGCAGCTTTCGTTGAAGTTTAGAAGATAAGAAACATGTCATCATA
TTTAAATGTTCCGGTAATGTGATGCCTCAGGTCTGCCTTTTTTTCTGGAGAATAAATGCAGT
AATCCTCTCCCAAATAAGCACACACATTTTCAATTCTCATGTTTGAGTGATTTTAAATGTT
TTGGTGAATGTGAAAAGTAAAGTTTGTGTCATGAGAATGTAAGTCTTTTTTCTACTTTAAAA
TTTAGTAGGTTCACTGAGTAACTAAATTTAGCAAACCTGTGTTGCATATTTTTTTGGAGT
GCAGAATATTGTAATTAATGTCATAAGTGATTTGGAGCTTTGGTAAAGGGACCAGAGAGAAG
GAGTCACCTGCAGTCTTTTGTTTTTTTAAATACTTAGAACTTAGCACTTGTGTTATTGATTA
GTGAGGAGCCAGTAAGAAACATCTGGGTATTTGGAAACAAGTGGTCATTGTTACATTCATTT
GCTGAACTTAACAAAAGTGTTCATCCTGAAACAGGCACAGGTGATGCATTCTCCTGCTGTTG
CTTCTCAGTGCTCTCTTTCCAATATAGATGTGGTCATGTTTGAAGTGTACAGAATGTTAATC
ATACAGAGAATCCTTGATGGAATTATATATGTGTGTTTTACTTTTGAATGTTACAAAAGGAA
ATAACTTTAAAGTATTTCTCAAGAGAAAATATTCAAAGCATGAAATATGTTGCTTTTTCCAG
AATACAAACAGTATACTCATG

2/330

FIGURE 2

MLAARLVCLRTLPSRVFHPAFTKASPVVKNSITKNQWLLTPSREYATKTRIGIRRGRTGQEL
KEAALEPSMEKIFKIDQMGRWVAVAGGAAGVGLGALCYGLGLSNEIGAIEKAVIWPQYVKDRI
HSTYMYLAGSIGLTALSAIAISRTPVLMNFMMRGSWVTIGVTFAAMVGAGMLVRSIPYDQSP
GPKHLAWLLHSGVMGAVVAPLTIILGGPLLIRAAWYTAGIVGGLSTVAMCAPSEKFLNMGAPL
GVGLGLVFVSSLGSMFLPPTTVAGATLYSVAMYGGLVLFSMFLLYDTQKVIKRAEVSPMYGV
QKYDPINSMLSIYMDTLNIFMRVATMLATGGNRKK

3/330

FIGURE 3

GAAGGCTGCCTCGCTGGTCCGAATTCGGTGGCGCCACGTCCGCCCGTCTCCGCCCTTCTGCAT
CGCGGCTTCGGCGGCTTCCACCTAGACACCTAACAGTCGCGGAGCCGGCCGCTCGTGAGGG
GGTCGGCACGGGAGTCGGGCGGTCTTGTGCATCTTGGCTACCTGTGGGTCGAAGATGTCGG
ACATCGGAGACTGGTTCAGGAGCATCCCGCGCATCACGCGCTATTGGTTCGCCGCCACCGTC
GCCGTGCCCTTGGTCGGCAAACCTCGGCCTCATCAGCCCCGGCCTACCTCTTCCCTCTGGCCCCGA
AGCCTTCCTTTATCGCTTTTCTAGATTTGGAGGCCAATCACTGCCACCTTTTATTTCCCTGTGG
GTCCAGGAACCTGGATTTCTTTATTTGGTCAATTTATATTTCTTATATCAGTATTTCTACGCGA
CTTGAAACAGGAGCTTTTGTATGGGAGGCCAGCAGACTATTTATTCATGCTCCTCTTAACTG
GATTTGCATCGTGATTACTGGCTTAGCAATGGATATGCAGTTGCTGATGATTCCTCTGATCA
TGTCAGTACTTTATGTCTGGGCCAGCTGAACAGAGACATGATTGTATCATTTTGGTTTGGGA
ACACGATTTAAGGCCCTGCTATTTACCCTGGGTATCCTTGGATTCAACTATATCATCGGAGG
CTCGGTAATCAATGAGCTTATTGGAAATCTGGTTGGACATCTTTATTTTTTCCCTAATGTTCA
GATACCCAATGGACTTGGGAGGAAGAAATTTTCTATCCACACCTCAGTTTTTGTACCGCTGG
CTGCCAGTAGGAGAGGAGGAGTATCAGGATTTGGTGTGCCCCCTGCTAGCATGAGGCGAGC
TGCTGATCAGAATGGCGGAGGCGGGAGACACAACCTGGGGCCAGGGCTTTTCGACTTGGAGACC
AGTGAAGGGGCGGCTCGGGCAGCCGCTCCTCTCAAGCCACATTTCCCTCCAGTGCTGGGTG
CACTTAACAAGCTGCGTTCTGGCTAACACTGTTGGACCTGACCCACACTGAATGTAGTCTTTC
AGTACGAGACAAAGTTTCTTAAATCCCGAAGAAAAATATAAGTGTTCCACAAGTTTCACGAT
TCTCATTCAAGTCCTTACTGCTGTGAAGAACAAATACCAACTGTGCAAAATTGCAAACTGAC
TACATTTTTTGGTGTCTTCTCTCTCCCTTTCCGTCTGAATAATGGGTTTTAGCGGGTCTCT
AATCTGCTGGCATTGAGCTGGGGCTGGGTACCAAACCCTTCCCAAAGGACCTTATCTCTT
TCTTGACACATGCCTCTCTCCCACTTTTCCCAAACCCCACTTTTGCAACTAGAAAAAGTTG
CCATAAAATTGCTCTGCCCTTGACAGGTTCTGTTATTTATTGACTTTTGCCAAGGCTGGTC
ACAACAATCATATTCACGTTATTTTCCCTTTTGGTGGCAGAACTGTTACCAATAGGGGGAG
AAGACAGCCACGGATGAAGCGTTTCTCAGCTTTTGGAAATTGCTTCGACTGACATCCGTTGTT
AACCCTTTGCCACTCTTCAGATATTTTTTATAAAAAAAGTACCACTGAGTTCATGAGGGCCA
CAGATTGGTTATTAATGAGATACGAGGGTTGGTGTGCGGTGTTTGTTCCTGAGCTAAGTGA
TCAAGACTGTAGTGGAGTTGCAGCTAACATGGGTAGGTTTAAACCATGGGGGATGCACCCC
TTTGCGTTTTCATATGTAGCCCTACTGGCTTTGTGTAGCTGGAGTAGTTGGGTGCTTTGTGT
TAGGAGGATCCAGATCATGTTGGCTACAGGGAGATGCTCTCTTTGAGAGGCTTGGGCATTG
ATTCCCATTTCAATCTCATTCTGGATATGTGTTTATTGAGTAAAGGAGGAGAGACCCCTCATA
CGCTATTTAAATGTCACTTTTTTGCCTATCCCCGTTTTTTTGGTCATGTTTCAATTAATTGT
GAGGAAGGCGCAGCTCCTCTCTGCACGTAGATCATTTTTTAAAGCTAATGTAAGCACATCTA
AGGAATAACATGATTTAAGGTTGAAATGGCTTTAGAATCATTGGGTTTGAGGGTGTGTTA
TTTTGAGTCATGAATGTACAAGCTCTGTGAATCAGACCAGCTTAAATACCCACACCTTTTTT
TCGTAGGTGGGCTTTTCTATCAGAGCTTGGCTCATAACCAAATAAAGTTTTTTGAAGGCCA
TGGCTTTTACACAGTTATTTTATTTTATGACGTTATCTGAAAGCAGACTGTTAGGAGCAGT
ATTGAGTGGCTGTCACACTTTGAGGCAACTAAAAAGGCTTCAAACGTTTTGATCAGTTTCTT
TTCAGGAACATTGTGCTCTAACAGTATGACTATTCTTTCCCCCACTCTTAAACAGTGTGAT
GTGTGTTATCCTAGGAAATGAGAGTTGGCAAACAACCTTCTCATTTTGAATAGAGTTTGTGTG
TACTTCTCCATATTTAATTTATATGATAAAATAGGTGGGGAGAGTCTGAACCTTAACTGTCA
TGTTTTGTTGTTTCTGTGGCCACAATAAAGTTTACTTGTAAAATTTTAGAGGCCATTACT
CCAATTATGTTGCACGTACACTCATTGTACAGGCGTGGAGACTCATTGTATGTATAAGAATA
TTTCTGACAGTGAGTGACCCGGAGTCTCTGGTGTACCCTCTTACCAGTCAGCTGCCTGCGAG
CAGTCATTTTTTCTTAAAGGTTTACAAGTATTTAGAACTTTTTCAGTTCAGGGCAAATGTTT
ATGAAGTTATTCCTCTTAAACATGGTTAGGAAGCTGATGACGTTATTGATTTTGTCTGGATT
ATGTTTCTGGAATAATTTTACCAAAACAAGCTATTTGAGTTTTGACTTGACAAGGCAAACA
TGACAGTGGATTCTCTTTACAAATGGAAAAAATCCTTATTTTGTATAAAGGACTTCCC
TTTTTGTAACCTAATCCTTTTTTATTTGGTAAAAATTGTAATTAATAATGTGCAACTTG

4/330

FIGURE 4

MSDIGDWFRSIPAITRYWFAATVAVPLVGKLGLISPAYLFLWPEAFLYRFQIWRPITATFYF
PVGPGTGFLYLVNLYFLYQYSTRLETGAFDGRPADYLFMLLFNWICIVITGLAMDMQLLMIP
LIMSVLYVWAQLNRDMIVSEFWFGTRFKACYLPWVILGFNYIIGGSVINELIGNLVGHLYFFL
MFRYPMDLGGRNFLSTPQFLYRWLPSRRGGVSGFGVPPASMRRAADQNGGGGRHNWGQGFRL
GDQ

Transmembrane domain:

amino acids 98-116, 152-172

N-myristoylation site.

amino acids 89-95, 168-174, 176-182, 215-221, 221-227, 237-243

Glycosaminoglycan attachment site.

amino acids 218-222

5/330

FIGURE 5

GGGGCCGCGGTCTAGGGCGGCTACGTGTGTTGCCATAGCGACCATTTTGCATTAACTGGTTG
GTAGCTTCTATCCTGGGGGCTGAGCGACTGCGGGCCAGCTCTTCCCCTACTCCCTCTCGGCT
CCTTGTGGCCCAAAGGCCTAACCGGGGTCCGGCGGTCTGGCCTAGGGATCTTCCCCGTTGCC
CCTTTGGGGCGGGATGGCTGCGGAAGAAGAAGACGAGGTGGAGTGGGTAGTGGAGAGCATCG
CGGGGTTCTGCGAGGCCCAGACTGGTCCATCCCCATCTTGGACTTTGTGGAACAGAAATGT
GAAGTTAACTGCAAAGGAGGGCATGTGATAACTCCAGGAAGCCCAGAGCCGGTGATTTTGGT
GGCCTGTGTTCCCCTTGTTTTTGATGATGAAGAAGAAAGCAAATTGACCTATACAGAGATTC
ATCAGGAATACAAAGAACTAGTTGAAAAGCTGTTAGAAGGTTACCTCAAAGAAATTGGAATT
AATGAAGATCAATTTCAAGAAGCATGCACTTCTCCTCTTGCAAAGACCCATACATCACAGGC
CATTTTGCAACCTGTGTTGGCAGCAGAAGATTTTACTATCTTTAAAGCAATGATGGTCCAGA
AAACATTGAAATGCAGCTGCAAGCCATTGCAATAATTCAAGAGAGAAATGGTGTATTACCT
GACTGCTTAACCGATGGCTCTGATGTGGTCAGTGACCTTGAACACGAAGAGATGAAAATCCT
GAGGGAAGTTCTTAGAAAATCAAAAGAGGAATATGACCAGGAAGAAGAAAGGAAGAGGAAAA
AACAGTTATCAGAGGCTAAAACAGAAGAGCCACAGTGCATTCCAGTGAAGCTGCAATAATG
AATAATTCCCAAGGGGATGGTGAACATTTTGCACACCCACCCTCAGAAGTTAAATGCATTT
TGCTAATCAGTCAATAGAACCTTTGGGAAGAAAAGTGGAAAGGTCTGAAACTTCCTCCCTCC
CACAAAAGGCCTGAAGATTCTTGGCTTAGAGCATGCGAGCATTGAAGGACCAATAGCAAAC
TTATCAGTACTTGGAACAGAAGAACTTCGGCAACGAGAACACTATCTCAAGCAGAAGAGAGA
TAAGTTGATGTCCATGAGAAAGGATATGAGGACTAAACAGATACAAAATATGGAGCAGAAAG
GAAAACCCACTGGGGAGGTAGAGGAAATGACAGAGAAACCAGAAATGACAGCAGAGGAGAAG
CAAACATTACTAAAGAGGAGATTGCTTGACAGAGAACTCAAAGAAGAAGTTATTAATAAGTA
ATAATTAAGAACAATTTAACAAAATGGAAGTTCAAATTGTCTTAAAAATAAATTATTTAGTC
CTTACACTG

6/330

FIGURE 6

MAAEEDEVEWVVESIAGFLRGPDSIPILDFVEQKCEVNCKGGHVITPGSPEPVILVACVP
LVFDDEEESKLTYTEIHQEYKELVEKLLEGYLKEIGINEDQFQEAactsSPLAKTHTSQAILQP
VLAAEDFTIFKAMMVQKNiEMQLQAIRIIQERNGLVLPDCLTDGSDVVSdleHEEMKILREVL
RKSKEEYDQEEERKRKKQLSEAKTEEPTVHSSEAAIMNNSQGDGEHFAHPPSEVKMHFANQS
IEPLGRKVERSETSSLPQKGLKIPGLEHASIEGPIANLSVLGTEELRQREHYLKQKRDKLMS
MRKDMRTKQIQNMEQKGKPTGEVEEMTEKPEMTAEKQTLLKRLLAEKLKEEVINK

N-glycosylation sites.

amino acids 224-228, 246-250, 285-289

N-myristoylation site.

amino acids 273-279

Amidation site.

amino acids 252-256

Cytosolic fatty-acid binding proteins.

amino acids 78-108

7/330

FIGURE 7

GGGCACAGCACATGTGAAGTTTTTGATGATGAAGAAGAAAGCAAATTGACCTATACAGAGAT
TCATCAGGAATACAAAGAACTAGTTGAAAAGCTGTTAGAAGGTTACCTCAAAGAAATTGGAA
TTAATGAAGATCAATTTCAAGAAGCATGCACTTCTCCTCTTGCAAAGACCCATACATCACAG
GCCATTTTTGCAACCTGTGTTGGCAGCAGAAGATTTTACTATCTTTAAAGCAATGATGGTCC
AGAAAAACATTGAAATGCAGCTGCAAGCCATTCGAATAATTCAAGAGAGAAATGGTGTATTA
CCTGACTGCTTAACCGATGGCTCTGATGTGGTCAGTGACCTTGAACACGAAGAGATGAAAAT
CCTGAGGGAAGTTCTTAGAAAATCAAAGAGGAATATGACCAGGAA

8/330

FIGURE 8

CGGTGGTTTTTGTCTGCAATAGGCGGCTTAGAGGGAGGGGCTTTTTCGCCTATACCTACTG
TAGCTTCTCCACGTATGGACCCTAAAGGCTACTGCTGCTACTACGGGGCTAGACAGTTACTG
TCTCAGCTCTAGGATGTGCGTTCTTCCACTAGAAGCTCTTCTGAGGGAGGTAATTAAAAAC
AGTGGAAATGGAAAAACAGTGCTGTAGTCATCCTGTAATATGCTCCTTGTCAACAATGTATAC
ATTCTGCTAGGTGCCATATTCATTGCTTTAAGCTCAAGTCGCATCTTACTAGTGAAGTATT
CTGCCAATGAAGAAAACAAGTATGATTATCTTCCAACACTGTGAATGTGTGCTCAGAACTG
GTGAAGCTAGTTTTCTGTGTGCTTGTGTCACTTCTGTGTTATAAAGAAAGATCATCAAAGTAG
AAATTTGAAATATGCTTCCTGGAAGGAATTCTCTGATTTTCATGAAGTGGTCCATTCTGCCT
TTCTTTATTTTCTGGATAACTTGATTGTCTTCTATGTCCTGTCTATCTTCAACCAGCCATG
GCTGTTATCTTCTCAAATTTTAGCATTATAACAACAGCTCTTCTATTTCAGGATAGTGCTGAA
GAGGCGTCTAAACTGGATCCAGTGGGCTTCCCTCCTGACTTTATTTTGTCTATTGTGGCCT
TGACTGCCGGGACTAAACTTTACAGCACAACTGGCAGGACGTGGATTTTCATCACGATGCC
TTTTTCAGCCCTTCCAATTCCTGCCTTCTTTTTCAGAAAGTGAAGTGTCCAGAAAAGACAATTG
TACAGCAAAGGAATGGACTTTTCTGAAGCTAAATGGAACACCACAGCCAGAGTTTTTCAGTC
ACATCCGTCTTGGCATGGGCCATGTTCTTATTATAGTCCAGTGTATTATTTCTTCAATGGCT
AATATCTATAATGAAAAGATACTGAAGGAGGGGAACCAGCTCACTGAAAGCATCTTCATACA
GAACAGCAAACCTCTATTTCTTTGGCATTCTGTTTAATGGGCTGACTCTGGGCCCTCAGAGGA
GTAACCGTCAGATTAAGAAGTGTGGATTTTTTTATGGCCACAGTGCATTTTCAGTAGCC
CTTATTTTGTAACTGCATTCCAGGGCCTTTCAGTGGCTTTCATTCTGAAGTTCTCTGGATAA
CATGTTCCATGTCTTGATGGCCAGGTTACCACTGTCAATTATCACACAGTGTCTGTCTGG
TCTTTGACTTCAGGCCCTCCCTGGAATTTTTCTTGGAAAGCCCCATCAGTCCTTCTCTCTATA
TTTATTTATAATGCCAGCAAGCCTCAAGTTCGGAATACGCACCTAGGCAAGAAAGGATCCG
AGATCTAAGTGGCAATCTTTGGGAGCGTTCAGTGGGGATGGAGAAGAACTAGAAAGACTTA
CCAAACCCAAGAGTGATGAGTCAGATGAAGATACTTTCTAACTGGTACCCACATAGTTTGCA
GCTCTCTTGAACCTTATTTTTCACATTTTTCAGTGTGTTGTAATATTTATCTTTTCACTTTGATA
AACCAGAAATGTTTCTAAATCCTAATATTCTTTGCATATATCTAGCTACTCCCTAAATGGTT
CCATCCAAGGCTTAGAGTACCCAAAGGCTAAGAAATCTAAAGAACTGATACAGGAGTAACA
ATATGAAGAATTCATTAATATCTCAGTACTTGATAAATCAGAAAGTTATATGTGCAGATTAT
TTTCTTGGCCCTTCAAGCTTCCAAAAAATTTGTAATAATCATGTTAGCTATAGCTTGTATAT
ACACATAGAGATCAATTTGCCAAATATTCACAATCATGTAGTTCTAGTTTACATGCCAAAGT
CTTCCCTTTTTTAACATTATAAAAGCTAGGTTGTCTCTTGAATTTTGAAGGCCCTAGAGATAGT
CATTTTGAAGTAAAGAGCAACGGGACCCTTTCTAAAAACGTTGGTTGAAGGACCTAAATAC
CTGGCCATACCATAGATTTGGGATGATGTAGTCTGTGCTAAATATTTTGTGAAGAAGCAGT
TTCTCAGACACAACATCTCAGAATTTTAATTTTTTAGAAATTCATGGGAAATTGGATTTTTGT
AATAATCTTTTGTATGTTTTAAACATTGGTTCCCTAGTCACCATAGTTACCACCTGTATTTTA
AGTCATTTAAACAAGCCACGGTGGGGCTTTTTTCTCCTCAGTTTGAGGAGAAAAATCTTGAT
GTCATTACTCCTGAATTATTACATTTTGGAGAATAAGAGGGCATTATTTTATTAGTTACT
AATTCAGCTGTGACTATTGTATATCTTTCCAAGAGTTGAAATGCTGGCTTCAGAATCATAC
CAGATTGTCAAGTGAAGCTGATGCCTAGGAACCTTTTAAAGGGATCCTTTCAAAGGATCACTT
AGCAACACATGTTGACTTTTAACTGATGTATGAATATTAATACTCTAAAAATAGAAAGACC
AGTAATATATAAGTCACTTTACAGTGCTACTTCACACTTAAAAGTGCATGGTATTTTTTCATG
GTATTTTGCATGCAGCCAGTTAACTCTCGTAGATAGAGAAGTCAGGTGATAGATGATATTAA
AAATTAGCAAACAAAAGTGACTTGCTCAGGGTCATGCAGCTGGGTGATGATAGAAGAGTGGG
CTTTAACTGGCAGGCCTGTATGTTTACAGACTACCATACTGTAAATATGAGCTTTATGGTGT
CATTTCTCAGAACTTATACATTTCTGCTCTCCTTTCTCCTAAGTTTCATGCAGATGAATATA
AGGTAATATACTATTATATAATTCAATTTGTGATATCCACAATAATATGACTGGCAAGAATTG
GTGGAAATTTGTAATTAAATAATTATTAAACCT

9/330

FIGURE 9

MEKQCCSHPVICSLSTMYTFLLGAIFIALSSSRILLVKYSANEENKYDYLPTTVNVCSELVK
LVFCVLVSFCVIKKDHQSRNLKYASWKEFSDFMKWSIPAFLYFLDNLIVFYVLSYLQPMNAV
IFS NFSIITTALLFRIVLKRRLNWIQWASLLTLFLSIVALTAGTKTLQHNLAGRGFHDAFF
SPSNSCLLFRSECPRKDNCTAKEWTFPEAKWNNTARVFSHIRLGMGHVLIIVQCFISSMANI
YNEKILKEGNQLTESIFIQNSKLYFFGILFNGLTLGLQRSNRDQIKNCGFFYGHSAFSVALI
FVTAFQGLSVAFILKFLDNMFHVLMAQVTTVIITTVSVLVFDFRPSLEFFLEAPSVLLSIFI
YNASKPQVPEYAPRQERIRDLSGNLWERSSSGDGEELERLTKPKSDESEDTF

Transmembrane domains:

amino acids 16-36 (type II), 50-74, 147-168, 229-250, 271-293,
298-318, 328-368

N-glycosylation sites.

amino acids 128-132, 204-208, 218-222, 374-378

Glycosaminoglycan attachment site.

amino acids 402-406

N-myristoylation sites.

amino acids 257-263, 275-281, 280-286, 284-290, 317-323

10/330

FIGURE 10

CGTGCCTGCGCAATGGGTGTCGGGTCCGCTTTTTCCCAATCCGGACGTAATCGTGGTTTTTG
TTCTGCAATAGGCGGCTTAGAGGGAGGGGCTTTTTCGCCTATACCTACTGTAGCTTCTCCAC
GTATGGACCCTAAAGGCTACTGCTGCTACTACGGGGCTAGACAGTTACTGTCTCAGCTCTAG
GATGTGCGTTCTTCCACTAGAAGCTCTTCTGAGGGAGGTAATTAAAAACAGTGGAATGGAA
AAACAGTGCTGTAGTCATCCTGTAATATGCTCCTTGTCACAATGTATACATTCCTGCTAGG
TGCCATATTCATTGCTTTAAGCTCAAGTCGCATCTTACTAGTGAAGTATTCTGCCAATGAAG
AAAACAAGTATGATTATCTTCCAACACTGTGAATGTGTGCTCAGAACTGGTGAAGCTAGTT
TTCTGTGTGCTTGTGTCATTCTGTGTTATAAAGAAAGATCATCAAAGTAGAAATTTGAAATA
TGCTTCCTGGAAGGAATTCTCTGATTTTCATGAAGTGGTCCATTCCTGCCTTTCTTTATTTCC
TGGATAACTTGATTGTCTTCTATGTCCTGTCCTATCTTCAACCAGCCATGGCTGTTATCTTC
TCAAATTTTAGCATTATAACAACAGCTCTTCTATTTCAGGATAGTGCTGAAGAGGCGTCTAAA
CTGGATCCAGTGGGCTTCCCTCCTGACTTTATTTTTGTCTATTGTGGCCTTGACTGCCGGGA
CTAAAACTTTA

11/330

FIGURE 11

CGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGGCCGGCTTGGCTAGCGCGCGGGCGGCC
GTGGCTAAGGCTGCTACGAAGCGAGCTTGGGAGGAGCAGCGGCCTGCGGGGCAGAGGAGCAT
CCCGTCTACCAGGTCCCAAGCGGCGTGGCCCCGCGGTTCATGGCCAAAGGAGAAGGCGCCGAG
AGCGGCTCCGCGGCGGGGCTGCTACCCACCAGCATCCTCCAAAGCACTGAACGCCCGGCCCA
GGTGAAGAAAGAACCAGAAAAAGAAACAACAGTTGTCTGTTTGAACAAGCTTTGCTATG
CACTTGGGGGAGCCCCCTACCAGGTGACGGGCTGTGCCCTGGGTTTCTTCTTCAGATCTAC
CTATTGGATGTGGCTCAGGTGGGCCCTTTCTCTGCCTCCATCATCCTGTTTGTGGGCCGAGC
CTGGGATGCCATCACAGACCCCCCTGGTGGGCCTCTGCATCAGCAAATCCCCCTGGACCTGCC
TGGGTGCGCTTATGCCCTGGATCATCTTCTCCACGCCCCCTGGCCGTCATTGCCTACTTCCTC
ATCTGGTTGCTGCCCCGACTTCCACACGCGCCAGACCTATTGGTACCTGCTTTTCTATTGCCT
CTTTGAAACAATGGTCACGTGTTTCCATGTTCCCTACTCGGCTCTCACCATGTTTCATCAGCA
ACCGAGCAGACTGAGCGGGATTCTGCCACCGCCTATCGGATGACTGTGGAAGTGCTGGGCAC
AGTGCTGGGCACGGCGATCCAGGGACAAATCGTGGGCCAAGCAGACACGCCTTGTTTCCAGG
ACTTCAATAGCTCTACAGTAGCTTCACAAAGTGCCAACCATAACATGGCACCCTTCACAC
AGGGAACGCAAAAGGCATACCTGCTGGCAGCGGGGTTCATTGTCTGTATCTATATAATCTG
TGCTGTCATCCTGATCCTGGGCGTGGCGGAGCAGAGAGAACCCTATGAAGCCCAGCAGTCTG
AGCCAATCGCTACTTCCGGGGCCTACGGCTGGTCATGAGCCACGGCCATACATCAAACCTT
ATTACTGGCTTCCTCTTACCTCCTTGGCTTTCATGCTGGTGGAGGGGAACCTTGTCTTGT
TTGCACCTACACCTTGGGCTTCCGCAATGAATTCCAGAATCTACTCCTGGCCATCATGCTCT
CGGCCACTTTAACCATTCCCCTGCTGGCAGTGGTTCTTGACCCGGTTTGGCAAGAAGACAGCT
GTATATGTTGGGATCTCATCAGCAGTGCCATTTCTCATCTTGGTGGCCCTCATGGAGAGTAA
CCTCATCATTACATATGCGGTAGCTGTGGCAGCTGGCATCAGTGTGGCAGCTGCCCTTCTTAC
TACCCTGGTCCATGCTGCCTGATGTCATTGACGACTTCCATCTGAAGCAGCCCCACTTCCAT
GGAACCGAGCCCATCTTCTTCTCCTTCTATGTCTTCTTACCAAGTTTGCCTCTGGAGTGTC
ACTGGGCATTTCTACCCTCAGTCTGGACTTTGCAGGGTACCAGACCCGTGGCTGCTCGCAGC
CGGAACGTGTCAAGTTTACACTGAACATGCTCGTGACCATGGCTCCCATAGTTCTCATCCTG
CTGGGCCTGCTGCTCTTCAAAATGTACCCCATGATGAGGAGAGGCGGCGGCAGAATAAGAA
GGCCCTGCAGGCACTGAGGGACGAGGCCAGCAGCTCTGGCTGCTCAGAAACAGACTCCACAG
AGCTGGCTAGCATCCTCTAGGGCCCCGCCACGTTGCCCGAAGCCACCATGCAGAAGGCCACAG
AAGGGATCAGGACCTGTCTGCCGGCTTGTGAGCAGCTGGACTGCAGGTGCTAGGAAGGGAA
CTGAAGACTCAAGGAGGTGGCCCAGGACACTTGCTGTGCTCACTGTGGGGCCGGCTGCTCTG
TGGCCTCCTGCCTCCCCTCTGCCTGCCTGTGGGGCCAAGCCCTGGGGCTGCCACTGTGAATA
TGCCAAGGACTGATCGGGCCTAGCCCGGAACACTAATGTAGAAACCTTTTTTTTACAGAGCC
TAATTAATAACTTAATGACTGTGTACATAGCAATGTGTGTGTATGTATATGTCTGTGAGCTA
TTAATGTTATTAATTTTCATAAAAGCTGGAAAGC

12/330

FIGURE 12

MWLRWALS LPPSSCLWAE PGMPSQT PWWASASANPPGPAWVALCPGSSSPRPWPSLPTSSSG
SCPTSHTARPIGTCFSIASLKQWSRVSMFPTRLSPCSSATEQTERDSATAYRMTVEVLGTVL
GTAIQGQIVGQADTPCFQDFNSSTVASQSANHHTGTTSHRETQKAYLLAAGVIVCIYIICAV
ILILGVREQREPYEAQQSEPIAYFRGLRLVM SHGPIYIKLITGFLFTSLAFMLVEGNFVLFCT
YTLGFRNEFQNL LLAIMLSATLTIPWQWFLTRFGKKTAVYVGISSAVPFLILVALMESNLI
ITYAVAVAAGISVAAAFLLPWSMLPDVIDDFHLKQPHFHGTEPIFFSFYVFFTKFASGVSLG
ISTLSLDFAGYQTRGCSQPERVKFTLNMLVTMAPIVLILLG LLLFKMYPIDEERRRQNK KAL
QALRDEASSSGCSETDSTELASIL

13/330

FIGURE 13

GGGAAACGCAAAAGGCATACCTGCTGGCAGCGGGGGTCATTGTCTGTATCTATATAATCTGT
GCTGTCATCCTGATCCTGGGCGTGCGGGAGCAGAGAGAACCCTATGAAGCCCAGCAGTCTGA
GCCAATCGCCTACTTCCGGGGCCTACGGCTGGTCATGAGCCACGGCCCATACATCAAACCTTA
TACTGGCTTCCTCTTCACCTCCTTGGCTTTTCATGCTGGTGGAGGGGAACCTTGTCTTGTTT
TGCACCTACACCTTGGGCTTCCGCAATGAATTCCAGAATCTACTCCTGGCCATCATGCTCTC
GGCCACTTTAACCATTCCCATCTGGCAGTGGTTCTTGACCCGGTTTGGCAAGAAGACAGCTG
TATATGTTGGGATCTCATCAGCAGTGCCATTTCTCATCTTGGTGGCCCTCATGGAGAGTAAC
CTCATCATTACATATGCGGTAGCTGTGGCAGCTGGCATCAGTGTGGCAGCTGCCTTCTTACT
ACCCTGGTCCATGCTGCCTGATGTCATTGACGACTTCCATCTGAAGCAGCCCCACTTCCATG
GAACCGAGCCCAT

14/330

FIGURE 14

GGGGCTTCGGCGCCAGCGGCCAGCGCTAGTCGGTCTGGTAAGGATTTACAAAAGGTGCAGGT
ATGAGCAGGTCTGAAGACTAACATTTTGTGAAGTTGTAAACAGAAAACCTGTTAGAAATGT
GGTGGTTTCAGCAAGGCCTCAGTTTCCTTCCTTCAGCCCTTGTAATTTGGACATCTGCTGCT
TTCATATTTTCATACATTACTGCAGTAACACTCCACCATATAGACCCGGCTTTACCTTATAT
CAGTGACACTGGTACAGTAGCTCCAGAAAAATGCTTATTTGGGGCAATGCTAAATATTGCGG
CAGTTTTATGCATTGCTACCATTTATGTTTCGTTATAAGCAAGTTCATGCTCTGAGTCCTGAA
GAGAACGTTATCATCAAATTAAACAAGGCTGGCCTTGTAAGTGAATACTGAGTTGTTTAGG
ACTTCTATTGTGGCAAACCTCCAGAAAACAACCCCTTTTGTGTCACATGTAAGTGGAGCTG
TGCTTACCTTTGGTATGGGCTCATTATATATGTTTGTTCAGACCATCCTTTCTACCAAATG
CAGCCCAAATCCATGGCAAACAAGTCTTCTGGATCAGACTGTTGTTGGTTATCTGGTGTGG
AGTAAGTGCACTTAGCATGCTGACTTGCTCATCAGTTTTGCACAGTGGCAATTTTGGGACTG
ATTTAGAACAGAACTCCATTGGAACCCCGAGGACAAAGGTTATGTGCTTCACATGATCACT
ACTGCAGCAGAATGGTCTATGTCATTTTCCTTCTTTGGTTTTTTCCTGACTTACATTCGTGA
TTTTCAGAAAATTTCTTTACGGGTGGAAGCCAATTTACATGGATTAACCTCTATGACACTG
CACCTTGCCCTATTAACAATGAACGAACACGGCTACTTTCCAGAGATATTTTGATGAAAGGAT
AAAAATTTTCTGTAATGATTATGATTCTCAGGGATTGGGGAAAGGTTACAGAAGTTGCTTA
TTCTTCTCTGAAATTTTCAACCACTTAATCAAGGCTGACAGTAACACTGATGAATGCTGATA
ATCAGGAAACATGAAAGAAGCCATTTGATAGATTATTCTAAAGGATATCATCAAGAAGACTA
TTAAAAACACCTATGCCTATACTTTTTTATCTCAGAAAATAAAGTCAAAGACTATG

15/330

FIGURE 15

MWWFQQGLSFLPSALVIWTSAAFI~~FSYITAVTLHHIDPALPYISDTGTVAPEKCLFGAMLNI~~
AAVLCIATIYVRYKQVHALSPEENVIIKLNKAGLVLGILSCLGLSIVANFQKTTLFAAHVSG
AVLTFGMGSLYMFVQTILSYQM~~QPKIHGKQVFWIRLLLVIWCGVSALSMLTCSSVLHSGNFG~~
TDLEQKLHWNPEDKGYVLHMITTAAEWSMSFSFFGFFLT~~YIRDFQKISLRVEANLHGLTLYD~~
TAPCPINNERTRLLSRDI

16/330

FIGURE 16

CGGACGCTTGGGCNGCGCCAGCGGCCAGCGCTAGTCGGTCTGGTAAGTGCCTGATGCCGAGT
TCCGTCTCTCGGGTCTTTTCTGGTCCCAGGCAAAGCGGAGCGGAGATCCTCAAACGGCCTA
GTGCTTCGCGCTTCCGGAGAAAATCAGCGGTCTAATTAATTCCTCTGGTTTGTTGAAGCAGT
TACCAAGAATCTTCAACCCTTTCCCACAAAAGCTAATTGAGTACACGTTCTGTTGAGTACA
CGTTCCTGTTGATTTACAAAAGGTGCAGGTATGAGCAGGTCTGAAGACTAACATTTTGTGAA
GTTGTAAACAGAAAACCTGTTAGAAATGTGGTGGTTTCAGCAAGGCCTCAGTTTCCTTCCT
TCAGCCCTTGTAATTTGGACATCTGCTGCTTTCATATTTTCATACATTACTGCAGTAACACT
CCACCATATAGACCCGGCTTTACCTTATATCAGTGACACTGGTACAGTANC

17/330

FIGURE 17

CCCACGCGTCCGCCCCGCGCTGCGTCCCGGAGTGCAAGTGAGCTTCTCGGCTGCCCCGCGGG
CCGGGGTGCGGAGCCGACATGCGCCCGCTTCTCGGCCTCCTTCTGGTCTTCGCCGGCTGCAC
CTTCGCCTTGTAAGTGTGCTGTCGACGCGACTGCCCCGCGGGCGGAGACTGGGCTCCACCGAGG
AGGCTGGAGGCAGGTGCGTGTGGTTCCCCTCCGACCTGGCAGAGCTGCGGGAGCTCTCTGAG
GTCCTTCGAGAGTACCGGAAGGAGCACCAGGCCTACGTGTTCTGCTCTTCTGCGGCGCCTA
CCTCTACAAACAGGGCTTTGCCATCCCCGGCTCCAGCTTCCTGAATGTTTTAGCTGGTGCCT
TGTTTGGGCCATGGCTGGGGCTTCTGCTGTGCTGTGTGTTGACCTCGGTGGGTGCCACATGC
TGCTACCTGCTCTCCAGTATTTTTGGCAAACAGTTGGTGGTGTCTACTTTCTGATAAAGT
GGCCCTGCTGCAGAGAAAGGTGGAGGAGAACAGAAACAGCTTGTTTTTTTTCTTATTGTTTT
TGAGACTTTTCCCCATGACACCAAAGTGGTTCTTGAACCTCTCGGCCCCAATTCTGAACATT
CCCATCGTGCAGTTCTTCTTCTCAGTTCTTATCGGTTTGATCCCATATAATTTATCTGTGT
GCAGACAGGGTCCATCCTGTCAACCCTAACCTCTCTGGATGCTCTTTTCTCCTGGGACACTG
TCTTTAAGCTGTTGGCCATTGCCATGGTGGCATTAAATCCTGGAACCCTCATTAAAAAATTT
AGTCAGAAACATCTGCAATTGAATGAAACAAGTACTGCTAATCATATACACAGTAGAAAAGA
CACATTGATCTGGATTTTCTGTTTGCCACATCCCTGGACTCAGTTGCTTATTTGTGTAATGGA
TGTGGTCTCTAAAGCCCCTCATTGTTTTTGATTGCCTTCTATAGGTGATGTGGACACTGTG
CATCAATGTGCAGTGTCTTTTCAGAAAGGACACTCTGCTCTTGAAGGTGTATTACATCAGGT
TTTCAAACCAGCCCTGGTGTAGCAGACACTGCAACAGATGCCTCCTAGAAAATGCTGTTTGT
GGCCGGGCGCGGTGGCTCACGCCTGTAATCCAGCACTTTGGGAGGCCGAGGCCGGTGATTC
ACAAGGTCAGGAGTTCAAGACCAGCCTGGCCAAGATGGTGAAATCCTGTCTCTAATAAAAAT
ACAAAAATTAGCCAGGCGTGGTGGCAGGCACCTGTAATCCAGCTACTCGGGAGGCTGAGGC
AGGAGAATTGCTTGAACCAAGGTGGCAGAGGTTGCAGTAAGCCAAGATCACACCACTGCACT
CCAGCCTGGGTGATAGAGTGAGACACTGTCTTGAC

18/330

FIGURE 18

MRPLLGLLLVFAGCTFALYLLSTR LPRGRR LGSTEEAGGRSLWFPSDLAELRELSEVLREYR
KEHQAYVFL LFCGAYLYKQGFAIPGSSFLNVLAGALFGPWLGLLLCCVLTSVGATCCYLLSS
IFGKQLVVSYPDPKVAL LQRKVEENRNSLFFFLFLRLFPMTPNWFLNLSAPILNIPIVQFF
FSVLIGLIPYNFICVQTGSILSTLTSLDALFSWDTVFKLLAIAMVALIPGT LIKKFSQKHLQ
LNETSTANHIHSRKDT

Important features:**Signal peptide:**

amino acids 1-17

Transmembrane domains:

amino acids 101-123, 189-211

N-glycosylation sites.

amino acids 172-176, 250-254

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 240-244, 261-265

N-myristoylation site.

amino acids 13-19, 104-110, 115-121, 204-210

Amidation site.

amino acids 27-31

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 4-15

Protein splicing proteins.

amino acids 25-31

Sugar transport proteins.

amino acids 162-172

19/330

FIGURE 19

CCGAGGCGGGAGGAGCCCGAGGGGGCGCGAGCCCCGCATGAATCATTGTAGTCAATCATTTT
CCAGTTCTCAGCCGCTCAGTTGTGATCAAGGGACACGTGGTTTCCGAAGTCCAGCTCAGAA
TAGGAAAATAACTTGGGATTTTATATTGGAAGACATGGATCTTGCTGCCAACGAGATCAGCA
TTTATGACAACTTTTCTCAGAGACTGTTGATTTGGTGAGACAGACCGGCCATCAGTGTGGCATG
TCAGAGAAGGCAATTGAAAAATTTATCAGACAGCTGCTGGAAAAGAATGAACCTCAGAGACC
CCCCCGCAGTATCCTCTCCTTATAGTTGTGTATAAGGTTCTCGCAACCTTGGGATTAATCT
TGCTCACTGCCTACTTTGTGATTCAACCTTTTCTCAGCCATTAGCACCTGAGCCAGTGCTTTCT
GGAGCTCACACCTGGCGCTCACTCATCCATCACATTAGGCTGATGTCCTTGCCCATTGCCAA
GAAGTACATGTCAGAAAATAAGGGAGTTCTCTGCATGGGGGTGATGAAGACAGACCCTTTC
CAGACTTTGACCCCTGGTGGACAAACGACTGTGAGCAGAATGAGTCAGAGCCCATTCTGCC
AACTGCACTGGCTGTGCCCAGAAACACCTGAAGGTGATGCTCCTGGAAGACGCCCCAAGGAA
ATTTGAGAGGCTCCATCCACTGGTGATCAAGACGGGAAAGCCCCTGTTGGAGGAAGAGATTC
AGCATTTTTTTGTGCCAGTACCCTGAGGCGACAGAAGGCTTCTCTGAAGGGTTTTTCGCCAAG
TGGTGGCGCTGCTTTCCTGAGCGGTGGTTCCCATTTCTTATCCATGGAGGAGACCTCTGAA
CAGATCACAAATGTTACGTGAGCTTTTTCTGTTTTTCACTCACCTGCCATTTCCAAAAGATG
CCTCTTTAAACAAGTGCTCCTTTCTTACCCAGAACCTGTTGTGGGGAGTAAGATGCATAAG
ATGCCTGACCTATTTATCATTGGCAGCGGTGAGGCCATGTTGCAGCTCATCCCTCCCTTCCA
GTGCCGAAGACATTGTCAGTCTGTGGCCATGCCAATAGAGCCAGGGGATATCGGCTATGTCG
ACACCACCCACTGGAAGGTCTACGTTATAGCCAGAGGGGTCCAGCCTTTGGTCATCTGCGAT
GGAACCGCTTTCTCAGAACTGTAGGAAATAGAACTGTGCACAGGAACAGCTTCCAGAGCCGA
AAACCAGGTTGAAAGGGGAAAAATAAAACAAAAACGATGAACTGCAAAAA

20/330

FIGURE 20

MDLAANEISIIYDKLSETVDLVRQTGHQCGMSEKAIEKFIRQLLEKNEPQRPPPQYPLLIVVY
KVLATLGLILLTAYFVIQPFSPLAPEPVLSGAHTWRSLIHHIRLMSLPIAKKYMSENKGVPL
HGGDEDRPFPDFDPWWTNDCEQNESEPIPANCTGCAQKHLKVMLLEDAPRKFERLHPLVIKT
GKPLLEEEIQHFLCQYPEATEGFSEGGFAKWWRCFPERWFFPYWRRPLNRSQMLRELPV
FTHLPFPKDASLNKCSFLHPEPVVGSKMHKMPDLFIIGSGEAMLQLIPPFQRRHCQSVAMP
IEPGDIGYVDTHWKVYVIARGVQPLVICDGTAFSEL

21/330

FIGURE 21

CCACGGTGTCCGTTCTTCGCCCCGGCGGCAGCTGTCCCCGAGGCGGGAGGAGCCCCGAGGGGCG
CGAGCCCCGCATGAATCATTGTAGTCAATCATTTTCCAGTTCTCAGCCGTTCAAGTTGTGATC
AAGGGACACGTGGTTTCCGAACTGCCAGCTCAGAATAGGAAAATAACTTGGGATTTTATATT
GGAAGACATGGATCTTGCTGCCAACGAGATCAGCATTTATGACAACTTTCAGAGACTGTTG
ATTTGGTGAGACAGACCGGCCATCAGTGTGGCATGTCAGAGAAGGCAATTGAAAAATTTATC
AGACAGCTGCTGGAAAAGAATGAACCTCAGAGACCCCCCGCAGTATCCTCTCCTTATAGT
TGTGTATAAGGTTCTCGCAACCTTGGGATTAATCTTGCTCACTGCCTACTTTGTGATTCAAC
CTTTCAGCCCATTAGCACCTGAGCCAGTGCTTTGTGGAGCTCAC

22/330

FIGURE 22

CCCACGCGTCCGCCCACGCGTCCGGCTGAACACCTCTTCTTTGGAGTCAGCCACTGATGAGG
CAGGGTCCCCACTTGCAGCTGCAGCAGCTGCAGCAGCTGCAGAGCGCTGCTCCTGGGTGGTG
CCACTGGTGCGCACGCTGCTAGACCGTGCCTATGAGCCGCTGGGGCTGCAGTGGGACTGCC
CTCCCTGCCACCCACCAATGGCAGCCCCACCTTCTTTGAAGACTTCCAGGCTTTTTGTGCCA
CACCCGAATGGCGCCACTTCATCGACAAACAGGTACAGCCAACC**ATGT**CCCAGTTTCGAAATG
GACACGTATGCTAAGAGCCACGACCTTATGTCAGGTTTCTGGAATGCCTGCTATGACATGCT
TATGAGCAGTGGGCAGCGCGCCAGTGGGAGCGCGCCAGAGTCGTCGGGCCTTCCAGGAGC
TGGTGCTGGAACCTGCGCAGAGGCGGGCGCGCTGGAGGGGCTACGCTACACGGCAGTGCTG
AAGCAGCAGGCAACGCAGCACTCCATGGCCCTGCTGCACTGGGGGGCGCTGTGGCGCCAGCT
CGCCAGCCCATGTGGGGCCTGGGCGCTGAGGGACACTCCCATCCCCCGCTGGAAACTGTCCA
GCGCCGAGACATATTCACGCATGCGTCTGAAGCTGGTGCCCAACCATCACTTCGACCCTCAC
CTGGAAGCCAGCGCTCTCCGAGACAATCTGGGTGAGGTTCCTTGACACCCACCCAGGAGGC
CTCACTGCCTCTGGCAGTGACCAAAGAGGGCCAAAGTGAGCACCCACCCAGTTGCTGCAGG
AGGACCAGCTCGGCGAGGACGAGCTGGCTGAGCTGGAGACCCGATGGAGGCAGCAGAACTG
GATGAGCAGCGTGAGAAGCTGGTGCTGTGCGCCGAGTGCCAGCTGGTGACGGTAGTGGCCGT
GGTCCCAAGGGCTGCTGGAGGTCAACACAGAATGTATACTTCTACGATGGCAGCACTGAGC
GCGTGGAAACCGAGGAGGCATCGGCTATGATTTCGGCGGCCACTGGCCAGCTGCGTGAG
GTCCACCTGCGGCGTTTCAACCTGCGCCGTTGAGCACTTGAGCTCTTCTTTATCGATCAGGC
CAACTACTTCTCAACTTCCCATGCAAGGTGGGCACGACCCCACTCTCATCTCCTAGCCAGA
CTCCGAGACCCAGCCTGGCCCCATCCCACCCCATACCCAGGTACGGAACCAAGGTGTACTCG
TGGCTCCTGCGCCTACGGCCCCCTCTCAAGGCTACCTAAGCAGCCGCTCCCCCAGGAGAT
GCTGCGTGCTCAGGCCTTACCCAGAAATGGGTACAGCGTGAGATATCCAACCTTCGAGTACT
TGATGCAACTCAACACCATTGCGGGGCGGACCTACAATGACCTGTCTCAGTACCCTGTGTTC
CCCTGGGTCTGTCAGGACTACGTGTCCCAACCCCTGGACCTCAGCAACCCAGCCGTCTTCCG
GGACCTGCTAAGCCCATCGGTGTGGTGAAACCCCAAGCATGCCAGCTCGTGAGGGAGAAGT
ATGAAAGCTTTGAGGACCCAGCAGGGACCATGACAAGTTCCACTATGGCACCCACTACTCC
AATGCAGCAGGCGTGATGCACTACCTCATCCGCGTGGAGCCCTTCACCTCCCTGCACGTCCA
GCTGCAAAGTGGCCGCTTTGACTGCTCCGACCGGCAGTTCCACTCGGTGGCGGCAGCCTGGC
AGGCACGCCTGGAGAGCCCTGCCGATGTGAAGGAGCTCATCCCGGAATTCTTACTTTTCT
GACTTCTTGAGAAACCAAGAACGGTTTTGACCTGGGCTGTCTCCAGCTGACCAACGAGAAGGT
AGGCGATGTGGTGCTACCCCCGTGGGCCAGCTCTCCTGAGGACTTCATCCAGCAGCACCGCC
AGGCTCTGGAGTCGGAGTATGTGTCTGCACACCTACACGAGTGGATCGACCTCATCTTTGGC
TACAAGCAGCGGGGGCCAGCCGCCGAGGAGGCCCTCAATGTCTTCTATTACTGCACCTATGA
GGGGCTGTAGACCTGGACCATGTGACAGATGAGCGGGAACGGAAGGCTCTGGAGGGCATT
TCAGCAACTTTGGGCAGACTCCCTGTGAGCTGCTGAAGGAGCCACATCCAACCTCGGCTCTCA
GCTGAGGAAGCAGCCCATCGCCTTGACGCCTGGACACTAACTCACCTAGCATCTTCCAGCA
CCTGGACGAATCAAGGCATTCTTCGCAGAGGTGACTGTGAGTGCCAGTGGGCTGCTGGGCA
CCCACAGCTGGTTGCCCTATGACCGCAACATAAGCAACTACTTCAGCTTCAGCAAAGACCCC
ACCATGGGCAGCCACAAGACGCAGCGCACTGCTGAGTGGCCCGTGGGTGCGAGGCAGTGGTGT
GAGTGGACAAGCACTGGCAGTGGCCCCGATGGAAAGCTGCTATTGAGCGGTGGCCACTGGG
ATGGCAGCCTGCGGGTGACTGCACTACCCCGTGGCAAGCTGTTGAGCCAGCTCAGCTGCCAC
CTTGATGTAGTAACCTGCCTTGCACTGGACACCTGTGGCATCTACCTCATCTCAGGCTCCCG
GGACACCACGTGCATGGTGTGGCGGCTCCTGCATCAGGGTGGTCTGTGAGTAGGCCTGGCAC
CAAAGCCTGTGAGGTCTGTATGGGCATGGGGCTGCAGTGAGCTGTGTGGCCATCAGCACT
GAACTTGACATGGCTGTGTCTGGATCTGAGGATGGAAGTGTGATCATAACACTGTACGCCG
CGGACAGTTTGTAGCGGCACTACGGCCTCTGGGTGCCACATTCCCTGGACCTATTTTCCACC
TGGCATTGGGGTCCGAAGGCCAGATTGTGGTACAGAGCTCAGCGTGGGAACGTCTGGGGCC
CAGGTCACTACTCCTTGACCTGTATTGAGTCAATGGGAAGTTGCGGGCTTCACTGCCCT
GGCAGAGCAGCCTACAGCCCTGACGGTGACAGAGGACTTTGTGTGCTGGGCACCGCCAGT
GCGCCCTGCACATCCTCAACTAAACACACTGCTCCCGGCCGCGCTCCCTTGCCCATGAAG
GTGGCCATCCGCAGCGTGGCCGTGACCAAGGAGCGCAGCCACGTGCTGGTGGGCTGGAGGA
TGGCAAGGTCATCGTGGTGGTGGCGGGCAGCCCTCTGAGGTGCGCAGCAGCCAGTTTCGCGC
GGAAGCTGTGGCGGTCTCGCGGCGCATCTCCAGGTGTCTCGGGAGAGACGGAATACAAC
CCTACTGAGGCGCGCTGAACCTGGCCAGTCCGGCTGCTCGGGCCCCGGCCCCGGCAGGCCTG
GCCCCGGGAGGCCCCGCCAGAGTCCGGCGGGAACACCCCGGGTGGGCAGCCAGGGGGTGA
GCGGGGCCACCCTGCCAGCTCAGGGATTGGCGGGCGATGTTACCCCTCAGGGATTGGCG
GGCGAAGTCCCCCCCCCTCGCCGGCTGAGGGGCCGCCCTGAGGGCCAGCACTGGCGTCT

23/330

FIGURE 23

MSQFEMDTYAKSHDLMSGFWNACYDMLMSSGQRRQWERAQSRRAFQELVLEPAQRRARLEGL
RYTAVLKQQATQHSMALLHWGALWRQLASPCGAWALRDTPIPRWKLSSAETYSRMRLKLVPN
HHFDPHLEASALRDNLGEVPLTPTEEASLPLAVTKEAKVSTPPELLQEDQLGEDELAEELETP
MEAAELDEQREKLVLSAECQLVTVVAVVPGLLEVTTQNVYFYDGSTERVETEEGIGYDFRRP
LAQLREVHLRRFNLRRSALELFFIDQANYFLNFPCKVGTTPVSSPSQTPRPQPGPIPPHTQV
RNQVYSWLLRLRPPSQGYLSSRSPQEMLRASGLTQKWVQREISNFEYLMQLNTIAGRITYNDL
SQYPVFPWVLQDYVSPTLDLSNPAVFRDLSKPIGVVNPKHAQLVREKYESFEDPAGTIDKFH
YGTHYSNAAGVMHYLIRVEPFTSLHVQLQSGRFDCSDRQFHSVAAAWQARLESADVKEKELIP
EFFYFPDFLENQNGFDLGCLQLTNEKVGDVVLPWASSPEDFIQQHRQALESEYVSAHLHEW
IDLIFGYKQRGPAEEALNVFYYCTYEGAVDLHDHVTDERERKALEGIISNFGQTPCQLLKEP
HPTRLSAEEAAHRLARLDTNSPSIFQHLDELKAFFAEVTVSASGLLGTHSWLPYDRNISNYF
SFSKDPTMGSHKTQRLLSGPWPVPGSGVSGQALAVAPDGKLLFSGGHWGDSLRTALPRGKLL
SQLSCHLDVVTCLALDTCGIYLISSRDTTTCMVWRLHQQGLSVGLAPKPVQVLYGHGAAS
CVAISTELDMAVSGSEDGTVIIHTVRRGQFVAALRPLGATFPGPIFHLALGSEGQIVVQSSA
WERPGAQVTYSLHLYSVNGKLRLASLPLAEQPTALTVTEDFVLLGTAQCALHILQLNTLLPAA
PPLPMKVAIRSVAVTKERSHVLVGLEDGKLIVVVAGQPSEVRSSQFARKLWRSSRRISQVSS
GETEYNPTAR

N-glycosylation site.

amino acids 677-681

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 985-989

Tyrosine kinase phosphorylation site.

amino acids 56-65, 367-376, 543-551

N-myristoylation site.amino acids 61-67, 436-442, 604-610, 610-616, 664-670, 691-697,
706-712, 711-717, 769-775, 785-791, 802-808, 820-826, 834-840,
873-879, 912-918, 954-960

24/330

FIGURE 24

CGGACGCGTGGGCGGACGCGTGGGGGCTGTGAGAAAGTGCCAATAAATACATCATGCAACCC
CACGGCCACCTTGTGAACTCCTCGTGCCAGGGCTGATGTGCGTCTTCCAGGGCTACTCAT
CCAAAGGCCTAATCCAACGTTCTGTCTTCAATCTGCAAATCTATGGGGTCTTGGGGCTCTTC
TGGACCCTTAACTGGGTACTGGCCCTGGGCCAATGCGTCCTCGCTGGAGCCTTTGCCTCCTT
CTACTGGGCCTTCCACAAGCCCCAGGACATCCCTACCTTCCCCTTAATCTCTGCCTTCATCC
GCACACTCCGTTACCACACTGGGTCAATTGGCATTTGGAGCCCTCATCCTGACCCTTGTGCAG
ATAGCCCGGGTCATCTTGGAGTATATTGACCACAAGCTCAGAGGAGTGCAGAACCCGTAGC
CCGCTGCATCATGTGCTGTTTCAAGTGCTGCCTCTGGTGTCTGGAAAAATTTATCAAGTTCC
TAAACCGCAATGCATACATCATGATCGCCATCTACGGGAAGAATTTCTGTGTCTCAGCCAAA
AATGCGTTCATGCTACTCATGCGAAACATTGTCAGGGTGGTCTCCTGGACAAAGTCACAGA
CCTGCTGCTGTTCTTTGGGAAGCTGCTGGTGGTCGGAGGCGTGGGGTCTGTCCTTCTTTT
TTTTCTCCGGTCGCATCCCGGGGCTGGGTAAAGACTTTAAGAGCCCCACCTCAACTATTAC
TGGCTGCCCATCATGACCTCCATCCTGGGGGCTATGTCATCGCCAGCGGCTTCTTCAGCGT
TTTCGGCATGTGTGTGGACACGCTCTTCTCTGCTTCCTGGAAGACCTGGAGCGGAACAACG
GCTCCCTGGACCGGCCCTACTACATGTCCAAGAGCCTTCTAAAGATTCTGGGCAAGAAGAAC
GAGGCGCCCCCGGACAACAAGAAGAGGAAGAAGTGACAGCTCCGGCCCTGATCCAGGACTGC
ACCCACCCCCACCGTCCAGCCATCCAACCTCACTTCGCCTTACAGGTCTCCATTTTGTGGT
AAAAAAGGTTTTAGGCCAGGCGCGGTGGCTCACGCCTGTAATCCAACACTTTGAGAGGCTG
AGGCGGGCGGATCACCTGAGTCAGGAGTTCGAGACCAGCCTGGCCAACATGGTGAAACCTCC
GTCTCTATTAAAAATACAAAAATTAGCCGAGAGTGGTGGCATGCACCTGTCATCCCAGCTAC
TCGGGAGGCTGAGGCAGGAGAATCGCTTGAACCCGGGAGGCAGAGGTTGCAGTGAGCCGAGA
TCGCGCCACTGCACTCCAACCTGGGTGACAGACTCTGTCTCCAAAACAAAACAAACAA
AAAGATTTTATTAAAGATATTTTGTAACTC

25/330

FIGURE 25

RTRGRTRGGCEKVPINTSCNPTAHLVNSSCPGLMCVFQGYSSKGLIQRSVFNLQIYGVLGLF
WTLNWVLALGQCVLAGAFASFYWAFHKPQDIPTFPLISAFIRTLRYHTGSLAFGALILTLVQ
IARVILEYIDHKLRGVQNPVARCIMCCFKCCLWCLEKFIKFLNRNAYIMIAIYGKNFCVSAK
NAFMLLMRNIVRVVLDKVTDLLFFGKLLVVGGVGVLSFFFFSGRIPGLGKDFKSPHLNYY
WLPIMTSILGAYVIASGFFSVFGMCVDTLFLCFLEDLERNNGSLDRPYMSKSLLKILGKKN
EAPPDNKKRKK

26/330

FIGURE 26

GAGTCTTGACCGCCGCCGGGCTCTTGGTACCTCAGCGCGAGCGCCAGGCGTCCGGCCGCCGT
GGCTATGTTCGTGTCCGATTTCCGCAAAGAGTTCTACGAGGTGGTCCAGAGCCAGAGGGTCC
TTCTCTTCGTGGCCTCGGACGTGGATGCTCTGTGTGCGTGCAAGATCCTTCAGGCCTTGTTT
CAGTGTGACCACGTGCAATATACGCTGGTTCCAGTTTCTGGGTGGCAAGAACTTGAAACTGC
ATTTCTTGAGCATAAAGAACAGTTTCATTATTTTATTCTCATAAACTGTGGAGCTAATGTAG
ACCTATTGGATATTCTTCAACCTGATGAAGACACTATATTCTTTGTGTGTGACTCCCATAGG
CCAGTCAATGTCGTCAATGTATACAACGATACCCAGATCAAATTACTCATTAACAAGATGA
TGACCTTGAAGTTCCCGCCTATGAAGACATCTTCAGGGATGAAGAGGAGGATGAAGAGCATT
CAGGAAATGACAGTGATGGGTGAGAGCCTTCTGAGAAGCGCACACGGTTAGAAGAGGAGATA
GTGGAGCAAACCATGCGGAGGAGGCAGCGCGAGAGTGGGAGGCCCGGAGAAGAGACATCCT
CTTTGACTACGAGCAGTATGAATATCATGGGACATCGTCAGCCATGGTGATGTTTGAGCTGG
CTTGATGCTGTCCAAGGACCTGAATGACATGCTGTGGTGGGCCATCGTTGGACTAACAGAC
CAGTGGGTGCAAGACAAGATCACTCAAATGAAATACGTGACTGATGTTGGTGTCTGCAGCG
CCACGTTTCCCGCCACAACCACCGGAACGAGGATGAGGAGAACACACTCTCCGTGGACTGCA
CACGGATCTCCTTTGAGTATGACCTCCGCCTGGTGCTCTACCAGCACTGGTCCCTCCATGAC
AGCCTGTGCAACACCAGCTATACCGCAGCCAGGTTCAGCTGTGGTCTGTGCATGGACAGAA
GCGGCTCCAGGAGTTCCTTGACAGATGGGTCTTCCCCTGAAGCAGGTGAAGCAGAAGTTCC
AGGCCATGGACATCTCCTTGAAGGAGAATTTGCGGGAAATGATTGAAGAGTCTGCAAATAAA
TTTGGGATGAAGGACATGCGCGTGACACTTTCAGCATTCAATTTGGGTTCAAGCACAAGTT
TCTGGCCAGCGACGTGGTCTTTGCCACCATGTCTTTGATGGAGAGCCCCGAGAAGGATGGCT
CAGGGACAGATCACTTCATCCAGGCTCTGGACAGCCTCTCCAGGAGTAACCTGGACAAGCTG
TACCATGGCCTGGAACCTGCCAAGAAGCAGCTGCGAGCCACCCAGCAGACCATTGCCAGCTGC
CTTTGCACCAACCTCGTCATCTCCAGGGGCCTTTCCTGTACTGCTCTCTCATGGAGGGCAC
TCCAGATGTCATGCTGTTCTCTAGGCCGGCATCCCTAAGCCTGCTCAGCAAACACCTGCTCA
AGTCCTTTGTGTGTTGACAAAGAACCGGCGCTGCAAACCTGCTGCCCCCTGGTGATGGCTGCC
CCCCTGAGCATGGAGCATGGACAGTGACCGTGGTGGGCATCCCCCAGAGACCGACAGCTC
GGACAGGAAGAACTTTTTTGGGAGGGCGTTTGAGAAGGCAGCGGAAAGCACCAGCTCCCGGA
TGCTGCACAACCATTTTGACCTCTCAGTAATTGAGCTGAAAGCTGAGGATCGGAGCAAGTTT
CTGGACGCACTTATTTCCCTCCTGTCCTAGGAATTTGATTCTTCCAGAATGACCTTCTTATT
TATGTAACCTGGCTTTTCAATTTAGATTGTAAGTTATGGACATGATTTGAGATGTAGAAGCCATT
TTTTATTAAATAAAATGCTTATTTTAGGAAA

27/330

FIGURE 27

MFVSDFRKEFYEVVQSQRVLLFVASDVDALCACKILQALFQCDHVQYTLVPVSGWQELETAF
LEHKEQFHYFILINCGANVDLLDILQPDEDTIFFVCDSHRPVNVNVYNDTQIKLLIKQDDD
LEVPAIEDIFRDEEEDEEHSGNDSGSEPSEKRTRLEEEIVEQTMRRRQRREWEARRRDILF
DYEQYEHGTSSAMVMFELAWMLSKDLNDMLWWAIVGLTDQWVQDKITQMKYVTDVGVLRH
VSRHNRNEDEENTLSVDCTRISFEYDLRLVLYQHWSLHDSL CNTSYTAARFKLWSVHGQKR
LQEFLADMGLPLKQVKQKFQAMDISLKENLREMIIESANKFGMKDMRVQTF SIHFGFKHKFL
ASDVVFATMSLMESPEKDGS GTDHF IQALDSLRSNLDKLYHGLELAKKQLRATQQT IASCL
CTNLVISQGPFLYCSLMEGTPDVMLFSRPASLSLLSKHLLKS FVCSTKNRRCKLLPLVMAAP
LSMEHGTVTTVVGIPPETDSSDRKNFFGRAFEKAAESTSSRMLHNNHFDLSVIELKAEDRSKFL
DALISLLS

28/330

FIGURE 28

GTACCTCAGCGCGAGCGCCAGGCGTCCGGCCGCCGTGGCTATGNTCGTGTCCGATTTCCGCA
AAGAGTTCTACGAGGTGGTCCAGAGCCAGAGGGTCCTTCTCTTCGTGGCCTCGGANGTGGAT
GCTCTGTGTGCGTGCAAGATCCTTCAGGCCTTGTTCCAGTGTGACCANGTGCAATATANGCT
GGTTCCAGTTTCTGGGTGGCAAGAAGCTTGAACTGCATTTCTTGAGCATAAAGAACAGTTTC
ATTATTTTATTCTCATAACTGTGGAGCTAATGTAGACCTATTGGATATTCTTCAACCTGAT
GAAGACACTATATTCTTTGTGTGTGACACCCATAGGCCAGTCAATGTTGTCAATGTATACAA
CGATACCC

29/330

FIGURE 29

CAGGAACCCTCTCTTTGGGTCTGGATTGGGACCCCTTTCCAGTACCATTTTTTCTAGTGAAC
CACGAAGGGACGATACCAGAAAAACACCCTCAACCCAAAGGAAATAGACTACAGCCCCAATTG
GCTGACTTTTGGCTATAGAAAAAAGAAAGGAACGAAAAGAGACAGTTTTTTTTTGGAAAGCTAA
GTCTTCCCTTTATCGAGTCAAGAAACCCCCCTTCTTGAGCTATTTACAGCTTTTAAACAATT
GAGTAAAGTACGCTCCGGTCACCA**ATGGT**GACAGCCGCCCTGGGTCCCGTCTGGGCAGCGCTC
CTGCTCTTTCTCTGATGTGTGAGATCCGTATGGTGGAGCTCACCTTTGACAGAGCTGTGGC
CAGCGCTGCCAACGGTGCTGTGACTCTGAGGACCCCTGGATCCTGCCCATGTATCCTCAG
CCTCTTCCCTCCGGCCGCCCCACGCCCTGCCTGAGATCAGACCCTACATTAATATCACCATC
CTGAAGGGTGACAAAGGGGACCCAGGCCAATGGGCCTGCCAGGGTACATGGGCAGGGAGGG
TCCCCAAGGGGAGCCTGGCCCTCAGGGCAGCAAGGGTGACAAGGGGGAGATGGGCAGCCCCG
GCGCCCCGTGCCAGAAGCGCTTCTTCGCCTTCTCAGTGGGCGCAAGACGGCCCTGCACAGC
GGCGAGGACTTCCAGACGCTGCTCTTCGAAAGGGTCTTTGTGAACCTTGATGGGTGCTTTGA
CATGGCGACCGGCCAGTTTGCTGCTCCCCTGCGTGGCATCTACTTCTTCAGCCTCAATGTGC
ACAGCTGGAATTACAAGGAGACGTACGTGCACATTATGCATAACCAGAAAGAGGCTGTATC
CTGTACGCGCAGCCCAGCGAGCGCAGCATCATGCAGAGCCAGAGTGTGATGCTGGACCTGGC
CTACGGGGACCGCGTCTGGGTGCGGCTCTTCAAGCGCCAGCGGAGAACGCCATCTACAGCA
ACGACTTCGACACCTACATCACCTTCAGCGGCCACCTCATCAAGGCCGAGGAC**CTGAGGG**
CCTCTGGGCCACCCTCCCGGCTGGAGAGCTCAGGTGCTGGTCCCGTCCCTGCAGGGCTCAG
TTTGCACTGCTGTGAAGCAGGAAGGCCAGGGAGGTCCCCGGGGACCTGGCATTCTGGGGAGA
CCCTGCTTCTATCTTGGCTGCCATCATCCCTCCCAGCCTATTTCTGCTCCTCTCTCTCTCT
TGGACCTATTTTAAAGAGCTTGCTAACCTAAATATTTCTAGAACTTCCCAGCCTCGTAGCCCC
AGCACTTCTCAAACTTGGAAATGCATGCGAATCACCCGGGGTTCGTGTTAAATGCAGATTCT
GACTCAGCAGGTCTGAGTGGGTCCAGGATTCTGTGTTTCTCATATGTTTCTGGGTGATGCTG
ATGGGGTCAGTCTATGAACCACACTGGAGCAACCAGGTTCTAGGACTTTCTCAATATTCTAG
TACTTTCTGAACATTCTGGAATCCTCCCCACATTCTAGAATTCTCCCAACATTTTTTTTTCT
TGAGACAGAGTCTTGCTCTGTTGCCAGGCTAGAGTGCAGTGGTGCAATCTCAGTTCAGTGC
AACCTCTGCCTCCCGGGTTCAAGCGATTCTTCTGCCTCAGCCTCCCTAGTGGCTGGGATTAC
AGGCGCCTGCTACCATGCCTGGCTAATTTTTGTATTTTTAGTAGAGATGGGGTTTCACCATA
TTGGCCAGGCTGGTCTTGAACCTCTGACTTCAGGTGACCCACCCGCCTCGGCCTCTCAAAAT
GCTGGGATTACAGGTGTGAGCCACCGTGCCTGGCCAATTCCAACATTCTTAAATTCTCTCAT
CCCTCCAGGGCTCCCCGTGCTATGTTCTCTTTACCCCTTCCCCCTCTTCTCTTGCTCAGGCC
TGCACCACTGCAGCCACCGTTCATTTATTTCATTATTAACACTGAGCACTCACTCTGTGCT
GGGTCCCGGGAAGGGTGAGGGGGTCAGACACAGGCCCTGCCCTGCCCTCAGTGAAGTGGCCA
GTCCAGCCCAGGCGGGGAGAGATGTGTACATAGGTTTTTAAAGCAGACCCAGAGCTCATGGGG
GCCTGTGTTCTGGGTGTTCAAGTGCTGCTGGTCTCCATTACCCACTGCTCCCCAAGGCTGG
TGGGACGGGGTCCCGGTGGCAGGGGCAGGTATCTCCTTCCCGTTCCTCATCCACCTGCCAG
TGCTCATCGTTACAGCAAACCCAGGGGGCTTGGCCAGGTCAAGGGTCTGTGAGGAGAGG
ACCCAGGAGTGTGGGGGCATTTGGGGGTGAAGTGGCCCCGAAGAATGGAACCCACACCCA
TAGCTCTCCCCACAGCTGATACGGCATCCTGCAGAGAAGACCTGCCCTCCTCACTGGGATCCC
CTTCTGCCTCCTCCCAGGGCTCTGCCAGGGCTTGCTCAGTCCCTTCCACCAAAGTCATCT
GAACTTCCGTTTCCCCAGGGCTCCAGCTGCCCTCAGACACTGATGTCTGTCCCAGGTGCT
CTCTGCCCCCTCATGCCCCCTCTCACCGGCCAGTGCCCCGACTCTCCAGGCTTTATCAAGGTG
CTAAGGCCCCGGTGGGCAGCTCCTCGTCTCAGAGCCCTCCTCCGGCTGGTGCTGCTTTTAC
AAACACCTGCAGGAGAAGGGCCACGGAAGCCCCAGGCTTTAGAGCCCTCAGCAGGTCTGGGG
AGCTAGAGCAAAGGAGGGACCTCAGGCCTTCCGTTTCTTCTTCCAGGGTGGGGTGGCCTGGT
GTTCCCCTAGCCTTCCAACCCAGGTGGCCTGCCCTTCTCCCCAGAGGGAGGCGGCCTCCGC
CCATTGGTGCTCATGCAGACTCTGGGGCTGAGGTGCCCGGGGGGTGATCTCTGGTGCTCAC
AGCCGAGGGAGCCGTGGCTCCATGGCCAGATGACGGAAACAGGGTCTGACCAAGTGCCAGGA
AGACCTGTGCTATAAACACCCTGCCTGATCCTGCCCTGCCTGACCCCGCCACGCCCTGCC
GTCCAGCATGATTAAAGAATGCTGTCTCTCTTGGAATAAAAAAAAAAAAAA

30/330

FIGURE 30

MVTAALGPVWAALLLFLLMCEIRMVELTFDRAVASGCQRCCDSEDPLDPAHVSSASSSSGRPH
ALPEIRPYINITILKGDKGDPGMPGLPGYMGREGPQGEPPGQSGDKGEMGSPGAPCQKRF
FAFSVGRKTALHSGEDFQTLLFERVFVNLDGCFDMATGQFAAPLRGIYFFSLNVHSWNYKET
YVHIMHNQKEAVILYAQPSEERSIMQSQSVMLDLAYGDRVWVRLFKRQRENAIYSNDFDTYIT
FSGHLIKAEDD

Important features:**Signal peptide:**

amino acids 1-20

N-glycosylation site.

amino acids 72-75

Clq domain proteins.

amino acids 144-178, 78-111 and 84-117

31/330

FIGURE 31

ACTCGAACGCAGTTGCTTCGGGACCCAGGACCCCCTCGGGCCCGACCCGCCAGGAAAGACTG
AGGCCGCGGGCTGCCCGCCCGGCTCCCTGCGCCGCGCCGCTCCCGGGACAGAAG**ATGTG**
CTCCAGGGTCCCTCTGCTGCTGCCGCTGCTCCTGCTACTGGCCCTGGGGCTGGGGTGCAGG
GCTGCCCATCCGGCTGCCAGTGCAGCCAGCCACAGACAGTCTTCTGCACTGCCCGCCAGGGG
ACCACGGTGCCCCGAGACGTGCCACCCGACACGGTGGGGCTGTACGTCTTTGAGAACGGCAT
CACCATGCTCGACGCAGGCAGCTTTGCCGGCCTGCCGGGCCTGCAGCTCCTGGACCTGTCAC
AGAACCAGATCGCCAGCCTGCCAGCGGGGTCTTCCAGCCACTCGCCAACCTCAGCAACCTG
GACCTGACGGCCAACAGGCTGCATGAAATCACCAATGAGACCTTCCGTGGCCTGCGGCGCCT
CGAGCGCCTCTACCTGGGCAAGAACCGCATCCGCCACATCCAGCCTGGTGCCTTCGACACGC
TCGACCGCCTCCTGGAGCTCAAGCTGCAGGACAACGAGCTGCGGGCACTGCCCCGCTGCGC
CTGCCCCGCCTGCTGCTGCTGGACCTCAGCCACAACAGCCTCCTGGCCCTGGAGCCCGGCAT
CCTGGACACTGCCAACGTGGAGGCGCTGCGGCTGGCTGGTCTGGGGCTGCAGCAGCTGGACG
AGGGGCTCTTACGCCGCTTGCACAACCTCCACGACCTGGATGTGTCCGACAACAGCTGGAG
CGAGTGCCACCTGTGATCCGAGGCCTCCGGGGCCTGACGCGCCTGCGGCTGGCCGGCAACAC
CCGATTGCCAGCTGCGGCCCCGAGGACCTGGCCGGCCTGGCTGCCCTGCAGGAGCTGGATG
TGAGCAACCTAAGCCTGCAGGCCCTGCCTGGCGACCTCTCGGGCCTCTTCCCCGCCTGCGG
CTGCTGGCAGCTGCCCGCAACCCCTTCAACTGCGTGTGCCCCCTGAGCTGGTTTGGCCCCCTG
GGTGCGCAGAGCCACGTACACTGGCCAGCCCTGAGGAGACGCGCTGCCACTTCCCGCCCA
AGAACGCTGGCCGGCTGCTCCTGGAGCTTGACTACGCCGACTTTGGCTGCCAGCCACCACC
ACCACAGCCACAGTGCCCAACCACGAGGCCCGTGGTGCGGGAGCCACAGCCTTGTCTTCTAG
CTTGGCTCCTACCTGGCTTAGCCCCACAGCGCCGGCCACTGAGGCCCCCAGCCCGCCCTCCA
CTGCCCCACCGACTGTAGGGCCTGTCCCCAGCCCCAGGACTGCCACCGTCCACCTGCCTC
AATGGGGGCACATGCCACCTGGGGACACGGCACCACTGGCGTGCTTGTGCCCCGAAGGCTT
CACGGGCCTGTACTGTGAGAGCCAGATGGGGCAGGGGACACGGCCCAGCCCTACACCAGTCA
CGCCGAGGCCACCACGGTCCCTGACCCTGGGCATCGAGCCGGTGAGCCCCACCTCCCTGCGC
GTGGGGCTGCAGCGCTACCTCCAGGGGAGCTCCGTGCAGCTCAGGAGCCTCCGTCTCACCTA
TCGCAACCTATCGGGCCCTGATAAGCGGCTGGTGACGCTGCGACTGCCTGCCTCGCTCGCTG
AGTACACGGTACCCAGCTGCGGCCCAACGCCACTTACTCCGTCTGTGTATGCCTTTGGGG
CCCGGGCGGGTGCCGGAGGGCGAGGAGGCTGCGGGGAGGGCCATACACCCCCAGCCGTCCA
CTCCAACCACGCCCCAGTACCCAGGCCCGCGAGGGCAACCTGCCGCTCCTCATTTGCGCCCG
CCCTGGCCGCGGTGCTCCTGGCCGCGCTGGCTGCGGTGGGGGCAGCCTACTGTGTGCGGCGG
GGCGGGCCATGGCAGCAGCGGCTCAGGACAAAGGGCAGGTGGGGCCAGGGGCTGGGCCCCCT
GGAAGTGGAGGGAGTGAAGGTCCCCTTGGAGCCAGGCCCGAAGGCAACAGAGGGCGGTGGAG
AGGCCCTGCCAGCGGGTCTGAGTGTGAGGTGCCACTCATGGGCTTCCCAGGGCCTGGCCTC
CAGTCACCCCTCCACGCAAAGCCCTACATCT**TAAG**CCAGAGAGAGACAGGGCAGCTGGGGCCG
GGCTCTCAGCCAGTGAGATGGCCAGCCCCCTCCTGCTGCCACACCACGTAAGTTCTCAGTCC
CAACCTCGGGGATGTGTGCAGACAGGGCTGTGTGACCACAGCTGGGCCCCTGTTCCCTCTGGA
CCTCGGTCTCCTCATCTGTGAGATGCTGTGGCCAGCTGACGAGCCCTAACGTCCCCAGAAC
CGAGTGCCATAGAGGACAGTGTCCGCCCTGCCCTCCGCAACGTGCAGTCCCTGGGCACGGCG
GGCCCTGCCATGTGCTGGTAACGCATGCCTGGGTCTGCTGGGCTCTCCCACTCCAGGCGGA
CCCTGGGGGCCAGTGAAGGAAGCTCCCGGAAAGAGCAGAGGGAGAGCGGGTAGGCGGCTGTG
TGACTCTAGTCTTGGCCCCAGGAAGCGAAGGAACAAAAGAACTGGAAAGGAAGATGCTTTA
GGAACATGTTTTGCTTTTTTAAATATATATATTTATAAGAGATCCTTTCCCATTTATTCTG
GGAAGATGTTTTTCAAACCTCAGAGACAAGGACTTTGGTTTTTTGTAAGACAAACGATGATATG
AAGGCCTTTTGTAAAGAAAAATAAAAGATGAAGTGTGAAA

32/330

FIGURE 32

MCSRVPLLLLPLLLLLALGPGVQGCPSGCQCSQPQTVFCTARQGTTVPRDVPPDTVGLYVFEN
GITMLDAGSFAGLPGLQLLDLSQNQIASLPSGVFQPLANLSNLDLTANRLHEITNETFRGLR
RLERLYLGKNRIRHIQPGAFDTLDRLLELKLQDNELRALPPLRLPRLLLLDLSHNSLLALEP
GILDTANVEALRLAGLGLQQLDEGLFSRLRNLDLDVSDNQLERVPPVIRGLRGLTRLRLAG
NTRIAQLRPEDLAGLÄALQELDVSNSLSQALPGDLSGLFPRLRLLAAARNPFNCVCPLSWFG
PWVRESHVTLASPEETRCHFPKNAGRLLLELDYADFGCPATTTTATVPTTRPVVREPTALS
SSLAPTWLSPTAPATEAPSPPSTAPPTVGVPVQPQDCPPSTCLNGGTCHLGTRHHLACLCPE
GFTGLYCESQMGQGRPSPTPVTPRPPRSLTGIEPVSPTSRLRVGLQRYLQGSSVQLRSLRL
TYRNLSGPDKRLVTLRLPASLAEYTVTQLRPNATYSVCMPLGPGRVPEGEEACGEAHTPPA
VHSNHAPVTQAREGNLPLLIAPALAAVLLAALAAGAAYCVRRGRAMAAAAQDKGQVGPGAG
PLELEGVKVPLEPGPKATEGGGEALPSGSECEVPLMGFPGPGLQSPLHAKPYI

33/330

FIGURE 33

GAATCATCCACGCACCTGCAGCTCTGCTGAGAGAGTGCAAGCCGTGGGGGTTTTGAGCTCAT
CTTCATCATTCATATGAGGAAATAAGTGGTAAAAATCCTTGGAAATACAATGAGACTCATCAG
AAACATTTACATATTTTGTAGTATTGTTATGACAGCAGAGGGTGATGCTCCAGAGCTGCCAG
AAGAAAGGGAAGTGTGACCAACTGCTCCAACATGTCTCTAAGAAAGGTTCCCGCAGACTTG
ACCCAGCCACAACGACACTGGATTTATCCTATAACCTCCTTTTTCAACTCCAGAGTTCAGA
TTTTCATTTCTGTCTCCAACTGAGAGTTTTGATTCTATGCCATAACAGAATTCAACAGCTGG
ATCTCAAAACCTTTGAATTCAACAAGGAGTTAAGATATTTAGATTTGTCTAATAACAGACTG
AAGAGTGTAACCTTGGTATTTACTGGCAGGTCTCAGGTATTTAGATCTTTCTTTAATGACTT
TGACACCATGCCTATCTGTGAGGAAGCTGGCAACATGTCACACCTGGAAATCCTAGGTTTGA
GTGGGGCAAAAATACAAAATCAGATTTCCAGAAAATTGCTCATCTGCATCTAAATACTGTC
TTCTTAGGATTAGAATCTTCTCATTATGAAGAAGGTAGCCTGCCATCTTAAACACAAC
AAAATGCACTTGTTTTACCAATGGACACAATTTCTGGGTTCTTTTGCCTGATGGAATCA
AGACTTCAAAAATATTAGAAATGACAAATATAGATGGCAAAAGCCAATTTGTAAGTTATGAA
ATGCAACGAAATCTTAGTTTAGAAAATGCTAAGACATCGGTTCTATTGCTTAATAAAGTTGA
TTTACTCTGGGACGACCTTTTCTTATCTTACAATTTGTTTGGCATAACATCAGTGGAACACT
TTCAGATCCGAAATGTGACTTTTGGTGGTAAGGCTTATCTTGACCACAATTCATTTGACTAC
TCAAATAGTGAATGAGAACTATAAAATGGAGCATGTACATTTAGAGTGTGTTTCAATCA
ACAGGATAAAATCTATTTGCTTTTGACCAAAATGGACATAGAAAACCTGACAATATCAAATG
CACAAATGCCACACATGCTTTTCCCGAATTATCCTACGAAATCCAATATTTAAATTTTGCC
AATAATATCTTAACAGACGAGTTGTTTAAAGAACTATCCAATGCCTCACTTGAAAATCT
CATTTTGAATGGCAATAAACTGGAGACACTTTCTTTAGTAAGTTGCTTTGCTAACACACAC
CCTTGGAAACACTTGGATCTGAGTCAAAATCTATTACAACATAAAAATGATGAAAATTGCTCA
TGGCCAGAAACTGTGGTCAATATGAATCTGTATACAATAAATTTGCTGATTCTGTCTTCAG
GTGCTTGGCCAAAAGTATTCAAATACTTGACCTAAATAATAACCAATCCAACTGTACCTA
AAGAGACTATTCATCTGATGGCCTTACGAGAATAAATATTGCATTTAATTTCTAAGTAT
CTCCCTGGATGCAGTCATTTAGTAGACTTTAGTTCTGAACATTGAAATGAAGTTCAATTCT
CAGCCCATCTCTGGATTTTGTTCAGAGCTGCCAGGAAGTTAAACTCTAAATGCGGGAAGAA
ATCCATTCGGGTGTACCTGTGAATTAATAAATTTTCAATCAGCTTGAAACATATTCAGAGGTC
ATGATGGTTGGATGGTCAGATTCATACACCTGTGAATACCCTTTAAACCTAAGGGGAAGTAG
GTTAAAAGACGTTTCATCTCCACGAATTATCTTGGCAACACAGCTCTGTTGATTGTCCACATTG
TGGTTATTATGCTAGTTCTGGGGTTGGCTGTGGCCTTCTGCTGTCTCCACTTTGATCTGCCC
TGGTATCTCAGGATGCTAGGTCAATGCACACAAACATGGCACAGGGTTAGGAAAACAACCCA
AGAACAACCTCAAGAGAAATGTCCGATTTCCACGCATTTATTTTATACAGTGAACATGATTCTC
TGTGGGTGAAGAATGAATTGATCCCAATCTAGAGAAGGAAGATGGTTCTATCTTGTATTTGC
CTTTATGAAAGCTACTTTGACCCTGGCAAAAGCATTAGTGAAAATATTGTAAGCTTCATTGA
GAAAAGCTATAAGTCCATCTTTGTTTGTCTCCCACTTTGTCCAGAATGAGTGGTGCCATT
ATGAATTTCTACTTTGCCACCACAATCTCTTCCATGAAAATTCTGATCATATAATCTTATC
TTACTGGAACCCATTCCATTCTATTGCATTCCCAACAGGTATCATAACTGAAAGCTCTCCT
GGAAAAAAGACATACTTGGAAATGGCCCAAGGATAGGCGTAAATGTGGGCTTTTCTGGGCAA
ACCTTCGAGCTGCTATTAATGTTAATGTATTAGCCACCAGAGAAATGTATGAAGTGCAGACA
TTCACAGAGTTAAATGAAGAGTCTCGAGGTTCTACAATCTCTCTGATGAGAACAGATTGTCT
ATAAATCCACAGTCCTTGGGAAGTTGGGGACCACATACACTGTTGGGATGTACATTGATA
CAACCTTTATGATGGCAATTTGACAATATTTATTAAAATAAAAAATGGTTATTTCCCTTCATA
TCAGTTTCTAGAAGGATTTCTAAGAATGTATCCTATAGAAACACCTTCACAAGTTTATAAGG
GCTTATGGAAAAAGTGTTTCATCCAGGATTGTTTATAATCATGAAAAATGTGGCCAGGTGC
AGTGGCTCACTCTTGAATCCACGACATATGGGAGGCCAAGGTGGGTGACCCACGAGGTCAA
GAGATGGAGACCATCCTGGCCAACATGGTGAACCTGTCTCTACTAAAAATACAAAATTA
GCTGGGCGTGATGGTGCACGCCCTGTAGTCCAGCTACTTGGGAGGCTGAGGCGAGGAGAATCG
CTTGAACCCGGGAGGTGGCAGTTGCAGTGAGCTGAGATCGAGCCACTGCACTCCAGCCTGGT
GACAGAGCGAGACTCCATCTCAAAAAAAGAAAAAAGAAAAAATGGAAAACATCC
TCATGGCCACAAAATAAGGTCTAATTCAATAAATTATAGTACATTAATGTAATATAATATTA
CATGCCACTAAAAAGAAATAAGGTAGCTGTATTTTCTGGTATGGAAAAACATATTAATAT
GTTATAAACTATTAGGTTGGTGCAAACTAATTGTGGTTTTTGCCATTGAAATGGCATTGAA
ATAAAGTGTAAGAAATCTATACCAGATGTAGTAACAGTGGTTTGGTCTGGGAGGTTGGA
TTACAGGGAGCATTGTATTTCTATGTTGTGATTTCTATAATGTTTGAATGTTTAGAATGA
ATCTGTATTTCTTTTATAAGTAGAAAAAATAAAGATAGTTTTTACAGCCT

34/330

FIGURE 34

MRLIRNIYIFCSIVMTAEGDAPELPEERELMTNCSNMSLRKVPADLTPATTTLDLSYNLLFQ
LQSSDFHSVSKLRVLILCHNRIQQDLKTFFFNKELRYLDLSNNRLKSVTWYLLAGLRYLDL
SFNDFDTMPICEEAGNMSHLEILGLSGAKIQKSDFQKIAHLHLNTVFLGFRTLPHYEEGSLP
ILNTTKLHIVLPMDTNFWVLLRDGIKTSKILEMTNIDGKSQFVSYEMQRNLSLENAKTSVLL
LNKVDLLWDDLFLILQFVWHTSVEHFQIRNVTFGGKAYLDHNSFDYSNTVMRTIKLEHVHFR
VFYIQQDKIYLLLTKMDIENLTISNAQMPHMLFPNYPTKFQYLNFANNILTDELFKRTIQLP
HLKTLILNGNKLETLSLVSCFANNTPLEHLDLSQNLLQHKNDENC SWPETVVNMNLSYNKLS
DSVFRCLPKSIQILD LNNNQIQTVPKETIHLMALRELNIAFNFLTDLP GC SHFSRLSVLNIE
MNFILSPSLDFVQSCQEVKTLNAGRNPFRC TCELKNFIQLETYSEVMMVGWSDSYTCEYPLN
LRGTRLKDVHLHELSCNTALLIVTIVIMLVGLAVAFCC LHFDLPWYLRMLGQCTQTWHRV
RKT TQEQLKRNVRFHAFISYSEHDSLWVKNELIPNLEKEDGSILICLYESYFDPGKSISENI
VSFIEKSYKSI FVLSPNFVQNEWCHYEFYFAHHNLFHENS DHIILILLEPIPFYCIPTRYHK
LKALLEKKAYLEWPKDRRKCGLFWANLRAAINVNVLATREMYELQTFTELNEESRGSTISLM
RTDCL

35/330

FIGURE 35

GGGGGCTTTCTTGGGCTTGGCTGCTTGGAAACCTGCCTCCAAGGACCGGCTCGGAGGGGTGCGCGGGAAAGG
GAGGGAAGAAGGAAGGGCGGGCGGCCCCCTGCGCCCCCGCGCCTCTGCGCGCCCCGTCCGCCCCCGGC
CCAGCCAGCCAGCCCGCGGGCGCGGTACACACGCGAGCCAGCCGCGCGCTCCCGCGCCAGCGCGCGCGCT
CTGCTGTGCCCTGCGCCCTTGCCCCGCGCCAGCTTCTGCGCCCGCAGCCCGCGCGCGCGCGCGCGCGGTGACCGTGA
CCCTGCCCCTGGGCGCGGGGCGGAGCAGGCATGTCGCCCGCGGGGACCCTACCCAGCGCTGGCCCTGGTGCTC
CTGGCAGTGACCTGGCCGGGTGCGGAGCCAGGCGCAGCCCTCGAGGACCCTGATTATTACGGGCAGGAGAT
CTGGAGCCGGGAGCCCTACTACGCGCGCCCGGAGCCCGAGCTCGAGACCTTCTCTCCGCGCTGCCTGCGGGGC
CCGGGAGGAGTGGGAGCGGCGCCCGCAGGAGCCAGGCGGCCCAAGAGGGCCACCAAGCCCAAGAAAGCTCCC
AAGAGGGAGAAGTCGGCTCCGGAGCCGCTCCACCAGGTAAACACAGCAACAAAAAGTTATGAGAACCAAGAG
CTCTGAGAAGGCTGCCAACGATGATCACAGTGTCCGTGTGGCCCGTGAAGATGTGAGAGAGATTGCCACCTC
TTGGTCTGGAACCTTAAAAATCACAGACTTCCAGTCCATGCCTCCACGGTGAAGCGCTATGGCCTGGGGGCA
CATCGAGGGAGACTCAACATCCAGGCGGGCATTATGAAAATGATTTTATGACGGAGCGTGGTGCGCGGGAAG
AAATGACCTCCAGCAGTGGATTGAAGTGGATGCTCGGCGCCTGACCAGATTCACTGGTGTCACTCAAGGGA
GGAATCCCTCTGGCTGAGTGAAGTGGGTGACATCTATAAGGTGATGGTGAGCAATGACAGCCACACGTGGGT
ACTGTTAAGAAATGGATCTGGAGACATGATATTTGAGGGAAACAGTGAGAAGGAGATCCCTGTTCTCAATGAGCT
ACCCGTCCCCATGGTGGCCCGTACATCCGCATAAACCTCAGTCCGTGTTGATAATGGGAGCATCTGCATGA
GAATGGAGATCCTGGGCTGCCACTGCCAGATCCTAATAATTATTATCACCGCCGGAACGAGATGACCACCT
GATGACCTGGATTTTAAAGCACCACAATTATAAGGAAATGCGCCAGTTGATGAAAGTTGTGAATGAAATGTGTC
CAATATCACCAAGATTTACAACATTGGAAAAAGCCACAGGGCCTGAAGCTGTATGCTGTGGAGATCTCAGATC
ACCCTGGGAGCATGAAGTCGGTGAGCCCGAGTTCCTACATCGCGGGGGCCACGGCAATGAGGTGCTGGGC
CGGGAGCTGCTGCTGCTGCTGGTGCACTTCGTGTGTGAGGAGTACTTGGCCCGGAATGCGGCATCGTCCACCT
GGTGGAGGAGACGCGGATTCAGTCTCTCCCTCCCTCAACCCCGATGGCTACGAGAAGGCCCTACGAAGGGGGCT
CGGAGCTGGGAGGCTGGTCCCTGGGACGCTGGACCCAGATGGAATTGACATCAACAACACTTCTCTGATTTA
AACACGCTGCTCTGGGAGGCGAGGATCGACAGAATGTCCCAGGAAAGTTCCCAATCACTATATTGCAATCCC
TGAGTGGTTTCTGTGCGGAAATGCCACGGTGGCTGCCGAGACCAGAGCAGTCAAGCCTGGATGGAAAAATCC
CTTTTGTGCTGGGCGGCAACCTGCAGGGCGGCGAGCTGGTGGTGGCGTATCCCTACGACCTGGTGCGGTCCCC
TGGAAGACGCAAGAACACACCCCCACCCCGATGACCACGTGTTCCGCTGGCTGGCCTACTCTATGCCTCCAC
ACACCGCTCATGACAGACGCGCCGAGGAGGGTGTGCCACACGGAGGACTTCCAGAAGGAGGAGGGCACTGTCA
ATGGGGCTCCTGGCACACCGTCTGCTGGAAGTCTGACAGATTTCAGTACCTTCATACAACTGCTTCGAACTG
TCCATCTACGTGGGCTGTGATAAATACCCACATGAGAGCCAGCTGCCCGAGGAGTGGGAGAATAACCGGGAATC
TCTGATCGTGTTCATGGAGCAGGTTTCATCGTGGCATTAAAGGCTTGGTGAGAGATTACATGAAAAGGAATCC
CAAACGCCATTATCTCCGTAGAAGGCATTAACCATGACATCCGAACAGCCAACGATGGGGATTACTGGCGCCTC
CTGAACCTGGAGAGTATGTGGTCACAGCAAAGGCCGAAGGTTTCACTGCATCCACCAAGAACTGTATGGTTGG
CTATGACATGGGGGCCACAAGGTGTGACTTCACACTAGCAAAACCAACATGGCCAGGATCCGAGAGATCATGG
AGAAGTTTGGGAAGCAGCCCGTCAGCCTGCCAGCCAGGCGGCTGAAGCTGCGGGGGCGGAAGAGACGACAGCGT
GGGTGACCCCTCTGGGCCCTTGAGACTCGTCTGGGACCCATGCAAAATTAACCAACCTGGTAGTAGCTCCATAG
TGGACTCACTCACTGTTGTTTCTCTGTAATTCAGAAGTGCTGGAAGAGAGGGTGCATTGTGAGGCAGGTCC
CAAAAGGGAAGGCTGGAGGCTGAGGCTGTTTCTTTCTTTGTTCCCATTTATCCAAATAACTTGGACAGAGCA
GCAGAGAAAAGCTGATGGGAGTGAGAGAACTCAGCAAGCCAACCTGGGAATCAGAGAGAGAAGGAGAAGGAGG
GAGCCTGTCCGTTGAGAGCCTCTGGCTGCATAGAAAAGGATTCTGGTGCTTCCCTGTTTGGCTGGCAGCAAGG
GTTCCACGTGCATTTGCAATTTGCACAGCTAAAATTGCAGCATTTCCTCAGCTGGGCTGTCCCAATGTTACCA
TTTGAGATGTCCAGGCGTCTAAGAGAATCCACCTCTCTGGCCCTGGGACATTGCAAGCTGCTACAAATAA
ATTCTGTGTTCTTTTGACAAATAGCGTCATTGCCAAGTGACATCAGTGAGCCTCTTGAATCTGTTTAGTCTCCT
TTTTCAACAAAGGAGTGTGTTGAGAAAAGGAGAGAGGCTGAGATCATTGAGAGTTTGTGGGCAGCAAGCA
TGGAGCTTCTTGACAAATTTCTGGGTCCATAAACAACCCCCAAAGTCCCTGCTGATCCAGTAGCCCTGGAGGTT
CCCCAGGTAGGGAGAGCCAGAGGTGCCAGCCTTCTGAAGGGCCAGAAAATTTAGCCTGGATCTCCTCTTTTAC
CTGCTAGGACTGGAAAGAGCCAGAAGTGGGGTGGCCTGAAGCCCTCTCTGCTTGAAGTATTGCCCCTGTGTG
GAATTGAGTGCTCATGGGTGGCCTCATATCAGCCTGGGAGTTATTTTGTATATGTAGAATGCCAGATCTTCCA
GATTAGGCTAAATGTAATGAAAACCTCTTAGGATTATCTGTGGAGCATCAGTTTGGGAAGAATTATTGAATTAT
CTTGCAAGAAAAAGTATGTCTCACTTTTGTAAATGTTGCTGCCTCATTGACCTGGGAAAAATGAAAAA
AATAAGCAATGGTAAGACCCCTTAAAAA

36/330

FIGURE 36

MSRPGTATPALALVLLAVTLAGVGAQGALEDPDYYGQEIWSREPYYPARPEPELETFSPPLP
AGPGEEWERRPQEPRPPKRATKPKKAPKREKSAPEPPPPGKHSNKKVMRTKSSEKAANDDHS
VRVAREDVRESCPPLGLETLKITDFQLHASTVKRYGLGAHRGRLNIQAGINENDFYDGAWCA
GRNDLQQWIEVDARRLTRFTGVITQGRNSLWLSDWVTSYKVMVSNDSTWVTVKNGSGDMIF
EGNSEKEIPVLNELPVPMPVARYIRINPQSWFDNGSICMRMEILGCPLDPNNYYHRRNEMTT
TDDLDFKHHNYKEMRQLMKVVNEMCPNITRIYNIGKSHQGLKLYAVEISDHPGEHEVGEPEF
HYIAGAHGNEVLGRELLLLLVQFVCQEYLARNARIVHLVEETRIHVLPSLNPBGYEKAYEGG
SELGGWSLGRWTHDGDIDINNFPDLNTLLWEAEDRQNVPRKVPNHYIAIPEWFLSENATVAA
ETRAVIAWMEKIPFVLGGNLQGGELVVAYPYDLVRSPWKTQEHTPTPDDHVFRWLAYSAST
HRLMTDARRRVCHTEDFQKEEGTVNGASWHTVAGSLNDFSYLHTNCFELSIYVGCDKYPHES
QLPEEWENNRESLIVFMEQVHRGIKGLVRDSHGKGIPNAIISVEGINHDIRTANDGDYWRL
NPGEYVVTAKAEGFTASTKNCMVGYDMGATRCDFTLSTNMARIREIMEKFGKQPVSLPARR
LKLGRKRRQRG

37/330

FIGURE 37

CTAAGAGGACAAGATGAGGCCCCGGCCTCTCATTCTCCTAGCCCTTCTGTTCTTCCCTTGGCCAAGCTGCAGGGG
ATTTGGGGGATGTGGGACCTCCAATTCAGCCCCGGCTTCAGCTCTTCCCAGGTGTTGACTCCAGCTCCAGC
TTCAGCTCCAGCTCCAGGTCCGGCTCCAGCTCCAGCCGAGCTTAGGCAGCGGAGGTTCTGTGTCCCAGTTGTT
TTCCAATTTACCCGGCTCCGTGGATGACCGTGGGACCTGCCAGTGCTCTGTTTCCCTGCCAGACACCACCTTTC
CCGTGGACAGAGTGGAACGCTTGAATTACAGCTCATGTTCTTCTCAGAAGTTTGAGAAAGAACTTTCTAAA
GTGAGGGAAATATGTCCAATTAATTAGTGTGTATGAAAAGAACTGTAAACCTAACTGTCCGAATTGACATCAT
GGAGAAGGATACCATTTCTTACACTGAACTGGACTTCGAGCTGATCAAGGTAGAAGTGAAGGAGATGGA AAAAC
TGGTCATACAGCTGAAGGAGAGTTTTGGTGGAAGCTCAGAAATTGTTGACCAGCTGGAGGTGGAGATAAGAAAAT
ATGACTCTCTTGGTAGAGAAGCTTGAGACACTAGACAAAAACAATGTCTTGCCATTGCGCCGAGAAAATCGTGGC
TCTGAAGACCAAGCTGAAAGAGTGTGAGGCCTCTAAAGATCAAAACACCCCTGTCTGTCACCCCTCCTCCCACTC
CAGGGAGCTGTGGTCATGGTGGTGTGGTGAACATCAGCAAACCGTCTGTGGTTTCAGCTCAACTGGAGAGGGTTT
TCTTATCTATATGGTGCTTGGGGTAGGGATTACTCTCCCCAGCATCCAAACAAAGGACTGTATTGGGTGGCGCC
ATTGAATACAGATGGGAGACTGTTGGAGTATTATAGACTGTACAACACACTGGATGATTGCTATTGTATATAA
ATGCTCGAGAGTTGCGGATCACCTATGGCCAAGGTAGTGGTACAGCAGTTTACAACAACACATGTACGTCAAC
ATGTACAACACCGGGAATATTGCCAGAGTTAACCTGACCACCAACACGATTGCTGTGACTCAAACCTCTCCCTAA
TGCTGCCTATAATAACCGCTTTTCATATGCTAATGTTGCTTGGCAAGATATTGACTTTGCTGTGGATGAGAAATG
GATTGTGGGTATTTATTCAACTGAAGCCAGCACTGGTAACATGGTGATTAGTAAACTCAATGACACCACACTT
CAGGTGCTAAACACTTGGTATACCAAGCAGTATAAACCATCTGCTTCTAACGCCTTCATGGTATGTGGGGTTCT
GTATGCCACCCGTACTATGAACACCAGAACAGAGAGATTTTTTACTATTATGACACAAACACAGGGAAAGAGG
GCAAACCTAGACATTGTAATGCATAAGATGCAGGAAAAAGTGCAGAGCATTAACCTATAACCCTTTTGACCAGAAA
CTTTATGTCTATAACGATGGTTACCTTCTGAATTATGATCTTTCTGTCTTGCAAGAGCCCCAGTAAAGCTGTTTA
GGAGTTAGGGTGAAAGAGAAAAATGTTTGTGAAAAAATAGTCTTCTCCACTTACTTAGATATCTGCAGGGGTGT
CTAAAAGTGTGTTCAATTTTGAGCAATGTTTAGGTGCATAGTTCTACCACACTAGAGATCTAGGACATTTGTCT
TGATTTGGTGAGTTCTCTTGGGAATCATCTGCCTCTTCAGGCGCATTTTGCAATAAAGTCTGTCTAGGGTGGGA
TTGTCAGAGGTCTAGGGGCACTGTGGGCCTAGTGAAGCCTACTGTGAGGAGGCTTCACTAGAAGCCTTAAATTA
GGAATTAAGGAACTTAAACTCAGTATGGCGTCTAGGGATTCTTTGTACAGGAAATATTGCCCAATGACTAGTC
CTCATCCATGTAGCACCCTAATTCTTCCATGCCTGGAAGAAACCTGGGGACTTAGTTAGGTAGATTAATATCT
GGAGCTCCTCGAGGGACCAATCTCCAACCTTTTTTTCCCTCACTAGCACCTGGAATGATGCTTTGTATGTGG
CAGATAAGTAAATTTGGCATGCTTATATATTCTACATCTGTAAAGTGCTGAGTTTTATGGAGAGAGGCCTTTTT
ATGCATTAATTTGACATGGCAAATAAATCCCAGAAGGATCTGTAGATGAGGCACCTGCTTTTTCTTTCTCTC
ATTGTCCACCTTACTAAAAGTCAGTAGAATCTTCTACCTCATAACTTCCTTCCAAGGCAGCTCAGAAGATTAG
AACCAGACTTACTAACCAATTCACCCCCCACCACCCCTTCTACTGCCTACTTTAAAAAAATTAATAGTTTT
CTATGGAACCTGATCTAAGATTAGAAAAATTAATTTCTTTAATTTCAATATGGACTTTTATTTACATGACTCTA
AGACTATAAGAAAATCTGATGGCAGTGACAAAGTGCTAGCATTATTTGTTATCTAATAAAGACCTTGAGGCATA
TGTGCAACTTATGAGTGATCAGTTGTTGCATGTAATTTTTGCCTTTGTTTAAGCCTGGAACCTGTAAGAAAAT
GAAAATTTAATTTTTTTTTCTAGGACGAGCTATAGAAAAGCTATTGAGAGTATCTAGTTAATCAGTGCAGTAGT
TGGAACCTTGCTGGTGTATGTGATGTGCTTCTGTGCTTTTGAATGACTTTATCATCTAGTCTTTGTCTATTTT
TCCTTTGATGTTCAAGTCCTAGTCTATAGGATTGGCAGTTTAAATGCTTTACTCCCCCTTTTAAATAAATGAT
TAAATGTGCTTTGAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

38/330

FIGURE 38

MRPGLSFL LALLFFLGQAAGDLGDVGPPIPSPGFSSFP
GVDSSSSSFSSSSSRSGSSSSSRSLGS
GGSVSQLFSNFTGSVDDRGTCCSVSLPDTTFPVDR
VERLEFTAHVLSQKFELSKVREYV
QLISVYEKLLNLTVRIDIMEKDTISYTELDFELIK
VEVKEMEKLVIQLKESFGGSSEIVDQ
LEVEIRNMTLLVEKLETLDKNNVLAIRREIVAL
KTKLKECEASKDQNTPVVHPPPTPGSCGH
GGVVNISKPSVVQLNWRGFSYLYGAWGRDYS
PQHFNKGLYWVAPLNTDGRLL EYYRLYNTLD
DLLLYINARELRITYGQGSGTAVYNNNMYV
NMYNTGNIARVNLTNTIAVTQTLPNAA
YNNRFSYANVAWQDIDFAVDENGLWVIY
STEASTGNMVISKLNDTTLQVLNTWYTK
QYKPSASNAFMVCGVLYATRTMNRTEEI
FYYYDTNTGKEGKLDIVMHKMQEKVQS
INYNPFDQKLYVYNDGYLLNYDLSVLQKPQ

39/330

FIGURE 39

GCTCTGAAGACCAAGCTGAAAGAGTGTGAGGCCTCTAAAGATCAAACACCCCTGTCGTCCAC
CCTCCTCCCACTCCAGGGAGCTGTGGTCATGGTGGTGTGGTGAACATCAGCAAACCGTCTGT
GGTTCAGCTCAACTGGAGAGGGTTTCTTATCTATATGGTGCTTGGGGTAGGGATTACTCTC
CCCAGCATCCAAACAAAGGNATGTATTGGNGGCCGCCATTGAATACAGATGGGAGACTGTTG
GAGTATTATAGACTGTACAACCCACTGGATGATTTGCTATTGTATATAAATGCTCGAGAGTT
GCGGATCACCTATGGCCAAGGTAGTGGTACAGCAGTTTACAACAACAACATGTACGTCAACA
TGTACAACACCGGNATATTGCCAGAGTTAACCTGACC

40/330

FIGURE 40

TCTCGCAGATAGTAAATAATCTCGGAAAGGCGAGAAAGAAGCTGTCTCCATCTTGTCTGTAT
CCGCTGCTCTTGTGACGTTGTGGAGATGGGGAGCGTCCTGGGGCTGTGCTCCATGGCGAGCT
GGATACCATGTTTGTGTGGAAGTGCCCCGTGTTTGTCTATGCCGATGCTGTCCTAGTGGAAC
AACTCCACTGTAACTAGATTGATCTATGCACTTTTCTTGCTTGTGGAGTATGTGTAGCTTG
TGTAATGTTGATACCAGGAATGGAAGAACAACCTGAATAAGATTCCTGGATTTTGTGAGAATG
AGAAAGGTGTTGTCCCTTGTAAACATTTTGGTTGGCTATAAAGCTGTATATCGTTTGTGCTTT
GGTTTGGCTATGTTCTATCTTCTCTCTCTTACTAATGATCAAAGTGAAGAGTAGCAGTGA
TCCTAGAGCTGCAGTGCACAATGGATTTTGGTTCTTTAAATTTGCTGCAGCAATTGCAATTA
TTATTGGGGCATTCTTCATTCCAGAAGGAACTTTACAACCTGTGTGGTTTTATGTAGGCATG
GCAGGTGCCTTTTGTTCATCCTCATACAACCTAGTCTTACTTATTGATTTTGCACATTCATG
GAATGAATCGTGGGTTGAAAAAATGGAAGAAGGGAACCTCGAGATGTTGGTATGCAGCCTTGT
TATCAGCTACAGCTCTGAATTATCTGCTGTCTTGTAGTTGCTATCGTCCTGTTCTTTGTCTAC
TACACTCATCCAGCCAGTTGTTTCAGAAAACAAGGCGTTTCATCAGTGTCAACATGCTCCTCTG
CGTTGGTGCTTCTGTAATGTCTATACTGCCAAAAATCCAAGAATCACAACCAAGATCTGGTT
TGTTACAGTCTTCAGTAATTACAGTCTACACAATGTATTTGACATGGTCAGCTATGACCAAT
GAACGAGAAACAAATTGCAACCCAAGTCTACTAAGCATAAATTGGCTACAATAACAAGCAC
TGTCCTCAAAGGAAGGGCAGTCAGTCCAGTGGCATGCTCAAGGAATTATGGACTAATTC
TCTTTTTGTTGTGTGTATTTTATTCCAGCATCCGTACTTCAAACAATAGTCAGGTTAATAAA
CTGACTCTAACAAGTGATGAATCTACATTAATAGAAGATGGTGGAGCTAGAAGTGATGGATC
ACTGGAGGATGGGGACGATGTTCAACGAGCTGTAGATAATGAAAGGGATGGTGTCACTTACA
GTTATTCCTTCTTTCACTTCATGCTTTTCTGGCTTCACTTTATATCATGATGACCCCTTACC
AATCGGTCCAGGTATGAACCCCTCTCGTGAGATGAAAAGTCAGTGGACAGCTGTCTGGGTGAA
AATCTCTTCCAGTTGGATTGGCATCGTGTCTGTATGTTTGGACACTCGTGGCACCCTTGTTC
TTACAAATCGTGATTTTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGT
TTATTTGAAAACAGTATTCCCACTTTTGTAAAGTTGTGTATGTTTTGCTTCCCATGTAAC
TTCTCCAGTGTCTGGCATGAATTAGATTTTACTGCTTGTGTCATTTTGTATTTTCTTACCAA
GTGCATTGATATGTGAAGTAGAATGAATTGCAGAGGAAAGTTTATGAATATGGTGATGAGT
TAGTAAAAGTGGCCATTATTGGGCTTATTCTCTGCTCTATAGTTGTGAAATGAAGAGTAAAA
ACAAATTTGTTGACTATTTTAAAATTATATTAGACCTTAAGCTGTTTTAGCAAGCATTAAA
GCAAATGTATGGCTGCCTTTTGAATATTTGATGTGTTGCTGGCAGGATAGTGCAAAGAAC
ATGGTTTATTTTAAAATTTATAAACAAGTCACTTAAATGCCAGTTGTCTGAAAAATCTTATA
AGTTTTTACCCTTGATACGGAATTTACACAGGTAGGGAGTGTTAGTGGACAATAGTGTAGG
TTATGGATGGAGGTGTCCGTACTAAATTGAATAACGAGTAAATAATCTTACTTGGGTAGAGA
TGGCCTTTGCCAACAAAGTGAAGTGTTTTGGTTGTTTTAAACTCATGAAGTATGGGTTTCACT
GGAAATGTTTGGAACTCTGAAGGATTTAGACAAGGTTTTTGAAGGATAATCATGGGTTAGA
AGGAAGTGTTTTGAAGTCACTTTGAAGTGTAGTTTTGGGCCAGCACGGTAGCTCACCCCTT
GGTAATCCCAGCACTTTGGGAGCTTAAAGTGGGTAGATTACTTGAGCCCAGGAATTCAGACCA
GCTTGGCACATGGTGAACCTGTCTATAAAAAATAATCTGGCTTTGAGCATATGCCTGTGGTC
CAGCACTGAGAGGCTAGTGAAGATTGCTGAGCCCAGAGCCAAAGGTTGCAGTGAGCAAGTCA
CGTCACTGCACCTAGCTGGCACAGAGTAAGCCAAAAAATATATATATATTGAAATCAAGG
AGGCAAAATTTTACAGGGAAGGAAGTAAGTGCAAAACCACTAGGCTTTAGTAGGTACTTAT
ATAAAATCTAGTCCAGTTCTCTCATTTAAAAAATGAAGACACTGAAATACAGACTTAAATA
GCTCAGATAGCTAATTAGGAAATTTCAAGTTGGCCAATAATAGCATTCTCTGACATTTAA
AAATAATTTCTATTCAAATATACATGCATATTGATTTACACCTCATACTGTGATAATTAATGT
GATGTGGATTGCTGGTGTCCAGCATGACCCATAAACAGGTGAGAAGATGATGGAATGTTTT
AGAATAAACTCCTGCTTATAGTATACTACACAGTTCAAAGATGTTTTAAATGCTTTTGTAT
TTACTGCCATGTAATTGAAATATATAGATTATTGTAACCTTTCAACCTGAAAATCAAGCAGT
ATGAGAGTTTAGTTATTTGTATGTGTCACTAGTGTCTAATGAAGCTTTTAAATCTACAATT
TCTTCTTTAAAAATATTTATTAATGTGAATGGAATATAACAATTCAGCTTAATCCCCAACCC
TTATTCTGTGTGTAGACATTGTATCCACAATTTTGAATGGCTGTGTTTTACCTCTAAATAA
ATGAATTCAGAGAAAAA

41/330

FIGURE 41

MGSVLGLCSMASWIPCLCGSAPCLLCRCCPSGNNSTVTRLIYALFLLVGVCVACVMLIPGME
EQLNKIPGFCENEKGVVPCNILVGKYKAVYRLCFGLAMFYLLLSLLMIKVKSSSDPRAAVHNG
FWFFKFAAAIAIIIGAFFIPEGTFTTVWFYVGMAGAFCFILIQLVLLIDFAHSWNESWVEKM
EEGNSRCWYAALLSATALNYLLSLVAIVLFFVYYTHPASCSENKAFISVNMLLCVGASVMSI
LPKIQESQPRSGLLQSSVITVYTMYLTSAMTNEPETNCNPSLLSIIGYNTTSTVPKEGQSV
QWWHAQGIIGLILFLLCVFYSSIRTSNNSQVNKLTLTSDESTLIEDGGARSDGSLEDGDDVH
RAVDNERDGVITYSYSFFHFMLFLASLYIMMTLTNWSRYEPSREMKSQWTAVVWKISSSWIGI
VLYVWTLVAPLVLTNRDFD

42/330

FIGURE 42

GCAGAGAAAGAAGCTGTCTCCATCTTGTCTGTATCCCGCTGCTTCTTGNGACGTTGTGGAGAT
GGGGAGCGTCCCTGGGGCTGTGCTCCATGGCGAGCTGGATACCATGTTTGTGTGGAAGTGCC
CCGTGTTTGCTATGCCGATGCTGTCCTAGTGGAAACAANTCCACTGTAAGTAGATTGATCTA
TGCACTTTTCTTGCTTGTTGGAGTATGTGTAGCTTGTGTAATGTTGATACCAGGAATGGAAG
AACAACTGAATAAGATTCCTGGATTTTGTGAGAATGAGAAAGGTGTTGTCCCTTGTAACATT
TTGGTTGGCTATAAAGCTGTATATCGTTTGTGCTTTGGTTTGGCTATGTTCTATCTTCTTCT
CTCTTTACTAATGATCAAAGTGAAGAGTAGCAGTGATCCTAGAGCTGCAGTGCACAATGGAT
TTTGGTTCTTTAAATTTGCTGCAGCAATTGCAATTATTATTGGGGC

43/330

FIGURE 43

GTTATTGTGAACTTTGTGGAGATGGGAGGTCNTGGGGCTGTGTTCCATGGCGAGCTGGATAC
CANGTTTGTGTGGAAGTGCCCCGTGTTTGNTATGCCGATGCTGTCCTAGTGGAACAANTCC
ACTGTAATTAGATTGATNTATGCACTTTTNTTGCTTGTTGGAGTANGTGTAGCTTGTGTAAT
GTTGATACCAGGAATGGAAGAACAACCTGAATAAGATTCCTGGATTTTGTGAGAATGAGAAAG
GTGTTGTCCCTTGTAACATTTTGGTTGGCTATAAAGCTGTATATNGTTTGTGCTTTGGTTTG
GCTANGTTCTATNTTCTTCTCTCTTTACTAATGATCAAAGTGAAGAGTAGCAGTGATCCTAG
AGCTGCAGTGCACAATGGATTTTGGTTTTTTAAATTTGCTGCAGCAATTGCAATTATTATTG
GGGC

44/330

FIGURE 44

AAGAAGCTGTCTCCATCTTGTCTGTATCCGCTGCTCTTGTGAACGTTNTGGAGATGGGGAGC
GTCCTTGGGGTTGTGCTCCATGGCGAGCTGGATACCATGTTTGTGTGGAAGTGCCCCGTGTT
TGCTATGCCGATGCTGTCCTAGTGGAAACAACCTCCACTGTAAC TAGATTGATCTATGCACTT
TTCTTGCTTGTTGGAGTATGTGTAGCTTGTGTAATGTTGATACCAGGAATGGAAGAACAAC
GAATAAGATTCCTGGATTTTGTGAGAATGAGAAAGGTGTTGTCCCTTGTAACATTTTGGTTG
GCTATAAAGCTGTATATCGTTTGTGCTTTGGTTTGGCTATGTTCTATCTTCTTCTCTTTA
CTAATGATCAAAGTGAAGAGTAGCAGTGATCCTAGAGCTGCAGTGCACAATGGATTTTGGTT
CTTTAAATTTGCTGCAGCAATTGCAATTATTATTGGGGC

45/330

FIGURE 45

GCTGTCCTTAGTGGAAACAANTCCAACCTGTAACTTGGATTGATCTATGCACTTTTTCCTTG
CTTGTTGGAGTATGTGTAGCTTTGTGTAATGTTGTTCCCAGGATTGGANGAACAACTGAATA
AGATTCCTGGATTTTGTGAGAATGAGAAAGGTGTTGTCCCCTTGTAACATTTTGGTTGGC
TATAAAGCTGTATATCGTTTGTGCTTTGGTTTGGCTATGTTCTATCTTCTTCTCTTTACT
AATGATCAAAGTGAAGAGTAGCAGTGATCCTAGAGCTGCAGTGCACAATGGATTTTGGTTCT
TTAAATTTGCTGCAGCAATTGCAATTATTATTGGGGCATTCTTCATTCCAGAAGGAACTTTT
ACAACTGTGTGGTTTTATGTAGGCATGGCAGGTGCCTTTTGTTCATCCTCATACTAGT
CTTACTTATTGATTTTGCACATTCATGGAATGAATCGTGGGTGAAAAAATGGAAGAAGGGA
ACTCGAGATGTTGGTATGCAGCCTTGTTATCAGCTACAGCTCTGAATTATCTGCTGTCTTTA
GTTGCTATCGTCCTGTTCTTTGTCTACTACACTCATCCAGCCAGTTGTTTCAGAAAACAAGGC
GTTTCATCAGTGTCAACATGCTCCTCTGCGTTGGTGCTTCTGTAATG

46/330

FIGURE 46

CTCGGGCGCGCACAGGCAGCTCGGTTTGGCCCTGCGATTGAGCTGCGGGTTCGCGGCCGGCGCCGGCCTCTCCAAT
GGCAAATGTGTGTGGCTGGAGGCGAGCGCGAGGCTTTCGGCAAAGGCAGTCGAGTGTTCGAGACCGGGGCGAG
TCCTGTGAAAGCAGATAAAAGAAAACATTTATTAACGTGTCTATTACGAGGGGAGCGCCCGCCGGGGCTGTGCG
ACTCCCCGCGGAACATTTGGCTCCCTCCAGCTCCGAGAGAGGAGAAGAAGAAAGCGGAAAAGAGGCAGATTAC
GTCGTTTCCAGCCAAGTGGACCTGATCGATGGCCCTCCTGAATTTATCAGCATATTTGATTATTAGCGATGCC
CCCTGGTTTGTGTGTACGCACACACAGTGCACACAAGGCTCTGGCTCGCTTCCCTCCCTCGTTTCCAGCTCC
TGGGCGAATCCACATCTGTTTCAACTCTCCGCCGAGGGCGAGCAGGAGCGAGAGTGTGCGAATCTGCGAGTG
AAGAGGGACGAGGGAAAAGAAAAGCAAAGCCACAGACGCAACTTGAGACTCCCGCATCCCAAAAGAACACAGAT
CAGCAAAAAAAGAAGATGGGCCCCCCGAGCCTCGTGCTGTGCTTGTGCTCCGCAACTGTGTTCTCCCTGCTGGG
TGGAAGCTCGGCCTTCTGTGCGCACCACCGCCTGAAAGGCAGGTTTCAGAGGGACCGCAGGAACATCCGCCCA
ACATCATCCTGGTGCTGACGAGCAGCAGGATGTGGAGCTGGGTTCCATGCGAGGTGATGAACAAGACCCGGCGC
ATCATGGAGCAGGGCGGGGCGCACTTCATCAACGCCTTCGTGACCACACCCATGTGCTGCCCTCAGCCTCCTC
CATCCTCACTGGCAAGTACGTCCACAACCAACACCTACACCAACAATGAGAAGTGTCTCTCGCCCTCCTGGC
AGGCACAGCAGCAGAGCCGCACTTTGCGGTGTACTCAATAGCACTGGCTACCGGACAGCTTTCTTCGGGAAG
TATCTTAATGAATACAACGGCTCCTACGTGCCACCGGCTGGAAGGAGTGGGTGCGACTCCTTAAAACTCCCG
CTTTTATAACTACACGCTGTGTGGAACGGGGTGAAAGAGAAGCAGGCTCCGACTACTCCAAGGATTACCTCA
CAGACCTCATCACAATGACAGCGTGAGCTTCTCCGCACGTCCAAGAAGATGTACCCGCACAGGCCAGTCTCT
ATGGTCATCAGCCATGCAGCCCCCAGGCCCTGAGGATTCAGCCCCACAATATTCAGCCTCTTCCCAAACGC
ATCTCAGCACATCAGCCGAGCTACAACCTACGCCGCCAACCCGGACAAACACTGGATCATGCGCTACACGGGGC
CCATGAAGCCCATCCACATGGAATTACCAACATGCTCCAGCGGAAGCGCTTGACAGCCCTCATGTGGTGGAC
GACTCCATGAGACGATTTACAACATGCTGGTTGAGACGGGCGAGCTGGACAACACGTACATCGTATACACCGC
CGACCACGGTTACCACATCGGCCAGTTTGGCCTGGTGAAAGGGAATCCATGCCATATGAGTTTGACATCAGGG
TCCCGTTCTACGTGAGGGGCCCAACGTGGAAGCGGCTGTCTGAATCCCCACATCGTCTCAACATTGACCTG
GCCCCCACCATCCTGGACATTGCAGGCCTGGACATACCTGCGGATATGGACGGGAAATCCATCCTCAAGCTGCT
GGACACGGAGCGGCCGCTGAATCGGTTTCACTTGAAAAAGAAGATGAGGGTCTGGCGGGACTCCTTCTTGGTGG
AGAGAGGCAAGCTGTACACAAGAGAGACAATGACAAGGTGGACGCCAGGAGGAGAATTTCTGCCCAAGTAC
CAGCGTGTGAAGGACCTGTGTACGCGTGTGATACCAGACGGCGTGTGAGCAGCTGGGACAGAAGTGGCAGTG
TGTGGAGGACGCCACGGGGAAGCTGAAGCTGCATAAGTGCAAGGGCCCCATGCGGCTGGGCGGCAGCAGAGCCC
TCTCCAACCTCGTGCCCAAGTACTACGGGCAGGGCAGCGAGGCCCTGCACCTGTGACAGCGGGGACTACAAGCTC
AGCCTGGCCGACGCCGGAATACTCTTCAAGAAGAAGTACAAGGCCAGCTATGTCCGCAGTCGCTCCATCCG
CTCAGTGGCCATCGAGGTGGACGGCAGGGTGTACCACGTAGGCCTGGGTGATGCCGCCAGCCCCGAAACCTCA
CCAAGCGGCACTGGCCAGGGGCCCTGAGGACCAGATGACAAGGATGGTGGGACTTCAGTGGCACTGGAGGC
CTTCCCGACTACTCAGCCGCCAACCCATTAAAGTGACACATCGGTGCTACATCCTAGAGAACGACACAGTCCA
GTGTGACCTGGACCTGTACAAGTCCCTGCAGGCTTGGAAAGACCACAAGCTGCACATCCGACACGAGATTGAAA
CCCTGCAGAACAAATTAAGAACCTGAGGGAAGTCCGAGGTACCTGAAGAAAAAGCGGCCAGAAGATGTGAC
TGTCAAAAATCAGCTACCACACCCAGCACAAAGGCCGCTCAAGCACAGAGGCTCCAGTCTGCATCCTTTAG
GAAGGGCTGCAAGAGAAGGACAAGGTGTGGCTGTGCGGGAGCAGAAGCGCAAGAAGAACTCCGCAAGCTGC
TCAAGCGCTGCAGAACAACGACACGTGCAGCATGCCAGGCCTCAGTGCTTCACCCACGACAACAGCACTGG
CAGACGGCGCCTTTCTGGACACTGGGGCCTTTCTGTGCTGCACCAGCGCCAACAATAACACGTACTGGTGCT
GAGGACCATCAATGAGACTCACAATTTCTCTTCTGTGAATTTGCAACTGGCTTCTTAGAGTACTTTGATCTCA
ACACAGACCCCTACCAGCTGATGAATGCAGTGAACACACTGGACAGGGATGTCTCAACCAGCTACACGTACAG
CTCATGGAGCTGAGGAGCTGCAAGGGTTACAAGCAGTGTAAACCCCGGACTCGAAACATGGACCTGGATGGAGG
AAGCTATGAGCAATACAGGCAGTTTCAGCGTCGAAAGTGGCCAGAAATGAAGAGACCTTCTTCCAATCACTGG
GACAACTGTGGGAAGGCTGGGAAGGTTAAGAAAACAACAGAGGTGGACCTCCAAAAACATAGAGGCATCACCTGA
CTGCACAGGCAATGAAAAACCATGTGGGTGATTTCCAGCAGACCTGTGCTATTGGCCAGGAGGCCTGAGAAAGC
AAGCACGCACTCTCAGTCAACATGACAGATTCTGGAGGATAACCAGCAGGAGCAGAGATAACTTCAGGAAGTCC
ATTTTGGCCCTGCTTTTGTGTTGATTATACCTCACCAGCTGCACAAAATGCATTTTTTTCGTATCAAAAAGTC
ACCACTAACCTCCCCAGAAGCTCACAAGGAAAAACGGAGAGAGCGAGCGAGAGAGATTTCTTGGAATTTTC
TCCAAAGGGCGAAAGTCATTGGAATTTTTAAATCATAGGGGAAAAGCAGTCTGTCTAAATCCTCTTATTCTT
TTGGTTTGTCAACAAGAAGGAACATAAGAAGCAGGACAGAGGCAACGTGGAGAGGCTGAAAACAGTGCAGAGACG
TTTGACAATGAGTCAGTAGCACAAAAGAGATGACATTTACCTAGCACTATAAACCTGGTTGCCTCTGAAGAAA
CTGCCTTCATTGTATATATGTGACTATTTACATGTAATCAACATGGGAACTTTTAGGGGAACCTAATAAGAAAT
CCCAATTTTCAGGAGTGGTGGTGTCAATAAACGCTCTGTGGCCAGTGTAAAGAAAAA

47/330

FIGURE 47

MGPPSLVLCLLSATVFSLGGSSAFLSHHRLKGRFQRDRRNIRPNIILVLTDDQDVELGSMQ
VMNKTRRIMEQGGAHFINAFVTTMCCPSRSSILTGYVHNHNTYTNNENCSSPSWQAQHE
RTFAVYLNSTGYRTAFFGKYLNEYNGSYVPPGWKEWVGLLKNSRFYNYTLCRNGVKEKHGSD
YSKDYLTDLITNDSVSFFRTSKKMPHRPVL MVISHAAPHGPEDSAPQYSRLFPNASQHITP
SYNYAPNPDKHWIMRYTGPMKPIHMEFTNMLQRKRLQTLMSVDDSMETIYNMLVETGELDNT
YIVYTADHGYHIGQFGLVKGKSMPYEFDIRVPFYVRGPNVEAGCLNPHIVLNIDLAPTILDI
AGLDIPADM DGKSILKLLDTERPVNRFHLKKKMRVWRDSFLVERGKLLHKRDNDKVDAQEEN
FLPKYQRVKDL CQRAEYQTACEQLGQKWQCVEDATGKLKLHKCKGPMRLGGSRALSNLVPKY
YGQGSEACTCDSGDYKLSLAGRRKKLFKKKYKASYVRSRSIRSV AIEVDGRVYHVGLGDAAQ
PRNLTKRHWPGAPEDQDDKDGGDFSGTGGLPDYSAANPIKVTHRCYILENDTVQC DLDLYKS
LQAWKDHKLHIDHEIETLQNKIKNLREVRGHLKKKRPEECDCHKISYHTQHKGRLKHRGSSL
HPFRKGLQEKDKVLLREQKRKKLRLKLLKRLQNNDTCSMPGLTCFTHDNQHWQTAPFWTLG
PFCACTSANNNTYWC MRTINETHNFLCFEFATGFLEYFDLNTDPYQLMNAVNTLDRDVLNQL
HVQLMELRSCKGYKQCNPRTRNMDLDGGSYEQYRQFQRRKWPEMKRPSSKSLGQLWEGWEG

48/330

FIGURE 48

AACAAAGTTCAGTGACTGAGAGGGCTGAGCGGAGGCTGCTGAAGGGGAGAAAGGAGTGAGGA
GCTGCTGGGCAGAGAGGGACTGTCCGGCTCCCAGATGCTGGGCCTCCTGGGGAGCACAGCCC
TCGTGGGATGGATCACAGGTGCTGCTGTGGCGGTCCTGCTGCTGCTGCTGCTGCTGGCCACC
TGCCTTTTCCACGGACGGCAGGACTGTGACGTGGAGAGGAACCGTACAGCTGCAGGGGGAAA
CCGAGTCCGCCGGGCCCCAGCCTTGGCCCTTCCGGCGGGGGCCACCTGGGAATCTTTCACC
ATCACCGTCATCCTGGCCACGTATCTCATGTGCCGAATGTGGGCCTCCACCACCACCACCAC
CCCCGCCACACCCCTCACCACCTCCACCACCACCACCACCCCCACCGCCACCATCCCCGCCA
CGCTCGCTTGAGGCTGCTGTGCGCCGTGCCTGTGGACAGCAGCTGCCCCTGCCCTCCCATCTG
TTCCCAGGACAAGTGGACCCCATGTTTCCATGTGGAAGGATGCATCTCTGGGGTGAACGAGG
GGAACAATAGACTGGGGCTTGCTCCAGCTGCATTTGCATGGCATGCCCCAGTGTAATATGGC
AGCAGAGAATGGAGGAACACTGGGTCTGCAGTGCTGAAGGGTTTGGGGAGTGGAGAGCAAGG
GTGCTCTTTCCGGGCTGGACAGCCCGTCTTGTGACAGTGAATCCAGTGAGCCCCAGAAATG
ACAAGCGTGTCTTGGCAGAGCCAGCACACAAGTGGATGTGAAGTGCCCGTCTTGACCTCCTC
ATCAGGCTGCTGCAGGCCTCTGGCGGGCAGGGCACTGGGAGAGGCCCTGAGAATGTCCTTTT
GGTTTGGAGAAGGCAGTGTGAGGCTGCACAGTCAATTCATCGGTGCCTTAGTCCAAGAAAAT
AAAAACCACTAAGAAGCTTTAAAAAAAAAAAAAAAAAAAAA

49/330

FIGURE 49

MLGLLGSTALVGWITGAAVAVLLLLLLLATCLFHGRQDCDVERNRTAAGGNRVRRAPWPFR
RRGHLGIFHHHRHPGHVSHVPNVGLHHHHHPRHTPHHLHHHHHPHRHHPRHAR

50/330

FIGURE 50

GGCGGCTGCTGAGCTGCCTTGAGGTGCAGTGTTGGGGATCCAGAGCCATGTCGGACCTGCTA
CTACTGGGCCTGATTGGGGGCGCTGACTCTCTTACTGCTGCTGACGCTGCTGGCCTTTGCCGG
GTACTCAGGGCTACTGGCTGGGGTGGAAGTGAGTGCTGGGTCACCCCCCATCCGCAACGTCA
CTGTGGCCTACAAGTTCCACATGGGGCTCTATGGTGAGACTGGGCGGCTTTTCACTGAGAGC
TGCAGCATCTCTCCCAAGCTCCGCTCCATCGCTGTCTACTATGACAACCCCCACATGGTGCC
CCCTGATAAGTGCCGATGTGCCGTGGGCAGCATCCTGAGTGAAGGTGAGGAATCGCCCTCCC
CTGAGCTCATCGACCTCTACCAGAAATTTGGCTTCAAGGTGTTCTCCTTCCCGGCACCCAGC
CATGTGGTGACAGCCACCTTCCCCCTACACCACCATTTCTGTCCATCTGGCTGGCTACCCGCCG
TGTCATCCTGCCTTGGACACCTACATCAAGGAGCGGAAGCTGTGTGCCTATCCTCGGCTGG
AGATCTACCAGGAAGACCAGATCCATTTTCATGTGCCCACTGGCACGGCAGGGAGACTTCTAT
GTGCCTGAGATGAAGGAGACAGAGTGGAATGGCGGGGGCTTGTGGAGGCCATTGACACCCA
GGTGGATGGCACAGGAGCTGACACAATGAGTGACACGAGTTCTGTAAGCTTGGAAGTGAGCC
CTGGCAGCCGGGAGACTTCAGCTGCCACACTGTCACCTGGGGCGAGCAGCCGTGGCTGGGAT
GACGGTGACACCCGCAGCGAGCACAGCTACAGCGAGTCAGGTGCCAGCGGCTCCTCTTTTGA
GGAGCTGGACTTGGAGGGCGAGGGGCCCTTAGGGGAGTCACGGCTGGACCTGGGACTGAGC
CCCTGGGGACTACCAAGTGGCTCTGGGAGCCCACTGCCCCTGAGAAGGGCAAGGAGTAACCC
ATGGCCTGCACCCTCCTGCAGTGCAAGTTGCTGAGGAACTGAGCAGACTCTCCAGCAGACTCT
CCAGCCCTCTTCCTCCTTCTCTGGGGGAGGAGGGGTTCTGAGGGACCTGACTTCCCCTGC
TCCAGGCCTCTTGCTAAGCCTTCTCCTCACTGCCCTTTAGGCTCCCAGGGCCAGAGGAGCCA
GGGACTATTTTCTGCACCAGCCCCCAGGGCTGCCGCCCTGTTGTGTCTTTTTTTCAGACTC
ACAGTGGAGCTTCCAGGACCCAGAATAAAGCCAATGATTTACTTGTTTCACCTGGAAAAAA
AAAAA

51/330

FIGURE 51

MSDLLLLGLIGGLTLLLLLTLLAFAGYSGLLAGVEVSAGSPPIRNVTVAYKFHMGlyGETGR
LFTESCSISPklRSIAVYYDNPHMVPPDKCRCAVGSILSEGEESpSPeLIDLYQKFGFKVFS
FPAPSHVVTATFPYTTILSIWLATRrvHPALDtyIKERKLcAYPRLEIyQEDQIHfMCPLAR
QGDFYVPEMKETEWKWRGLVEAIDTQVDGTGADTMSDTSSVSLEVSPGSRETSaATLSPGAS
SRGWDDGDTRSEHSYSESGASGSSFEELDLEGEgPLGESRLDPGTEPLGTTKWLWEPTaPEK
GKE

52/330

FIGURE 52

CCGCGGGAACGCTGTCCTGGCTGCCGCCACCCGAACAGCCTGTCCTGGTGCCCCGGCTCCCT
GCCCCGCGCCCAGTC**ATG**ACCCTGCGCCCCTCACTCCTCCCGCTCCATCTGCTGCTGCTGCT
GCTGCTCAGTGCGGCGGTGTGCCGGGCTGAGGCTGGGCTCGAAACCGAAAGTCCCGTCCGGA
CCCTCCAAGTGGAGACCCTGGTGGAGCCCCCAGAACCATGTGCCGAGCCCGCTGCTTTTGGA
GACACGCTTCACATACACTACACGGGAAGCTTGGTAGATGGACGTATTATTGACACCTCCCT
GACCAGAGACCCTCTGGTTATAGAACTTGCCAAAAGCAGGTGATTCCAGGTCTGGAGCAGA
GTCTTCTCGACATGTGTGTGGGAGAGAAGCGAAGGGCAATCATTCCTTCTCACTTGGCCTAT
GGAAAACGGGGATTTCCACCATCTGTCCCAGCGGATGCAGTGGTGCAGTATGACGTGGAGCT
GATTGCACTAATCCGAGCCAACTACTGGCTAAAGCTGGTGAAGGGCATTTCCTCTGGTAG
GGATGGCCATGGTGCCAGCCCTCCTGGGCCTCATTGGGTATCACCTATACAGAAAGGCCAAT
AGACCCAAAGTCTCCAAAAAGAAGCTCAAGGAAGAGAAACGAAACAAGAGCAAAAAGAA**TA**
ATAAATAATAAATTTTAAAAAACTTAAAAAAAAAAAAAAAAAAAA

53/330

FIGURE 53

MTLRPSLLPLHLLLLLLLLSAAVCRAEAGLETESPVRTLQVETLVEPPEPCAEPAAFGDTLHI
HYTGSLVDGRIIDTSLTRDPLVIELGQKQVIPGLEQSLLDMCVGEKRRAIIPSHLAYGKRGF
PPSVPADAVVQYDVELIALIRANYWLKLVKGILPLVGMAMVPALLGLIGYHLYRKANRPKVS
KKKLKEEKRNKS KKK

54/330

FIGURE 54

CCCGGGAACGTGTTCCCTGGCTGCCGCACCCGAACAGCCTGTCCTGGTGCCCCGGCTCCCTGC
CCCGCGCCCAGTCATGACCCTGCGCCCCTCACTCCTCCCGCTCCATCTGCTGCTGCTGCTGC
TGCTCAGTGCGGCGGTGTGCCGGGCTGAGGCTGGGCTCGAAACCGAAAGTCCCGTCCGGACC
CTCCAAGTGGAGACCCTGGTGGAGCCCCCAGAACCATGTGCCGAGCCCGCTGCTTTTGGAGA
CACGCTTCACATACACTACACGGGAAGCTTGGTAGATGGACGTATTATTGACACCTCCCTGA
CCAGAGACCCTCTGGTTATAGAACTTGGCCAAAAGCAGGTGATTCCAGGTCTGGAGCAGAGT
CTTCTCGACATGTGTGTGGGAGAGAAGCGAAGGGCAATCATTCCCTTCTCACTTGGCCTATGG
AAAACGGGGATTTCCACCATCTGTCCCAGCGGATGCAGTGGTGCAGTATGACGTGGAGCTGA
TTGCACTAATCCGAGCCAACTACTGGCTAAAGCTGGTGAAGGGCATTTTGCCTCTGGTAGGG
ATGGCCATGGTGCCACCCTCCTGGGCCTCATTGGGTATCACCTATACAGAAAGGCCAATAGA
CCCAAAGTCTCCAAAAGAAGCTCAAGGAAGAGAAACGAAACAAGAGCAAAAAGAAATAATA
AATAATAAATTTTAAAAAACTTA

55/330

FIGURE 55

CCGAAAGTCCCGTCCGGACCCCTCCAAGTGGAGACCCTGGTGGAGCCCCCAGAACCATGTGCC
GAGCCCGCTGCTTTTGGAGACACGCTTCACATACACTACACGGGAAGCTTGGTAGATGGACG
TATTATTGACACCTCCCTGACCAGAGACCCTCTGGTTATAGAACTTGGCCAAAAGCAGGTGA
TTCCAGGTCTGGAGCAGAGTCTTCTCGACATGTGTGTGGGAGAGAAGCGAAGGGCAATCATT
CCTTCTCACTTGGCCTATGGAAAACGGGGATTTCCACCATCTGTCCCAGCGGATGCAGTGGT
GCAGTATGACGTGGAGCTGATTGCACTAATCCGAGCCAACTACTGGCTAAAGCTGGTGAAGG
GCATTTTGCCTCTGGTAGGGATGGCCATGGTGCCAGCCCTCCTGGGCCTCATTGGGTATCAC
CTATACAGAAAGGCCAATAGACCCAAAGTCTCCAAAAGAAGCTCAAGGAAGAGAAACGAAA
CAAGAGCAAAAAGAAATAATAAATAATAAATTTAAAAAACTTAAAA

56/330

FIGURE 56

CTGCTGCATCCGGGTGTCTGGAGGCTGTGGCCGTTTTGTTTTCTTGGCTAAAATCGGGGGAG
TGAGGCGGGCCGGCGCGGCGACACCGGGCTCCGGAACCACTGCACGACGGGGCTGGACTG
ACCTGAAAAAAATGCTCTGGATTTCTAGAGGGCTTGAGATGCTCAGAATGCATTGACTGGGGG
GAAAAGCGCAATACTATTGCTTCCATTGCTGCTGGTGTACTATTTTTTACAGGCTGGTGGAT
TATCATAGATGCAGCTGTTATTTATCCCACCATGAAAGATTTCAACCACTCATACCATGCCT
GTGGTGTATAGCAACCATAGCCTTCCTAATGATTAATGCAGTATCGAATGGACAAGTCCGA
GGTGATAGTTACAGTGAAGGTGTCTGGGTCAAACAGGTGCTCGCATTGTTGGCTTTTCGTTGG
TTTCATGTTGGCCTTTGGATCTCTGATTGCATCTATGTGGATTCTTTTTGGAGGTTATGTTG
CTAAAGAAAAAGACATAGTATACCCTGGAATTGCTGTATTTTTCCAGAATGCCTTCATCTTT
TTTGGAGGGCTGGTTTTTAAGTTTGGCCGCACTGAAGACTTATGGCAGTGAACACATCTGAT
TTCCACAGCACAACAGCCCTGCATGGGTTTGTGTTGTTTTTTACTGCTCACTCCCAACCTT
TTGTAATGCCATTTTCTAACTTATTTCTGAGTGTAGTCTCAGCTTAAAGTTGTGTAATACT
AAAATCACGAGAACACCTAAACAACAACCAAAAATCTATTGTGGTATGCACTTGATTAACCT
ATAAAATGTTAGAGGAACTTTCACATGAATAATTTTTGTCAAATTTTATCATGGTATAATT
TGTAATAATAAAAAGAAATTACAAAAGAAATTATGGATTTGTCAATGTAAGTATTTGTCATA
TCTGAGGTCCAAAACCACAATGAAAGTGCTCTGAAGATTTAATGTGTTTATTCAAATGTGGT
CTCTTCTGTGTCAAATGTTAAATGAAATATAAACATTTTTTAGTTTTTAAATATTCCGTGG
TCAAAATTCTTCCTCACTATAATTGGTATTTACTTTTACCAAAAATTCTGTGAACATGTAAT
GTAAGTGGCTTTTGAGGGTCTCCCAAGGGGTGAGTGGACGTGTTGGAAGAGAGAAGCACCAT
GGTCCAGCCACCAGGCTCCCTGTGTCCCTTCCATGGGAAGGTCTTCCGCTGTGCCTCTCATT
CCAAGGGCAGGAAGATGTGACTCAGCCATGACACGTGGTTCTGGTGGGATGCACAGTCACTC
CACATCCACCACTG

57/330

FIGURE 57

MSGFLEGLRCSECIDWGEKRNTIASIAAGVLFFTGWIIIDAAVIYPTMKDFNHSYHACGVI
ATIAFLMINAVSNGQVRGDSYSEGCLGQTGARIWLFVGFMLAFGSLIASMWILFGGYVAKEK
DIVYPGIAVFFQNAFIFFGGLVFKFGRTEDLWQ

58/330

FIGURE 58

TTCTTGGCTAAAATCGGGGGAGTGAGGCGGGCCGGCGCGGCGACACCGGGCTCCGGAACC
ACTGCACGACGGGGGCTGGACTGACCTGAAAAAATGTCTGGATTTCTAGAGGGCTTGAGATG
CTCAGAATGCATTGACTGGGGGGAAAAGCGCAATACTATTGCTTCCATTGCTGCTGGTGTAC
TATTTTTTACAGGCTGGTGGATTATCATAGATGCAGCTGTTATTTATCCCACCATGAAAGAT
TTCAACCACTCATACCATGCCTGTGGTGTATAGCAACCATAGCCTTCCTAATGATTAATGC
AGTATCGAATGGACAAGTCCGAGGTGATAGTTACAGTGAAGGTTGTCTGGGTCAAACAGGTG
CTCGCATTTGGCTTTTCGTTGGTTTCATGTTGGCCTTTGGATCTCTGATTGCATCTATGTGG
ATTCTTTTTGGAGGTTATGTTGCTAAAGAAAAAGACATAGTATACCCTGGAATTGCTGTATT
TTCCAGAATGCCTTCATCTTTTTTGGAGGGCTGGTTTTTAAGTTTGGC

59/330

FIGURE 59

TGGACGGACCTGAAAAAATGTTTGGATTTNTAGAGGGNTTGAGATGTTTCAGAATGCATGAC
TGGGGGAAAAGCGCAAATACTATTGCTTCCATTGCTGCTGGTGTANTATTTTTTACAGGCTG
GTGGATTATCATAGATGCAGNTGTTATTTATCCCACCATGAAAGATTTCAACCANTCATACC
ATGCCTGTGGTGTATAGCAACCATAGCCTTCNTAATGATTAATGCAGTATCGAATGGACAA
GTCCGAGGTGATAGTTACAGTGAAGGTTGTTTGGGTCAAACAGGTGCTCGCATTTGGCTTTT
CGTTGGTTTTTCATGTTGGCCTTTGGATCTCTGATTGCATCTATGTGGATTCTTTTTGGAGGTT
ATGTTGCTAAAGAAAAAGACATAGTATACCCTGGAATTGNTGTATTTTTCCAGAATGCCTTC
ATCTTTTTTTGGAGGGCTGGTTTTTAAGTTTGGCCGCACTGAAGANTTATGGCAGTG

60/330

FIGURE 60

GGACACCGGGTTCCGGACCAATGCANGACGGGGTGGANTGACCTGAAAAAATGTTTGGATT
TTTAGAGGGCTTGAGATGNTCAGAATGCATTGACTGGGGGAAAAGCGCAATANTATTGCTTT
CCATTGCTGCTGGTGTACTATTTTTTACAGGGTGGTGGATTATCATAGATGCAGCTGTTATT
TATCCCACCATGAAAGATTTNAACCACTCATACCATGCCTGTGGTGTTATAGCAACCATAGC
CTTCCTAATGATTAATGCAGTATCGAATGGACAAGTCCGAGGTGATAGTTACAGTGAAGGTT
GTTTGGGTCAAACAGGTGNTCGCATTGGCTTTTCGTTGGTTTCATGTTGGCCTTTGGATTT
CTGATTGNATTCTATGCGGATTCTTCTTGGAGGTTATGTTGCTAAAGAAAAGACATAGTAT
ACCCTGGAATTNCTNTATTTTTCCAGAATGCC

61/330

FIGURE 61

TAGAGGGCTTGAGATGCTCAGAATGCATTGACTGGGGGGAAAAGCGCAATANTATTGCTTCC
ATTGNTGNTGGTGTANTATTTTTTTTACAGGCTGGTGGATTATNATAGATGCAGCTGTTATTT
ATCCCACCATGAAAGATTTNAACCANTCATACCATGCCTGTGGTGTTATAGCAACCATAGCC
TTCCTAATGATTAATGCAGTATNGAATGGACAAGTCCGAGGTGATAGTTACAGTGAAGGTTG
TTTGGGTCAAACAGGTGNTNGCATTTGGCTTTTNGTTGGTTTCATGTTGGCCTTTGGATCTN
TGATTGCATTTATGTGGATTNTTTTTGGAGGTTATGTTGCTAAAGNAAAAGACATAGTATAC
CCTGT

62/330

FIGURE 62

GGGAGGCTGTGNCCGTTTTGTTTTNTTGGCTAAAATCGGGGGAGTGAGGCGGCCCCGGCGCGG
CGNGACACCGGGTTCCGGGAACCATTGCACGACGGGGTGGACTGACCTGAAAAAATGTTTG
GATTTNTAGAGGGCTTGAGATGCTCAGAATGCATTGACTGGGGGGAAAAGCGCAATACTATT
GCTTCCATTGCTGCTGGTGTACTATTTTTTACAGGCTGGTGGATTATCATAGATGCAGCTGT
TATTTATCCCACCATGAAAGATTTCAACCACTCATACCATGCCTGTGGTGTTATAGCAACCA
TAGCCTTCCTAATGATTAATGCAGTATCGAATGGACAAGTCCGAGGTGATAGTTACAGTGAA
GGTTGTCTGGGTCAAACAGGTGCTCGCATTTGGCTTTTCGTTGGTTTCATGTTGGCCTTTGG
ATNTCTGATTGCATCTATGTGGATTCTTTTTGGAGGTTATGTTGCTAAAGAAAAAGACATAG
TATACCCTGGAATTGCTGTATTTTTCCAGAATGCCTTCATNTTTTTTGGAGGGCTG

63/330

FIGURE 63

CGACGCCGGCGTGATGTGGCTTCCGCTGGTGCTGCTCCTGGCTGTGCTGCTGCTGGCCGTCC
TCTGCAAAGTTTACTTGGGACTATTCTCTGGCAGCTCCCCGAATCCTTTCTCCGAAGATGTC
AAACGGCCCCCAGCGCCCCCTGGTAAC TGACAAGGAGGCCAGGAAGAAGGTTCTCAAACAAGC
TTTTTCAGCCAACCAAGTGCCGGAGAAGCTGGATGTGGTGGTAATTGGCAGTGGCTTTGGGG
GCCTGGCTGCAGCTGCAATTCTAGCTAAAGCTGGCAAGCGAGTCCTGGTGCTGGAACAACAT
ACCAAGGCAGGGGGGCTGCTGT CATACCTTTGGAAAAGAAATGGCCTTGAATTTGACACAGGAAT
CCATTACATTGGGCGTATGGAAGAGGGCAGCATTGGCCGTTTTATCTTGGACCAGATCACTG
AAGGGCAGCTGGACTGGGCTCCCCCTGTCTCTCCTTTTGACATCATGGTACTGGAAGGGCCC
AATGGCCGAAAGGAGTACCCCATGTACAGTGGAGAGAAAGCCTACATTCAGGGCCTCAAGGA
GAAGTTTCCACAGGAGGAAGCTATCATTGACAAGTATATAAAGCTGGTTAAGGTGGTATCCA
GTGGAGCCCCCTCATGCCATCCTGTTGAAATTCCTCCCATTGCCCGTGGTTTACGCTCCTCGAC
AGGTGTGGGCTGCTGACTCGTTTCTCTCCATTCCCTTCAAGCATCCACCAGAGCCTGGCTGA
GGTCTGCAGCAGCTGGGGGCTCCTCTGAGCTCCAGGCAGTACTCAGCTACATCTTCCCCA
CTTACGGTGTCAACCCCAACCAAGTGCCTTTTCCATGCACGCCCTGCTGGTCAACCACTAC
ATGAAAGGAGGCTTTTATCCCCGAGGGGGTTCAGTGAAATTGCCTTCCACACCATCCCTGT
GATTCAGCGGGCTGGGGGCGCTGTCTCACAAGGCCACTGTGCAGAGTGTGTGCTGGACT
CAGCTGGGAAAGCCTGTGGTGTCAAGTGTGAAGAGGGGCATGAGCTGGTGAACATCTATTGC
CCCATCGTGGTCTCCAACGCAGGACTGTTCAACACCTATGAACACCTACTGCCGGGGAACGC
CCGCTGCCTGCCAGGTGTGAAGCAGCAACTGGGGACGGTGCGGCCCGGCTTAGGCATGACCT
CTGTTTTCTATCTGCCTGCCAGGCACCAAGGAAGACCTGCATCTGCCGTCCACCAACTACTAT
GTTTACTATGACACGGACATGGACCAGGCATGGAGCGCTACGTCTCCATGCCAGGGAAGA
GGCTGCCGAACACATCCCTCTTCTCTTCTTCTCGCTTTCCCATCAGCCAAAGATCCGACCTGGG
AGGACCGATTCCCAGGCCGGTCCACCATGATCATGCTCATACCCACTGCCTACGAGTGGTTT
GAGGAGTGGCAGGCGGAGCTGAAGGGAAGCGGGGCAGTGACTATGAGACCTTCAAAAACCTC
CTTTGTGGAAGCCTCTATGTCAAGTGGTCTTGAAGCTGTTCCACAGCTGGAGGGGAAGGTGG
AGAGTGTGACTGCAGGATCCCCACTACCAACAGTTCTATCTGGCTGCTCCCCGAGGTGCC
TGCTACGGGGCTGACCATGACCTGGGCCGCTGCACCCTTGTGTGATGGCCTCCTTGAGGGC
CCAGAGCCCCATCCCCAACCTCTATCTGACAGGCCAGGATATCTTACCTGTGGACTGGTCCG
GGGCCCTGCAAGGTGCCCTGCTGTGCAGCAGCGCCATCCTGAAGCGGAACCTGTACTCAGAC
CTTAAGAATCTTGATTCTAGGATCCGGGCACAGAAGAAAAAGAAT**TAGT**TCCATCAGGGAGG
AGTCAGAGGAATTTGCCCAATGGCTGGGGCATCTCCCTTGACTTACCCATAATGTCTTTCTG
CATTAGTTTCTTGCACGTATAAAGCACTCTAATTTGGTTCTGATGCCTGAAGAGAGGCCTAG
TTTAAATCACAATTCGAATCTGGGGCAATGGAATCACTGCTTCCAGCTGGGGCAGGTGAGA
TCTTTACGCCCTTTTATAACATGCCATCCCTACTAATAGGATATTGACTTGGATAGCTTGATG
TCTCATGACGAGCGGCGCTCTGCATCCCTCACCCATGCCTCCTAACTCAGTGATCAAAGCGA
ATATTCCATCTGTGGATAGAACCCCTGGCAGTGTGTGCTCAGCTCAACCTGGTGGGTTCAGTTC
TGTCTGAGGCTTCTGCTCTCATTCATTTAGTGCTACGCTGCACAGTTCTACACTGTCAAGG
GAAAAGGGAGACTAATGAGGCTTAACCTCAAACCTGGGCGTGGTTTTGGTTGCCATTCCATA
GGTTTGGAGAGCTCTAGATCTCTTTTGTGCTGGGTTTCAAGTGGCTCTTCAGGGGACAGGAAAT
GCCTGTGTCTGGCCAGTGTGGTTCTGGAGCTTTGGGGTAACAGCAGGATCCATCAGTTAGTA
GGGTGCATGTGAGATGATCATATCCAATTCATATGGAAGTCCCGGGTCTGTCTTCTTATCA
TCGGGGTGGCAGCTGGTTCTCAATGTGCCAGCAGGGACTCAGTACCTGAGCCTCAATCAAGC
CTTATCCACCAAAATACACAGGGAAGGTGATGCAGGGAAGGGTGACATCAGGACTCAGGGCA
TGGACTGGTAAGATGAATACTTTGCTGGGCTGAAGCAGGCTGCAGGGCATTCCAGCCAAGGG
CACAGCAGGGGACAGTGCAGGGAGGTGTGGGGTAAGGGAGGGAAGTCACATCAGAAAAGGGA
AAGCCACGGAATGTGTGTGAAGCCAGAAATGGCATTTGCAGTTAATTAGCACATGTGAGGG
TTAGACAGGTAGGTGAATGCAAGCTCAAGGTTTGGAAAAATGACTTTTCAGTTATGTCTTTG
GTATCAGACATACGAAAGGTCTCTTGTAGTTTCGTGTTAATGTAACATTAATAAATTTATTG
ATTCCATTGCTTTAAAAA

64/330

FIGURE 64

MWLPLVLLLAVLLLAVLCKVYLGLFSGSSPNPFSEDVKRPPAPLVTDKEARKKVLKQAFSAN
QVPEKLDVVVIGSGFGGLAAAAILAKAGKRVLVLEQHTKAGGCCHTFGKNGLEFDTGIHYIG
RMEEGSIGRFILDQITEGQLDWAPLSSPFDIMVLEGPNRKEYPMYSGEKAYIQGLKEKFPQ
EEAIIDKYIKLVKVSSGAPHAILLKFLPLPVVQLLDRCGLLTRFSPFLQASTQSLAEVLQQ
LGASSELQAVLSYIFPTYGVTPNHSAFSMHALLVNHYMKGGFYPRGGSSEIAFHTIPVIQRA
GGAVLTKATVQSVLLDSAGKACGVSVKKGHELVNIYCPIVVSNAGLFNTYEHLLPGNARCLP
GVKQQLGTVRPGLGMTSVFICLRGTKEDLHLPSTNYYVYYDTMDQAMERYVSMFREEAAEH
IPLFFAFPSAKDPTWEDRFPGRSTMIMLIPTAYEWFEWQAELKGKRGSDYETFKNSFVEA
SMSVVLKLFPPQLEGKVESVTAGSPLTNQFYLAAPRGACYGADHDLGRLHPCVMASLRAQSPI
PNLYLTGQDIFTCGLVGALQGALLCSSAILKRNLYSDLKNLDSRIRAQKKKN

66/330

FIGURE 66

MRVRIGLTLLLCVLLSLASASSDEEGSQDESLSKTTLTSDSVKDHTTAGRVVAGQIFLD
SESELESSIQEEEDSLKSQEGESVTEDISFLESPNPENKDYEEPKKVRKPALTAIEGTAHG
EPCHFPLFLDKEYDECTSDGREDGRLWCATTYDYKADEKWGFCETEEEEAAKRRQMQAEMM
YQTGMKILNGSNKKSQKREAYRYLQKAASMNHTKALERVSYALLFGDYLPQNIQAAREMF EK
LTEEGSPKGQTALGFLYASGLGVNSSQAKALVYYTFGALGGNLI AHMVLVSRL

67/330

FIGURE 67

CTTCCCAGCCCTGTGCCCCAAAGCACCTGGAGCATATAGCCTTGCAGAACTTCTACTTGCCT
GCCTCCCTGCCTCTGGCCATGGCCTGCCGGTGCCTCAGCTTCCTTCTGATGGGGACCTTCCT
GTCAGTTTCCCAGACAGTCCTGGCCCAGCTGGATGCACTGCTGGTCTTCCCAGGCCAAGTGG
CTCAACTCTCCTGCACGCTCAGCCCCCAGCACGTCAACATCAGGGACTACGGTGTGTCCTGG
TACCAGCAGCGGGCAGGCAGTGCCCCCTCGATATCTCCTCTACTACCGCTCGGAGGAGGATCA
CCACCGGCCTGCTGACATCCCCGATCGATTCTCGGCAGCCAAGGATGAGGCCCACAATGCCT
GTGTCCTCACCATTAGTCCCGTGCAGCCTGAAGACGACGCGGATTACTACTGCTCTGTTGGC
TACGGCTTTAGTCCCTAGGGGTGGGGTGTGAGATGGGTGCCTCCCCTCTGCCTCCCATTTCT
GCCCCTGACCTTGGGTCCCTTTTAACTTTCTCTGAGCCTTGCTTCCCCTCTGTAAATGGG
TTAATAATATTCAACATGTCAACAAC

68/330

FIGURE 68

MACRCLSFLLMGTFLSVSQTVLAQLDALLVFPQVAQLSCTLSPQHVTIRDYGVSWYQQRAG
SAPRYLLYYRSEEDHHRPADIPDRFSAAKDEAHNACVLTISPVPEDDADYYCSVGYGFSF

69/330

FIGURE 69

GCCGCCCCGCCCCGAGACCGGGCCCCGGGGGCGCGGGGCGGGGATGCGGGCGCCCGGGGCGG
CGATGACCGCGGAGCGCACGCCGCGGGCCCCGGCCCTGACCCCCGCGCCCGCCCGCTGAGCCC
CCCGCCGAGGTCGGACAGGCCGAGATGACGCCGAGCCCCCTGTTGCTGCTCTGCTGCGCCG
CGCTGCTGCTGGGGGCTTCCCACCGGCCCGCCGCGCCGAGGCCCCCAAAGATGGCGGAC
AAGGTGGTCCCACGGCAGGTGGCCCCGCTGGGCCGCACTGTGCGGCTGCAGTGCCAGTGGA
GGGGGACCCGCGCCGCTGACCATGTGGACCAAGGATGGCCGCACCATCCACAGCGGCTGGA
GCCGCTTCCGCGTGCTGCCGAGGGGCTGAAGGTGAAGCAGGTGGAGCGGGAGGATGCCGGC
GTGTACGTGTGCAAGGCCACCAACGGCTTCGGCAGCCTGAGCGTCAACTACACCCTCGTCGT
GCTGGATGACATTAGCCCAGGGAAGGAGAGCCTGGGGCCCCGACAGCTCCTCTGGGGGTCAAG
AGGACCCCGCCAGCCAGCAGTGGGCACGACCGCGCTTCACACAGCCCTCCAAGATGAGGCGC
CGGGTGATCGCACGGCCCCGTGGGTAGCTCCGTGCGGCTCAAGTGCGTGGCCAGCGGGCACCC
TCGGCCGACATCACGTGGATGAAGGACGACAGGCCCTTGACGCGCCAGAGGCCGCTGAGC
CCAGGAAGAAGAAGTGGACACTGAGCCTGCAAGAACCTGCGGCCGGAGGACAGCGGCAATAC
ACCTGCCGCGTGTGCAACCGCGCGGGCGCCATCAACGCCACCTACAAGGTGGATGTGATCCA
GCGGACCCGTTCCAAGCCCGTGCTCACAGGCACGCACCCCGTGAACACGACGTTGGACTTCG
GGGGGACCACGTCTTCCAGTGCAAGGTGCGCAGCGACGTGAAGCCGCTGATCCAGTGGCTG
AAGCGCGTGGAGTACGGCGCCGAGGGCCGCGCAACTCCACCATCGATGTGGCGGCCAGAA
GTTTGTGGTGCTGCCCCACGGGTGACGTGTGGTTCGCGGCCCGACGGCTCCTACCTCAATAAGC
TGCTCATCACCCGTGCCCCGCCAGGACGATGCGGGCATGTACATCTGCCTTGGCGCCAACACC
ATGGGCTACAGCTTCCGCAGCGCCTTCCCTCACCGTGCTGCCAGACCCAAAACCGCCAGGGCC
ACCTGTGGCCTCCTCGTCTCCTCGGCCACTAGCCTGCCGTGGCCCGTGGTTCATCGGCATCCCCAG
CCGGCGCTGCTTTCATCTCGGGCACCTGCTCCTGTGGCTTTGCCAGGCCAGAGAAGCCG
TGCACCCCGCGCCTGCCCTCCCCTGCTGGGCACCGCCCGCCGGGGACGGCCCGCGACCG
CAGCGGAGACAAGGACCTTCCCTCGTTGGCCGCCCTCAGCGCTGGCCCTGGTGTGGGGCTGT
GTGAGGAGCATGGGTCTCCGGCAGCCCCCAGCACTTACTGGGCCAGGCCAGTTGCTGGC
CCTAAGTTGTACCCCAAACCTCTACACAGACATCCACACACACACACACACACTCTCACAC
ACACTCACACGTGGAGGGCAAGGTCCACCAGCACATCCACTATCAGTGCTAGACGGCACCGT
ATCTGCAGTGGGCACGGGGGGGCGCGCCAGACAGGCAGACTGGGAGGATGGAGGACGGAGCT
GCAGACGAAGGCAGGGGACCCATGGCGAGGAGGAATGGCCAGCACCCAGGCAGTCTGTGTG
TGAGGCATGCCCCCTGGACACACACACACACACACTACCTGGATGCATGTATGCAC
ACACATGCGCGCACACGTGCTCCCTGAAGGCACAGTACGCACACGCACATGCACAGATATG
CCGCTGGGCACACAGATAAGCTGCCCAAATGCACGCACACGCACAGAGACATGCCAGAACA
TACAAGGACATGCTGCCTGAACATACACACGCACACCCATGCGCAGATGTGCTGCCTGGACA
CACACACACACAGGATATGCTGTCTGGACGCACACAGTGCAGATATGGTATCCGGACACA
CAGTGCACAGATATGCTGCCTGGACACACAGATAATGCTGCCTTGACACACACATGCACGG
ATATTGCCTGGACACACACACACACACACGCGTGACAGATATGCTGTCTGGACACGCACAC
ACATGCAGATATGCTGCCTGGACACACACTTCCAGACACACGTGCACAGGCGCAGATATGCT
GCCTGGACACACGCAGATATGCTGTCTAGTCACACACACACGCAGACATGCTGTCCGGACAC
ACACACGCATGCACAGATATGCTGTCCGGACACACACACGCACGCAGATATGCTGCCTGGAC
ACACACACAGATAATGCTGCCTCAACACTCACACACGTGCAGATATTGCCTGGACACACACA
TGTGCACAGATATGCTGTCTGGACATGCACACACGTGCAGATATGCTGTCCGGATACACACG
CAGCACACATGCAGATATGCTGCCTGGGCACACACTTCCGGACACACATGCACACACAGGT
GCAGATATGCTGCCTGGACACACACAGATAATGCTGCCTCAACACTCACACACGTGCAGA
TATTGCCTGGACACACACATGTGCACAGATATGCTGTCTGGACATGCACACACGTGCAGATA
TGCTGTCCGGATACACACGCACGCACACATGCAGATATGCTGCCTGGGCACACACTTCCGGA
CACACATGCACACACAGGTGCAGATATGCTGCCTGGACACACGCAGACTGACGTGCTTTTGG
GAGGGTGTGCCGTGAAGCCTGCAGTACGTGTGCCGTGAGGCTCATAGTTGATGAGGGACTTT
CCCTGCTCCACCGTCACTCCCCCAACTCTGCCCGCCTCTGTCCCCGCCTCAGTCCCCGCCTC
CATCCCCGCCTCTGTCCCCTGGCCTTGGCGGCTATTTTTGCCACCTGCCTTGGGTGCCAGG
AGTCCCCCTACTGCTGTGGGCTGGGGTTGGGGGCACAGCAGCCCCAAGCCTGAGAGGCTGGAG
CCCATGGCTAGTGGCTCATCCCCAGTGCATTCTCCCCCTGACACAGAGAAGGGGCTTGGTA
TTTATATTTAAGAAATGAAGATAATATTAATAATGATGGAAGGAAGACTGGGTTCAGGGAC
TGTGGTCTCTCCTGGGGCCCGGACCCGCTGGTCTTTCAGCCATGCTGATGACCCACACCCC
GTCCAGGCCAGACACCACCCCCACCCACTGTCTGGTGGCCCCAGATCTCTGTAATTTTA
TGTAAGTTTGGAGCTGAAGCCCCGTATATTTAATTTATTTTGTAAACACAAAA

70/330

FIGURE 70

MTPSPLLLLLLPPLLLGAFPPAAAARGPPKMADKVVP RQVARLGRTVRLQCPVEGDPPPLTM
WTKDGRTIHSGWSRFRVLPQGLKVKQVEREDAGVYVCKATNGFGSLSVNYTLVVLD DISPGK
ESLGPDSSSSGGQEDPASQQWARPRFTQPSKMRRRV IARPVGSSVRLKCVASGHPRPDITWMK
DDQALTRPEAAEPRKKKWTLSLKNLRPEDSGKYTCRV SNRAGAINATYKVDVIQRTRSKPVL
TGTHPVNTTVDFGGTTSFQCKVRS DVKPVIQWLKRVEYGAEGRHNSTIDVGGQKFVVLPTGD
VWSRPDGSYLNKLLITRARQDDAGMYICLGANTMGYSFRSAFLT VLPDPKPPGPPVASSSSA
TSLPWPVVIGIPAGAVFILGTLLLWLCQAQKKPCTPAPAPPLPGHRPPGTARDRSGDKDLPS
LAALSAGPGVGLCEEHGSPAAPQHLLGPGPVAGPKLYPKLYTDIHTHTHTHSHTSHSHVEGKV
HQHIHYQC

71/330

FIGURE 71

CCCAGCTGAGGAGCCCTGCTCAAGACACGGTCACTGGATCTGAGAACTTCCCAGGGGACCGCATTCCAGAGTC
AGTGACTCTGTGAAGCACCCACATCTACCTCTTGCCACGTTCCACGGGCTTGGGGGAAAGATGGTGGGGACCA
AGGCCTGGGTGTTCTCCTTCTGGTCTGGAAGTCACATCTGTGTTGGGGAGACAGACGATGCTCAGCCAGTCA
GTAAGAAGAGTCCAGCCTGGGAAGAAGAACCCAGCATCTTTGCCAAGCCTGCCGACACCTGGAGAGCCCTGG
TGAGTGGACAACATGGTTCAACATCGACTACCCAGGCGGGAAGGGCGACTATGAGCGGCTGGACGCCATTCCGT
TCTACTATGGGGACCGTGTATGTGCCCGTCCCTGCGGCTAGAGGCTCGGACCACTGACTGGACACCTGCGGGC
AGCACTGGCCAGGTGGTCCATGGTAGTCCCGTGAGGGTTTCTGGTGCTCAACAGGGAGCAGCGGCCTGGCCA
GAACCTGCTAATTACACCGTACGCTTCTCTGCCACCCAGGATCCCTGCGCCGAGACACAGAGCGCATCTGGA
GCCCATGGTCTCCCTGGAGCAAGTGCTCAGCTGCCTGTGGTCAGACTGGGGTCCAGACTCGCACACGCATTTGC
TTGGCAGAGATGGTGTGCTGTGAGTGAGGCCAGCGAAGAGGGTCACTGCATGGGCCAGGACTGTACAGC
CTGTGACCTGACCTGCCAATGGGCCAGGTGAATGCTGACTGTGATGCCTGCATGTGCCAGGACTTCATGCTTC
ATGGGGCTGTCTCCCTTCCCGAGGTGCCCGAGCCTCAGGGGCTGCTATCTACCTCCTGACCAAGACGCCGAAG
CTGCTGACCCAGACAGACAGTGATGGGAGATTCCGAATCCCTGGCTTGTGCCCTGATGGCAAAAGCATCTTGAA
GATCACAAAGGTCAAGTTTGCCCCATTGTACTCAAAATGCCAAGACTAGCCTGAAGGCAGCCACCATCAAGG
CAGAGTTTGTGAGGGCAGAGACTCCATACATGTTGATGAACCTGAGACAAAAGCAGCGAGAGCTGGGCAGAGC
GTGTCTCTGTGCTGTAAGGCCACAGGGAAGCCAGGCCAGACAAGTATTTTGGTATCATAAATGACACATTGCT
GGATCCTTCCCTCTACAAGCATGAGAGCAAGCTGGTGTGAGGAACTGCAGCAGCACCAGCTGGGGAGTACT
TTTGCAAGGCCCAGAGTGATGCTGGGGCTGTGAAGTCCCAAGGTTGCCAGCTGATTGTACAGCATCTGATGAG
ACTCCTTGAAGCCAGTTTCTGAGAGCTATCTTATCCGGTCCCATGATTGCTTTTCAAGATGCCACCAACTC
CTTCTACTATGACGTGGGACGCTGCCCTGTAAAGACTTGTGACGGGCAGCAGGATAATGGGATCAGGTGCCGTG
ATGCTGTGAGAACTGCTGTGGCATCTCCAAGACAGAGGAAAGGGAGATCCAGTGCAGTGGCTACACGCTACCC
ACCAAGGTGGCCAAGGAGTGCAGCTGCCAGCGGTGTACGGAAACTCGGAGCATCGTGCGGGGCCGTGTGCTGC
TGCTGACAAATGGGGAGCCCATGCGCTTTGGCCATGTGTACATGGGGAACAGCCGTGTAAGCATGACTGGCTACA
AGGGCATTTCACCTCCATGTCCCCCAGGACACTGAGAGGCTGGTGTGCTCACATTTGTGGACAGGCTGCAGAG
TTTGTCAACACCACCAAGTGTACTCTTCAACAAGAAGGGGAGTGCCGTGTTCCATGAAATCAAGATGCTTCG
TCGGAAGAGCCCATCACTTTGGAAGCCATGGAGACCAACATCATCCCCCTGGGGGAAGTGGTTGGTGAAGACC
CCATGGCTGAATGGAGATTCCATCCAGGAGTTTCTACAGGCAGAATGGGGAGCCCTACATAGGAAAAGTGAAG
GCCAGTGTGACCTTCTGGATCCCCGGAATATTTCCACAGCCACAGCTGCCAGACTGACCTGAACCTTCATCAA
TGACGAAGGAGACACTTTCCCTTCCGACGTATGGCATGTTCTCTGTGGACTTCAGAGATGAGGTCACTCAG
AGCCACTTAATGCTGGCAAAGTGAAGGTCCACCTGACTCGACCCAGGTCAAGATGCCAGAGCATATCCACA
GTGAAACTCTGGTCACTCAATCCAGACACAGGGCTGTGGGAGGAGGAAGGTGATTTCAAATTTGAAAATCAAAG
GAGGAACAAAAGAGAAGACAGAACCTTCTGGTGGGCAACCTGGAGATTGCTGAGAGGAGGCTCTTTAACCTGG
ATGTTCTTGAAGCAGGGCGGTCTTTGTTAAGGTGAGGGCTACCGAGTGAGAGGTTCTTGCTATGAGCAG
ATCCAGGGGGTTGTGATCTCCGTGATTAACCTGGAGCCTAGAACTGGCTTCTTGTCCAACCTAGGGCCTGGGG
CCGCTTTGACAGTGTATCACAGGCCCCAACGGGGCTGTGTGCTGCCTTCTGTGATGACCACTCCCTGTG
CCTACTCTGCTATGTCTTGGCAAGCCTGGCTGGGGAGGAAGTCAAGCAGTGAGGAGTCTTCTCTAAATTC AAC
CCAAATGCAATTGGCGTCCCTCAGCCCTATCTCAACAAGCTCAACTACCGTCCGACGGACCATGAGGATCCAG
GGTTAAAAGACAGCTTTCCAGATTAGCATGGCCAAGCCAAGGCCCAACTCAGCTGAGGAGAGCAATGGGCCCCA
TCTATGCCTTTGAGAACCCTCCGGGCATGTGAAGAGGCACCAACCCAGTGCAGCCCACTTCGGTTCTACCAGATT
GAGGGGGATCGATATGACTACAACACAGTCCCTTCAACGAAGATGACCTATGAGCTGGACTGAAGACTATCT
GGCATGGTGGCCAAAGCCGATGGAATTCAAGGCTGCTATATCAAGGTGAAGATTGTGGGGCCACTGGAAGTGA
ATGTGCGATCCCGCAACATGGGGGGCACTCATCGCGGACAGTGGGGAAGCTGTATGGAATCCGAGATGTGAGG
AGCACTCGGGACAGGGACCAAGCCCAATGTCTCAGCTGCCTGTCTGGAGTTCAAGTGCAGTGGGATGCTCTATGA
TCAGGACCGTGTGGACCGCACCTGGTGAAGGTATCCCCAGGGCAGCTGCCGTGAGCCAGTGTGAACCCCA
TGCTGCATGAGTACCTGGTCAACCACTTGCCACTTGCACTCAACAACGACACCAGTGAAGTACACCATGCTGGCA
CCCTTGGACCCACTGGGGCCACAATATGGCATCTACACTGTCTGACAGGACCCCTCGCACGGCCAAAGGAGAT
CGCGCTCGGCCGGTGCTTTGATGGCACATCCGATGGCTCCTCCAGAATCATGAAGAGCAATGTGGGAGTAGCCC
TCACCTTCAACTGTGTAGAGAGGCAAGTAGGCCGCCAGAGTGCCTTCCAGTACCTCCAAAGCACCCAGCCAG
TCCCCTGCTGCAGGCAGTGTCCAAGGAAGAGTGCCCTCGAGGAGGCAGCAGCAGCGAGCAGGAGCGGCGGAGCG
CCAGGGTGGAGTGGTGGCCTCTGTGAGATTTCCTAGAGTTGCTCAACAGCCCTGATCAACTAAGTTTTGTGGT
ACTTCAACCTCTTCTGCCCTCATTTTCATGTGACAGCCATTGTGAGACTGATGCACAACTGTCACTTGGTTAAT
TTAAGCACTTCTGTTTTCTGTAATTTGCTTGTGTTTCTTCTGCTTACTTACTTTGTCCCATGCTACTGA
TTGGCAGCTGGCCCCCAATGGCACAAATAAAGCCCCCTTTGTGAACTGTTCTTTAAATGAAACACAAGAAAT
GGCCACTGGTAAAACTCTGCAGCTTCAACTGTACTTCATTTAATGCCATTAATGCAATATACTTCTCTTCTT
TTTGCATGGTTTGGCCACCTCTGCAATAGTGATAATCTGATGCTGAAGATCAAATAACCAATATAAAGCATAT
TTCTTGGCCTTGTCCACAGGACATAGGCAAGCCTTGATCATAGTTCATACATATAAATGGTGGTGAAATAAAG
AAATAAAACACAATACTTTTACTTGAAATGTAATAACTTATTTATTTCTTTGCTAAATTTGGAATTCAGTGC
ACATTCAAAGTTAAGCTATTAATATAGGGTGATCATAGTTCCCTCTACCAAGTCTGGAAAGAACATCTCCTGGT
ATCCACAATTACACAGGTTGCTAAGTATTGTACATTTCCCTTTGCTTTCGTTTGTCTTGTCTAGAAAC
CCAGTGTAGCCAGGGCAGATGTCAATAAATGCATACTCTGTATTTGAAAAA

72/330

FIGURE 72

MVGTKAWVFSFLVLEVTSVLGRQTMLTQSVRRVQPGKKNPSIFAKPADTLESPGEWTTWFNI
DYPGGKG DYERLDAIRFYYGDRVCARPLRLEARTTDWTPAGSTGQVVHGSPREGFWCLNREQ
RPGQNCSNYTVRFLCPPGSLRRDTERIWSPWSPWSKCSAACGQTGVQTRTRICLAEMVSLCS
EASEEGQHCMGQDCTACDLTCPMGQVNADCDACMCQDFMLHGAVSLPGGAPASGAAIYLLTK
TPKLLTQTDSDGRFRI PGLCPDGKSILKITKVKFAPIVLTMPKTSLKAATIKAEFVRAETPY
MVMNPETKARRAGQSVSLCCKATGKPRPDKYFWYHNDTLLDPSLYKHESKLVLRLKQQHQAG
EYFCKAQSDAGAVKSKVAQLIVTASDETPCNVPESYLIRLPHDCFQ NATNSFYVDVGRCPV
KTCAGQQDNGIRCRDAVQNCCGISKTEEREIQCSGYTLPTKVAKECSCQRCETETRSIVRGRV
SAADNGEPMRFGHVYMGNSRVSM TGYKGTFTLHVPQDTERLVLT FVDRLQKFVNTTKVLPFN
KKGSAVFHEIKMLRRKEPITLEAMETNIIPLGEVVGEDPMAELEIPSRSFYRQNGEPYIGKV
KASVTFLDPRNISTATAAQTDLNFINDEGDTFPLRTYGMFSVDFRDEVTSEPLNAGKVKVHL
DSTQVKMPEHISTVKLWSLNPDTGLWEEEGDFKFENQRRNKREDRTFLVGNLEIRERRLFNL
DVPESRRCFVKVRAYRSERFLPSEQIQGVVISVINLEPRTGFLSNPAWGRFDSVITGPNGA
CVPAFCDDQSPDAYSAYVLASLAGEELQAVESSPKFNPNAIGVPQPYLNKLNRYRRTDHEDPR
VKKTAFQISMAKPRPNSAEESNGPIYAFENLRACEEAPPSAAHFRFYQIEGDRYDYNTPPFN
EDDPMSWTEDYLAWWPKPMEFRACYIKVKIVGPLEVNVRSRNMGGTHRRTVGKLYGIRDVRS
TRDRDQPNVSAACLEFKCSGMLYDQDRVDRTL VKVIPQGSRRASVNPMLHEYLVNHLPLAV
NNDTSEYTMLAPLDPLGHNYGIYTVTDQDPRTAKEIALGRCFDGTS DGSSRIMKSNVGVALT
FNCVERQVGRQSAFQYLQSTPAQSPAAGTVQGRVPSRRQQRASRGGRQGGVVASLRFPRVA
QQPLIN

73/330

FIGURE 73

CTGCAAGTTGTTAACGCCTAACACACAAGTATGTTAGGCTTCCACCAAAGTCCTCAATATACCTGAATACGCAC
AATATCTTAACTCTTCATATTTGGTTTTGGGATCTGCTTTGAGGTCCCATCTTCATTTAAAAAAAATACAGAG
ACCTACCTACCCGTACGCATACATACATATGTGTATATATATGTAACTAGACAAAGATCGCAGATCATAAAGC
AAGCTCTGCTTTAGTTTCCAAGAAGATTACAAAGAATTTAGAGATGTATTTGTCAAGATCCCTGTGATTTCATG
CCCTTTGGGTTACGGTGTCTCAGTGATGCAGCCCTACCCTTTGGTTTGGGGACATTATGATTGTGTAAAGACT
CAGATTTACACGGAAGAAGGGAAAAGTTTGGGATTACATGGCCTGCCAGCCGGAATCCACGGACATGACAAAATA
TCTGAAAGTGAAACTCGATCCTCCGGATATTACCTGTGGAGACCCTCCTGAGACGTTCTGTGCAATGGGCAATC
CCTACATGTGCAATAATGAGTGTGATGCGAGTACCCCTGAGCTGGCACACCCCTGAGCTGATGTTTGATTTT
GAAGGAAGACATCCCTCCACATTTTGGCAGTCTGCCACTTGGAAGGAGTATCCCAAGCCTCTCCAGGTTAATAT
CACTCTGTCTTGGAGCAAACCATTTAGCTAACAGACAACATAGTTATTACCTTTGAATCTGGGCGTCCAGACC
AAATGATCCTGGAGAAGTCTCTCGATTATGGACGAACATGGCAGCCCTATCAGTATTATGCCACAGACTGCTTA
GATGCTTTTTCATGATGATCCTAAATCCGTGAAGGATTTATCACAGCATACGGTCTTAGAAATCATTTGCACAGA
AGAGTACTCAACAGGGTATACAACAAATAGCAAAATAATCCACTTTGAAATCAAAGACAGGTTGCGGCTTTTGT
CTGGACCTCGCTACGCAATATGGCTTCCCTCTACGGACAGCTGGATACAACCAAGAACTCAGAGATTTCTTT
ACAGTCACAGACCTGAGGATAAGGCTGTAAAGACCAGCCGTTGGGGAAATATTTGTAGATGAGCTACACTTGGC
ACGCTACTTTTACGCGATCTCAGACATAAAGGTGCGAGGAAGGTGCAAGTGAATCTCCATGCCACTGTATGTG
TGTATGACAACAGCAAATTGACATGCGAATGTGAGCACAACACTACAGGTCCAGACTGTGGGAAATGCAAGAAG
AATTATCAGGGCCGACCTTGGAGTCCAGGCTCCTATCTCCCCATCCCCAAAGGCACTGCAAATACCTGTATCCC
CAGTATTTCCAGTATTGGTACGAATGTCTGCGACAACGAGCTCCTGCACTGCCAGAACGGAGGGACGTGCCACA
ACAACGTGCGCTGCTGTGCCCGGCCGCATACACGGGCATCCTCTGCGAGAAGCTGCGGTGCGAGGAGGCTGGC
AGCTGCGGCTCCGACTCTGGCCAGGGCGCGCCCCGACGGCACCCAGCGCTGCTGCTGTGACCACGCTGCT
GGGAACCGCCAGCCCCCTGGTGTCTAGGTGTCACCTCCAGCCACACCGGACGGGCCTGTGCCGTGGGGAAGCA
GACACAACCCAAACATTTGCTACTAATAGGAAACACACATACAGACACCCCACTCAGACAGTGTACAAA
CTAAGAAGGCCTAACTGAACCTAAGCCATATTTATACCCGTGGACAGCACATCCGAGTCAAGACTGTTAATTTT
TGACTCCAGAGGAGTTGGCAGCTGTTGATATTATCACTGCAATCACATTGCCAGCTGCAGAGCATATTGTGGA
TTGGAAAGGCTGCGACAGCCCCCAACAGGAAAGACAAAAACAAACAAATCAACCGACCTAAAAACATTGGC
TACTCTAGCGTGGTGCGCCCTAGTACGACTCCGCCAGTGTGTGGACCAACCAATAGCATTTCTTTGCTGTGAG
GTGCATTGTGGGCATAAGGAAATCTGTTACAAGCTGCCATATTGGCCTGCTTCCGTCCCTGAATCCCTTCCAAC
CTGTGCTTTTAGTGAACGTTGCTCTGTAACCCTCGTTGGTTGAAAGATTCTTTGTCTGATGTTAGTGATGCACA
TGTGTAACAGCCCCCTCTAAAAGCGCAAGCCAGTCATACCCCTGTATATCTTAGCAGCACTGAGTCCAGTGCGA
GCACACACCCACTATACAAGAGTGGCTATAGGAAAAAGAAAGTGTATCTATCCTTTTGTATTCAAATGAAGTT
ATTTTTCTTGAACCTACTGTAATATGTAGATTTTTTGTATTATTGCCAATTTGTGTTACCAGACAATCTGTTAAT
GTATCTAATTCGAATCAGCAAAGACTGACATTTTATTTGTCTCTTTCTGTTCTGTTTTGTTTCACTGTGCAGA
GATTTCTCTGTAAGGGCAACGAACGTGCTGGCATCAAAGAATATCAGTTTACATATATAACAAGTGAATAAGA
TTCCACCAAAGGACATTCTAAATGTTTTCTTGTGCTTTAACAAGTGGAAAGATTTAAAGAATAAAAACTCCTGCA
TAAACGATTTTCAAGGAATTTGTATTGCAATTTCTTAAGATGAAAGGAACAGCCACCAAGCAGTTTCACTCACT
TTACTGATTTCTGTGTGAGTACATTGAGTACGAAATTTAGTCCCAGGAAGATGGATTGATGTTCACT
AGCTTGGAACAATCTTGCAAAATATGAGACTATTTCCACTTGGGAAAAATTACAACAGCAAAAAAAAAAAAAA
AAAAAA

74/330

FIGURE 74

MYLSRSLSIHALWVTVSSVMQPYPLVWGHYDLCKTQIYTEEGKVWDYMACQPESTDMTKYLK
VKLDPPDITCGDPPETFCAMGNPYMCNNECDASTPELAHPPELMFDFEGRHPSTFWQSATWK
EYPKPLQVNITLSWSKTIELTDNIVITFESGRPDQMILEKSLDYGRTWQPYQYYATDCLDAF
HMDPKSVKDLSQHTVLEIICTEEYSTGYTTNSKIIHFEIKDRFALFAGPRLRNMASLYGQLD
TTKKLRDFFTVDLRIRLLRPAVGEIFVDELHLARYFYAISDIKVRGRCKCNLHATVCVYDN
SKLTCECEHNTTGPDCGKCKKNYQGRPWSPGSYLPIPKGTANTCIPSISSIGTNVCDNELLH
CQNGGTCHNNVRCLCPAAYTGILCEKLRCEEAGSCGSDSGQGAPPHGTPALLLLTTLLGTAS
PLVF

75/330

FIGURE 75

CCCACGCGTCCGGGTGACCTGGGCCGAGCCCTCCCGGTGCGCTAAGATTGCTGAGGAGGCGG
CGGGTAGCTGGCAGGCGCCGACTTCCGAAGGCCGCCGTCCGGGCGAGGTGTCTCATGACTT
CTCTTGTGGACCAATGTCCGTGATCTTTTTTGCCTGCGTGGTACGGGTAAGGGATGGACTGCC
CCTCTCAGCCTCTACTGATTTTTTACCACACCCAAGATTTTTTGGAAATGGAGGAGACGGCTCA
AGAGTTTAGCCTTGCGACTGGCCCAGTATCCAGGTCGAGGTTCTGCAGAAGGTTGTGACTTT
AGTATACATTTTTCTTCTTTTCGGGGACGTGGCCTGCATGGCTATCTGCTCCTGCCAGTGTCC
AGCAGCCATGGCCTTCTGCTTCCTGGAGACCCTGTGGTGGGAATTCACAGCTTCCTATGACA
CTACCTGCATTGGCCTAGCCTCCAGGCCATACGCTTTTCTTGAGTTTGACAGCATCATTCAG
AAAGTGAAGTGGCATTTTAACTATGTAAGTTCCTCTCAGATGGAGTGCAGCTTGGA AAAAAT
TCAGGAGGAGCTCAAGTTGCAGCCTCCAGCGGTTCTCACTCTGGAGGACACAGATGTGGCAA
ATGGGGTGATGAATGGTCACACACCGATGCACTTGGAGCCTGCTCCTAATTTCCGAATGGAA
CCAGTGACAGCCCTGGGTATCCTCTCCCTCATTCTCAACATCATGTGTGCTGCCCTGAATCT
CATTCGAGGAGTTCACCTTGCAGAACATTCTTTACAGGATCCAAGGAGCTGGTTCTGCTGGT
TGGACCAAACCTCGTGAGCCAGCCACCCCTGACCCAAATGAGGAGAGCTCTGATTTCTCCCAT
CCGGGAGCAGTGATGTCAAACCTTCTGCTGCTGGGGAAATCTCATCAGCAGGGAGCCTGTGGA
AAAGGGCATGTCAGTGAAATCTGGGAATGGCTGGATTTCGGAAACATCTGCCCATGTGTATTG
ATGGCAGAGCTGTTGCCCACAAGCGCCTTTTATTTAGGGTAAATTAACAAATCCATTCTAT
TCCTCTGACCCATGCTTAGTACATATGACCTTTAACCCCTTACATTTATATGATTCTGGGGTT
GCTTCAGAAGTGTTATTTTCATGAATCATTCATATGATTTGATCCCCCAGGATTCTATTTTGT
TTAATGGGCTTTTCTACTAAAAGCATAAAATACTGAGGCTGATTTAGTCAGGGCAAACCAT
TTACTTTACATATTCGTTTTCAATACTTGCTGTTTACACAAGCTTCTTACGGTTTTTC
TTGTAACAATAAATATTTTGAGTAAATAATGGGTACATTTTAACAAACTCAGTAGTACAACC
TAAACTTGTATAAAAGTGTGTAAAAATGTATAGCCATTTATATCCTATGTATAAATTAAATG
AGGTGGCTTCAGAAATGGCAGAATAAATCTAAAGTGTTTATTAAAAA AAAAAAAAAAAAAA
AAAAG

76/330

FIGURE 76

MSVIFACVVRVRDGLPLSASTDFYHTQDFLEWRRRLKSLALRLAQYPGRGSAEGCDFS IHF
SSFGDVACMAICSCQCPAAMAFCFLETLWWEFTASYDTTCIGLASRPYAFLEFDSIIQKV KW
HFNYVSSSQMECSLEKIQEELKLQPPAVLTLEDTDVANGVMNGHTPMHLEPAPNFRMEPVTA
LGILSLILNIMCAALNLIRGVHLAEHSLQDPRSWFCWLDQTS

77/330

FIGURE 77

TGCTTCCTGGAGACCCTGTGGTGGGAATTCACAGCTTCNTATGACACTACCTGCATTGGCNT
AGCCTCCAGGCCATACGCTTTTCTTGAGTTTGACAGCATCATTTCAGAAAGTGAAGTGGCATT
TTAACTATGTAAGTTCCTNTCAGATGGAGTGCAGCTTGAAAAAATTCAGGAGGAGCTCAAG
TTGCAGCCTCCAGCGGTTCTCANTATGGAGGACACAGATGTGGCAAATGGGGT

78/330

FIGURE 78

CTCAGCGGCGCTTCCTCGTAGCGAGCCTAGTGGCGGGTGTTTGCATTGAAACGTGAGCGCGA
CCCGACCTTAAAGAGTGGGGAGCAAAGGGAGGACAGAGCCCTTTAAAACGAGGCGGGTGGTG
CCTGCCCTTTAAGGGCGGGCGTCCGGACGACTGTATCTGAGCCCCAGACTGCCCGAGTT
TCTGTGCGAGGCTGCGAGGAAAGGCCCTAGGCTGGGTCTGGGTGCTTGGCGGCGGCGGCTT
CCTCCCCGCTCGTCCTCCCCGGGCCCAGAGGCACCTCGGCTTCAGTCATGCTGAGCAGAGTA
TGGAAGCACCTGACTACGAAGTGCTATCCGTGCGAGAACAGCTATTCCACGAGAGGATCCGC
GAGTGTATTATATCAACACTTCTGTTTTGCAACACTGTACATCCTCTGCCACATCTTCCTGAC
CCGCTTCAAGAAGCCTGCTGAGTTCACCACAGTGGATGATGAAGATGCCACCGTCAACAAGA
TTGCGCTCGAGCTGTGCACCTTTACCCTGGCAATTGCCCTGGGTGCTGTCTCTGCTCCTGCCC
TTCTCCATCATCAGCAATGAGGTGCTGCTCTCCCTGCCTCGGAACTACTACATCCAGTGGCT
CAACGGCTCCCTCATCCATGGCCTCTGGAACCTTGTTTTTCTCTTCCCCAACCTGTCCCTCA
TCTTCCTCATGCCCTTTGCATATTTCTTCACTGAGTCTGAGGGCTTTGCTGGCTCCAGAAAG
GGTGTCTGGGCCGGGTCTATGAGACAGTGGTGATGTTGATGCTCCTCACTCTGCTGGTGCT
AGGTATGGTGTGGGTGGCATCAGCCATTGTGGACAAGAACAAGGCCAACAGAGAGTCACTCT
ATGACTTTTGGGAGTACTATCTCCCTACCTCTACTCATGCATCTCCTTCCTTGGGGTTCTG
CTGCTCCTGGTGTGTACTCCACTGGGTCTCGCCCGCATGTTCTCCGTCACTGGGAAGCTGCT
AGTCAAGCCCCGGCTGCTGGAAGACCTGGAGGAGCAGCTGTACTGCTCAGCCTTTGAGGAGG
CAGCCCTGACCCGAGGATCTGTAATCCTACTTCTGCTGGCTGCCTTTAGACATGGAGCTG
CTACACAGACAGGTCCCTGGCTCTGCAGACACAGAGGGTCTGCTGGAGAAGAGCGGAAGGC
TTCAGCTGGCAACGGAACCTGGGCTACCCCTGGCTATGCTGTGCTTGTGCTGTGCTGACGG
GCCTGTCTGTGCTCATTGTGGCCATCCACATCCTGGAGCTGCTCATCGATGAGGCTGCCATG
CCCCGAGGCATGCAGGGTACCTCCTTAGGCCAGGTCTCCTTCTCCAAGCTGGGCTCCTTTGG
TGCCGTCAATTCAGGTTGTACTCATCTTTTACCTAATGGTGTCTCAGTTGTGGGCTTCTATA
GCTCTCCACTCTTCCGGAGCCTGCGGCCAGATGGCACGACACTGCCATGACGCAGATAATT
GGGAACCTGTGTCTGTCTCCTGGTCCTAAGCTCAGCACTTCTGTCTTCTCTGAACCCTGGG
GCTCACTCGCTTTGACCTGCTGGGTGACTTTGGACGCTTCAACTGGCTGGGCAATTTCTACA
TTGTGTTCTCTACAACGCAGCCTTTGCAGGCCTCACCACACTCTGTCTGGTGAAGACCTTC
ACTGCAGCTGTGCGGGCAGAGCTGATCCGGGCCTTTGGGCTGGACAGACTGCCGCTGCCCGT
CTCCGGTTTCCCCCAGGCATCTAGGAAGACCCAGCACCACTGACCTCCAGCTGGGGGTGGGA
AGGAAAAAACTGGACACTGCCATCTGCTGCCTAGGCCTGGAGGGAAGCCCAAGGCTACTTGG
ACCTCAGGACCTGGAATCTGAGAGGGTGGGTGGCAGAGGGGAGCAGAGCCATCTGCACTATT
GCATAATCTGAGCCAGAGTTTGGGACCAGGACCTCCTGCTTTTCCATACTTAACTGTGGCCT
CAGCATGGGGTAGGGCTGGGTGACTGGGTCTAGCCCCTGATCCCAAATCTGTTTACACATCA
ATCTGCCTCACTGCTGTTCTGGGCCATCCCCATAGCCATGTTTACATGATTTGATGTGCAAT
AGGGTGGGGTAGGGGAGGGAAAGGACTGGGCCAGGGCAGGCTCGGGAGATAGATTGTCTCC
CTTGCCTCTGGCCCAGCAGAGCCTAAGCACTGTGCTATCCTGGAGGGGCTTTGGACCACCTG
AAAGACCAAGGGGATAGGGAGGAGGAGGCTTCAGCCATCAGCAATAAAGTTGATCCCAGGGA
AAAAAA

79/330

FIGURE 79

MEAPDYEVLSVREQLFHERIRECIISTLLFATLYILCHIFLTRFKKPAEFTTVDDDEDATVNK
IALELCTFTLAIALGAVLLLPFSIISNEVLLSLPRNYIIQWLNGSLIHGLWNLVFLFPNLSL
IFLMPFAYFFTESEGFAGSRKGVLRVYETVVMLMLLTLLVLGMVWVASAIVDKNKANRESL
YDFWEYYLPYLYSCISFLGVLLLLVCTPLGLARMFSVTGKLLVKPRILLEDLEEQLYCSAFEE
AALTRRICNPTSCWLPLDMELLHRQVLALQTQRVLLEKRRKASAWQRNLGYPLAMLCLLVLT
GLSVLIVAIHILELLIDEAAMPQGMQGTSLGQVSFSKLGSGGAVIQVVLI FYLMVSSVVG FY
SSPLFRSLRPRWHD TAMTQIIGNCVCLLVLSALPVFSRTLGLTRFDLLGDFGRFNWLGNFY
IVFLYNAAFAGLTTLCLVKTF TA AVRAELIRAFGLDRLPLPVSGFPQASRKTQHQ

80/330

FIGURE 80

GGCTGCCGAGGGAAGGCCCTTGGGTTGGTCTTGGTTGCTTGGCGGCGGCGGN TTCNTCCCC
GCTCGTCCTCCCCGGGCCCAGAGGCACCTCGGCTTCAGTCATGCTGAGCAGAGTATGGAAGC
ACCTGACTACGAAGTGCTATCCGTGCGAGAACAGCTATTCCACGAGAGGATCCGCGAGTGTA
TTATATCAAACTTCTGTTTGCAAACTGTACATCCTCTGCCACATCTTCCTGACCCGCTTC
AAGAAGCCTGCTGAGTTCACCACAGTGGATGATGAAGATGCCACCG

81/330

FIGURE 81

GACCGACCTTAAAGAGTGGGAGCAAAGGGAGGACAGAGCCTTTTAAAACGAGGCGGTGGTGC
CTGCCCTTTAAGGGCGGGCGTCCGGACGACTGTATCTGAGCCCCAGACTGCCCCGAGTTTC
TGTCGCAGGCTGCGAGGAAAGGCCCTAGGCTGGGTCTGGTGCTTGGCGGCGGCGGCTTCCT
CCCCGTTGTCNTCCCCGGGCCCAGAGGCACCTCGGCTTCAGTCATGCTGAGCAGAGTATGGA
AGCACCTGACTACGAAGTGCTATCCGTGCGAGAACAGCTATTCCACGAGAGGATCCGCGAGT
GTATTATATCAACACTTCTGTTTGCAACACTGTACATCNTCTGCCACATCTTCCTGACCCGC
TTCAAGAAGCCTGCTGAGTTCACCACAGTGGATGATGAAGATGCCACCGTCAACAAGATTGC
GCTCGAGCTGTGCACCTTTACCCTGGCAATTGCCCTGGGTGCTGTCCTGCTCCTGCCCTTCT
CCATCATCAGCAATGAGGTGCTGCACTCCC

82/330

FIGURE 82

GATGTGCTCCTTGGAGCTGGTGTGCAGTGTCTGACTGTAAGATCAAGTCCAAACCTGTTTT
GGAATTGAGGAACTTCTCTTTTGATCTCAGCCCTTGGTGGTCCAGGTCTTCATGCTGCTGT
GGGTGATATTACTGGTCCTGGCTCCTGTCAGTGGACAGTTTGCAAGGACACCCAGGCCCAT
ATTTTCCTCCAGCCTCCATGGACCACAGTCTTCCAAGGAGAGAGAGTGACCCTCACTTGCAA
GGGATTTGCTTCTACTCACCACAGAAAACAAAATGGTACCATCGGTACCTTGGGAAAGAAA
TACTAAGAGAAAACCCAGACAATATCCTTGAGGTTGAGGAATCTGGAGAGTACAGATGCCAG
GCCAGGGCTCCCCCTCTCAGTAGCCCTGTGCACTTGGATTTTTCTTCAGAGATGGGATTTCC
TCATGCTGCCCAGGCTAATGTTGAACTCCTGGGCTCAAGTGATCTGCTCACCTTAGGCCTCTC
AAAGCGCTGGGATTACAGCTTCGCTGATCCTGCAAGCTCCACTTCTGTGTTTGAAGGAGAC
TCTGTGGTTCTGAGGTGCCGGGCAAAGGCGGAAGTAACACTGAATAATACTATTTACAAGAA
TGATAATGTCCTGGCATTCTTAATAAAAGAACTGACTTCCAAAAAAAAAAAAAAAAAAAAA
AAA

83/330

FIGURE 83

MLLWVILLVLAPVSGQFARTPRPIIFLQPPWTTVFQGERVTLTCKGFRFYSPQTKWYHRYL
GKEILRETPDNILEVQESGEYRCQAQGSPLSSPVHLDFSSEMGFPHAAQANVELLGSSDLLT

84/330

FIGURE 84

CAGAAGAGGGGGCTAGCTAGCTGTCTCTGCGGACCAGGGAGACCCCCGCGCCCCCGGTGT
GAGGCGGCCCTCACAGGGCCGGGTGGGCTGGCGAGCCGACGCGGCGGCGGAGGAGGCTGTGAG
GAGTGTGTGGAACAGGACCCGGGACAGAGGAACCAATGGGCTCCGCAGAACCTGAGCACCTTTT
GCCTGTTGCTGCTATACCTCATCGGGGCGGTGATTGCCGGACGAGATTTCTATAAGATCTTG
GGGGTGCCTCGAAGTGCCTCTATAAAGGATATTAAAAAGGCCTATAGGAACTAGCCCTGCA
GCTTCATCCCGACCGGAACCCTGATGATCCACAAGCCCAGGAGAAATTCCAGGATCTGGGTG
CTGCTTATGAGGTTCTGTCTAGATAGTGAGAAACGGAAACAGTACGATACTTATGGTGAAGAA
GGATTAAAAGATGGTCATCAGAGCTCCCATGGAGACATTTTTTTCACACTTCTTTGGGGATTT
TGGTTTCATGTTTGGAGGAACCCCTCGTCAGCAAGACAGAAATATCCAAGAGGAAGTGATA
TTATTGTAGATCTAGAAGTCACTTTGGAAGAAGTATATGCAGGAAATTTTGTGGAAGTAGTT
AGAAACAAACCTGTGGCAAGGCAGGCTCCTGGCAAACGGAAGTGCAATTGTCCGCAAGAGAT
GCGGACCACCCAGCTGGGCCCTGGGCGCTTCCAAATGACCCAGGAGGTGGTCTGCGACGAAT
GCCCTAATGTCAAACCTAGTGAATGAAGAACGAACGCTGGAAGTAGAAATAGAGCCTGGGGTG
AGAGACGGCATGGAGTACCCCTTTATTGGAGAAGGTGAGCCTCACGTGGATGGGGAGCCTGG
AGATTTACGGTTCCGAATCAAAGTTGTCAAGCACCCAATATTTGAAAGGAGAGGAGATGATT
TGACACAAATGTGACAATCTCATTAGTTGAGTCACTGGTTGGCTTTGAGATGGATATTACT
CACTTGGATGGTCACAAGGTACATATTTCCCGGGATAAGATCACCAGGCCAGGAGCGAAGCT
ATGGAAGAAAGGGGAAGGGCTCCCCAACTTTGACAACAACAATATCAAGGGCTCTTTGATAA
TCACTTTTGATGTGGATTTTCCAAAAGAACAGTTAACAGAGGAAGCGAGAGAAGGTATCAAA
CAGCTACTGAAACAAGGGTCAGTGCAGAAGGTATACAATGGACTGCAAGGATATTGAGAGTG
AATAAAATTGGACTTTGTTTTAAATAAGTGAATAAGCGATATTTATTATCTGCAAGGTTTTT
TTGTGTGTGTTTTTGTTTTTATTTTCAATATGCAAGTTAGGCTTAATTTTTTTATCTAATGA
TCATCATGAAATGAATAAGAGGGCTTAAGAATTTGTCCATTTGCATTCCGAAAAGAATGACC
AGCAAAAGGTTTACTAATACCTCTCCCTTTGGGGATTTAATGTCTGGTGCTGCCGCTGAGT
TTCAAGAATTAAAGCTGCAAGAGGACTCCAGGAGCAAAAGAAACACAATATAGAGGGTTGGA
GTTGTTAGCAATTTTCATTCAAATGCCAACTGGAGAAGTCTGTTTTTAAATACATTTTGTTG
TTATTTTAA

85/330

FIGURE 85

MAPQNLSTFCLLLLYLIGAVIAGRDFYKILGVPRASIKDIKKAYRKLALQLHPDRNPDDPQ
AQEKFQDLGAAYEVLSDSEKRRKQYDTYGEGLKDGHQSSHGDIFSHFFGDFGFMFGGTPRQQ
DRNIPRGSDIIVDLEVTLEEYAGNFVEVVRNKPVARQAPGKRKCNCRQEMRTTQLGPGRFQ
MTQEVVCDECPNVKLVNEERTLEVEIEPGVRDGM EY PFIGEGEPHVDGEPGDLRFRIKVVKH
PIFERRGDDLYTNVTISLVESLVGFEMDITHLDGHKVHISRDKITRPGAKLWKKGEGLPNFD
NNNIKGSIIITFDVDFPKEQLTEEAREGIKQLLKQGSVQKVYNGLQGY

Important features:**Signal peptide:**

amino acids 1-22

Cell attachment sequence.

amino acids 254-257

Nt-dnaJ domain signature.

amino acids 67-87

Homologous region to Nt-dnaJ domain proteins.

amino acids 26-58

N-glycosylation site.

amino acids 5-9, 261-265

Tyrosine kinase phosphorylation site.

amino acids 253-260

N-myristoylation site.

amino acids 18-24, 31-37, 93-99, 215-221

Amidation site.

amino acids 164-168

86/330

FIGURE 86

TGGGACCAGGGAACCCCGGGCCCCCGGTGGAGNGCCTAACAGGCCGGTGGNTGCGACCGAA
GCGGCGGGCGGAGGAGGTTTTGAGGATTTTTGGAACAGGACCCGGACAGAGGAACCATGGTT
CCGCAGAACNTGAGCACNTTTTGCCTGTTGNTGNTATACTTCATCGGGGCGGTGATTGCCGG
ACGAGATTTNTATAAGATTTTGGGGTGCCTNGAAGTGCCTTNTATAAAGGATATTAAAAAGG
CCTATAGGAACTAGCCCTGCAGNTTATCCCGACCGGAACCCTGATGATCCACAAGCCCAG
GAGAAATTCCAGGATTTGGGTGCTGCTTATGAGGTTNTGTCAGATAGTGAGAAACGGAAACA
GTACGATAATTATGGTGAAGAAGGATTAAAAGATGGTNATCAGAGCTCCCATGGAGACATTT
TTTCACACTTNTTTGGGGATTTTGGTTTCATGTTTGGAGGAACCCCTNGTCAGCAAGACAGA
AATATTCCAAGAG

87/330

FIGURE 87

GGCACGAGGCGGCGGGGAGTCGCGGGATGCGCCCGGAGCCACAGCCTGAGGCCCTCAGGT
CTCTGCAGGTGTCGTGGAGGAACCTAGCACCTGCCATCCTCTTCCCCAATTTGCCACTTCCA
GCAGCTTTAGCCCATGAGGAGGATGTGACCGGGACTGAGTCAGGAGCCCTCTGGAAGCATGG
AGACTGTGGTGATTGTTGCCATAGGTGTGCTGGCCACCATCTTTCTGGCTTCGTTTGCAGCC
TTGGTGCTGGTTTGCAGGCAGCGCTACTGCCGGCCGCGAGACCTGCTGCAGCGCTATGATTC
TAAGCCCATTGTGGACCTCATTGGTGCCATGGAGACCCAGTCTGAGCCCTCTGAGTTAGAAC
TGGACGATGTCGTTATCACCAACCCCCACATTGAGGCCATTCTGGAGAATGAAGACTGGATC
GAAGATGCCTCGGGTCTCATGTCCACTGCATTGCCATCTTGAAGATTTGTACACTCTGAC
AGAGAAGCTTGTTGCCATGACAATGGGCTCTGGGGCCAAGATGAAGACTTCAGCCAGTGTCA
GCGACATCATTGTGGTGGCCAAGCGGATCAGCCCCAGGGTGGATGATGTTGTGAAGTCGATG
TACCCTCCGTTGGACCCCAAACCTCTGGACGCACGGACGACTGCCCTGCTCCTGTCTGTCAG
TCACCTGGTGCTGGTGACAAGGAATGCCTGCCATCTGACGGGAGGCCTGGACTGGATTGACC
AGTCTCTGTGCGCTGCTGAGGAGCATTGGAAGTCCTTCGAGAAGCAGCCCTAGCTTCTGAG
CCAGATAAAGGCCTCCCAGGCCCTGAAGGCTTCCTGCAGGAGCAGTCTGCAATTTTAGTGCCT
ACAGGCCAGCAGCTAGCCATGAAGGCCCTGCCGCCATCCCTGGATGGCTCAGCTTAGCCTT
CTACTTTTTCTATAGAGTTAGTTGTTCTCCACGGCTGGAGAGTTCAGCTGTGTGTGCATAG
TAAAGCAGGAGATCCCCGTCAGTTTATGCCTCTTTTGCAGTTGCAAACGTGGCTGGTGAGT
GGCAGTCTAATACTACAGTTAGGGGAGATGCCATTCACTCTCTGCAAGAGGAGTATTGAAAA
CTGGTGGACTGTCAGCTTTATTTAGCTCACCTAGTGTTTTCAAGAAAATTGAGCCACCGTCT
AAGAAATCAAGAGGTTTACATTAAAATTAGAATTTCTGGCCTCTCTCGATCGGTCAGAATG
TGTGGCAATTCTGATCTGCATTTTCAGAAGAGGACAATCAATTGAAACTAAGTAGGGGTTTC
TTCTTTTGGCAAGACTTGTA CTCTCACCTGGCCTGTTTCATTTATTTGTATTATCTGCCT
GGTCCCTGAGGCGTCTGGGTCTCTCCTCTCCCTTGCAAGTTTGGGTTTGAAGCTGAGGAAC
ACAAAGTTGATGATTTCTTTTTTATCTTTATGCCTGCAATTTTACCTAGCTACCACTAGGTG
GATAGTAAATTTATACTTATGTTTCCCTCAAAAAAAAAAAAAA

88/330

FIGURE 88

METVVIVAIGVLATIFLASFAALVLVCRQRYCRPRDLLQRYDSKPIVDLIGAMETQSEPSEL
ELDDVVITNPHIEAILENEDWIEDASGLMSHCIAILKICHTLTEKLVAMTMGSGAKMKTSAS
VSDIIVVAKRISPRVDDVVKSMYPPLDPKLLDARTTALLSVSHLVLVTRNACHLTGGLDWI
DQSLSAEEHLEVLREAALASEPDKGLPGPEGFLQEQSAI

89/330

FIGURE 89

GCTTCATTTCTCCCGACTCAGCTTCCCACCCTGGGCTTTCCGAGGTGCTTTGCGCGCTGTCC
CCACCACTGCAGCCATGATCTCCTTAACGGACACGCAGAAAATTGGAATGGGATTAACAGGA
TTTGGAGTGTTTTTCCTGTTCTTTGGAATGATTCTCTTTTTTGACAAAGCACTACTGGCTAT
TGGAAATGTTTTATTTGTAGCCGGCTTGGCTTTTGTAATTGGTTTAGAAAGAACATTCAGAT
TCTTCTTCCAAAAACATAAAATGAAAGCTACAGGTTTTTTTTCTGGGTGGTGTATTTGTAGTC
CTTATTGGTTGGCCTTTGATAGGCATGATCTTCGAAATTTATGGATTTTTTCTCTTGTTTCAG
GGGCTTCTTTCCTGTCGTTGTTGGCTTTATTAGAAGAGTGCCAGTCCTTGGATCCCTCCTAAAT
TTACCTGGAATTAGATCATTTGTAGATAAAGTTGGAGAAAGCAACAATATGGTATTAACAACA
AGTGAATTTGAAGACTCATTTAAAATATTGTGTTATTTATAAAGTCATTTGAAGAATATTCA
GCACAAAATTAAATTACATGAAATAGCTTGTAATGTTCTTTACAGGAGTTTAAAACGTATAG
CCTACAAAGTACCAGCAGCAAATTAGCAAAGAAGCAGTGAAAACAGGCTTCTACTCAAGTGA
ACTAAGAAGAAGTCAGCAAGCAAAGTGAAGAGAGGTGAAATCCATGTTAATGATGCTTAAGAA
ACTCTTGAAGGCTATTTGTGTTGTTTTCCACAATGTGCGAACTCAGCCATCCTTAGAGAA
CTGTGGTGCCTGTTTCTTTTCTTTTATTTTGAAGGCTCAGGAGCATCCATAGGCATTTGCT
TTTTAGAAGTGTCCTGCAATGGCAAAAATATTTCCAGTTGCACTGTATCTCTGGAAGTGA
TGCATGAATTCGATTGGATTGTGTCATTTTAAAGTATTAAAACCAAGGAAACCCCAATTTTG
ATGTATGGATTACTTTTTTTTGNGCNCAGGGCC

90/330

FIGURE 90

MISLTDQKIGMGLTGFGVFFLFFGMILFFDKALLAIGNVLFVAGLAFVIGLERTFRFFFQK
HKMKATGFFLGGVFVVLIGWPLIGMIFEIYGFFLLFRGFFPVVVGFI RRVPVLGSLNLPGI
RSFVDKVGESNNMV

Important features:

Transmembrane domains:

amino acids 12-30 (typeII), 33-52, 69-89 and 93-109

N-myristoylation sites.

amino acids 11-16, 51-56 and 116-121

Aminoacyl-transfer RNA synthetases class-II protein.

amino acids 49-59

91/330

FIGURE 91

GAAGACGTGGCGGCTCTCGCCTGGGCTGTTTCCCGGCTTCATTTCTCCCGACTCAGCTTCCC
ACCNTGGGCTTTCCGAGGTGCTTTCGCCGCTGTCCCCACCACTGCAGCCATGATCTCCTTAA
CGGACACGCAGAAAATTGGAATGGGATTAACCGGATTTGGAGTGTTTTCTGTTCCTTTGGA
ATGATTCTCTTTTTTGACAAAGCACTACTGGCTATTGGAAATGTTTTATTTGTAGCCGGCTT
GGCTTTTGTAATTGGTTTAGAAAGAACATTGAGATTCTTCTTCCAAAACATAAAATGAAAG
CTACAGGTTTTTTCTGGGTGGTGTATTTGTAGTCCTTATTGGTTGGCCTTTGATAGGCATG
ATCTTCGAAATTTATGGATTTTTTCTCTTGTTT

92/330

FIGURE 92

GGCACGAGGCTGAACCCAGCCGGCTCCATCTCAGCTTCTGGTTTCTAAGTCCATGTGCCAAA
GGCTGCCAGGAAGGAGACGCCTTCCTGAGTCCTGGATCTTTCTTCCTTCTGGAAATCTTTGA
CTGTGGGTAGTTATTTATTTCTGAATAAGAGCGTCCACGCATCATGGACCTCGCGGGACTGC
TGAAGTCTCAGTTCCTGTGCCACCTGGTCTTCTGCTACGTCTTTATTGCCTCAGGGCTAATC
ATCAACACCATTTCAGCTCTTCACTCTCCTCCTCTGGCCCATTAACAAGCAGCTCTTCCGGAA
GATCAACTGCAGACTGTCCTATTGCATCTCAAGCCAGCTGGTGATGCTGCTGGAGTGGTGGT
CGGGCACGGAATGCACCATCTTCACGGACCCGCGCGCCTACCTCAAGTATGGGAAGGAAAAT
GCCATCGTGGTTCTCAACCACAAGTTTGAAATTGACTTTCTGTGTGGCTGGAGCCTGTCCGA
ACGCTTTGGGCTGTTAGGGGGCTCCAAGGTCCTGGCCAAGAAAGAGCTGGCCTATGTCCCAA
TTATCGGCTGGATGTGGTACTTCACCGAGATGGTCTTCTGTTCGCGCAAGTGGGAGCAGGAT
CGCAAGACGGTTGCCACCAGTTTGCAGCACCTCCGGGACTACCCCGAGAAGTATTTTTTCCT
GATTCACTGTGAGGGCACACGGTTCACGGAGAAGAAGCATGAGATCAGCATGCAGGTGGCCC
GGGCAAGGGGCTGCCTCGCCTCAAGCATCACCTGTTGCCACGAACCAAGGGCTTCGCCATC
ACCGTGAGGAGCTTGAGAAATGTAGTTTCAGCTGTATATGACTGTACACTCAATTTTCAGAAA
TAATGAAAATCCAACACTGCTGGGAGTCCTAAACGGAAAGAAATACCATGCAGATTTGTATG
TTAGGAGGATCCCCTGGAAGACATCCCTGAAGACGATGACGAGTGCTCGGCCTGGCTGCAC
AAGCTCTACCAGGAGAAGGATGCCTTTCAGGAGGAGTACTACAGGACGGGCACCTTCCCGA
GACGCCCATGGTGCCCCCCCCGGCGGCCCTGGACCCTCGTGAACTGGCTGTTTTGGGCCTCGC
TGGTGCTCTACCCCTTCTTCCAGTTCCTGGTCAGCATGATCAGGAGCGGGTCTTCCCTGACG
CTGGCCAGCTTCATCCTCGTCTTCTTTGTGGCCTCCGTGGGAGTTCGATGGATGATTGGTGT
GACGGAAATTGACAAGGGCTCTGCCTACGGCAACTCTGACAGCAAGCAGAACTGAATGACT
GACTCAGGGAGGTGTCACCATCCGAAGGGAACCTTGGGGAAGTGGTGGCCTCTGCATATCCT
CCTTAGTGGGACACGGTGACAAAGGCTGGGTGAGCCCCTGCTGGGCACGGCGGAAGTCACGA
CCTCTCCAGCCAGGGAGTCTGGTCTCAAGGCCGGATGGGGAGGAAGATGTTTTGTAATCTTT
TTTTCCCCATGTGCTTTAGTGGGCTTTGGTTTTCTTTTTGTGCGAGTGTGTGTGAGAATGGC
TGTGTGGTGAGTGTGAACTTTGTTCTGTGATCATAGAAAGGGTATTTTAGGCTGCAGGGGAG
GGCAGGGCTGGGGACCGAAGGGGACAAGTTCCCCTTTCATCCTTTGGTGCTGAGTTTTCTGT
AACCCTTGGTTGCCAGAGATAAAGTGAAAAGTGCTTTAGGTGAGATGACTAAATTATGCCTC
CAAGAAAAAAAATTAAGTGCTTTTCTGGGTCAAAAAAAAAAAAA

93/330

FIGURE 93

MDLAGLLKSQFLCHLVFCYVFIA SGLIINTIQLF TLLLWPINKQLFRKINCRLSYCISSQLV
MLEWWSGTECTIFTDP RAYLKYGKENAIVVLNHKFEIDFLCGWSLSERFGLLGSKVLAKK
ELAYVPIIGWMWYFTEMVFC SRKWEQDRKTVATSLQHLDYPEKYFFLIHCEGTRFTEKKHE
ISMQVARAKGLPRLKHLLP RTKGFAITVRSLRNVVSAVYDCTLNFRNNENPTLLGVLNGKK
YHADLYVRRIPLEDIPEDDDECSAWLHKLYQEKDAFQEEYYRTGTFPETPMVPPRRPWTLVN
WLFWASLVLYPFFQFLVSMIRSGSSLT LASFILVFFVASVGVRWMIGVTEIDKGSAYGNSDS
KQKLND

94/330

FIGURE 94

CTGAGGCGGCGGTAGC**ATG**GAGGGGGAGAGTACGTCGGCGGTGCTCTCGGGCTTTGTGCTCG
GCGCACTCGCTTTCCAGCACCTCAACACGGACTCGGACACGGAAGGTTTTCTTCTTGGGGAA
GTAAAAGGTGAAGCCAAGAACAGCATTACTGATTCCCAAATGGATGATGTTGAAGTTGTTTA
TACAATTGACATTCAGAAATATATTCCATGCTATCAGCTTTTTAGCTTTTATAATTCTTCAG
GCGAAGTAAATGAGCAAGCACTGAAGAAAATATTATCAAATGTCAAAAAGAATGTGGTAGGT
TGGTACAAATTCCGTCGTCATTCAGATCAGATCATGACGTTTAGAGAGAGGCTGCTTCACAA
AACTTGCAGGAGCATTTTTTCAAACCAAGACCTTGTTTTTCTGCTATTAACACCAAGTATAA
TAACAGAAAGCTGCTCTACTCATCGACTGGAACATTCCTTATATAAACCTCAAAAAGGACTT
TTTCACAGGGTACCTTTAGTGGTTGCCAATCTGGGCATGTCTGAACAACTGGGTATATAAAC
TGTATCAGGTTCCGTGTATGTCCACTGGTTTTAGCCGAGCAGTACAAACACACAGCTCTAAAT
TTTTTGAAGAAGATGGATCCTTAAAGGAGGTACATAAGATAAATGAAATGTATGCTTCATTA
CAAGAGGAATTAAAGAGTATATGCAAAAAGTGGAAGACAGTGAACAAGCAGTAGATAAACT
AGTAAAGGATGTAAACAGATTAAAACGAGAAATTGAGAAAAGGAGAGGAGCACAGATTCAGG
CAGCAAGAGAGAAGAACATCCAAAAGACCCTCAGGAGAACATTTTTCTTTGTGAGGCATTA
CGGACCTTTTTTCCAAATTCTGAATTTCTTCATTCATGTGTTATGTCTTTAAAAAATAGACA
TGTTTCTAAAAGTAGCTGTAACACACCACCATCTCGATGTAGTAGACAATCTGACCTTAA
TGGTAGAACACACTGACATTCCTGAAGCTAGTCCAGCTAGTACACCACAAATCATTAAGCAT
AAAGCCTTAGACTTAGATGACAGATGGCAATTCAAGAGATCTCGGTTGTTAGATACACAAGA
CAAACGATCTAAAGCAAATACTGGTAGTAGTAACCAAGATAAAGCATCCAAATGAGCAGCC
CAGAAACAGATGAAGAAATTGAAAAGATGAAGGGTTTTGGTGAATATTCACGGTCTCCTACA
TTTT**TGAT**CCTTTTAACCTTACAAGGAGATTTTTTTATTTGGCTGATGGGTAAAGCCAAACAT
TTCTATTGTTTTTACTATGTTGAGCTACTTGCAGTAAGTTCATTTGTTTTTACTATGTTTAC
CTGTTTGCAGTAATACACAGATAACTCTTAGTGCATTTACTTCACAAAGTACTTTTTCAAAC
ATCAGATGCTTTTATTTCCAAACCTTTTTTTCACCTTTCACTAAGTTGTTGAGGGGAAGGCT
TACACAGACACATTCTTTAGAATTGGAAAAGTGAGACCAGGCACAGTGGCTCACACCTGTAA
TCCCAGCACTTAGGGAAGACAAGTCAGGAGGATTGATTGAAGCTAGGAGTTAGAGACCAGCC
TGGGCAACGTATTGAGACCATGTCTATTAAAAAATAAAATGGAAAAGCAAGAATAGCCTTAT
TTTCAAATATGGAAAGAAATTTATATGAAAATTTATCTGAGTCATTAAAATTCTCCTTAAG
TGATACTTTTTTGAAGTACATTATGGCTAGAGTTGCCAGATAAAATGCTGGATATCATGCA
ATAAATTTGCAAAACATCATCTAAATTTAAAAAAAAAAAAAAAAAAAAA

95/330

FIGURE 95

MEGESTSAVLSGFVLGALAFQHLNTDSDEGFLGGEVKGEAKNSITDSQMDDVEVVYTIDIQ
KYIPCYQLFSFYNSSGEVNEQALKKILSNVKKNVVGWYKFRRHSDQIMTFRERLLHKNLQEH
FSNQDLVFLLLTPSIITESCSTHRLEHSLYKPQKGLFHRVPLVVANLGMSEQLGYKTVSGSC
MSTGFSRAVQTHSSKFFEEEDGSLKEVHKINEMYASLQEELKSICKKVEDSEQAVDKLVKDVN
RLKREIEKRRGAQIQAAAREKNIQKDPQENIFLCQALRTFFPNSEFLHSCVMSLKNRHVSKSS
CNYNHLDVVDNLTLMVEHTDIPEASPASTPQIIKHKALDDDRWQFKRSRLDTQDKRSKA
NTGSSNQDKASKMSSPETDEEIEKMKGFGEYSRSPTF

96/330

FIGURE 96

GGCACAGCCGCGCGGGCGGAGGGCAGAGTCAGCCGAGCCGAGTCCAGCCGGACGAGCGGACCAGCGCAGGGGCAGC
CCAAGCAGCGCGCAGCGAACGCCCCGCGCCGCCACACCCCTCTGCGGTCCCCGCGGCGCCTGCCACCCCTTCCCT
CCTTCCCCGCGTCCCCGCTCGCCGGCCAGTCAGCTTGCCGGGTTGCTGCCCCGCGAAACCCGAGGTCACCA
GCCCCGCGCTCTGCTTCCCTGGGCCGCGCGCCCTCCACGCCCTCCTTCTCCCCTGGCCCGGCGCCTGGCACC
GGGGACCGTTGCTGACGCGAGGCCAGCTCTACTTTTGCCTCCGCTCTCCTCCGCTGCTCGCCTCTTCCAC
CAACTCCAACTCCTTCTCCCTCCAGCTCCACTCGCTAGTCCCCGACTCCGCCAGCCCTCGGCCGCTGCCGTAG
CGCCGCTTCCCGTCCGGTCCCAAAGGTGGGAACGCGTCCGCCCGGCCCGCACCATGGCACGGTTCGGCTTGCC
CGCGCTTCTCTGCACCCTGGCAGTGCTCAGCGCCGCGCTGCTGGCTGCCGAGCTCAAGTCGAAAAGTTGCTCGG
AAGTGCGACGTCTTTACGTGTCCAAAGGCTTCAACAAGAACGATGCCCCCTCCACGAGATCAACGGTGATCAT
TTGAAGATCTGTCCCCAGGGTTCTACCTGCTGCTCTCAAGAGATGGAGGAGAAGTACAGCCTGCAAAGTAAAGA
TGATTTCAAAGTGTGGTCAGCGAACAGTGCAATCATTTGCAAGCTGCTTTGCTTCACGTTACAAGAAGTTTG
ATGAATCTTCAAAGAACTACTTGAAAATGCAGAGAAATCCCTGAATGATATGTTTGTGAAGACATATGGCCAT
TTATACATGCAAAATCTGAGCTATTTAAAGATCTCTCGTAGAGTTGAAACGTTACTACGTGGTGGGAAATGT
GAACCTGGAAGAAATGCTAAATGACTTCTGGGCTCGCCTCCTGGAGCGGATGTTCCGCTGGTGAACCTCCAGT
ACCACTTTACAGATGAGTATCTGGAATGTGTGAGCAAGTATACGGAGCAGCTGAAGCCCTTCGGAGATGTCCCT
CGCAAATTGAGCTCCAGGTTACTCGTGCTTTTGTAGCAGCCCGTACTTTCGCTCAAGGCTTAGCGGTTGCGGG
AGATGTCTGTGAGCAAGGTCTCCGTGGTAAACCCACAGCCCAGTGTAACCATGCCCTGTTGAAGATGATCTACT
GCTCCACTGCCGGGGTCTCGTGACTGTGAAGCATGTTACAACACTGCTCAAACATCATGAGAGGCTGTTTG
GCCAACCAAGGGGATCTCGATTTTGAATGGAACAATTTCATAGATGCTATGCTGATGGTGGCAGAGAGGCTAGA
GGGTCTTTCAACATTGAATCGGTCATGGATCCCATCGATGTGAAGATTTCTGATGCTATTATGAACATGCAGG
ATAATAGTGTCAAGTGTCTCAGAAGGTTTTCCAGGGATGTGGACCCCCAAGCCCTCCAGCTGGACGAATT
TCTCGTTCCATCTCTGAAAGTGCTTTCAGTGCTCGCTTCAGACCACATCACCCCGAGGAACGCCCAACCACAGC
AGCTGGCACTAGTTTGGACCGACTGGTTACTGATGTCAAGGAGAACTGAAACAGGCCAAGAAATCTGGTCCT
CCCTTCCGAGCAACGTTTGCACGATGAGAGGATGGCTGCAGGAAACGGCAATGAGGATGACTGTTGGAATGGG
AAAGGCAAAAGCAGGTACCTGTTTGCAGTGACAGGAAATGGATTAGCCAACAGGGCAACAACCCAGAGGTCCA
GGTTGACACCAGCAAACCAGACATACTGATCCTTCGTCAAATCATGGCTCTTCGAGTGATGACCAGCAAGATGA
AGAATGCATACAATGGGAACGAGCTGGACTTCTTTGATATCAGTGATGAAAGTAGTGGAGAAGGAAGTGGAAAT
GGCTGTGAGTATCAGCAGTGCCCTTCAGAGTTTGACTACAATGCCACTGACCATGCTGGGAAGAGTGCCAATGA
GAAAGCCGACAGTGCTGGTGTCCGTCTGGGGCACAGGCCTACCTCCTCACTGTCTTCTGCATCTTGTTCCTGG
TTATGCAGAGAGAGTGGAGATTAATTTCTCAAACCTCTGAGAAAAAGTGTTTCATCAAAAAGTTAAAAGGCACCAAGT
ATCACTTTTCTACCATCCTAGTGACTTTGCTTTTTAAATGAATGGACAACAATGTACAGTTTTTACTATGTGGC
CACTGGTTTTAGAAGTGCTGACTTTGTTTTCTCATTCAGTTTTGGGAGGAAAAGGGACTGTGCATTGAGTTGGT
TCCTGCTCCCCCAAACCATGTTAAACGTGGCTAACAGTGTAGGTACAGAACTATAGTTAGTTGTGCATTTGTGA
TTTTATCACTCTATTATTTGTTGTATGTTTTTCTCATTTCTGTTTGTGGGTTTTTTTTTCCAACCTGTGATCT
CGCCTTGTTTCTTACAAGCAAACAGGGTCCCTTCTTGGCACGTAAACATGTACGATTTTCTGAAATATTAAATA
GCTGTACAGAAGCAGGTTTTATTATCATGTTATCTTATTAAGAAAAAGCCCCAAAAGC

97/330

FIGURE 97

MARFGLPALLCTLAVLSAALLAAELKSKSCSEVRRLYVSKGFNKNDAPLHEINGDHLKICPQ
GSTCCSQEMEEKYSLQSKDDFKSVVSEQCNHLQAVFASRYKKFDEFFKELLENAEKSLNDMF
VKTYGHLYMQNSELFKDLFVELKRYVVGNNLEEMLNDFWARLLERMFLVNSQYHFTDEY
LECVSKYTEQLKPFQDVPRKLKLQVTRAFVAARTFAQGLAVAGDVVSKVSVVNPTAQCTHAL
LKMIYCSHCRGLVTVKPCYNYCSNIMRGCLANQGDLD FEWNNFIDAMLMVAERLEGPFNIES
VMDPIDVKISDAIMNQDNSVQVSQKVFQGGPPKPLPAGRISRSISESAFSARFRPHHPEE
RPTTAAGTSLDRLVTDVKEKLKQAKKFWSSLPSNVCNDERMAAGNGNEDDCWNGKGKSRYLE
AVTGNGLANQGNNPEVQVDTSKPDILILRQIMALRVMTSKMKNAYNGNDVDFFDISDESSGE
GSGSGCEYQQCPSEFDYNATDHAGKSANEKADSAGVRPGAQAYLLTVFCILFLVMQREWR

98/330

FIGURE 98

CTCGCCCTCAAATGGGAACGCTGGCCTGGGACTAAAGCATAGACCACCAGGCTGAGTATCCT
GACCTGAGTCATCCCCAGGGATCAGGAGCCTCCAGCAGGGAACCTTCCATTATATTCTTCAA
GCAACTTACAGCTGCACCGACAGTTGCGATGAAGTTCTAATCTCTTCCCTCCTCCTGTTGC
TGCCACTAATGCTGATGTCCATGGTCTCTAGCAGCCTGAATCCAGGGGTCGCCAGAGGCCAC
AGGGACCGAGGCCAGGCTTCTAGGAGATGGCTCCAGGAAGGCGGCCAAGAATGTGAGTGCAA
AGATTGGTTCCTGAGAGCCCCGAGAAGAAAATTCATGACAGTGTCTGGGCTGCCAAAGAAGC
AGTGCCCCTGTGATCATTTCAAGGGCAATGTGAAGAAAACAAGACACCAAAGGCACCACAGA
AAGCCAAACAAGCATTCCAGAGCCTGCCAGCAATTTCTCAAACAATGTCAGCTAAGAAGCTT
TGCTCTGCCTTTGTAGGAGCTCTGAGCGCCCACTCTTCCAATTAAACATTCTCAGCCAAGAA
GACAGTGAGCACACCTACCAGACACTCTTCTTCTCCACCTCACTCTCCCACTGTACCCACC
CCTAAATCATTCCAGTGCTCTCAAAAAGCATGTTTTTCAAGATCATTTTGTTTGTTGCTCTC
TCTAGTGTCTTCTTCTCTCGTCAGTCTTAGCCTGTGCCCTCCCCTTACCCAGGCTTAGGCTT
AATTACCTGAAAGATTCCAGGAAACTGTAGCTTCCTAGCTAGTGTCAATTAACCTTAAATGC
AATCAGGAAAGTAGCAAACAGAAGTCAATAAATATTTTAAATGTCAAAAAAAAAAAAAAAAAA

99/330

FIGURE 99

MKVLISL L L L L L P L M L M S M V S S S L N P G V A R G H R D R G Q A S R R W L Q E G G Q E C E C K D W F L R A P R R
K F M T V S G L P K K Q C P C D H F K G N V K K T R H Q R H H R K P N K H S R A C Q Q F L K Q C Q L R S F A L P L

100/330

FIGURE 100

AATGGCTGTCTTAGTACTTCGCCTGACAGTTGTCCTGGGACTGCTTGTCTTATTCCTGACCT
GCTATGCAGACGACAAACCAGACAAGCCAGACGACAAGCCAGACGACTCGGGCAAAGACCCA
AAGCCAGACTTCCCCAAATTCCTAAGCCTCCTGGGCACAGAGATCATTGAGAATGCAGTCGA
GTTTCATCCTCCGCTCCATGTCCAGGAGCACAGGATTTATGGAATTTGATGATAATGAAGGAA
AACATTTCATCAAAGTGACATCCTCAGGACACACCCATGTGGCTCCTGGACAATCCAAGAGCA
GCCAAATCCTGCTTTTCCAGTTTGGCTCCACAAGTCCTCCAGGACAGAGCCCTCAAAGCAAC
TCCCAACGAGTTCTCAGGATTCAGGCTCTGGCTTCAACCAAACAGAACTCATTTTGAACACC
CTGACTGCATTTTTGCTTTTAGAAAGTTAGAATAAATATGGCGCTTTGGGATCACATAGTTG
ATGGAGAGGAAA

101/330

FIGURE 101

MAVLVLRRLTVVLGLLVLFLTCYADDKPKDPDDKPDGKDPKPDFPKFLSLLGTEIIENAVE
FILRSMRSTGFMEFDDNEGKHSSK

102/330

FIGURE 102

GGACGCCAGCGCCTGCAGAGGCTGAGCAGGGAAAAAGCCAGTGCCCCAGCGGAAGCACAGCT
CAGAGCTGGTCTGCCATGGACATCCTGGTCCCCTCCTGCAGCTGCTGGTGCTGCTTCTTAC
CCTGCCCTGCACCTCATGGCTCTGCTGGGCTGCTGGCAGCCCCCTGTGCAAAAGCTACTTCC
CCTACCTGATGGCCGTGCTGACTCCCAAGAGCAACCGCAAGATGGAGAGCAAGAAACGGGAG
CTCTTCAGCCAGATAAAGGGGCTTACAGGAGCCTCCGGGAAAGTGGCCCTACTGGAGCTGGG
CTGCGGAACCGGAGCCAACTTTCAGTTCTACCCACCGGGCTGCAGGGTCACCTGCCTAGACC
CAAAATCCCCACTTTGAGAAGTTCCTGACAAAGAGCATGGCTGAGAACAGGCACCTCCAATAT
GAGCGGTTTTGTGGTGGCTCCTGGAGAGGACATGAGACAGCTGGCTGATGGCTCCATGGATGT
GGTGGTCTGCACTCTGGTGCTGTGCTCTGTGCAGAGCCCAAGGAAGGTCCTGCAGGAGGTCC
GGAGAGTACTGAGACCGGGAGGTGTGCTCTTTTTCTGGGAGCATGTGGCAGAACCATATGGA
AGCTGGGCCTTCATGTGGCAGCAAGTTTTTCGAGCCCACCTGGAAACACATTGGGATGGCTG
CTGCCTCACCAGAGAGACCTGGAAGGATCTTGAGAACGCCAGTTCTCCGAAATCCAAATGG
AACGACAGCCCCCTCCCTTGAAGTGGCTACCTGTTGGGCCCCACATCATGGGAAAGGCTGTC
AAACAATCTTTCCCAAGCTCCAAGGCACTCATTTGCTCCTTCCCCAGCCTCCAATTAGAACA
AGCCACCCACCAGCCTATCTATCTTCCACTGAGAGGGACCTTAGCAGAATGAGAGAAGACATT
CATGTACCACCTACTAGTCCCTCTCTCCCAACCTCTGCCAGGGCAATCTCTAACTTCAATC
CCGCCTTCGACAGTGAAAAAGCTCTACTTCTACGCTGACCCAGGGAGGAAACACTAGGACCC
TGTTGTATCCTCAACTGCAAGTTTCTGGACTAGTCTCCCAACGTTTGCCTCCCAATGTTGTC
CCTTTCCTTCGTTCCCATGGTAAAGCTCCTCTCGCTTTCCTCCTGAGGCTACACCCATGCGT
CTCTAGGAACCTGGTCACAAAAGTCATGGTGCCTGCATCCCTGCCAAGCCCCCTGACCCTCT
CTCCCCACTACCACCTTCTTCTGAGCTGGGGGCACCAGGGAGAATCAGAGATGCTGGGGAT
GCCAGAGCAAGACTCAAAGAGGCAGAGGTTTTGTTCTCAAATATTTTTTAATAAATAGACGA
AACCACG

103/330

FIGURE 103

MDILVPLLQLLVLLLTLP LHL MALLGCWQPLCKSYFPYLMAVLTPKSNRKMESKKRELF SQI
KGLTGASGKVALLELGCGTGANFQFYPPGCRVTCLDPNPHFEKFLTKSMAENRHLQYERFVV
APGEDMRQLADGSMDVVVCTLVLC SVQSPRKVLQEVRRLRPGGVLFFWEHVAEPYGSWAFM
WQQVF EPTWKHIGDGCCLTRETWKDLENAQFSEIQMERQPPPLKWLPVGPHIMGKAVKQSFP
SSKALICSFPSLQLEQATHQPIYLPLRGT

104/330

FIGURE 104

GTGGGATTTATTTGAGTGCAAGATCGTTTTCTCAGTGGTGGTGGAAAGTTGCCTCATCGCAGG
CAGATGTTGGGGCTTTGTCCGAACAGCTCCCCCTCTGCCAGCTTCTGTAGATAAGGGTTAAAA
ACTAATATTTATATGACAGAAGAAAAAGATGTCATTCCGTAAAGTAAACATCATCATCTTGG
TCCTGGCTGTTGCTCTCTTCTTACTGGTTTTGCACCATAACTTCCTCAGCTTGAGCAGTTTG
TTAAGGAATGAGGTTACAGATTCAGGAATTGTAGGGCCTCAACCTATAGACTTTGTCCCAA
TGCTCTCCGACATGCAGTAGATGGGAGACAAGAGGAGATTCTGTGGTCATCGCTGCATCTG
AAGACAGGCTTGGGGGGGCCATTGCAGCTATAAACAGCATTTCAGCACAACACTCGCTCCAAT
GTGATTTTCTACATTGTTACTCTCAACAATACAGCAGACCATCTCCGGTCTGGCTCAACAG
TGATTCCTGAAAAGCATCAGATACAAAATTGTCAATTTTGACCCTAAACTTTTGAAGGAA
AAGTAAAGGAGGATCCTGACCAGGGGGAATCCATGAAACCTTTAACCTTTGCAAGGTTCTAC
TTGCCAATTCTGGTTCCCAGCGCAAAGAAGGCCATATACATGGATGATGATGTAATTGTGCA
AGGTGATATTCTTGCCCTTTACAATACAGCACTGAAGCCAGGACATGCAGCTGCATTTTCAG
AAGATTGTGATTTCAGCCTCTACTAAAGTTGTCATCCGTGGAGCAGGAAACCAGTACAATTAC
ATTGGCTATCTTGACTATAAAAAGGAAAGAATTTCGTAAGCTTTCCATGAAAGCCAGCACTTG
CTCATTTAATCCTGGAGTTTTTTGTTGCAAACCTGACGGAATGGAAACGACAGAATATAACTA
ACCAACTGGAAAAATGGATGAAACTCAATGTAGAAGAGGGACTGTATAGCAGAACCCTGGCT
GGTAGCATCACAAACACCTCCTCTGCTTATCGTATTTTATCAACAGCACTCTACCATCGATCC
TATGTGGAATGTCCGCCACCTTGGTTCCAGTGCTGGAAAACGATATTCACCTCAGTTTGTA
AGGCTGCCAAGTTACTCCATTGGAATGGACATTTGAAGCCATGGGGAAGGACTGCTTCATAT
ACTGATGTTTGGGAAAAATGGTATATTCCAGACCCAACAGGCAAATTC AACCTAATCCGAAG
ATATACCGAGATCTCAACATAAAGTGAACAGAAATTTGAACTGTAAGCAAGCATTTCTCAG
GAAGTCCTGGAAGATAGCATGCATGGGAAGTAACAGTTGCTAGGCTTCAATGCCTATCGGTA
GCAAGCCATGGAAAAAGATGTGTCAGCTAGGTAAAGATGACAACTGCCCTGTCTGGCAGTC
AGCTTCCCAGACAGACTATAGACTATAAATATGTCTCCATCTGCCTTACCAAGTGTTCCTT
ACTACAATGCTGAATGACTGGAAAGAAGAACTGATATGGCTAGTTCAGCTAGCTGGTACAGA
TAATTCAAACTGCTGTTGGTTTTAATTTTGTAACTGTGGCCTGATCTGTAAATAAACTT
ACATTTTTC

105/330

FIGURE 105

MSFRKVNIIILVLAVALFLLVLHHNFLSLSSLLRNEVTD SGIVGPQPIDFVPNALRHAVDGR
QEEIPVVIAASEDRLGGAIAAINSIQHNTRSNVIFYIVTLNNTADHLRSWLNSDSLKSIRYK
IVNFDPKLLEGKVKEDPDQGESMKPLTFARFYLPILVPSAKKAIYMDDDVIVQGDILALYNT
ALKPGHAAAFSEDCDSASTKV VIRGAGNQYNYIGYLDYKKERIRKLSMKASTCSFNPGVFVA
NLTEWKRQNI TNQLEKWMKLNVEEGLYSRTL AGSITTPPLLIVFYQQHSTIDPMWNVRLGS
SAGKRYSPQFVKA AKLLHWNGHLKPWGRTASYTDVWEKWYIPDPTGKFNLIRRYTEISNIK

106/330

FIGURE 106

TGGTTTTTGCCCCATAAATTCCTCAGCTTGAGCAGTTTGTTAAGGAATGAGGTTACAGATT
CAGGAATTNTAGGNCCTCAACCTNTAGANTTTGTCCCAAATGTTCTCCGACATGCAGTAGAT
GGGAGACAAGAGGAGATTCTGTGGTCATCGCTGCATNTGAAGACAGGCTTGGGGGGGCCAT
TGCAGCTATAAACAGCATTTCAGCACAACTCGNTCCAATGTGATTTTCTACATTGTTACTC
TCAACAATACAGCAGACCATNTCCGGTCCTGGNTCAACAGTGATTCCCTGAAAAGCATCAGA
TACAAAATTGTCAATTTTGACCCTAACTTTTGGAAGGAAAAGTAAAGGAGGATCCTGACCA
GGGGGAATCCATGAAACCTTTAACCTTTGCAAGGTCTACTTGCCAATTCTGGTTCCCAGCG
CAAAGAAGGCCATATACATGGATGATGATGTAATTGTGCAAGGTGATATTCTTGCCCTTTAC
AATACAGCACTGAAGCCAGGACATGCAGCTGCATTTTCAGAAGATTGTGATTCAGCCTCTAC
TAAAGTTGTCATCCGTGGAGCAGGAAA

107/330

FIGURE 107

CGACGCTCTAGCGGTTACCGCTGCGGGCTGGCTGGGCGTAGTGGGGCTGCGCGGCTGCCACG
GAGCTAGAGGGCAAGTGTGCTCGGCCCAGCGTGCAGGGAACGCGGGCGGCCAGACAACGGGC
TGGGCTCCGGGGCCTGCGGCGCGGGCGCTGAGCTGGCAGGGCGGGTTCGGGGCGCGGGCTGCA
TCCGCATCTCCTCCATCGCCTGCAGTAAGGGCGGCCGCGGCGAGCCTTTGAGGGGAACGACT
TGTCGGAGCCCTAACCAGGGGTGTCTCTGAGCCTGGTGGGATCCCCGGAGCGTCACATCACT
TTCCGATCACTTCAAAGTGGTTAAAACTAATATTTATATGACAGAAGAAAAAGATGTCATT
CCGTAAAGTAAACATCATCATCTTGGTCCTGGGCTGTTGCTCTCTTCTTACTGGTTTTGCAC
CATAACTTCCTCAGCTTGAGGCAGTTTGTTAAGGAATGAGGTTACAGATTAGGAATTGTAG
GGCCTCAACCTATAGGACTTTGTCCCAAATGCTCTCCGACATGCAGTAGATGGGAGACAAGA
GGAGATTCTGTGGTCATCGCTGCATCTGAAGACAGGCTTGGGGGGGCCATTGCAGCTATAA
ACAGCATTACAGCACAACACTCGCTCCAATGTGATTTTCTACATTGTTACTCTCAACAATACA
GCAGACCATCTCCGGTCTGGGCTCAACAGTGATTCCCTGAAAAGCATCAGATACAAAATTG
TCAATTTTGACCTAAACTTTTGGAAGGAAAAGTAAAGGAGGATCCTGACCAGGGGGAATCC
ATGAAACCTTTAACCTTTGCAAGGTTCTACTTGCCAATTCTGGGTTCCAGCGCAAAGAAGG
CCATATACATGGATGATGATGTAATTGTGCAAGGTGATATTCTTGCCCTTTACAATACAGCA
CTGAAGCCAGGACATGCAGCTGCATTTTCAGAAGATTGTGATTCAGCCTCTACTAAAGTTGT
CATCCGTGGAGCAGGAAACCAGTACAATTACATTGGCTATCTTGACTATAAAAAGGAAAGAA
TTCGTAAGCTTTCCATGAAAGCCAGCACTTGCTCATTTAATCCTGGAGTTTTTGTGCAAAC
CTGACGGAATGGAAACGACAGAATATACTAACCAACTGGAAAAATGGATGAAACTCAATGT
AGAAGAGGGACTGTATAGCAGAACCCTGGCTGGTAGCATCACAACACCTCCTCTGCTTATCG
TATTTTATCAACAGCACTCTACCATCGATCCTATGTGGAATGTCCGCCACCTTGGTTCCAGT
GCTGGAAAACGATATTCACCTCAGTTTGTAAGGCTGCCAAGTTACTCCATTGGAATGGACA
TTTGAAGCCATGGGGAAGGACTGCTTCATATACTGATGTTTGGGGAAAAATGGTATATTCCA
GACCCAACAGGCAAATTCAACCTAATCCGAAGATATACCGAGATCTCAAACATAAAGTGAAA
CAGAATTTGAACTGTAAGCAAGCATTTCTCAGGAAGTCCTGGAAGATAGCATGCGTGGGAAG
TAACAGTTGCTAGGCTTCAATGCCTATCGGTAGCAAGCCATGGAAAAAGATGTGTCAGCTAG
GTAAAGATGACAACTGCCCTGTCTGGCAGTCAGCTTCCCAGACAGACTATAGACTATAAAT
ATGTCTCCATCTGCCTTACCAAGTGTTCCTTACTACAATGCTGAATGACTGGAAAGAAGAA
CTGATATGGCTAGTTCAGCTAGCTGGTACAGATAATTCAAACTGCTGTTGGTTTTAATTTT
GTAACCTGTGGCCTGATCTGTAAATAAACTTACATTTTTCAATAGGTAAAAA

108/330

FIGURE 108

CTGCAGGTAGACATCTCCACTGCCCAGGAATCACTGAGCGTGCAGACAGCACAGCCTCCTCT
GAAGGCCGGCCATACCAGAGTCCTGCCTCGGCATGGGCCTCACCATTGAGGCAGCTCCACTG
TCTGTGCTGGTCTGAGGGTGCTGCCTGTCATGGGGGCAGCCATCTCCCAGGGGGCCCTCATC
GCCATCGTCTGCAACGGTCTCGTGGGCTTCTTGCTGCTGCTGCTCTGGGTCATCCTCTGCTG
GGCCTGCCATTCTCGTCTGCCGACGTTGACTCTCTCTCTGAATCCAGTCCCAACTCCAGCCC
TGGCCCCTGTCCTGAGAAGGCCCCACCACCCAGAAGCCCAGCCATGAAGGCAGCTACCTGC
TGCAGCCCTGAAGGCCCCTGGCCTAGCCTGGAGCCCAGGACCTAAGTCCACCTCACCTAGAG
CCTGGAATTAGGATCCCAGAGTTCAGCCAGCCTGGGGTCCAGAACTCAAGAGTCCGCCTGCT
TGGAGCTGGACCCAGCGGCCCAGAGTCTAGCCAGCTTGGCTCCAATAGGAGCTCAGTGGCCC
TAAGGAGATGGGCCTGGGGTGGGGGCTTATGAGTTGGTGCTAGAGCCAGGGCCATCTGGACT
ATGCTCCATCCCAAGGGCCAAGGGTCAGGGGCCGGGTCCACTCTTCCCTAGGCTGAGCACC
TCTAGGCCCTCTAGGTTGGGGAAGCAAAGTGAACCCATGGCAATAATAGGAGGGTGTCCAG
GCTGGGCCCCTCCCCTGGTCCTCCCAGTGTTTGCTGGATAATAAATGGAAGTATGGCTCTAA
AAAAAAAAAAAAAAAAAAAA

109/330

FIGURE 109

MGA AISQGALIA IVCNGLVG FLLLLLWVILCWACHSRLPTLTLSLNPVPTPALAPVLRPHH
PRSPAMKAATCCSPEGPWPSLEPRT

110/330

FIGURE 110

GTTTGAATTCCTTCAACTATACCCACAGTCCAAAAGCAGACTCACTGTGTCCCAGGCTACCA
GTTCCCTCCAAGCAAGTCATTTCCCTTATTTAACCGATGTGTCCCTCAAACACCTGAGTGCTA
CTCCCTATTTGCATCTGTTTTGATAAATGATGTTGACACCCTCCACCGAATTCTAAGTGGAA
TCCATGTCGGGAAGAGATACAATCCTTGGCCTGTGTATCCTCGCATTAGCCTTGCTTTGGCC
ATGATGTTTACCTTCAGATTCATCACCACCCTTCTGGTTCACATTTTCATTTTCATTGGTTAT
TTTGGGATTGTTGTTTGTCTGCGGTGTTTTATGGTGGCTGTATTATGACTATAACCAACGACC
TCAGCATAGAATTGGACACAGAAAGGGAAAATATGAAGTGCGTGCTGGGGTTTGCTATCGTA
TCCACAGGCATCACGGCAGTGCTGCTCGTCTTGATTTTTGTTCTCAGAAAGAGAAATAAATT
GACAGTTGAGCTTTTCCAAATCACAAATAAAGCCATCAGCAGTGCTCCCTTCCTGCTGTTCC
AGCCACTGTGGACATTTGCCATCCTCATTTTCTTCTGGGTCTCTGGGTGGCTGTGCTGCTG
AGCCTGGGAAGTGCAGGAGCTGCCCAGGTTATGGAAGGCGGCCAAGTGAATATAAGCCCCT
TTCGGGCATTTCGGTACATGTGGTTCGTACCATTTAATTGGCCTCATCTGGACTAGTGAATTCA
TCCTTGCGTGCCAGCAAATGACTATAGCTGGGGCAGTGGTTACTTGTTATTTCAACAGAAGT
AAAAATGATCCTCCTGATCATCCCATCCTTTCGTCTCTCTCCATTCTCTTCTTCTACCATCA
AGGAACCGTTGTGAAAGGGTCATTTTTAATCTCTGTGGTGAGGATTCCGAGAATCATTGTCA
TGTACATGCAAAACGCACTGAAAGAACAGCAGCATGGTGCATTGTCCAGGTACCTGTTCCGA
TGCTGCTACTGCTGTTTCTGGTGTCTTGACAAATACCTGCTCCATCTCAACCAGAATGCATA
TACTACAACTGCTATTAATGGGACAGATTTCTGTACATCAGCAAAAGATGCATTCAAAATCT
TGTTCAAGAACTCAAGTCACTTTACATCTATTAAGTCTTTGGAGACTTCATAATTTTCTA
GGAAAGGTGTTAGTGGTGTGTTTCACTGTTTTTGGAGGACTCATGGCTTTTAACTACAATCG
GGCATTCCAGGTGTGGGCAGTCCCTCTGTTATTGGTAGCTTTTTTGCCTACTTAGTAGCCC
ATAGTTTTTTATCTGTGTTTGAAACTGTGCTGGATGCATTTTCCTGTGTTTTGCTGTTGAT
CTGGAAACAAATGATGGATCGTCAGAAAAGCCCTACTTTATGGATCAAGAATTTCTGAGTTT
CGTAAAAAGGAGCAACAAATTAAACAATGCAAGGGCACAGCAGGACAAGCACTCATTAAGGA
ATGAGGAGGGAACAGAACTCCAGGCCATTGTGAGATTAGATACCCATTTAGGTATCTGTACCT
GGAAAACATTTCTTCTAAGAGCCATTTACAGAATAGAAGATGAGACCACTAGAGAAAAGTT
AGTGAATTTTTTTTTTAAAAGACCTAATAAACCTATTCTTCCTCAAAA

111/330

FIGURE 111

MSGRDTILGLCILALALSLAMMFTFRFITTLVHIFISLVILGLLFVCGVLWWLYDYTNDL
SIELDTERENMKCVLGFAIVSTGITAVLLVLI FVLRKRIKLTVELFQITNKAISSAPFLLFQ
PLWTFAILIFFWVLWVAVLLSLGTAGAAQVMEGGQVEYKPLSGIRYMWSYHLIGLIWTSEFI
LACQQMTIAGAVVTCYFNRSKNDPPDHPILSSLSILFFYHQGTVVKGSFLISVVRIPIIVM
YMQNALKEQQHGALSRYLFRCCYCCFWCLDKYLLHLNQAYTTTAINGTDFCTSAKDAFKIL
SKNSSHFTSINCFGDFIIFLGKVLVVCFTVFGGLMAFNYNRAFAQVWAVPLLLVAFFAYLVAH
SFLSVFETVLDALFLCFAVDLETNDGSSEKPYFMDQEFLSFVKRSNKLNNARAQQDKHSLRN
EEGTELQAIVR

FIGURE 112

[illegible]

113/330

FIGURE 113

MRTVVLTMKASVIEMFLVLLVTGVHSNKETAKKIKRPKFTVPQINCDVKAGKIIDPEFIVKC
PAGCQDPKYHVGTDVYASYSSVCGAAVHSGVLDNSGGKILVRKVAGQSGYKGSYNGVQSL
SLPRWRESFIVLESKPKKGVTPSALTYSSSKSPAAQAGETTKAYQRPPIPGTTAQPVTLMQ
LLAVTVAVATPTTLPRPSPSAASTTSIPRPQSVGHRSEQEMDLWSTATYTSSQNRPRADPGIQ
RQDPGAAAFQKPVGADVSLGLVPKEELSTQSLEPVSLGDPNCKIDLSFLIDGSTSIGKRRFR
IQKQLLADVAQALDIGPAGPLMGVVQYGDNPATHFNLKHTNSRDLKTAIEKITQRGGLSNV
GRAISFVTKNFFSKANGNRSGAPNVVVVMVDGWPTDKVEEASRLARESGINIFFITIEGAAE
NEKQYVVEPNFANKAVCRTNGFYSLHVQSWFGLHKTLLQPLVKRVCDTDRLACSKTCLNSADI
GFVIDGSSSVGTGNFRTVLQFVTNLTKEFEISDTDTRIGAVQYTYEQRLEFGFDKYSSKPD
LNAIKRVGYWSSGTSTGAAINFALEQLFKKSKPNKRKLMILITDGRSYDDVRI PAMAAHLKG
VITYAIGVAWAAQEELEVIATHPARDHSFFVDEFDNLHQYVPRIIQNICTEFNSQPRN

114/330

FIGURE 114

CAGGATGAACTGGTTGCAGTGGCTGCTGCTGCTGCGGGGCGCTGAGAGGACACGAGCTCTA
TGCCTTTCCGGCTGCTCATCCCGCTCGGCCTCCTGTGCGCGCTGCTGCCTCAGCACCATGGT
GCGCCAGGTCCCGACGGCTCCGCGCCAGATCCCGCCCACTACAGTTTTTCTCTGACTCTAAT
TGATGCACTGGACACCTTGCTGATTTTGGGGAATGTCTCAGAATTCCAAAGAGTGGTTGAAG
TGCTCCAGGACAGCGTGGACTTTGATATTGATGTGAACGCCTCTGTGTTTGAAACAAACATT
CGAGTGGTAGGAGGACTCCTGTCTGCTCATCTGCTCTCCAAGAAGGCTGGGGTGGAAAGTAGA
GGCTGGATGGCCCTGTTCCGGGCCTCTCCTGAGAATGGCTGAGGAGGCGGCCCCGAAACTCC
TCCCAGCCTTTCAGACCCCCACTGGCATGCCATATGGAACAGTGAACCTTACTTCATGGCGTG
AACCCAGGAGAGACCCCTGTCACCTGTACGGCAGGGATTGGGACCTTCATTGTTGAATTTGC
CACCTGAGCAGCCTCACTGGTGACCCGGTGTTCGAAGATGTGGCCAGAGTGGCTTTGATGC
GCCTCTGGGAGAGCCGGTCAGATATCGGGCTGGTCGGCAACCACATTGATGTGCTCACTGGC
AAGTGGGTGGCCCAGGACGCAGGCATCGGGGCTGGCGTGGACTCCTACTTTGAGTACTTGGT
GAAAGGAGCCATCCTGCTTCAGGATAAGAAGCTCATGGCCATGTTCCCTAGAGTATAACAAAG
CCATCCGGAACCTACACCCGCTTCGATGACTGGTACCTGTGGGTTCAGATGTACAAGGGGACT
GTGTCCATGCCAGTCTTCCAGTCCTTGAGGCCTACTGGCCTGGTCTTCAGAGCCTCATTGG
AGACATTGACAATGCCATGAGGACCTTCCTCAACTACTACACTGTATGGAAGCAGTTTGGGG
GGCTCCCGGAATTCTACAACATTCTCAGGGATACACAGTGGAGAAGCGAGAGGGCTACCCA
CTTCGGCCAGAACTTATTGAAAGCGCAATGTACCTCTACCGTGCCACGGGGGATCCCACCT
CCTAGAACTCGGAAGAGATGCTGTGGAATCCATTGAAAAAATCAGCAAGGTGGAGTGGCGAT
TTGCAACAATCAAAGATCTGCGAGACCACAAGCTGGACAACCGCATGGAGTCGTTCTTCCTG
GCCGAGACTGTGAAATACCTCTACCTCCTGTTTGACCCAACCAACTTCATCCACAACAATGG
GTCCACCTTCGACGCGGTGATCACCCCTATGGGGAGTGCATCCTGGGGGCTGGGGGGTACA
TCTTCAACACAGAAGCTCACCCCATCGACCTTGCCGCCCTGCACTGCTGCCAGAGGCTGAAG
GAAGAGCAGTGGGAGGTGGAGGACTTGATGAGGGAATTCTACTCTCTCAAACGGAGCAGGTC
GAAATTTTCAGAAAAACACTGTTAGTTCGGGGCCATGGGAACCTCCAGCAAGGCCAGGAACAC
TCTTCTCACCAGAAAACCATGACCAGGCAAGGGAGAGGAAGCCTGCCAAACAGAAGGTCCCA
CTTCTCAGCTGCCCCAGTCAGCCCTTACCTCCAAGTTGGCATTACTGGGACAGGTTTTCTCT
AGACTCCTCATAACCACTGGATAATTTTTTTATTTTTTATTTTTTTGAGGCTAAACTATAATA
AATTGCTTTTGGCTATCATAAAA

115/330

FIGURE 115

MPFRLLIPLGLLCALLPQHHGAPGPDGSAPDPAHYSFSLTLIDALDTLLIILGNVSEFQRVVE
VLQDSVDFDIDVNASVFETNIRVVGLLSAHLLSKKAGVEVEAGWPCSGPLLRLMAËEAARKL
LPAFQTPTGMPYGTVNLLHGVNPGETPVTCTAGIGTFIVEFATLSSLTGDPVFEDVARVALM
RLWESRSDIGLVGNHIDVLTGKWVAQDAGIGAGVDSYFEYLVKGAILLQDKKLMAMFLEYNK
AIRNYTRFDDWYLVWQMYKGTVSMFVQSLEAYWPGLQSLIGDIDNAMRTFLNYYTVWKQFG
GLPEFYNIPOGYTVEKREGYPLRPELIESAMYLYRATGDPTLLELGRDAVESIEKISKVECG
FATIKDLRDHKLDNRMESFFLAETVKYLYLLFDPTNFIHNNGSTFDAVITPYGECILGAGGY
IFNTEAHPIDLAALHCCQRLKEEQWEVEDLMREFYSLKRSRSKFQKNTVSSGPWEPPARPGT
LFSPENHDQARERKPAKQKVPLLSCPSQPFTSKLALLGQVFLDSS

116/330

FIGURE 116

AAAGTTACATTTTCTCTGGAACCTCTCCTAGGCCACTCCCTGCTGATGCAACATCTGGGTTTG
GGCAGAAAGGAGGGTGCTTCGGAGCCCGCCCTTTCTGAGCTTCCTGGGCCGGCTCTAGAACA
ATTGAGGCTTCGCTGCGACTCAGACCTCAGCTCCAACATATGCATTCTGAAGAAAGATGGCT
GAGATGGACAGAATGCTTTATTTTGGAAAGAAACAATGTTCTAGGTCAAAGTCTGAGTCTACCA
AAATGCCAGACTTTCACAATGGTTCTAGAAGAAATCTGGACAAGTCTTTTCATGTGGTTTTTCT
ACGCATTGATTCCATGTTTGCTCACAGATGAAGTGGCCATTCTGCCTGCCCTCAGAACCTC
TCTGTACTCTCAACCAACATGAAGCATCTCTTGATGTGGAGCCCAGTGATCGCGCCTGGAGA
AACAGTGTACTATTCTGTGCAATACCAGGGGGAGTACGAGAGCCTGTACACGAGCCACATCT
GGATCCCCAGCAGCTGGTGCTCACTCACTGAAGGTCCTGAGTGTGATGTCACTGATGACATC
ACGGCCACTGTGCCATACAACCTTCGTGTCAGGGCCACATTGGGCTCACAGACCTCAGCCTG
GAGCATCCTGAAGCATCCCTTTAATAGAACTCAACCATCCTTACCCGACCTGGGATGGAGA
TCACCAAAGATGGCTTCACCTGGTTATTGAGCTGGAGGACCTGGGGCCCCAGTTTGAGTTC
CTTGTGGCCTACTGGAGGAGGGAGCCTGGTGCCGAGGAACATGTCAAATGGTGAGGAGTGG
GGGTATTCCAGTGACCTAGAAACCATGGAGCCAGGGGCTGCATACTGTGTGAAGGCCCAGA
CATTCGTGAAGGCCATTGGGAGGTACAGCGCCTTCAGCCAGACAGAATGTGTGGAGGTGCAA
GGAGAGGCCATTCCCCTGGTACTGGCCCTGTTTGCCTTTGTTGGCTTCATGCTGATCCTTGT
GGTCGTGCCACTGTTTCGTCTGGAATAAGGGCCGGCTGCTCCAGTACTCCTGTTGCCCCGTGG
TGGTCCTCCCAGACACCTTGAAAATAACCAATTCACCCCAGAAGTTAATCAGCTGCAGAAGG
GAGGAGGTGGATGCCTGTGCCACGGCTGTGATGTCTCCTGAGGAACTCCTCAGGGCCTGGAT
CTC**ATAG**GTTTTGCGGAAGGGCCCAGGTGAAGCCGAGAACCTGGTCTGCATGACATGGAAACC
ATGAGGGGACAAGTTGTGTTTCTGTTTCCGCCACGGACAAGGGATGAGAGAAGTAGGAAGA
GCCTGTTGTCTACAAGTCTAGAAGCAACCATCAGAGGCAGGGTGGTTTGTCTAACAGAACAC
TGACTGAGGCTTAGGGGATGTGACCTCTAGACTGGGGGCTGCCACTTGCTGGCTGAGCAACC
CTGGGAAAAGTGACTTCATCCCTTCGGTCCTAAGTTTTCTCATCTGTAATGGGGGAATTACC
TACACACCTGCTAAACACACACACACAGAGTCTCTCTCTATATATACACACGTACACATAAA
TACACCCAGCACTTGCAAGGCTAGAGGGAACTGGTGACACTCTACAGTCTGACTGATTGAG
TGTTTCTGGAGAGCAGGACATAAATGTATGATGAGAATGATCAAGGACTCTACACACTGGGT
GGCTTGGAGAGCCCACTTTCCAGAAATAATCCTTGAGAGAAAAGGAATCATGGGAGCAATGG
TGTTGAGTTCACTTCAAGCCCAATGCCGGTGAGAGGGGAATGGCTTAGCGAGCTCTACAGT
AGGTGACCTGGAGGAAGGTCACAGCCACACTGAAAATGGGATGTGCATGAACACGGAGGATC
CATGAACTACTGTAAAGTGTGACAGTGTGTGCACACTGCAGACAGCAGGTGAAATGTATGT
GTGCAATGCGACGAGAATGCAGAAGTCAGTAACATGTGCATGTTTGTGTGCTCCTTTTTTTC
TGTTGGTAAAGTACAGAATTCAGCAAATAAAAAGGGCCACCCTGGCCAAAAGCGGTAAAAAA
AAAAA

117/330

FIGURE 117

MQTFTMVLEEIIWTSLFMWFFYALIPCLLTDEVAILPAPQNLSVLSTNMKHELLMWSPVIAPGE
TVYYYSVEYQGEYESLYTSHIWIPSSWCSLTEGPECDVTDDITATVPYNLRVRATLGSQTS
SILKHPFNRNSTILTRPGMEITKDGFLVIELEDLGPQFEFLVAYWRREPGAEHVKMVRSG
GIPVHLETMEPGAAYCVKAQTFVKAIGRYSAFSQTECVEVQGEAIPVLALFAFVGFMILV
VVPLFVWKMGRLLQYSCCPVVVLPDTLKITNSPQKLISCRREEVDACATAVMSPEELLRAWIS

Important features:**Signal peptide:**

amino acids 1-29

Transmembrane domain:

amino acids 230-255

N-glycosylation sites.

amino acids 40-43 and 134-137

Tissue factor proteins homology.

amino acids 92-119

Integrins alpha chain protein homology.

amino acids 232-262

118/330

FIGURE 118

TCCTGCTGATGCACATCTGGGTTTGGCAAAAGGAGGTTGCTTCGAGCCGCCCTTTCTAGCTT
CCTGGCCGGCTCTAGAACAATTCAGGCTTCGCTGCGACTAGACCTCAGCTCCAACATATGCA
TTCTGAAGAAAGATGGCTGAGATGACAGAATGCTTTATTTTGGAAAGAAACAATGTTCTAGG
TCAAACCTGAGTCTACCAAATGCAGACTTTTACAATGGTTCTAGAAGAAATCTGGACAAGTCT
TTTCATGTGGTTTTTCTACGCATTGATTCCATGTTTGCTCACAGATGAAGTGGCCATTCTGC
CTGCCCCCTCAGAACCTCTCTGTACTCTCAACCAACATGAAGCATCTCTTGATGTGGAGCCCA
GTGATCGCGCCTGGAGAAACAGTGTACTATTCTGTCTGAATACCAGGGGGAGTACGAGAGCCT
GTACACGAGCCACATCTGGATCCCCAGCAGCTGGTGCTCACTCACTGAAGGTCCTGAGTGTG
ATGTCACTGATGACATCACGGCCACTGTGCCATACAACCTTTGTGTCAGGGCCACATTGGGC
TCACAGACCTCAGCCTGGAGCATCCTGAAGCATCCCTTTAATAGAACTCAACCATCCTTAC
CCGACCTGGGATGGAGATCACCAAAGATGGCTTNCACCTGGTTATTGAGCTGGAGGACCTGG
GGCCCCAGTTTGAGTTCCTTGTTGGCCTANTGGAGGAGGGGCGAACCCCTTGCGGCGCAAGGG
GTTNGCGAACCCCTTGCGGCCGCTGGGGTATCTCTCGAGAAAAGAGAGGCCCAATATGACCCAC
ATACTCAATATGGACGAANTGCTATTGTCCACCTGTTTGAGTGGCGCTGGGTTGAT

119/330

FIGURE 119

CGGACGCGTGGGCCGCCACCTCCGGAACAAGCCATGGTGGCGGCGACGGTGGCAGCGGCGTG
GCTGCTCCTGTGGGCTGCGGCCTGCGCGCAGCAGGAGCAGGACTTCTACGACTTCAAGGCGG
TCAACATCCGGGGCAAACCTGGTGTGCTGGAGAAGTACCGCGGATCGGTGTCCCTGGTGGTG
AATGTGGCCAGCGAGTGGGCTTCACAGACCAGCACTACCGAGCCCTGCAGCAGCTGCAGCG
AGACCTGGGCCCCACCACTTTAACGTGCTCGCCTTCCCCTGCAACCAGTTTGGCCAACAGG
AGCCTGACAGCAACAAGGAGATTGAGAGCTTTGCCCGCCGCACCTACAGTGTCTCATTCCCC
ATGTTTAGCAAGATTGCAGTCACCGGTACTGGTGCCCATCCTGCCTTCAAGTACCTGGCCCA
GACTTCTGGGAAGGAGCCACCTGGAACCTTCTGGAAGTACCTAGTAGCCCCAGATGGAAAGG
TGGTAGGGGCTTGGGACCCAACTGTGTCAGTGGAGGAGGTCAGACCCCAGATCACAGCGCTC
GTGAGGAAGCTCATCCTACTGAAGCGAGAAGACTTATTAACCACCGCGTCTCCTCCTCCACCA
CCTCATCCCGCCACCTGTGTGGGGCTGACCAATGCAAACCTCAAATGGTGCTTCAAAGGGAG
AGACCCACTGACTCTCCTTCCTTTACTCTTATGCCATTGGTCCCATCATTCTTGTGGGGGAA
AAATTCTAGTATTTTGATTATTTGAATCTTACAGCAACAAATAGGAACTCCTGGCCAATGAG
AGCTCTTGACCAGTGAATCACCAGCCGATACGAACGTCTTGCCAACAAAAATGTGTGGCAAA
TAGAAGTATATCAAGCAATAATCTCCCACCCAAGGCTTCTGTAACTGGGACCAATGATTAC
CTCATAGGGCTGTTGTGAGGATTAGGATGAAATACCTGTGAAAGTGCCTAGGCAGTGCCAGC
CAAATAGGAGGCATTCAATGAACATTTTTTGCATATAAACCAAAAAATAACTTGTTATCAAT
AAAACTTGATCCAACATGAATTTCCAGCCGATGATAATCCAGGCCAAAGGTTTAGTTGTT
GTTATTTCTCTGTATTATTTTCTTCATTACAAAAGAAATGCAAGTTCATTGTAACAATCCA
AACAACTACCTACGATATAAAATAAAAATGAAAGTATCCTCCTCAAAAA

120/330

FIGURE 120

MVAATVAAAWLLLWAAACAQQEQDFYDFKAVNIRGKLVSLVKYRGSVSLVVNVASECGFTDQ
HYRALQQQLQRDLGPHHFNVLAFFPCNQFGQQEPDSNKEIESFARRTYSVSFPMFSKIAVTGTG
AHPAFKYLAQTSGKEPTWNFWKYLVPDGTKVVGAWDPTVSVEEVRPQITALVRKLILLKREDL

121/330

FIGURE 121

CGGACGCGTGGGCGGGCCGGGACGCAGGGCAAAGCGAGCCATGGCTGTCTACGTCGGGATGC
TGCGCCTGGGGAGGCTGTGCGCCGGGAGCTCGGGGGTGCTGGGGGCCCGGGCCGCCCTCTCT
CGGAGTTGGCAGGAAGCCAGGTTGCAGGGTGTCCGCTTCCTCAGTTCCAGAGAGGTGGATCG
CATGGTCTCCACGCCCATCGGAGGCCTCAGCTACGTTCAAGGGTGCACCAAAAAGCATCTTA
ACAGCAAGACTGTGGGCCAGTGCCTGGAGACCACAGCACAGAGGGTCCCAGAACGAGAGGCC
TTGGTCGTCTCCATGAAGACGTCAGGTTGACCTTTGCCCAACTCAAGGAGGAGGTGGACAA
AGCTGCTTCTGGCCTCCTGAGCATTGGCCTCTGCAAAGGTGACCGGCTGGGCATGTGGGGAC
CTAACTCCTATGCATGGGTGCTCATGCAGTTGGCCACCGCCCAGGCGGGCATCATTCTGGTG
TCTGTGAACCCAGCCTACCAGGCTATGGAAGTGGAGTATGTCCTCAAGAAGGTGGGCTGCAA
GGCCCTTGTTGTTCCCAAGCAATTCAAGACCCAGCAATACTACAACGTCCTGAAGCAGATCT
GTCCAGAAGTGGAGAATGCCAGCCAGGGGCCTTGAAGAGTCAGAGGCTCCCAGATCTGACC
ACAGTCATCTCGGTGGATGCCCCCTTTGCCGGGGACCCTGCTCCTGGATGAAGTGGTGGCGGC
TGGCAGCACACGGCAGCATCTGGACCAGCTCCAATACAACCAGCAGTTCTGTCTGCCATG
ACCCCATCAACATCCAGTTCACCTCGGGGACAACAGGCAGCCCCAAGGGGGCCACCCTCTCC
CACTACAACATTGTCAACAACCTCAACATTTTAGGAGAGCGCCTGAAACTGCATGAGAAGAC
ACCAGAGCAGTTGCGGATGATCCTGCCCCAACCCCTGTACCATTCCTGGGTCCGTGGCAG
GCACAATGATGTGTCTGATGTACGGTGCCACCCTCATCCTGGCCTCTCCCATCTTCAATGGC
AAGAAGGCACTGGAGGCCATCAGCAGAGAGAGAGGCACCTTCCTGTATGGTACCCACAGAT
GTTCTGGGACTTCTGAACCAGCCAGACTTCTCCAGTTATGACATCTCGACCATGTGTGGAG
GTGTCATTGCTGGGTCCCCTGCACCTCCAGAGTTGATCCGAGCCATCATCAACAAGATAAAT
ATGAAGGACCTGGTGGTTGCTTATGGAACCACAGAGAACAGTCCCCTGACATTGCGCACTT
CCCTGAGGACACTGTGGAGCAGAAGGCAGAAAGCGTGGGCAGAAATTATGCCTCACACGGAGG
CCCGGATCATGAACATGGAGGCAGGGACGCTGGCAAAGCTGAACACGCCCCGGGGAGCTGTGC
ATCCGAGGGTACTGCGTCATGCTGGGCTACTGGGGTGAGCCTCAGAAGACAGAGGAAGCAGT
GGATCAGGACAAGTGGTATTGGACAGGAGATGTCGCCACAATGAATGAGCAGGGCTTCTGCA
AGATCGTGGGCCGCTCTAAGGATATGATCATCCGGGGTGGTGAGAACATCTACCCCGCAGAG
CTCGAGGACTTCTTTCACACACACCCGAAGGTGCAGGAAGTGCAGGTGGTGGGAGTGAAGGA
CGATCGGATGGGGGAAGAGATTTGTGCCTGCATTCCGGCTGAAGGACGGGGAGGAGACCACGG
TGGAGGAGATAAAAGCTTTCTGCAAAGGGAAGATCTCTCACTTCAAGATTCCGAAGTACATC
GTGTTTGTCAAAACTACCCCTCACCATTTAGGAAAGATCCAGAAATTCAAACTTCGAGA
GCAGATGGAACGACATCTAAATCTGTGAATAAAGCAGCAGGCCTGTCCTGGCCGTTGGCTT
GACTCTCTCCTGTCAGAATGCAACCTGGCTTTATGCACCTAGATGTCCCCAGCACCCAGTTC
TGAGCCAGGCACATCAAATGTCAAGGAATTGACTGAACGAACCTAAGAGCTCCTGGATGGGTC
CGGGAACCTGCCTGGGCACAAGGTGCCAAAAGGCAGGCAGCCTGCCAGGCCCTCCCTCCTG
TCCATCCCCACATTCCCCTGTCTGTCCTTGTGATTGGCATAAAGAGCTTCTGTTTTCTTT
GAAAAAAAAAAAAAAAAA

122/330

FIGURE 122

MAVYVGMLRLGRLCAGSSGVLGARAALSRWQEARLQGVRFLSSREVD RMVSTPIGGLSYVQ
GCTKKHLNSKTVGQCLETTAQRVPEREALVVLHEDVRLTFAQLKEEVDKAASGLLSIGLCKG
DRLGMWGPNSYAWVLMQLATAQAGIILVSVNPAYQAMELEYVLKKVGCKALVFPKQFKTQQY
YNVLKQICPEVENAQPGALKSQRLPDLTTVISVDAPLP GTLLLDEVVAAGSTRQHLDQLQYN
QQFLSCHDPINIQFTSGTTGSPKGATLSHYNIVNNSNILGERLKLHEKTPEQLRMILPNPLY
HCLGSVAGTMMCLMYGATLILASPIFNGKKALEAISRERGTFLYGTPTMFVDILNQPDFSSY
DISTMCGGVIAGSPAPPELIRAIINKINMKDLVVAYGTTENSPVTF AHFPEDTVEQKAESVG
RIMPHTEARIMNMEAGTLAKLNTPGELCIRGYCVMLGYWGEPQKTEEAVDQDKWYWTGDVAT
MNEQGFECKIVGRSKDMIIRGGENIYPAELEDDFFHTHPKVQEVQVVGVKDDRMGEEICACIRL
KDGEETTVEEIKAFCKGKISHFKIPKYIVFVTNYPLTISGKIQKFKLREQMERHLNL

Signal Peptide:

amino acids 1-22

Transmembrane Domains:

amino acids 140-161, 213-229, 312-334

Putative AMP-binding Domain Signature:

amino acids 260-271

N-myristoylation Sites:amino acids 19-24, 22-27, 120-125, 203-208, 268-273, 272-277,
314-319, 318-323, 379-384, 380-385, 409-413**N-glycosylation Site:**

amino acids 282-285

123/330

FIGURE 123

CAACTCCAACATTTTAGGAGAGCGCCTGAACTGCATGAGAAGACACCAGAGCAGTTGCGGA
TGATCCTGCCCAACCCCTGTACCATTCCTGGGTTCCTGGCAGGCACAATGATGTGTCTG
ATGTACGGTGCCACCCTCATCCTGGCCTCTCCCATCTTCAATGGCAAGAAGGCACTGGAGGC
CATCAGCAGAGAGAGAGGCACCTTCCTGTATGGTACCCACGATGTTTCGTGGACATTCTGA
ACCAGCCAGACTTCTCCAGTTATGACATCTCGACCATGTGTGGAGGTGTCATTGCTGGGTCC
CCTGCACCTCCAGAGTTGATCCGAGCCATCATCAACAAGATAAATATGAAGGACCTGGTGGT
TGCTTATGGAACCACAGAGAACAGTCCCGTGACATTCGCGCACTTCCCTGAGGACACTGTGG
AGCAGAAGGCAGAAAGCGTGGGCAGAATTATGCCTCACACGGAGGCGCGGATCATGAACATG
GAGGCAGGGACGCTGGCAAAGCTGAACACGCCCCGGGAGCTGTGCATCCGAGGGTACTGCGT
CATGCTGGGCTACTGGGGTGAGCCTCAGAAGACAGAGGAAGCAGTGGATCAGGACAAGTGGT
ATTGGACAGGAGATGTCGCCAC

124/330

FIGURE 124

GAGCAGGACGGAGCCATGGACCCCGCCAGGAAAGCAGGTGCCCAGGCCATGATCTGGACTGC
AGGCTGGCTGCTGCTGCTGCTGCTTTCGCGGAGGAGCGCAGGCCCTGGAGTGCTACAGCTGCG
TGCAGAAAGCAGATGACGGATGCTCCCCGAACAAGATGAAGACAGTGAAGTGCGCGCCGGGC
GTGGACGTCTGCACCGAGGCCGTGGGGGCGGTGGAGACCATCCACGGACAATTCTCGCTGGC
AGTGCGGGGTTGCGGTTTCGGGACTCCCCGGCAAGAATGACCGCGGCCTGGATCTTCACGGGC
TTCTGGCGTTTCATCCAGCTGCAGCAATGCGCTCAGGATCGCTGCAACGCCAAGCTCAACCTC
ACCTCGCGGGCGCTCGACCCGGCAGGTAATGAGAGTGCATACCCGCCCAACGGCGTGGAGTG
CTACAGCTGTGTGGGCCTGAGCCGGGAGGCGTGCCAGGGTACATCGCCGCCGGTCGTGAGCT
GCTACAACGCCAGCGATCATGTCTACAAGGGCTGCTTCGACGGCAACGTCACCTTGACGGCA
GCTAATGTGACTGTGTCTTGCCTGTCCGGGGCTGTGTCCAGGATGAATTCTGCACTCGGGA
TGGAGTAACAGGCCCAGGGTTCACGCTCAGTGGCTCCTGTTGCCAGGGGTCCCGCTGTAACCT
CTGACCTCCGCAACAAGACCTACTTCTCCCTCGAATCCCACCCCTTGTCCGGCTGCCCCCT
CCAGAGCCCACGACTGTGGCCTCAACCACATCTGTCACCACTTCTACCTCGGCCCCAGTGAG
ACCCACATCCACCACCAAAACCCATGCCAGCGCCAACCAGTCAGACTCCGAGACAGGGAGTAG
AACACGAGGCCTCCCGGGATGAGGAGCCCAGGTTGACTGGAGGCGCCGCTGGCCACCAGGAC
CGCAGCAATTACAGGGCAGTATCCTGCAAAAGGGGGGCCCCAGCAGCCCCATAATAAAGGCTG
TGTGGCTCCACAGCTGGATTGGCAGCCCTTCTGTTGGCCGTGGCTGCTGGTGTCTACTGT
GAGCTTCTCCACCTGGAAATTTCCCTCTCACCTACTTCTCTGGCCCTGGGTACCCCTCTTCT
CATCACTTCTGTTCCCACTGGACTGGGCTGGCCCAGCCCCGTGTTTTTCCAACATTCCC
CAGTATCCCCAGCTTCTGCTGCGCTGGTTTTCGGCTTTGGGAAATAAAATACCGTTGTATAT
ATTCTGCCAGGGGTGTTCTAGCTTTTTGAGGACAGCTCCTGTATCCTTCTCATCCTTGTCTC
TCCGCTTGTCTCTTGTGATGTTAGGACAGAGTGAGAGAAGTCAGCTGTCACGGGGAAGGTG
AGAGAGAGGATGCTAAGCTTCCTACTCACTTTCTCCTAGCCAGCCTGGACTTTGGAGCGTGG
GGTGGGTGGGACAATGGCTCCCCACTCTAAGCACTGCCTCCCCTACTCCCCGCATCTTTGGG
GAATCGGTTCCCATATGTCTTCTTACTAGACTGTGAGCTCCTCGAGGGGGGGCCCGGTAC
CCAATTCGCCCTATAGTGAGTCGTA

125/330

FIGURE 125

MDPARKAGAQAMIWTAGWLLLLLLRGGAQALECYSCVQKADDGCS PNKMKT VKCAPGVDVCT
EAVGAVETIHGQFSLAVRGCGSLPGKNDRGLDLHGLLAFIQLQQCAQDRCNAKLNLT SRAL
DPAGNESAYPPNGVECYSCVGLSREACQGTSPPVVSCYNASDHVYKGC FDGNVTLTAANVTV
SLPVRGCVQDEFCTRDGVTGPGFTLSGSCCQGSRCNSDLRNKTYFSPRI PPLVRLPPPEPTT
VASTTSVTTST SAPVRPTSTTKPMPAPTSQTPRQGEHEASRDEEPRLTGGAAGHQDRS NSG
QYPAKGGPQQPHNKGCVAPTAGLAALLLAVAAGVLL

126/330

FIGURE 126

CGGGACTCGGCGGGTCTCTCTGGGAGTCTCGGAGGGGACCGGCTGTGCAGACGCCATGGAGT
TGGTGTCTGGTCTTCTCTGTCAGCCTGCTGGCCCCCATGGTCTTGCCAGTGCAGCTGAAAAG
GAGAAGGAAATGGACCCTTTTCATTATGATTACCAGACCCTGAGGATTGGGGGACTGGTGT
CGCTGTGGTCTCTTCTCGGTGGGATCCTCCTTATCCTAAGTCGCAGGTGCAAGTGCAGTT
TCAATCAGAAGCCCCGGGCCCCAGGAGATGAGGAAGCCCAGGTGGAGAACCTCATCACCGCC
AATGCAACAGAGCCCCAGAAGCAGAGAACTGAAGTGACAGCCATCAGGTGGAAGCCTCTGGAA
CCTGAGGCGGCTGCTTGAACCTTTGGATGCAATGTGCGATGCTTAAGAAAACCGGCCACTTC
AGCAACAGCCCTTTCCCCAGGAGAAGCCAAGAACTTGTGTGTCCCCACCCTATCCCCTCTA
ACACCATTCTCCACCTGATGATGCAACTAACACTTGCCTCCCCACTGCAGCCTGCGGTCTT
GCCACCTCCCGTGATGTGTGTGTGTGTGTGTGTGTGTGACTGTGTGTGTTTGCTAACTGTG
GTCTTTGTGGCTACTTGTTTGTGGATGGTATTGTGTTTGTAGTGAAGTGTGGACTCGCTTT
CCCAGGCAGGGGCTGAGCCACATGGCCATCTGCTCCTCCCTGCCCCGTGGCCCTCCATCAC
CTTCTGCTCCTAGGAGGCTGCTTGTGCCCCGAGACCAGCCCCCTCCCCTGATTTAGGGATGC
GTAGGGTAAGAGCACGGGCAGTGGTCTTCAGTCGTCTTGGGACCTGGGAAGGTTTGCAGCAC
TTTGTATCATTTCTTCATGGACTCCTTTACTCCTTTAACAAAAACCTTGCTTCCTTATCCC
ACCTGATCCCAGTCTGAAGGTCTCTTAGCAACTGGAGATACAAAGCAAGGAGCTGGTGAGCC
CAGCGTTGACGTGAGGCAGGCTATGCCCTTCCGTGGTTAATTTCTTCCAGGGGCTTCCACG
AGGAGTCCCCATCTGCCCCGCCCCCTCACAGAGCGCCCGGGGATTCCAGGCCCAGGGCTTCT
ACTCTGCCCCCTGGGGAATGTGTCCCCTGCATATCTTCTCAGCAATAACTCCATGGGCTCTGG
GACCCCTACCCCTTCCAACCTTCCCTGCTTCTGAGACTTCAATCTACAGCCCAGCTCATCCAG
ATGCAGACTACAGTCCCTGCAATTGGGTCTCTGGCAGGCAATAGTTGAAGGACTCCTGTTCC
GTTGGGGCCAGCACACCGGGATGGATGGAGGGAGAGCAGAGGCCTTTGCTTCTCTGCCTACG
TCCCCTTAGATGGGCAGCAGAGGCAACTCCCGCATCCTTTGCTCTGCCTGTGCGTGGTCAGA
GCGGTGAGCGAGGTGGGTGGAGACTCAGCAGGCTCCGTGCAGCCCTTGGAACAGTGAGAG
GTTGAAGGTCATAACGAGAGTGGGAACTCAACCCAGATCCCGCCCCCTCCTGTCCTCTGTGTT
CCCGCGGAAACCAACCAAAACCGTGCCTGTGACCCATTGCTGTTCTCTGTATCGTGATCTAT
CCTCAACAACAACAGAAAAAAGGAATAAAATATCCTTTGTTTCCT

127/330

FIGURE 127

MELVLVFLCSLLAPMVLASAAEKEKEMDPFHYDYQTLRIGGLVFAVVLFSVGILLILSRCK
CSFNQKPRAPGDDEEAQVENLITANATEPQKQRTQEVQPSGGSLWNLRRLLLEPLDANVDA

128/330

FIGURE 128

AAACTTGACGCCATGAAAGATCCCGGTCCTTCCTGCCGTGGTGCTCCTCTCCCTCCTGGTGCT
CCTCTGCCCAGGGAGCCACCCTGGGTGGTCCTGAGGAAGAAAGCACCATTGAGAATTATG
CGTCACGACCCGAGGCCTTTAACACCCCGTTCTGAACATCGACAAATTGCGATCTGCGTTT
AAGGCTGATGAGTTCCTGAACTGGCACGCCCTCTTTGAGTCTATCAAAGGAACTTCCTTT
CCTCAACTGGGATGCCTTTCCTAAGCTGAAAGGACTGAGGAGCGCAACTCCTGATGCCCAGT
GACCATGACCTCCACTGGAAGAGGGGGCTAGCGTGAGCGCTGATTCTCAACCTACCATAACT
CTTTCCTGCCTCAGGAACTCCAATAAAACATTTCCATCCAAA

129/330

FIGURE 129

MKIPVLPVAVLLSLLVLHSAQGATLGGPEEESTIENYASRPEAFNTPFLNIDKLRSFAKDE
FLNWHALFESIKRKLPFLNWDAFPKLKGLRSATPDAQ

130/330

FIGURE 130

CAGTTCTGAAATCAATGGAGTTAATTTAGGGAATACAAACCAGCCATGGGGGTGGAGATTGC
CTTTGCCTCAGTGATTCTCACCTGCCTCTCCCTTCTGGCAGCAGGAGTCTCCCAGGTTGTTC
TTCTCCAGCCAGTTCCAACCTCAGGAGACAGGTCCCAAGGCCATGGGAGATCTCTCCTGTGGC
TTTGCCGGCCACTCATGAGAGTGTTTTTGTGTAAAGTATTTTTTTAGAATACTGTTGACTTCT
TCATGATTTAATAACCATCCTTTGCGAAGTTTTATGAGGCTTTAGGGGAATGTCAACCCTCA
AATTTTTGTTATACTAGATGGCTTCCATTTACCCACCCTATTTTAAGGTCCCTTTATTTTT
AGGTTCAAGGTTCAATTTGACTTGAGAAAGTGCCCTTCTGCAGCTTCATTGATTTTGTTCATC
TTCATTAATTAATTGTAACGATTAAAAAGAATAAGAGCACGCAGACCTCTAGGAGAATATTT
TATCCCTGGGTGCCCCTGACACATTTATGTAGTGATCCCACAAATGTGATTGTTAATTTAAA
TGTTATTCTAATATTAGTACATTCAGTTGTGATGTAATATGAATAACCAGAATCTATTTCTT
AAAAGTTTTGAGTATATTTTTTCAACTAGATATTTGTATAGAAAGACTGAATAGTGATG

131/330

FIGURE 131

MGVEIAFASVILTCLSLAAGVSQVLLQPVPVTQETGPKAMGDLSCGFAGHS

132/330

FIGURE 132

GGGGAATCTGCAGTAGGTCTGCCGGCG**ATG**GAGTGGTGGGCTAGCTCGCCGCTTCGGCTCTG
GCTGCTGTTGTTCCCTCCTGCCCTCAGCGCAGGGCCGCCAGAAGGAGTCAGGTTCAAATGGA
AAGTATTTATTGACCAAATTAACAGGTCTTTGGAGAATTACGAACCATGTTCAAGTCAAAC
TGCAGCTGCTACCATGGTGTATAGAAGAGGATCTAACTCCTTTCCGAGGAGGCATCTCCAG
GAAGATGATGGCAGAGGTAGTCAGACGGAAGCTAGGGACCCACTATCAGATCACTAAGAACA
GACTGTACCGGGAAAATGACTGCATGTTCCCCTCAAGGTGTAGTGGTGGTGGAGCACTTTATT
TTGGAAGTGATCGGGCGTCTCCCTGACATGGAGATGGTGATCAATGTACGAGATTATCCTCA
GGTTCCTAAATGGATGGAGCCTGCCATCCCAGTCTTCTCCTTCAGTAAGACATCAGAGTACC
ATGATATCATGTATCCTGCTTGGACATTTTGGGAAGGGGGACCTGCTGTTTGGCCAATTTAT
CCTACAGGTCTTGGACGGTGGGACCTCTTCAGAGAAGATCTGGTAAGGTGAGCAGCACAGTG
GCCATGGAAAAAGAAAACTCTACAGCATATTTCCGAGGATCAAGGACAAGTCCAGAACGAG
ATCCTCTCATTCTTCTGTCTCGGAAAAACCCAAACTTGTTGATGCAGAATACACCAAAAAC
CAGGCCTGGAAATCTATGAAAGATACCTTAGGAAAGCCAGCTGCTAAGGATGTCCATCTTGT
GGATCACTGCAATACAAGTATCTGTTTAATTTTCGAGGCGTAGCTGCAAGTTTCCGGTTTA
AACACCTCTTCCTGTGTGGCTCACTTGTTTTCCATGTTGGTGATGAGTGGCTAGAATTCCTC
TATCCACAGCTGAAGCCATGGGTTCACTATATCCCAGTCAAAACAGATCTCTCCAATGTCCA
AGAGCTGTTACAATTTGTAAAAGCAAATGATGATGTAGCTCAAGAGATTGCTGAAAGGGGAA
GCCAGTTTATTAGGAACCATTTGCAGATGGATGACATCACCTGTTACTGGGAGAACCTCTTG
AGTGAATACTCTAAATTCCTGTCTTATAATGTAACGAGAAGGAAAGGTTATGATCAAATTAT
TCCCAAATGTTGAAAACGAACTA**TAG**TAGTCATCATAGGACCATAGTCCTCTTTGTGGCA
ACAGATCTCAGATATCCTACGGTGAGAAGCTTACCATAAGCTTGGCTCCTATACCTTGAATA
TCTGCTATCAAGCCAAATACCTGGTTTTCTTATCATGCTGCACCCAGAGCAACTCTTGAGA
AAGATTTAAATGTGTCTAATACACTGATATGAAGCAGTTCAACTTTTTGGATGAATAAGGA
CCAGAAATCGTGAGATGTGGATTTTGAACCAACTCTACCTTTCATTTTCTTAAGACCAATC
ACAGCTTGTGCCTCAGATCATCCACCTGTGTGAGTCCATCACTGTGAAATTGACTGTGTCCA
TGTGATGATGCCCTTTGTCCCATTTTGGAGCAGAAAATTCGTCATTTGGAAGTAGTACAA
CTCATTGCTGGAATTGTGAAATTATTCAAGGCGTGATCTCTGTCACTTTATTTTAATGTAGG
AAACCCTATGGGGTTTATGAAAATACTTGGGGATCATTCTCTGAATGGTCTAAGGAAGCGG
TAGCCATGCCATGCAATGATGTAGGAGTTCTCTTTTGTAAAACCATAAACTCTGTTACTCAG
GAGGTTTCTATAATGCCACATAGAAAGAGGCCAATTGCATGAGTAATTATTGCAATTGGATT
TCAGGTTCCCTTTTTGTGCCTTCATGCCCTACTTCTTAATGCCTCTCTAAAGCCAAA

133/330

FIGURE 133

MEWWASSPLRLWLLLFLLPSAQGRQKESGSKWKVFIDQINRSLENYEPCSSQNCSCYHGVIE
EDLTPFRGGISRKMMAEVVRRKLGTHYQITKNRLYREND CMFPSCSGVEHFILEVIGRLPD
MEMVINVRDYPQVPKWMEPAIPVFSFSKTSEYHDIMYPAWTFWEGGPAVWPYPTGLGRWDL
FREDLVRSAAQWPWKKNSTAYFRGSRTSPERDPLILLSRKNPKLVD AEYTKNQAWKSMKDT
LGKPAAKDVHLVDHCKYKYL FNFRGVAASFRFKHLFLCGSLVFHV GDEWLEFFYPQLKPWVH
YIPVKTDL SNVQELLQFVKANDDVAQEIAERGSQFIRNHLQMDDITCYWENLLSEYSKFLSY
NVTRRKG YDQIIPKMLKTEL

134/330

FIGURE 134

CACCCCTCCATTTCTCGCC**ATG**CCCCCTGCACTGCTCCTGATCCCTGCTGCCCTCGCCTCTT
TCATCCTGGCCTTTGGCACCGGAGTGGAGTTCGTGCGCTTTACCTCCCTTCGGCCACTTCTT
GGAGGGATCCCGGAGTCTGGTGGTCCGGATGCCCGCCAGGGATGGCTGGCTGCCCTGCAGGA
CCGCAGCATCCTTGCCCCCTGGCATGGGATCTGGGGCTCCTGCTTCTATTTGTTGGGCAGC
ACAGCCTCATGGCAGCTGAAAGAGTGAAGGCATGGACATCCCGGTACTTTGGGGTCCTTCAG
AGGTCACTGTATGTGGCCTGCACTGCCCTGGCCTTGCACTGGTGTATGCGGTACTGGGAGCC
CATACCCAAAGGCCCTGTGTTGTGGGAGGCTCGGGCTGAGCCATGGGCCACCTGGGTGCCGC
TCCTCTGCTTTGTGCTCCATGTCTCTCCTGGCTCCTCATCTTTAGCATCCTTCTCGTCTTT
GACTATGCTGAGCTCATGGGCCTCAAACAGGTATACTACCATGTGCTGGGGCTGGGCGAGCC
TCTGGCCCTGAAGTCTCCCGGGCTCTCAGACTCTTCTCCACCTGCGCCACCCAGTGTGTG
TGGAGCTGCTGACAGTGCTGTGGGTGGTGCCTACCCTGGGCACGGACCGTCTCCTCCTTGCT
TTCTCCTTACCCTCTACCTGGGCCTGGCTCACGGGCTTGATCAGCAAGACCTCCGCTACCT
CCGGGCCCAGCTACAAAGAAACTCCACCTGCTCTCTCGGCCCCAGGATGGGGAGGCAGAGT
GAGGAGCTCACTCTGGTTACAAGCCCTGTTCTTCTCTCCCACTGAATTCTAAATCCTTAAC
ATCCAGGCCCTGGCTGCTTCATGCCAGAGGCCCAAATCCATGGACTGAAGGAGATGCCCTT
CTACTACTTGAGACTTTATTCTCTGGGTCCAGCTCCATACCCTAAATTCTGAGTTTCAGCCA
CTGAACTCCAAGGTCCACTTCTCACCAGCAAGGAAGAGTGGGGTATGGAAGTCATCTGTCCC
TTCAGTGTTTAGAGCATGACACTCTCCCCCTCAACAGCCTCCTGAGAAGGAAAGGATCTGCC
CTGACCACTCCCCCTGGCACTGTTACTTGCCTCTGCGCCTCAGGGGTCCCCTTCTGCACCGCT
GGCTTCCACTCCAAGAAGGTGGACCAGGGTCTGCAAGTTCAACGGTCATAGCTGTCCCTCCA
GGCCCCAACCTTGCCCTCACCCTCCCGGCCCTAGTCTCTGCACCTCCTTAGGCCCTGCCTCT
GGGCTCAGACCCCAACCTAGTCAAGGGGATTCTCCTGCTCTTAACCTCGATGACTTGGGGCTC
CCTGCTCTCCCGAGGAAGATGCTCTGCAGGAAAATAAAAGTCAGCCTTTTTTCTAAAAAAA

135/330

FIGURE 135

MAPALLLIPAAALASFILAFGTGVEFVRFTSLRPLLGGIPESGGPDARQGWLAALQDRSILAP
LAWDLGLLLLFVGQHSLMAAERVKAWTSRYFGVLQRSLYVACTALALQLVMRYWEPIPKGPV
LWEARAEPWATWVPLLCFVLHVISWLLIFSILLVFDYAELMGLKQVYYHVLGLGEPLALKSP
RALRLFSLRHPVCVELLTVLWVVPTLGTDRLLLAFLLTLYLGLAHGLDQQDLRYLRAQLQR
KLHLLSRPQDGEAE

Signal sequence:

amino acids 1-13

Transmembrane domains:

amino acids 58-76, 99-113, 141-159, 203-222

N-myristoylation sites:

amino acids 37-43, 42-48, 229-235

136/330

FIGURE 136

CCGAGCACAGGAGATTGCCTGCGTTTAGGAGGTGGCTGCGTTGTGGGAAAAGCTATCAAGGA
AGAAATTGCCAAACCATGTCTTTTTTCTGTTTTTCAGAGTAGTTCACAACAGATCTGAGTGT
TTTAATTAAGCATGGAATACAGAAAACAACAAAAAAGCTTAAGCTTTAATTTTCATCTGGAATT
CCACAGTTTTCTTAGCTCCCTGGACCCGGTTGACCTGTTGGCTCTTCCCGCTGGCTGCTCTA
TCACGTGGTGCTCTCCGACTACTCACCCGAGTGTAAGAACCTTCGGCTCGCGTGCTTCTG
AGCTGCTGTGGATGGCCTCGGCTCTCTGGACTGTCCTTCGAGTAGGATGTCACTGAGATCC
CTCAAATGGAGCCTCCTGCTGCTGTCACCTCTGAGTTTCTTTGTGATGTGGTACCTCAGCCT
TCCCCACTACAATGTGATAGAACGCGTGAAGTGGATGTACTTCTATGAGTATGAGCCGATTT
ACAGACAAGACTTTCACCTCACACTTCGAGAGCATTCAAAGTCTCTCATCAAAATCCATTT
CTGGTCATTCTGGTGACCTCCCACCCTTCAGATGTGAAAGCCAGGCAGGCCATTAGAGTTAC
TTGGGGTGAAAAAAGTCTTGGTGGGGATATGAGGTTCTTACATTTTCTTATTAGGCCAAG
AGGCTGAAAAGGAAGACAAAATGTTGGCATTGTCTTAGAGGATGAACACCTTCTTTATGGT
GACATAATCCGACAAGATTTTTTAGACACATATAATAACCTGACCTTGAAAACCATTTATGGC
ATTGAGGTGGGTAACTGAGTTTTGCCCAATGCCAAGTACGTAATGAAGACAGACACTGATG
TTTTTCATCAATACTGGCAATTTAGTGAAGTATCTTTTAAACCTAAACCACTCAGAGAAGTTT
TTCACAGGTTATCCTCTAATTGATAATTATTCCTATAGAGGATTTTACCAAAAAACCCATAT
TTCTTACCAGGAGTATCCTTTCAAGGTGTTCCCTCCATACTGCAGTGGGTGGGTATATAA
TGTCAGAGATTTGGTGCCAAGGATCTATGAAATGATGGGTACGTAACCAATCAAGTTT
GAAGATGTTTATGTCGGGATCTGTTTGAATTTATTAAGTGAACATTCATATTCAGAAGA
CACAAATCTTTCTTCTATATAGAATCCATTTGGATGTCTGTCAACTGAGACGTGTGATTG
CAGCCCATGGCTTTTCTTCCAAGGAGATCATCACTTTTGGCAGGTCATGCTAAGGAACACC
ACATGCCATTATTAACTTCACATTCTACAAAAAGCCTAGAAGGACAGGATACCTTGTGGAAA
GTGTTAAATAAAGTAGGTACTGTGGAAAATTCATGGGGAGGTCAGTGTGCTGGCTTACACTG
AACTGAACTCATGAAAAACCCAGACTGGAGACTGGAGGGTTACACTTGTGATTTATTAGTC
AGGCCCTTCAAAGATGATATGTGGAGGAATTAAATATAAAGGAATTGGAGGTTTTTGCTAAA
GAAATTAATAGGACCAAACAATTTGGACATGTCATTCTGTAGACTAGAATTTCTTAAAAGGG
TGTTACTGAGTTATAAGCTCACTAGGCTGTAAAAACAAAACAATGTAGAGTTTTATTATTG
AACAATGTAGTCACTTGAAGGTTTTGTGTATATCTTATGTGGATTACCAATTTAAAAATATA
TGTAAGTTCTGTGTCAAAAACTTCTTCACTGAAGTTATACTGAACAAAATTTTACCTGTTTT
TGGTCATTTATAAAGTACTTCAAGATGTTGCAGTATTTACAGTTATTATTATTTAAATTA
CTTCAACTTTGTGTTTTTAAATGTTTTGACGATTTCAATACAAGATAAAAAGGATAGTGAAT
CATTCTTTACATGCAAACATTTTCCAGTTACTTAACTGATCAGTTTATTATTGATACATCAC
TCCATTAATGTAAAGTCATAGGTCATTATTGCATATCAGTAATCTCTTGGACTTTGTAAAT
ATTTTACTGTGGTAATATAGAGAAGAATTAAAGCAAGAAAATCTGAAAA

137/330

FIGURE 137

MASALWTVLPSRMSLRSLKWSLLLLSLLSFFVMWYLSLPHYNVIERVNWMYFYEYEPIYRQD
FHFTLREHSNCSHQNPFLVILVTSHPSDVKARQAIRVTWGEKKSWWGYEVLTFLLGQEA EK
EDKMLALSLEDEHLLYGDIIRQDFLDTYNNLTLKTIMAFRWVTEFCPNAKYVMKTD TDVFIN
TGNLVKYLLNLNHSEKFFTGYPLIDNYSYRGFYQKTHISYQEYPFKVFPPYCSGLGYIMSRD
LVPRIYEMMGHV KPIKFEDVYVGICLNLLKVNIHIPEDTNLFFLYRIHLDVCQLRRVIAAHG
FSSKEIITFWQVMLRNTTCHY

138/330

FIGURE 138

CCTCTGTCCACTGCTTTCGTGAAGACAAG**ATG**AAGTTCACAATTGTCTTTGCTGGACTTCTT
GGAGTCTTTCTAGCTCCTGCCCTAGCTAACTATAATATCAACGTCAATGATGACAACAACAA
TGCTGGAAGTGGGCAGCAGTCAGTGAGTGTCAACAATGAACACAATGTGGCCAATGTTGACA
ATAACAACGGATGGGACTCCTGGAATTCATCTGGGATTATGGAAATGGCTTTGCTGCAACC
AGACTCTTTCAAAAGAAGACATGCATTGTGCACAAAATGAACAAGGAAGTCATGCCCTCCAT
TCAATCCCTTGATGCACTGGTCAAGGAAAAGAAGCTTCAGGGTAAGGGACCAGGAGGACCAC
CTCCCAAGGGCCTGATGTACTCAGTCAACCCAAACAAAGTCGATGACCTGAGCAAGTTCGGA
AAAAACATTGCAAACATGTGTCGTGGGATTCCAACATACATGGCTGAGGAGATGCAAGAGGC
AAGCCTGTTTTTTTACTCAGGAACGTGCTACACGACCAGTGTACTATGGATTGTGGACATTT
CCTTCTGTGGAGACACGGTGGAGAAC**TAA**ACAATTTTTTAAAGCCACTATGGATTTAGTCAT
CTGAATATGCTGTGCAGAAAAAATATGGGCTCCAGTGGTTTTTTACCATGTCATTCTGAAATT
TTTCTCTACTAGTTATGTTTGATTTCTTTAAGTTTCAATAAAATCATTTAGCATTGAAAAAA

139/330

FIGURE 139

MKFTIVFAGLLGVFLAPALANYNINVNDNNNAGSGQSVSVNNEHNVANVDNNNGWDSWNS
IWDYGNNGFAATRLFQKKTCIVHKMNKEVMPSIQSLDALVKEKKLQGKGPGGPPPKGLMYSVN
PNKVDDLKFGKNIANMCRGIPTYMAEEMQEASLFFYSGTCYTTSVLWIVDISFCGDTVEN

Signal Peptide:

amino acids 1-20

N-myristoylation Sites:

amino acids 67-72, 118-123, 163-168

Flavodoxin protein homology:

amino acids 156-174

140/330

FIGURE 140

CATTTCTGAACTAATCGTGTCAGAATTGACTTTGAAAAGCATTGCTTTTTACAGAAGTATA
TTAACTTTTTAGGAGTAATTTCTAGTTTGGATTGTAATATGAAATAATTTAAAAGGGCTTCG
CTCATATATAGGAAAATCGCATATGGTCCTAGTATTAAATTCTTATTGCTTACTGATTTTTT
TGAGTTAAGAGTTGTTATATGCTAGAATATGAGGATGTGAATATAAATAAGAGAAGAAAAA
GAATAAAGTAGATTGAGTCTCCAATTTTATGTAAGCTTCAGAAGAAGTGGTTTGTTTACATG
CAAGCTTATAGTTGAAATATTTTTTCAGGAATTACATGAATGACAGTCTTCGAACCAATGTGT
TTGTTTCGATTTCAACCAGAGACTATAGCATGTGCTTGCATCTACCTTGCAGCTAGAGCACTT
CAGATTCCGTTGCCAACTCGTCCCCATTGGTTTCTTCTTTTTTGGTACTACAGAAGAGGAAAT
CCAGGAAATCTGCATAGAAACACTTAGGCTTTATACCAGAAAAAGCCAACTATGAATTAC
TGGAAAAAGAAGTAGAAAAAGAAAAGTAGCCTTACAAGAAGCCAAATTTAAAAGCAAAGGGA
TTGAATCCGGATGGAAGTCCAGCCCTTTCAACCCTGGGTGGATTTTCTCCAGCCTCCAAGCC
ATCATCACCAAGAGAAGTAAAAGCTGAAGAGAAATCACCAATCTCCATTAATGTGAAGACAG
TCAAAAAAGAACCTGAGGATAGACAACAGGCTTCCAAAAGCCCTTACAATGGTGTAAAGAAA
GACAGCAAGAGAAGTAGAAATAGCAGAAGTGCAAGTCGATCGAGGTCAAGAACACGATCACG
TTCTAGATCACATACTCCAAGAAGACACTATAATAATAGGCGGAGTCGATCTGGAACATACA
GCTCGAGATCAAGAAGCAGGTCCCGCAGTCACAGTGAAAGCCCTCGAAGACATCATAATCAT
GGTTCTCCTCACCTTAAGGCCAAGCATACCAGAGATGATTTAAAAAGTTCAAACAGACATGG
TCATAAAAGGAAAAAATCTCGTTCTCGATCTCAGAGCAAGTCTCGGGATCACTCAGATGCAG
CCAAGAAACACAGGCATGAAAGGGGACATCATAGGGACAGGCGTGAACGATCTCGCTCCTTT
GAGAGGTCCCATAAAAGCAAGCACCATGGTGGCAGTCGCTCAGGACATGGCAGGCACAGGCG
CTGACTTTCTCTTCCTTTGAGCCTGCATCAGTTCTTGGTTTTGCCTATCTACAGTGTGATGT
ATGGACTCAATCAAAAACATTAAACGCAAAGTATTAGGATTTGATTTCTTGAAACCCTCTA
GGTCTCTAGAACACTGAGGACAGTTTCTTTTGAAAAGAACTATGTTAATTTTTTGCACATT
AAAATGCCCTAGCAGTATCTAATTAAAAACCATGGTCAGGTTCAATTGTACTTTATTATAGT
TGTGTATTGTTTATTGCTATAAGAACTGGAGCGTGAATTCTGTAAAAATGTATCTTATTTTT
ATACAGATAAAATTGCAGACACTGTTCTATTTAAGTGGTTATTTGTTTAAATGATGGTGAAT
ACTTCTTAACACTGGTTTGTCTGCATGTGTAAAGATTTTTTACAAGGAAATAAAATACAAAT
CTTGTTTTTTCTAAAAAAGAAAAAAGT

141/330

FIGURE 141

MNDSLRTNVFVRFQPETIACACIYLAARALQIPLPTRPHWFLFLFGTTEEEIQEICIETLRLY
TRKKPNYELLEKEVEKRKVALQEAKLKAKGLNPDGTPALSTLGGFSPASKPSSPREVKAEEK
SPISINVKTVKKEPEDRQQASKSPYNGVRKDSKRSRNSRSASRSRSRTRSRSRSHTPRRHYN
NRRSRSGTYSSRSRSRSHSESPRRHHNHGSPHLKAKHTRDDLKSSNRHGHKRKKSRSRSQ
SKSRDHSDAAKKHRHERGHHRDRRERSRSFERSHKSKHHGGSRSRSGHGRHR

142/330

FIGURE 142

TGGGGATAAAGGAAAAATGGTCAGGTATTAATGGCTTAAAGATTATTGGAAGGGGTTTATCA
TTTTTTGAANNNTATTCGGGTCANAATTGNCTTTGAAAAGCATTGCTTTTTACAGAAATATAT
TANCTTTTTAGAGTAATTTCTAGTTTGGATTGTAATATGAAATTATTTAAAAGGGCTTCGCT
CATATATAGGAAAATCGCATATGGTCCTAGTATTAAATTNTTATTGCTTACTGATTTTTTTTG
AGTTAAGAGTTGTTATATGNTAGAAATATGAGGATGTGAATATAAATAAGAGAAGAAAAAGA
ATAAAGTAGATTGAGTCTCCAATTTTATGTAAGCTTCAGAAGAACTGGTTTGTTTACATGCA
AGCTTATAGTTGAAATATTTTTCAGGAATTACATGAATGACAGTCTTCGAACCAATGTGTTT
GTTTCGATTTCAACCAGAGANTATAGCATGTGCTTGCATCTACCTTGCAGNTAGAGCACTTCA
GATTCCGTTGCCAACTNGTCCCCATTGGTTTCTTCTTTTGGTACTACAGAAGAGGAAATCC
AGGAAATNTGCATAGAAACACTTAGGCTTTATACCAGAAAAAAGCCAACTATGAATTACTG
GAAAAAGAAGTAGAAAAAAGAAAAGTAGCCTTACAAGAAGCCNAATTAAAAGCAAAGGGATT
GAATCCGGATGGAACCTCAGCCCTTTCAACCCTGGGTGGATTTTCTCC

143/330

FIGURE 143

GGCACGAGGCCTCGTGCCAAGCTTGGCACGAGGGTGCACCGCGTTCTCGCACGCGTC**ATGGC**
GGTCCTCGGAGTACAGCTGGTGGTGACCCTGCTCACTGCCACCCTCATGCACAGGCTGGCGC
CACACTGCTCCTTCGCGCGCTGGCTGCTCTGTAAACGGCAGTTTGTTCGGATACAAGCACCCG
TCTGAGGAGGAGCTTCGGGCCCTGGCGGGGAAGCCGAGGCCAGAGGCAGGAAAGAGCGGTG
GGCCAATGGCCTTAGTGAGGAGAAGCCACTGTCTGTGCCCCGAGATGCCCCGTTCCAGCTGG
AGACCTGCCCCCTCACGACCGTGATGCCCTGGTCCTGCGCTTCTTCCTGGAGTACCAGTGG
TTTGTGGAÇTTTGCTGTGTACTCGGGCGGCGTGACCTCTTCACAGAGGCCTACTACTACAT
GCTGGGACCAGCCAAGGAGACTAACATTGCTGTGTTCTGGTGCTGCTACGGTGACCTTCT
CCATCAAGATGTTCTTGACAGTGACACGGCTGTACTTCAGCGCCGAGGAGGGGGGTGAGCGC
TCTGTCTGCCTCACCTTTGCCTTCCTCTTCCTGCTGCTGGCCATGCTGGTGCAAGTGGTGCG
GGAGGAGACCCTCGAGCTGGGCCTGGAGCCTGGTCTGGCCAGCATGACCCAGAACTTAGAGC
CACTTCTGAAGAAGCAGGGCTGGGACTGGGCGCTTCCTGTGGCCAAGCTGGCTATCCGCGTG
GGACTGGCAGTGGTGGGCTCTGTGCTGGGTGCCTTCCTCACCTTCCAGGCCTGCGGCTGGC
CCAGACCCACCGGGACGCACTGACCATGTGCGAGGACAGACCCATGCTGCAGTTCTCCTGC
ACACCAGCTTCCTGTCTCCCCTGTTTCATCCTGTGGCTCTGGACAAAGCCCATTCACGGGAC
TTCTTGACACAGCCGCCGTTTGGGGAGACGCGTTTCTCCCTGCTGTCCGATTCTGCCTTCGA
CTCTGGGCGCCTCTGGTTGCTGGTGGTGCTGTGCCTGCTGCGGCTGGCGGTGACCCGGCCCC
ACCTGCAGGCCTACCTGTGCCTGGCCAAGGCCCGGGTGGAGCAGCTGCGAAGGGAGGCTGGC
CGCATCGAAGCCCGTGAAATCCAGCAGAGGGTGGTCCGAGTCTACTGCTATGTGACCGTGGT
GAGCTTGCAGTACCTGACGCCGCTCATCCTCACCTCAACTGCACACTTCTGCTCAAGACGC
TGGGAGGCTATTCTGGGGCCTGGGCCAGCTCCTCTACTATCCCCGACCCATCCTCAGCC
AGCGCTGCCCCCATCGGCTCTGGGGAGGACGAAGTCCAGCAGACTGCAGCGCGGATTGCCGG
GGCCCTGGGTGGCCTGCTTACTCCCTCTTCCTCCGTGGCGTCTGACCTACCTCATCTGGT
GGACGGCTGCCTGCCAGCTGCTCGCCAGCCTTTTCGGCCTCTACTTCCACCAGCACTTGGCA
GGCTCC**TAG**CTGCCTGCAGACCCTCCTGGGGCCCTGAGGTCTGTTCTGGGGCAGCGGGACA
CTAGCCTGCCCCCTCTGTTTGCGCCCGTGTCCCCAGCTGCAAGGTGGGGCCGGACTCCCC
GGCGTTCCCTTCACCACAGTGCCTGACCGCGGGCCCCCTTGGACGCCGAGTTTCTGCCTCA
GAACTGTCTCTCCTGGGCCAGCAGCATGAGGGTCCCGAGGCCATTGTCTCCGAAGCGTATG
TGCCAGGTTTGTAGTGGCGAGGGTGATGCTGGCTGCTCTTCTGAACAAATAAAGGAGCATGCC
GATTTTAA

144/330

FIGURE 144

MAVLGVQLVVTTLLTATLMHRLAPHCSFARWLLCNGSLFRYKHPSEELRALAGKPRPRGRKE
RWANGLSEEKPLSVPRDAPFQLETCPLTTVDALVLRFFLEYQWFVDFAVYSGGVYLFTEAYY
YMLGPAKETNIAVFWCLLTVTFSIKMFLTIVTRLYFSAEEGGERSVCLTFAFLFLLAMLVQV
VREETLELGLEPGLASMTQNLEPLLKKQGDWALPVAKLAIRVGLAVVGSVLGAFLTFPGLR
LAQTHRDALTMSEDRPMLQFLLHTSFLSPLFILWLWTKPIARDFLHQPPFGETRFSLLSDSA
FDSGRLWLLVVLCLLRLAVTRPHLQAYLCLAKARVEQLRREAGRIEAREIQQRVVRVICYVT
VVSLQYLTPLIILTNCTLLLKTLGGYSWGLGPAPLLSPDPSSASAAPIGSGEDEVQQTAAARI
AGALGGLLTPLFLRGVLAYLIWWTAACQLLASLFGLYFHQHLAAGS

145/330

FIGURE 145

CGTTNGCACGCGTCAATGGCGGTCCTCGGAGTACAGCTGGTGGTGACCCTGCTCACTGCCAC
CCTCATGCACAGGCTGGCGCCACACTGCTCCTTCGCGCGCTGGCTGCTCTGTAACGGCAGTT
TGTTCCGATACAAGCACCCGTNTTGAGGAGGAGCTTCGGGCCCTGGCGGGGAAGCCGAGGCC
CAGAGGCAGGAAAGAGCGGTGGGCCAATGGCCTTAGTGAGGAGAAGCCACTGTCTGTGCCCC
GAGATGCCCCGTTCCAGCTGGAGACCTGCCCCCTCACGACCGTGGATGCCCTGGTCCTGCGC
TTCTTCCTGGAGTACCAGTGGTTTGTGGACTTTGCTGTGTACTCGGGCGGCGTGTACCTCTT
CACAGAGGCCTACTACTACATGCTGGGACCAGCCAAGGAGACTAACATTGCTGTGTTCTGGT
GCCTGCTCACAGTGACCTTCTCCATCAAGATGTTCTGACAGTGACACGGCTGTACTTCAGC
GCCGAGGAGGGGGGTGAGCGCTCTGTCTGCCTCACCTTTGCCTTCCTCTTCCTGCTGCTGGC
CATGCTGGTGCAAGCG

146/330

FIGURE 146

GGTTCCTACATCCTCTCATCTGAGAATCAGAGAGCATAATCTTCTTACGGGCCCCGTGATTTATTAACGTGGCTT
AATCTGAAGGTTCTCAGTCAAATCTTTGTGATCTACTGATTGTGGGGGCATGGCAAGGTTTGCTTAAAGGAGC
TTGGCTGGTTTGGGCCCTTGTAGCTGACAGAAGGTGGCCAGGGAGAATGCAGCACACTGCTCGGAGAATGAAGG
CGCTTCTGTTGCTGGTCTTGCCCTGGCTCAGTCCTGCTAACTACATTGACAATGTGGGCAACCTGCACTTCCTG
TATTCAGAACTCTGTAAAGGTGCCTCCCCTACGGCCTGACCAAGATAGGAAGAGGCGCTCACAAGATGGCTG
TCCAGACGGCTGTGCGAGCCTCACAGCCACGGCTCCCTCCCCAGAGGTTTCTGCAGCTGCCACCATCTCCTTAA
TGACAGACGAGCCTGGCCTAGACAACCTGCGCTACGTGTCTCGGCAGAGGACGGGCAGCCAGCAATCAGCCCA
GTGGACTCTGGCCGGAGCAACCGAAGTGGGCACGGCCCTTTGAGAGATCCACTATTAGAAGCAGATCATTTAA
AAAAATAAATCGAGCTTTGAGTGTTCTTCGAAGGACAAAGAGCGGGAGTGCAAGTTGCCAACCATGCCGACCAGG
GCAGGGAAAATTCTGAAAACACCACTGCCCCGTAAGTCTTTCCAAGGTTGTACCACCTGATTCCAGATGGTGAA
ATTACCAGCATCAAGATCAATCGAGTAGATCCAGTGAAAGCCTCTCTATTAGGCTGGTGGGAGGTAGCGAAAC
CCCACTGGTCCATATCATTATCCAACACATTTATCGTGATGGGGTGATCGCCAGAGACGGCCGGCTACTGCCAG
GAGACATCATTCTAAAGGTCAACGGGATGGACATCAGCAATGTCCTCACAACACTACGCTGTGCGTCTCCTGCGG
CAGCCCTGCCAGGTGCTGTGGCTGACTGTGATGCGTGAACAGAAAGTTCCGCAGCAGGAACAATGGACAGGCCCC
GGATGCCCTACAGACCCCGAGATGACAGCTTTTATGTGATTCTCAACAAAAGTAGCCCCGAGGAGCAGCTTGGAA
TAAACTGGTGGCAAGGTGGATGAGCCTGGGGTTTTTCATCTTCAATGTGCTGGATGGCGGTGTGGCATATCGA
CATGGTCAGCTTGAGGAGAATGACCGTGTTGATGCCATCAATGGACATGATCTTCGATATGGCAGCCAGAAAG
TGCGGCTCATCTGATTAGGCCAGTGAAAGACGTGTTACCTCGTCGTGTCCCGCCAGGTTCCGGCAGCGGAGCC
CTGACATCTTTAGGAAGCCGGCTGGAAACAGCAATGGCAGCTGGTCCCCAGGGCCAGGGGAGAGGAGCAACACT
CCCAAGCCCCTCCATCCTACAATTACTTGTCTGATGAGAAGGTGGTAAATATCCAAAAGACCCCGGTGAATCTCT
CGGCATGACCGTCGCAGGGGAGCATCACATAGAGAATGGGATTTGCCTATCTATGTCATCAGTGTTAGCCCG
GAGGAGTCATAAGCAGAGATGGAAGAATAAAAAAGGTGACATTTTGTGAATGTGGATGGGGTGAAGTGA
GAGGTCAGCCGGAGTGAGGCAGTGGCATTATTGAAAAGAACATCATCCTCGATAGTACTCAAAGCTTTGGAAGT
CAAAGAGTATGAGCCCCAGGAAGACTGCAGCAGCCAGCAGCCCTGGACTCCAACCACAACATGGCCCCACCCA
GTGACTGGTCCCCATCCTGGGTCATGTGGCTGGAATTACCACGGTGCTTGATAACTGTAAAGATATTGTATTA
CGAAGAAACACAGCTGGAAGTCTGGGCTTCTGCATTGTAGGAGGTTATGAAGAATACAATGGAAACAAACCTTT
TTTCATCAAATCCATTGTTGAAGGAACACCAGCATACAATGATGGAAGAATTAGATGTGGTGATATTCTTCTTG
CTGTCAATGGTAGAAGTACATCAGGAATGATACATGCTTGCTGGCAAGACTGCTGAAAGAAGTTAAAGGAAGA
ATTACTCTAACTATTGTTTCTTGGCCTGGCACTTTTTTATAGAAATCAATGATGGGTGAGGAAAACAGAAAAA
TCACAAATAGGCTAAGAAGTTGAAACACTATATTTATCTTGTGTCAGTTTTTATATTTAAAGAAAGATACATTGT
AAAAATGTCAGGAAAAGTATGATCATCTAATGAAAGCCAGTTACACCTCAGAAAATATGATTCCAAAAAATTA
AACTACTAGTTTTTTTTTTCAGTGTGGAGGATTTCTCATTACTCTACAACATTGTTTATATTTTTTCTATTCAAT
AAAAAGCCCTAAAACAATAAAATGATTGATTTGTATACCCCACTGAATTCAGCTGATTTAAATTTAAATTT
GGTATATGCTGAAGTCTGCCAAGGGTACATTATGGCCATTTTTAATTTACAGCTAAAAATTTTTTAAATGCA
TTGCTGAGAAACGTTGCTTTCATCAACAAGAATAAATATTTTTTCAGAAGTTAA

147/330

FIGURE 147

MKALLLLVLPWLSPANYIDNVGNLHFLYSELCKGASHYGLTKDRKRRSQDGCPDGCASLTAT
APSPEVSAAATISLMTDEPGLDNPAYVSSAEDGQPAISPVDSGRSNRTRARPFERSTIRSRS
FKKINRALSVLRRTKSGSAVANHADQGRESENTTAPEVFPRLYHLIPDGEITSIKINRVDP
SESLSIRLVGGSETPLVHIIIQHIYRDGVIARDGRLLPGDIILKVNGMDISNVPHNYAVRLL
RQPCQVLWLTVMREQKFRSRNNGQAPDAYRPRDDSFHVILNKSSPEEQLGIKLVRKVDEPGV
FIFNVLDGGVAYRHGQLEENDRVLAINGHDLRYGSPESA AHLIQASERRVHLVVSQRQR
PDIFQEAGWNSNGSWSPGPGERSNTPKPLHPTITCHEKVVNIQKDPGESLGMTVAGGASHRE
WDLPIYVISVEPGGVISRDGRIKTDILLNVDGVELTEVSRSEAVALLKRTSSSIVLKALEV
KEYEPQEDCSSPAALDSNHNMAPPSDWSPSWVMWLELPRCLYNCKDIVLRRNTAGSLGFCIV
GGYEEYNGNKPFPIKSIVEGTPAYNDGRIRCGDILLAVNGRSTSGMIHACLARLLKELKGRI
TLTIVSWPGTFL

148/330

FIGURE 148

CCAAAGTGATCATTTGAAAAAGAGATATCCACATCTTCAAGCCCATATAAAGGATAGAAGCT
GCACAGGGCAGCTTTACTTACTCCAGCACCTTCCTCTCCCAGGCAA**ATGG**TGCTGACCATCT
TTGGGATACAATCTCATGGATACGAGGTTTTTAACATCATCAGCCCAAGCAACAATGGTGGC
AATGTTCAAGGAGACAGTGACAATTGATAATGAAAAAATACCGCCATCGTTAACATCCATGC
AGGATCATGCTCTTCTACCACAATTTTTGACTATAAACATGGCTACATTGCATCCAGGGTGC
TCTCCCGAAGAGCCTGCTTTATCCTGAAGATGGACCATCAGAACATCCCTCCTCTGAACAAT
CTCCAATGGTACATCTATGAGAAACAGGCTCTGGACAACATGTTCTCCAACAAATACACCTG
GGTCAAGTACAACCCTCTGGAGTCTCTGATCAAAGACGTGGATTGGTTCCTGCTTGGGTAC
CCATTGAGAACTCTGCAAACATATCCCTTTGTATAAGGGGGAAGTGGTTGAAAACACACAT
AATGTCGGTGCTGGAGGCTGTGCAAAGGCTGGGCTCCTGGGCATCTTGGGAATTTCAATCTG
TGCAGACATTCATGTT**TAG**GATGATTAGCCCTCTTGTTTTATCTTTTCAAAGAAATACATCC
TTGGTTTACTCAAAAGTCAAATTAAATTCTTTCCAATGCCCCAACTAATTTTGAGATTC
AGTCAGAAAATATAAATGCTGTATTTATA

149/330

FIGURE 149

MKILVAFLVVLTI FGIQSHGYEVFNIISPSNNGGNVQETVTIDNEKNTAIVNIHAGSCSSTT
IFDYKHGYIASRVLSRRACFILKMDHQNI PPLNNLQWYIYEKQALDNMFSNKYTWWKYNPLE
SLIKDVDWFLLGSPIEKLCKHIPLYKGEVVENTHNVGAGGCAKAGLLGILGISICADIHV

150/330

FIGURE 150

GGCACGAGCCAGGAACTAGGAGGTTCTCACTGCCCCGAGCAGAGGCCCTACACCCACCGAGGC
ATGGGGCTCCCTGGGCTGTTCTGCTTGCCGTGCTGGCTGCCAGCAGCTTCTCCAAGGCACG
GGAGGAAGAAATTACCCCTGTGGTCTCCATTGCCTACAAAGTCCTGGAAGTTTTCCCAAAG
GCCGCTGGGTGCTCATAACCTGCTGTGCACCCCAGCCACCACCGCCCATCACCTATTCCCTC
TGTGGAACCAAGAACATCAAGGTGGCCAAGAAGGTGGTGAAGACCCACGAGCCGGCCTCCTT
CAACCTCAACGTCACACTCAAGTCCAGTCCAGACCTGCTCACCTACTTCTGCCGGGCGTCCT
CCACCTCAGGTGCCCATGTGGACAGTGCCAGGCTACAGATGCACTGGGAGCTGTGGTCCAAG
CCAGTGTCTGAGCTGCGGGCCAACCTCACTCTGCAGGACAGAGGGGCAGGCCCCAGGGTGGA
GATGATCTGCCAGGCGTCCTCGGGCAGCCACCTATCACCAACAGCCTGATCGGGAAGGATG
GGCAGGTCCACCTGCAGCAGAGACCATGCCACAGGCAGCCTGCCAACTTCTCCTTCCTGCCG
AGCCAGACATCGGACTGGTTCTGGTGCCAGGCTGCAAACAACGCCAATGTCCAGCACAGCGC
CCTCACAGTGGTGCCCCCAGGTGGTGACCAGAAGATGGAGGACTGGCAGGGTCCCCTGGAGA
GCCCCATCCTTGCCCTTGCCGCTCTACAGGAGCACCCGCCGTCTGAGTGAAGAGGAGTTTGGG
GGGTTTCAGGATAGGGAATGGGGAGGTCAGAGGACGCAAAGCAGCAGCCATG**TAGA**AATGAACC
GTCCAGAGAGCCAAGCACGGCAGAGGACTGCAGGCCATCAGCGTGCACTGTTTCGTATTTGGA
GTTTCATGCAAAATGAGTGTGTTTTAGCTGCTCTTGCCACAAAAAAAAAAAAAAAAAAAAA

151/330

FIGURE 151

MGLPGLFCLAVLAASSFSKAREEEITPVVSIAYKVLEVFPKGRWVLITCCAPQPPPPITYSL
CGTKNIKVAKKVVKTHEPASFNLVTLKSSPDLLTYFCRASSTSGAHVDSARLQMHWELWSK
PVSELNANFTLQDRGAGPRVEMICQASSGSPITNSLIGKDGQVHLQQRPCHRQPANFSFLP
SQTSDWFWCQAANNANVQHSALTVPVPPGGDQKMEDWQGPLESPILALPLYRSTRRLSEEEFG
GFRIGNGEVRGRKAAAM

Signal Peptide:

amino acids 1-18

N-glycosylation Sites:

amino acids 86-89, 132-135, 181-184

152/330

FIGURE 152

GGTCCTTA**ATG**GCAGCAGCCGCCGCTACCAAGATCCTTCTGTGCCTCCCGCTTCTGCTCCTG
CTGTCCGGCTGGTCCCGGGCTGGGCGAGCCGACCCTCACTCTCTTTGCTATGACATCACCGT
CATCCCTAAGTTCAGACCTGGACCACGGTGGTGTGCGGTTCAAGGCCAGGTGGATGAAAAGA
CTTTTCTTCACTATGACTGTGGCAACAAGACAGTCACACCTGTCAGTCCCCTGGGGAAGAAA
CTAAATGTCACAACGGCCTGGAAAGCACAGAACCCAGTACTGAGAGAGGTGGTGGACATACT
TACAGAGCAACTGCGTGACATTCACTGGAGAATTACACACCCAAGGAACCCCTCACCCCTGC
AGGCAAGGATGTCTTGTGAGCAGAAAGCTGAAGGACACAGCAGTGGATCTTGGCAGTTCAGT
TTCGATGGGCAGATCTTCCTCCTCTTTGACTCAGAGAAGAGAATGTGGACAACGGTTCATCC
TGGAGCCAGAAAGATGAAAGAAAAGTGGGAGAATGACAAGGTTGTGGCCATGTCTTCCATT
ACTTCTCAATGGGAGACTGTATAGGATGGCTTGAGGACTTCTTGATGGGCATGGACAGCACC
CTGGAGCCAAGTGCAGGAGCACCCTCGCCATGTCCTCAGGCACAACCCAACCTCAGGGCCAC
AGCCACCACCCTCATCCTTTGCTGCCTCCTCATCATCCTCCCCTGCTTCATCCTCCCTGGCA
TCTGAGGAGAGTCCTTTAGAGTGACAGGTTAAAGCTGATACCAAAGGCTCCTGTGAGCACG
GTCTTGATCAAACTCGCCCTTCTGTCTGGCCAGCTGCCCACGACCTACGGTGTATGTCCAGT
GGCCTCCAGCAGATCATGATGACATCATGGACCCAATAGCTCATTCACTGCCTTGATTCTCTT
TTGCCAACAATTTTACCAGCAGTTATACCTAACATATTATGCAATTTTCTCTTGGTGCTACC
TGATGGAATTCCTGCACTTAAAGTTCTGGCTGACTAAACAAGATATATCATTTTCTTTCTTC
TCTTTTGTGGAAAATCAAGTACTTCTTTGAATGATGATCTCTTCTTGCAAATGATATT
GTCAGTAAAATAATCACGTTAGACTTCAGACCTCTGGGGATTCTTTCCGTGTCCTGAAAGAG
AATTTTAAATTATTTAATAAGAAAAAATTTATATTAATGATTGTTTCCTTTAGTAATTTAT
TGTTCTGTACTGATATTTAATAAAGAGTTCTATTTCCCAAAAAAAAAAAAAAAAAA

153/330

FIGURE 153

MAAAAATKILLCLPLLLLLSGWSRAGRADPHSLCYDITVIPKFRPGPRWCAVQGQVDEKTFL
HYDCGNKTVTPVSPGLGKKLNVTTAWKAQNPVLREVVDILTEQLRDIQLENYTPKEPLTLQAR
MSCEQKAEGHSSGSWQFSFDGQIFLLFDSEKRMWTTVHPGARKMKEKWENDKVVAMSFHYFS
MGDCIGWLEDFLMGMDSTLEPSAGAPLAMSSGTTQLRATATTLILCCLLIILPCFILPGI

Important features:**Signal peptide:**

amino acids 1-25

Transmembrane domain:

amino acids 224-246

N-glycosylation site.

amino acids 68-72, 82-86

N-myristoylation site.

amino acids 200-206, 210-216

Amidation site.

amino acids 77-81

154/330

FIGURE 154

GGGAAAGCCATTTTCGAAAACCCATCTATACAACTATATATTTTCATTTCTGCTGCTAGCTG
CCTTGGGCCTCACAATTTTCATTCTGTTTTCTGACTTTCAGTTATATACCGTGGAATGGGAG
TTGATCCCAACCATAACATCGTGGAGGGTTTTAATTTTGGTGGTAGCCCTCACCCAATTCTG
GTGTGGCTTTCTTTGCAGAGGATTCCACCTTCAAAATCATGAACTCTGGCTGTTGATCAAAA
GAGAATTTGGATTCTACTCTAAAAGTCAATATAGGACTTGGCAAAAGAAGCTAGCAGAAGAC
TCAACCTGGCCTCCCATAAACAGGACAGATTATTCAGGTGATGGCAAAAATGGATTCTACAT
CAACGGAGGCTATGAAAGCCATGAACAGATTCCAAAAAGAAAATCAAATTGGGAGGCCAAC
CCACAGAACAGCATTTCTGGGCCAGGCTGTAATCAGAATTGTCGTCGTACATGCTCAACAGC
ATTGCTTTTTTCCCCAAAATTAACACATTGTGGAGAAGTGATGATACTCTCCCCTTACCTTT
CCTCTCTCCATTCAAGCATTCAAAGTATATTTTCAATGAATTAAACCTTGCAGCAAGGGACC
TTAGATAGGCTTATTCTGACTGTATGCTTTACCAATGAGAGAAAAAAATGCATTCCTGTAT
CATCCTTTTCAATAAACTGTATTTCATTTTGAAAAAAAAAAAAAAAAAAAAA

155/330

FIGURE 155

MELIPTITSWRVLILVVALTQFWCGFLCRGFHLQNHELWLLIKREFGFYSKSQYRTWQKKLA
EDSTWPPINRTDYSGDGKNGFYINGGYESHEQIPKRKLKLGGQPTEQHFWARL

156/330

FIGURE 156

GTTCTCCTTTCCGAGCCAAAATCCCAGGCGATGGTGAATTATGAACGTGCCACACC**ATGAAG**
CTCTTGTGGCAGGTAACGTGTGCACCACCACACCTGGAATGCCATCCTGCTCCCGTTCTGCTCTA
CCTCACGGCGCAAGTGTGGATTCTGTGTGCAGCCATCGCTGCTGCCGCCTCAGCCGGGCCCC
AGAACTGCCCCCTCCGTTTGCTCGTGCAGTAACCAGTTCAGCAAGGTGGTGTGCACGCGCCGG
GGCCTCTCCGAGGTCCCGCAGGGTATTCCCTCGAACACCCGGTACCTCAACCTCATGGAGAA
CAACATCCAGATGATCCAGGCCGACACCTTCCGCCACCTCCACCACCTGGAGGTCTGCAGT
TGGGCAGGAACCTCCATCCGGCAGATTGAGGTGGGGGCCTTCAACGGCCTGGCCAGCCTCAAC
ACCCTGGAGCTGTTTCGACAACCTGGCTGACAGTCATCCCTAGCGGGGCCTTTGAATACCTGTC
CAAGCTGCGGGAGCTCTGGCTTCGCAACAACCCCATCGAAAGCATCCCCTCTTACGCCTTCA
ACCGGGTGCCCTCCCTCATGCGCTGGACTTGGGGGAGCTCAAGAAGCTGGAGTATATCTCT
GAGGGAGCTTTTGAGGGGCTGTTCAACCTCAAGTATCTGAACCTGGGCATGTGCAACATTAA
AGACATGCCCAATCTCACCCCCCTGGTGGGGCTGGAGGAGCTGGAGATGTGAGGGAACCACT
TCCCTGAGATCAGGCCTGGCTCCTTCCATGGCCTGAGCTCCCTCAAGAAGCTCTGGGTCTATG
AACTCACAGGTGAGCCTGATTGAGCGGAATGCTTTTGACGGGCTGGCTTCACTTGTGGAACCT
CAACTTGGCCCACAATAACCTCTCTTCTTTGCCCATGACCTCTTTACCCCGCTGAGGTACC
TGGTGGAGTTGCATCTACACCACAACCCTTGGAACCTGTGATTGTGACATTCTGTGGCTAGCC
TGGTGGCTTCGAGAGTATATACCCACCAATTCACCTGCTGTGGCCGCTGTGATGCTCCCAT
GCACATGCGAGGCCGCTACCTCGTGGAGGTGGACCAGGCCTCCTTCCAGTGCTCTGCCCCCT
TCATCATGACGCACCTCGAGACCTCAACATTTCTGAGGGTTCGGATGGCAGAACTTAAGTGT
CGGACTCCCCCTATGTCCTCCGTGAAGTGCTTGCTGCCCAATGGGACAGTCTCAGCCACGC
CTCCCGCCACCCAAGGATCTCTGTCTCTCAACGACGGCACCTTGAACCTTTTCCACGTGCTGC
TTTCAGACACTGGGGTGACACATGCATGGTGACCAATGTTGCAGGCAACTCCAACGCCTCG
GCCTACCTCAATGTGAGCACGGCTGAGCTTAACACCTCCAACCTACAGCTTCTTCACCACAGT
AACAGTGGAGACCACGGAGATCTCGCCTGAGGACACAACGCGAAAGTACAAGCCTGTTCCCTA
CCACGTCCACTGGTTACCAGCCGGCATATACCACTCTACCACGGTGCTCATTGAGACTACC
CGTGTGCCCAAGCAGGTGGCAGTACCCGCGACAGACACCACTGACAAGATGCAGACCAGCCT
GGATGAAGTCATGAAGACCACCAAGATCATCATTGGCTGCTTTGTGGCAGTGAATCTGCTAG
CTGCCGCCATGTTGATTGTCTTCTATAAACTTCGTAAGCGGCACCAGCAGCGGAGTACAGTC
ACAGCCGCCCCGACTGTTGAGATAATCCAGGTGGACGAAGACATCCCAGCAGCAACATCCGC
AGCAGCAACAGCAGCTCCGTCCGGTGTATCAGGTGAGGGGGCAGTAGTGCTGCCCACAATTC
ATGACCATATTAATACTACAACACCTACAAACCAGCACATGGGGCCCACTGGACAGAAAACAGC
CTGGGGAACTCTCTGCACCCACAGTCACCACTATCTCTGAACCTTATATAATTGAGACCCA
TACCAAGGACAAGGTACAGGAACTCAAATAT**TGA**CTCCCCTCCCCCAAAAACCTTATAAAAT
GCAATAGAATGCACACAAAGACAGCAACTTTTGTACAGAGTGGGGAGAGACTTTTTCTTGTA
TATGCTTATATATTAAGTCTATGGGCTGGTTAAAAAAAACAGATTATATTAAAATTTAAAGA
CAAAAAGTCAAAACA

157/330

FIGURE 157

MKLLWQVTVHHHTWNAILLPFVYLTAQVWILCAAIAAAASAGPQNCPSVCSCSNQFSKVVCT
RRGLSEVPQGIPSNTRYLNLMENNIQMIQADTFRHLHHLEVLQLGRNSIRQIEVGAFNGLAS
LNTLELFDNWLTVIPSGAFEYLSKLRELWLRNNPIESIPSYAFNRVPSLMRLDLGELKKLEY
ISEGAFEGLFNLKYLNLGMCNIKDMPNLTPLVGLEEELEMSGNHFPFIRPGSFHGLSSLKKLW
VMNSQVSLIERNAFDGLASLVELNLAHNNLSSLPHDLFTPLRYLVELHLHHPWNCDCDILW
LAWWLREYIPTNSTCCGRCHAPMHRGRYLVEVDQASFQCSAPFIMDAPRDLNISEGRMAEL
KCRTPPMSSVKWLLPNGTVLSHASRHPRISVLNDGTLNFSHVLLSDTGVYTCMVTNVAGNSN
ASAYLNVSTAELENSTSNYSFFTTVTVETTEISPEDTTRKYKPVPTTSTGYQPAYTTSTTVLIQ
TTRVPKQVAVPATDITDKMQTSLDEVMKTTKIIIGCFVAVTLLAAAMLIVFYKLKRKHQORS
TVTAARTVEIIQVDEDIPAATSAAATAAPSGVSGEGAVVLPTIHDHINYNTYKPAHGAHWTE
NSLGNSLHPTVTTISEPYIIQTHTKDKVQETQI

FIGURE 158

[illegible]

159/330

FIGURE 159

MELGCWTQLGLTFLQLLLISSLPREYTVINEACPGAENIMCRECCEYDQIECVCPGKREVV
GYTIPCCRNEENECDSCLIHPGCTIFENCKSCRNGSWGGLDDFYVKGFYCAECRAGWYGGD
CMRCGQVLRAPKGQILLESYPLNAHCEWTIHAKPGFVIQLRFVMLSLEFDYMCQYDYVEVRD
GDNRDGQIIKRVCGNERPAPIQSIGSSSLHVLFHSDGSKNFDGFAIYEEITACSSSPCFHDG
TCVLDKAGSYKCACLAGYTGQRCENLLEERNCSDPGGPVNGYQKITGGPGLINGRHAKIGTV
VSFFCNSYVLSGNEKRTCQQNGEWSGKQPICIKACREPKISDLVRRRVLPMQVQSRETPLH
QLYSAAFSKQKLQSAPTKKPALPFGDLPMGYQHLHTQLQYECISPFYRRLGSSRRTCLRTGK
WSGRAPSCIPICGKIENITAPKTQGLRWPWQAAIYRRTSGVHDGSLHKGAWFLVCSGALVNE
RTVVVAHCVTDLGKVTMIKTADLKVVLGKFYRDDDRDEKTIQSLQISATILHPNYDPILLD
ADIAILKLLDKARISTRVQPICLAASRDLSTSFAQESHITVAGWNVLADVRS PGFKNDTLRSG
VVSVD SLLCEEQHEDHGIPVSVTDNMFCASWEPTAPSDICTAETGGIAAVSFPGRASPEPR
WHLMGLVSWSYDKTCSHRLSTAFTKVL PFKDWIERNMK

160/330

FIGURE 160

ACCAGGCATTGTATCTTCAGTTGTCATCAAGTTCGCAATCAGATTGGAAAAGCTCAACTTGA
AGCTTTCTTGCCTGCAGTGAAGCAGAGAGATAGATATTATTACGTAATAAAAAACATGGGC
TTCAACCTGACTTTCCACCTTTCCCTACAAATTCCGATTACTGTTGCTGTTGACTTTGTGCCT
GACAGTGGTTGGGTGGGCCACCAGTAACTACTTCGTGGGTGCCATTCAAGAGATTCCTAAAG
CAAAGGAGTTCATGGCTAATTTCCATAAGACCCTCATTTTGGGGAAGGGAAAACTCTGACT
AATGAAGCATCCACGAAGAAGGTAGAAGTTGACAAGTGTCTTCTGTGTCTCCTTACCTCAG
AGGCCAGAGCAAGCTCATTTTCAAACCAGATCTCACTTTGGAAGAGGTACAGGCAGAAAATC
CCAAAGTGTCCAGAGGCCGGTATCGCCCTCAGGAATGTAAAGCTTTACAGAGGGTCGCCATC
CTCGTTCCCCACCGGAACAGAGAGAAACACCTGATGTACCTGCTGGAACATCTGCATCCCTT
CCTGCAGAGGCAGCAGCTGGATTATGGCATCTACGTCATCCACCAGGCTGAAGGTAAAAGT
TTAATCGAGCCAACTCTTGAATGTGGGCTATCTAGAAGCCCTCAAGGAAGAAAATTGGGAC
TGCTTTATATTCCACGATGTGGACCTGGTACCCGAGAATGACTTTAACCTTTACAAGTGTGA
GGAGCATCCCAAGCATCTGGTGGTTGGCAGGAACAGCACTGGGTACAGGTTACGTTACAGTG
GATATTTTGGGGGTGTTACTGCCCTAAGCAGAGAGCAGTTTTTCAAGGTGAATGGATTCTCT
AACAAGTACTGGGGATGGGGAGGCGAAGACGATGACCTCAGACTCAGGGTTGAGCTCCAAAG
AATGAAAATTTCCCGGCCCTGCCTGAAGTGGGTAAATATACAATGGTCTTCCACACTAGAG
ACAAAGGCAATGAGGTGAACGCAGAACGGATGAAGCTCTTACACCAAGTGTACGAGTCTGG
AGAACAGATGGGTTGAGTAGTTGTTCTTATAAATTAGTATCTGTGGAACACAATCCTTTATA
TATCAACATCACAGTGGATTTCTGGTTTGGTGCATGACCCTGGATCTTTTGGTGATGTTTGG
AAGAACTGATTCTTTGTTTGCAATAATTTTGGCCTAGAGACTTCAAATAGTAGCACACATTA
AGAACCTGTTACAGCTCATTGTTGAGCTGAATTTTTCCTTTTTGTATTTTCTTAGCAGAGCT
CCTGGTGATGTAGAGTATAAAACAGTTGTAACAAGACAGCTTTCTTAGTCATTTTGATCATG
AGGGTTAAATATTGTAATATGGATACTTGAAGGACTTTATATAAAAGGATGACTCAAAGGAT
AAAATGAACGCTATTTGAGGACTCTGGTTGAAGGAGATTTATTTAAATTTGAAGTAATATAT
TATGGGATAAAAGGCCACAGGAAATAAGACTGCTGAATGTCTGAGAGAACCAGAGTTGTTCT
CGTCCAAGGTAGAAAGGTACGAAGATACAATACTGTTATTCATTTATCCTGTACAATCATCT
GTGAAGTGGTGGTGTGAGGTGAGAAGGCGTCCACAAAAGAGGGGAGAAAAGGCGACGAATCA
GGACACAGTGAAGTTGGGAATGAAGAGGTAGCAGGAGGGTGGAGTGTGCGCTGCAAAGGCAG
CAGTAGCTGAGCTGGTTGCAGGTGCTGATAGCCTTCAGGGGAGGACCTGCCCAGGTATGCCT
TCCAGTGATGCCCACCAGAGAATACATTCTCTATTAGTTTTTAAAGAGTTTTTGTAAAATGA
TTTTGTACAAGTAGGATATGAATTAGCAGTTTACAAGTTTACATATTAATAATAATAATA
TGTCTATCAAATACCTCTGTAGTAAAATGTGAAAAAGCAAAA

161/330

FIGURE 161

MGFNLT FHLSYKFRLLLLLTLCLTVVGWATSNYFVGAIQEIPKAKEFMANFHKTILGKGKT
LTNEASTKKVELDNCPSVSPYLRGQSKLIFKPDLTLEEVQAENPKVSRGRYRPQECKALQRV
AILVPHRNREKHLMYLLEHLHPFLQRQQLDYGIYVIHQAEKGKFNRAKLLNVGYLEALKEEN
WDCFIFHDVDLVPENDFNLYKCEEHPKHLVVGRNSTGYRLRYSGYFGGVTALSREQFFKVNG
FSNNYWGWGGEDDDLRLRVELQRMKISRPLPEVGKYTMVFHTRDKGNEVNAERMKLLHQVSR
VWRTDGLSSCSYKLVSVEHNPLYINITVDFWFGA

Important features:**Signal peptide:**

amino acids 1-27

N-glycosylation sites:

amino acids 4-7, 220-223 and 335-338

Xylose isomerase proteins:

amino acids 191-201

162/330

FIGURE 162

CGTGGGCGGGGTCGCGCAGCGGGCTGTGGGCGCGCCCGGAGGAGCGACCGCCGCAGTTCTC
GAGCTCCAGCTGCATTCCCTCCGCGTCCGCCCCACGCTTCTCCCGCTCCGGGCCCCGCAATG
GCCCAGGCAGTGTGGTCGCGCCTCGGCCGCATCCTCTGGCTTGCCCTGCCTCCTGCCCTGGGC
CCCGGCAGGGGTGGCCGCAGGCCTGTATGAACTCAATCTCACCACCGATAGCCCTGCCACCA
CGGGAGCGGTGGTGACCATCTCGGCCAGCCTGGTGGCCAAGGACAACGGCAGCCTGGCCCTG
CCCGCTGACGCCCCACCTCTACCGCTTCCACTGGATCCACACCCCGCTGGTGCTTACTGGCAA
GATGGAGAAGGGTCTCAGCTCCACCATCCGTGTGGTCGGCCACGTGCCCGGGGAATTCCCGG
TCTCTGTCTGGGTCACTGCCGCTGACTGCTGGATGTGCCAGCCTGTGGCCAGGGGCTTTGTG
GTCCTCCCCATCACAGAGTTCTCGTGGGGGACCTTGTGTACCCAGAACACTTCCCTACC
CTGGCCAGCTCCTATCTCACTAAGACCGTCTGAAAGTCTCCTTCCTCCACGACCCGA
GCAACTTCCTCAAGACCGCCTTGTCTCTACAGCTGGGACTTCGGGGACGGGACCCAGATG
GTGACTGAAGACTCCGTGGTCTATTATAACTATTCCATCATCGGGACCTTCACCGTGAAGCT
CAAAGTGGTGGCGGAGTGGGAAGAGGTGGAGCCGGATGCCACGAGGGCTGTGAAGCAGAAGA
CCGGGGACTTCTCCGCCCTCGCTGAAGCTGCAGGAAACCCTTCGAGGCATCCAAGTGTGGGG
CCCACCCTAATTACAGACCTTCCAAAAGATGACCGTGACCTTGAACCTCCTGGGGAGCCCTCC
TCTGACTGTGTGCTGGCGTCTCAAGCCTGAGTGCCTCCCGCTGGAGGAAGGGGAGTGCCACC
CTGTGTCCGTGGCCAGCACAGCGTACAACCTGACCCACACCTTCAGGGACCTTGGGGACTAC
TGCTTCAGCATCCGGGCCGAGAATATCATCAGCAAGACACATCAGTACCACAAGATCCAGGT
GTGGCCCTCCAGAATCCAGCCGGCTGCTTTGCTTTCCCATGTGCTACACTTATCACTGTGA
TGTTGGCCTTCATCATGTACATGACCCTGCGGAATGCCACTCAGCAAAAGGACATGGTGGAG
AACCCGGAGCCACCCCTCTGGGGTCAGGTGCTGCTGCCAGATGTGCTGTGGGCCTTTCTTGCT
GGAGACTCCATCTGAGTACCTGGAAATTGTTCTGTGAGAACCACGGGCTGCTCCCGCCCCTCT
ATAAGTCTGTCAAAACTTACACCGTGTAGAGCACTCCCCCTCCCCACCCCATCTCAGTGTTAA
CTGACTGCTGACTTGGAGTTTCCAGCAGGGGTGGTGTGCACCACTGACCAGGAGGGGTTCATT
TGCGTGGGGCTGTTGGCCTGGATCATCCATCCATCTGTACAGTTCAGCCACTGCCACAAGCC
CCTCCCTCTCTGTACCCCTGACCCAGCCATTACCCATCTGTACAGTCCAGCCACTGACA
TAAGCCCCACTCGGTTACCACCCCTTGACCCCTACCTTTGAAGAGGCTTCGTGCAGGACT
TTGATGCTTGGGGTGTTCGTGTTGACTCCTAGGTGGGCCTGGCTGCCACTGCCATTCTCT
CTCATATTGGCACATCTGCTGTCCATTGGGGGTTCTCAGTTTCTCCCCAGACAGCCCTAC
CTGTGCCAGAGAGCTAGAAAGAAGGTCATAAAGGGTAAAAATCCATAACTAAAGGTTGTAC
ACATAGATGGGCACACTCACAGAGAGAAGTGTGCATGTACACACACCACACACACACACA
CACACACACACAGAAATATAAACACATGCGTCACATGGGCATTTAGATGATCAGCTCTGTA
TCTGGTTAAGTCGGTTGCTGGGATGCACCCTGCACTAGAGCTGAAAGGAAATTTGACCTCCA
AGCAGCCCTGACAGGTTCTGGGCCCCGGGCCCTCCCTTTGTGCTTTGTCTCTGCAGTTCTTGC
GCCCTTTATAAGGCCATCCTAGTCCCTGCTGGCTGGCAGGGGCCTGGATGGGGGGCAGGACT
AATACTGAGTGATTGCAGAGTGCTTTATAAATATCACCTTATTTTATCGAAACCCATCTGTG
AAACTTTCAGTGAGGAAAAGGCCTTGACGCGGTAGAAGAGGTTGAGTCAAGGCCGGGCGCGG
TGGCTCACGCCTGTAATCCCAGCACTTTGGGAGGCCGAGGCGGGTGGATCACGAGATCAGGA
GATCGAGACCACCTGGCTAACACGGTGAAACCCCGTCTCTACTAAAAAATACAAAAAGTT
AGCCGGGCGTGGTGGTGGGTGCCTGTAGTCCAGCTACTCGGGAGGCTGAGGCAGGAGAATG
GTGCGAACCCGGGAGGCGGAGCTTGCACTGAGCCCAGATGGCGCCACTGCACTCCAGCCTGA
GTGACAGAGCGAGACTCTGTCTCCA

163/330

FIGURE 163

MAQAVWSRLGRILWLACLLPWAPAGVAAGLYELNLTTDSPATTGAVVTISASLVAKDNGSLA
LPADAHLYRFHWIHTPLVLTGKMEKGLSSTIRVVGHVPGEFPVSVWVTAADCWMCQPVARGF
VVLPITEFLVGDLVVTQNTSLPWPSSYLTKTVLKVSFLLHDPSNFLKTALFLYSWDFGDGTQ
MVTEDSVVYYNYSIIGTFTVKLKVVAEWEEVEPDATRAVKQKTGDFSASLKLQETLRGIQVL
GPTLIQTFQKMTVTNLNFGSPPLTVCWRLKPECLPLEEGEHPVSVASTAYNLTHTRDPGD
YCFSIRAENIISKTHQYHKIQVWPSRIQPAVFAPPCATLITVMLAFIMYMTLRNATQQKDMV
ENPEPPSGVRCCCQMCCGPFLLETPSEYLEIVRENHGLLPPLYKSVKTYTV

Important features of the protein:**Signal peptide:**

amino acids 1-24

Transmembrane domain:

amino acids 339-362

N-glycosylation sites.

amino acids 34-37, 58-61, 142-145, 197-200, 300-303 and 364-367

165/330

FIGURE 165

MALSSQIWAACLLLLLLASLTSGSVFPQQTGQLAELQPQDRAGARASWMPMFQRRRRRDTH
FPICIFCCGCCHRSKCGMCCKT

166/330

FIGURE 166

CTGTCAGGAAGGACCATCTGAAGGCTGCAATTTGTTCTTAGGGAGGCAGGTGCTGGCCTGGC
CTGGATCTTCCACCA**ATG**TTTCCTGTTGCTGCCTTTTGATAGCCTGATTGTCAACCTTCTGGGC
ATCTCCCTGACTGTCCTCTTACCCTCCTTCTCGTTTTTCATCATAGTGCCAGCCATTTTTTG
AGTCTCCTTTGGTATCCGCAAACTCTACATGAAAAGTCTGTTAAAAATCTTTGCGTGGGCTA
CCTTGAGAATGGAGCGAGGAGCCAAGGAGAAGAACCACCAGCTTTACAAGCCCTACACCAAC
GGAATCATTGCAAAGGATCCCACTTCACTAGAAGAAGAGATCAAAGAGATTCTGTCGAAGTGG
TAGTAGTAAGGCTCTGGACAACACTCCAGAGTTCGAGCTCTCTGACATTTTCTACTTTTGCC
GGAAAGGAATGGAGACCATTATGGATGATGAGGTGACAAAGAGATTCTCAGCAGAAGAACTG
GAGTCCTGGAACCTGCTGAGCAGAACCAATTATAACTTCCAGTACATCAGCCTTCGGCTCAC
GGTCTGTGGGGGTTAGGAGTGCTGATTCCGTACTGCTTTCTGCTGCCGCTCAGGATAGCAC
TGGCTTTCACAGGGATTAGCCTTCTGGTGGTGGGCACAACGTGGTGGGATACTTGCCAAAT
GGGAGGTTTAAGGAATTCATGAGTAAACATGTTCACTTAATGTGTTACCGGATCTGCGTGCG
AGCGCTGACAGCCATCATCACCTACCATGACAGGGAAAACAGACCAAGAAATGGTGGCATCT
GTGTGGCCAATCATACCTCACCGATCGATGTGATCATCTTGGCCAGCGATGGCTATTATGCC
ATGGTGGGTCAAGTGACGGGGGACTCATGGGTGTGATTCAAGAGCCATGGTGAAGGCCTG
CCCACACGTCTGGTTTGAGCGCTCGGAAGTGAAGGATCGCCACCTGGTGGCTAAGAGACTGA
CTGAACATGTGCAAGATAAAAGCAAGCTGCCTATCCTCATCTTCCAGAAGGAACCTGCATC
AATAATACATCGGTGATGATGTTCAAAAAGGGAAGTTTTGAAATTGGAGCCACAGTTTACCC
TGTTGCTATCAAGTATGACCCTCAATTTGGCGATGCCTTCTGGAACAGCAGCAAATACGGGA
TGGTGACGTACCTGCTGCGAATGATGACCAGCTGGGCCATTGTCTGCAGCGTGTGTAACCTG
CCTCCCATGACTAGAGAGGCAGATGAAGATGCTGTCCAGTTTGCGAATAGGGTGAAATCTGC
CATTGCCAGGCAGGGAGGACTTGTGGACCTGCTGTGGGATGGGGGCTGAAGAGGGAGAAGG
TGAAGGACACGTTCAAGGAGGAGCAGCAGAAGCTGTACAGCAAGATGATCGTGGGGAACCAC
AAGGACAGGAGCCGCTCCT**TGAG**CCTGCCTCCAGCTGGCTGGGGCCACCGTGCGGGGTGCCAA
CGGGCTCAGAGCTGGAGTTGCCGCCGCCGCCCCACTGCTGTGTCTTTCCAGACTCCAGGG
CTCCCCGGGCTGCTCTGGATCCCAGGACTCCGGCTTTCGCCGAGCCGCAGCGGGATCCCTGT
GCACCCGGCGCAGCCTACCCTTGGTGGTCTAAACGGATGCTGCTGGGTGTTGCGACCCAGGA
CGAGATGCCTTGTTTCTTTTACAATAAGTCGTTGGAGGAATGCCATTAAAGTGAACCCCCA
CCTTTGCACGCTGTGCGGGCTGAGTGGTTGGGGAGATGTGGCCATGGTCTTGTGCTAGAGAT
GGCGGTACAAGAGTCTGTTATGCAAGCCCGTGTGCCAGGGATGTGCTGGGGGCGGCCACCCG
CTCTCCAGGAAAGGCACAGCTGAGGCACTGTGGCTGGCTTCGGCCTCAACATCGCCCCAGC
CTTGGAGCTCTGCAGACATGATAGGAAGGAACTGTCATCTGCAGGGGCTTTCAGCAAATG
AAGGGTTAGATTTTTATGCTGCTGCTGATGGGGTACTAAAGGGAGGGGAAGAGGCCAGGTG
GGCCGCTGACTGGGCCATGGGGAGAACGTGTGTTCTGACTCCAGGCTAACCTGAACTCCCC
ATGTGATGCGCGCTTTGTTGAATGTGTGTCTCGGTTTCCCCATCTGTAATATGAGTCGGGGG
GAATGGTGGTGATTCTACCTCACAGGGCTGTTGTGGGGATTAAAGTGCTGCGGGTGAGTGA
AGGACACATCACGTTCAAGTACAGGCCCCACAAAACGGGGCACGGCAGGCCTGAG
CTCAGAGCTGCTGCACTGGGCTTTGATTTGTTCTTGTGAGTAAATAAACTGGCTGGTGAA
TGA

167/330

FIGURE 167

MFLLLPFDSLIVNLLGISLTVLFTLLLVFIIIVPAIFGVSTFGIRKLYMKSLLKIFAWATLRME
RGAKEKNHQLYKPYTNGIIAKDPTSLEEEIKEIRRSKSSKALDNTPEFELSDIFYFCRKGME
TIMDDEVTKRFSAAEELESWNLLSRTNYNFQYISLRLTVLWGLGVLIRYCFLPLRIALFTG
ISLLVVGTTVVGYPNGRFKEFMSKHVHLMCYRICVRALTAIITYHDRENRPNGGICVANH
TSPIDVIILASDGYAMVGQVHGGLMGVIQRAMVKACPHVWFERSEVKDRHLVAKRLTEHVQ
DKSKLPILIFPEGTCINNTSVMMFKKGSFEIGATVYPVAIKYDPQFGDAFWNSSKYGMVTYL
LRMMTSWAIVCSVWYLPMTREADEDAVQFANRVKSAIARQGGLVDLLWDGGLKREKVKDTF
KEEQQKLYSKMIVGNHKDRSRS

168/330

FIGURE 168

GGCCCTCGAAACCAGGACTCCAGCACCTCTGGTCCC GCCCTCACCCGGACCCCTGGCCCTCA
CGTCTCCTCCAGGGATGGCGCTGGCGGCTTTGATGATCGCCCTCGGCAGCCTCGGCCTCCAC
ACCTGGCAGGCCCAGGCTGTTCCCACCATCCTGCCCCCTGGGCCTGGCTCCAGACACCTTTGA
CGATACCTATGTGGGTTGTGCAGAGGAGATGGAGGAGAAGGCAGCCCCCTGCTAAAGGAGG
AAATGGCCCACCATGCCCCTGCTGCGGGAATCCTGGGAGGCAGCCAGGAGACCTGGGAGGAC
AAGCGTCGAGGGCTTACCTTGCCCCCTGGCTTCAAAGCCCAGAATGGAATAGCCATTATGGT
CTACACCAACTCATCGAACACCTTGTACTGGGAGTTGAATCAGGCCGTGCGGACGGGCGGAG
GCTCCCGGGAGCTCTACATGAGGCACTTTCCCTTCAAGGCCCTGCATTTCTACCTGATCCGG
GCCCTGCAGCTGCTGCGAGGCAGTGGGGGCTGCAGCAGGGGACCTGGGGAGGTGGTGTTCG
AGGTGTGGGCAGCCTTCGCTTTGAACCCAAGAGGCTGGGGGACTCTGTCCGCTTGGGCCAGT
TTGCCTCCAGCTCCCTGGATAAGGCAGTGGCCCACAGATTTGGGGAGAAGAGGCGGGGCTGT
GTGTCTGCGCCAGGGGTGCAGCTAGGGTCACAATCTGAGGGGGCCTCCTCTCTGCCCCCTG
GAAGACTCTGCTCTTGCCCCCTGGAGAGTTCCAGCTCTCAGGGGTGGGGCCCTGAAGTCCA
ACATCTGCCACTTAGGAGCCCTGGGAACGGGTGACCTTCATATGACGAAGAGGCACCTCCAG
CAGCCTTGAGAAGCAAGAACATGGTTCCGGACCCAGCCCTAGCAGCCTTCTCCCCAACCAGG
ATGTTGGCCTGGGGAGGCCACAGCAGGGCTGAGGGAACCTCTGCTATGTGATGGGGACTTCCT
GGGACAAGCAAGGAAAGTACTGAGGCAGCCACTTGATTGAACGGTGTGCAATGTGGAGACA
TGGAGTTTTATTGAGGTAGCTACGTGATTAAATGGTATTGCAGTGTGGA

169/330

FIGURE 169

MALAALMIALGSLGLHTWQAQAVPTILPLGLAPDTFDDTYVGCAEEMEEKAAPLLKEEMAHH
ALLRESWEAAQETWEDKRRGLTLPPGFKAQNGIAIMVYTNSSNTLYWELNQAVRTGGGSREL
YMRHFPFKALHFYLIRALQLLRGSGGCSRGPGEVVFRGVGSLRFEPKRLGDSVRLGQFASSS
LDKAVAHRFGEKRRGCVSAPGVQLGSQSEGASSLPPWKTL LLAPGEFQLSGVGP

170/330

FIGURE 170

GTGGCTTCATTTCA GTGGCTGACTTCCAGAGAGCAATATGGCTGGTTCCCCAACATGCCTCA
CCCTCATCTATATCCTTTGGCAGCTCACAGGGTCAGCAGCCTCTGGACCCGTGAAAGAGCTG
GTCGGTTCCGTTGGTGGGGCCGTGACTTTCCCCCTGAAGTCCAAAGTAAAGCAAGTTGACTC
TATTGTCTGGACCTTCAACACAACCCCTCTTGTCAACATACAGCCAGAAGGGGGCACTATCA
TAGTGACCCAAAATCGTAATAGGGAGAGAGTAGACTTCCCAGATGGAGGCTACTCCCTGAAG
CTCAGCAAAGTGAAGAAGAATGACTCAGGGATCTACTATGTGGGGATATACAGCTCATCACT
CCAGCAGCCCTCCACCCAGGAGTACGTGCTGCATGTCTACGAGCACCTGTCAAAGCCTAAAG
TCACCATGGGTCTGCAGAGCAATAAGAATGGCACCTGTGTGACCAATCTGACATGCTGCATG
GAACATGGGGAAGAGGATGTGATTTATACCTGGAAGGCCCTGGGGCAAGCAGCCAATGAGTC
CCATAATGGGTCCATCCTCCCCATCTCCTGGAGATGGGGAGAAAGTGATATGACCTTCATCT
GCGTTGCCAGGAACCCTGTCAGCAGAACTTCTCAAGCCCCATCCTTGCCAGGAAGCTCTGT
GAAGGTGCTGCTGATGACCCAGATTCCTCCATGGTCCTCCTGTGTCTCCTGTTGGTGCCCT
CCTGCTCAGTCTCTTTGTACTGGGGCTATTTCTTTGGTTTCTGAAGAGAGAGAGACAAGAAG
AGTACATTGAAGAGAAGAAGAGAGTGGACATTTGTCGGGAACTCCTAACATATGCCCCCAT
TCTGGAGAGAACACAGAGTACGACACAATCCCTCACACTAATAGAACAATCCTAAAGGAAGA
TCCAGCAAATACGGTTTACTCCACTGTGGAAATACCGAAAAAGATGGAAATCCCCACTCAC
TGCTCACGATGCCAGACACACCAAGGCTATTTGCCTATGAGAATGTTATCTAGACAGCAGTG
CACTCCCCTAAGTCTCTGCTCA

171/330

FIGURE 171

MAGSPTCLTLIYILWQLTGSAASGPVKELVGSVGGAVTFPLKSKVKQVDSIVWTFNTTPLVT
IQPEGGTIIIVTQNRNRERVDFPDGGYSLKLSKLKKNDSGIYYVGIYSSSLQQPSTQEYVLHV
YEHLSPKVTMGLQSNKNGTCVTNLTCMEHGEEVDIYTWKALGQAANESHNGSILPISWRW
GESDMTFICVARNPVSRNFSSPILARKLCEGAADDPDSSMVLLCLLLVPLLLSLFVLGLFLW
FLKRERQEEYIEEKKRVDICRETPNICPHSGENTHEYDTIPHTNRTILKEDPANTVYSTVEIP
KKMENPHSLLTMPDTPRLFAYENVI

172/330

FIGURE 172

CTGGTTCCCCAACATGCCTCACCCCTCATCTATATCCTTTGGCAGCTCACAGGGTCAGCAGCC
TCTGGACCCCGTGAAAGAGCTGGTCGGTTCCGTTGGTGGGGCCGTGACTTTCCCCCTGAAGTC
CAAAGTAAAGCAAGTTGACTCTATTGTCTGGACCTTCAACACAACCCCTCTTGTCCACATAC
AGCCAGAAGGGGGCACTATCATAGTGACCCAAAATCGTAATAGGGAGAGAGTAGACTTCCCA
GATGGAGGCTACTCCCTGAAGCTCAGCAAAGTGAAGAAGAATGACTCAGGGATCTACTATGT
GGGGATATACAGCTCATCACTCCAGCAGCCCTCCACCCAGGAGTACGTGCTGCATGTCTACG
AGCACCTGTCAAAGCCTAAAGTCACCATGGGTCTGCAGAGCAATAAGAATGGCACCTGTGTG
ACCAATCTGACATGCTGCATGGAACATGGGGAAGAGGATGTGATTTATACCTGGAAGGCCCT
GGGGCAAGCAGCCAATGAGTCCCATAATGGGTCCATCCTCCCCATCTCCTGGAGATGGGGAG
AAAGTGATATGACCTTCATCTGCGTTGCCAGGAACCCCTGTCAGCAGAACTTCTCAAGCCCC
ATCCTTGCCAGGAAGCTCTGTGAAGGTGCTGCTGATGACCCAGATTCCTCCATGGTCCTCCT
GTGTCTCCTGTTGGTGGCCCTCCTGCTCAGTCTCTTTGTACTGGGGCTATTTCTTTGGTTTC
TGAAGAGAGAGAGACAAGAAGAGTACATTGAAGAGAAGAAGAGAGTGGACATTTGTCTGGGAA
ACTCCTAACATATGCCCCATTCTGGAGAGAACACAGAGTACGACACAATCCCTCACACTAA
TAGAACAACTCTAAAGGAAGATCCAGCAAATACGGTTTACTCCACTGTGGAAATACCGAAAA
AGATGGAAAATCCCCACTCACTGCTCACGATGCCAGACACACCAAGGCTATTTGCCTATGAG
AATGTTATCTAGACAGCAGTGCCTCCCCTAAGTCTCTGCTCAAAAAAAAAAAAAAAAAAAAA

173/330

FIGURE 173

GAAAGACGTGGTCCTGACAGACAGACAATCCTATTCCCTACCAAAATGAAAGATGCTGCTGCT
GCTGTGTTTGGGACTGACCCTAGTCTGTGTCCATGCAGAAGAAGCTAGTTCTACGGGAAGGA
ACTTTAATGTAGAAAAGATTAATGGGGAATGGCATACTATTATCCTGGCCTCTGACAAAAGA
GAAAAGATAGAAGAACATGGCAACTTTAGACTTTTTCTGGAGCAAATCCATGTCTTGGAGAA
TTCCTTAGTTCTTAAAGTCCATACTGTAAGAGATGAAGAGTGCTCCGAATTATCTATGGTTG
CTGACAAAACAGAAAAGGCTGGTGAATATTCTGTGACGTATGATGGATTCAATACATTTACT
ATACCTAAGACAGACTATGATAACTTTCTTATGGCTCACCTCATTAACGAAAAGGATGGGGA
AACCTTCCAGCTGATGGGGCTCTATGGCCGAGAACCAGATTTGAGTTCAGACATCAAGGAAA
GGTTTGACAACTATGTGAGGAGCATGGAATCCTTAGAGAAAATATCATTGACCTATCCAAT
GCCAATCGCTGCCTCCAGGCCCAGAAATGAAGAATGGCCTGAGCCTCCAGTGTTGAGTGGAC
ACTTCTCACCAGGACTCCACCATCATCCCTTCCTATCCATACAGCATCCCCAGTATAAATTC
TGTGATCTGCATTCCATCCTGTCTCACTGAGAAGTCCAATTCCAGTCTATCAACATGTTACC
TAGGATACCTCATCAAGAATCAAAGACTTCTTTAAATTTCTCTTTGATACACCCTTGACAAT
TTTTCATGAAATTATTCCTCTTCCTGTTCAATAAATGATTACCCTTGCACTTAA

174/330

FIGURE 174

MKMLLLLCLGLTLVCVHAEAEASSTGRNFNVEKINGEWHTIILASDKREKIEEHG NFR LFLEQ
IHVLENSLV LKVHTVRDEECSELSMVADKTEKAGEYSVTYDGFNTFTIPKTDYDNFLMAHLI
NEKDGETFQLMGLYGREPDLSSDIKERFAQLCEEHGILRENIIDLSNANRCLQARE

175/330

FIGURE 175

GGCTCGAGCGTTTCTGAGCCAGGGGTGACC**ATG**ACCTGCTGCGAAGGATGGACATCCTGCAA
TGGATTACGCCTGCTGGTTCTACTGCTGTTAGGAGTAGTTCTCAATGCGATACCTCTAATTG
TCAGCTTAGTTGAGGAAGACCAATTTTCTCAAACCCCATCTCTTGCTTTGAGTGGTGGTTC
CCAGGAATTATAGGAGCAGGTCTGATGGCCATTCCAGCAACAACAATGTCCTTGACAGCAAG
AAAAAGAGCGTGCTGCAACAACAGAACTGGAATGTTTCTTTCATCATTTTTTCAGTGTGATCA
CAGTCATTGGTGCTCTGTATTGCATGCTGATATCCATCCAGGCTCTCTTAAAAGGTCTCTC
ATGTGTAATTCTCCAAGCAACAGTAATGCCAATTGTGAATTTTCATTGAAAAACATCAGTGA
CATTCATCCAGAATCCTTCAACTTGCAGTGGTTTTTCAATGACTCTTGTCACCTCCTACTG
GTTTCAATAAACCACAGTAACGACACCATGGCGAGTGGCTGGAGAGCÂCTAGTTTCCAC
TTCGATTCTGAAGAAAACAAACATAGGCTTATCCACTTCTCAGTATTTTTAGGTCTATTGCT
TGTGGAATTCTGGAGGTCCTGTTGGGCTCAGTCAGATAGTCATCGGTTTCCTTGGCTGTC
TGTGTGGAGTCTCTAAGCGAAGAAGTCAAATTGTG**TAG**TTTAATGGGAATAAAATGTAAGTA
TCAGTAGTTTGAAAAAAAAAA

176/330

FIGURE 176

MTCCEGWTSCNGFSLLVLLLLGVVLNAIPLIVSLVEEDQFSQNPISCFEWWFPGIIGAGLMA
IPATTMSLTARKRACCNNRTGMFLSSFFSVITVIGALYCMLISIQALLKGPLMCNSPSNSNA
NCEFSLKNISDIHPESFNLQWFFNDSCAPPTGFNKPTSNDTMASGWRASSFHFDFSEENKHRL
IHFSVFLGLLLVGILEVLFGLSQIVIGFLGCLCGVSKRRSQIV

177/330

FIGURE 177

GTCGAATCCAAATCACTCATTGTGAAAGCTGAGCTCACAGCCGAATAAGCCACCATGAGGCT
GTCAGTGTGTCTCCTGATGGTCTCGCTGGCCCTTTGCTGCTACCAGGCCCATGCTCTTGTCT
GCCCAGCTGTTGCTTCTGAGATCACAGTCTTCTTATTCTTAAGTGACGCTGCGGTAAACCTC
CAAGTTGCCAACTTAATCCACCTCCAGAAGCTCTTGCAGCCAAGTTGGAAGTGAAGCACTG
CACCGATCAGATATCTTTTAAGAAACGACTCTCATTGAAAAAGTCCTGGTGGAAATAGTGAA
AAAATGTGGTGTGTGACATGTAAAAATGCTCAACCTGGTTTCCAAAGTCTTCAACGACACC
CTGATCTTCACTAAAAATTGTAAAGGTTTCAACACGTTGCTTTAATAAATCACTTGCCCTGC

178/330

FIGURE 178

MRLSVCLLMVSLALCCYQAHALVCPAVASEITVFLFLSDAAVNLQVAKLNPPPEALAAKLEV
KHCTDQISFKKRLSLKKSWWK

179/330

FIGURE 179

ATCCGTTCTCTGCGCTGCCAGCTCAGGTGAGCCCTCGCCAAGGTGACCTCGCAGGACACTGG
TGAAGGAGCAGTGAGGAACCTGCAGAGTCACACAGTTGCTGACCAATTGAGCTGTGAGCCTG
GAGCAGATCCGTGGGCTGCAGACCCCGCCCCAGTGCCTCTCCCCCTGCAGCCCTGCCCCCTC
GAACTGTGACATGGAGAGAGTGACCCTGGCCCTTCTCCTACTGGCAGGCCTGACTGCCTTGG
AAGCCAATGACCCATTTGCCAATAAAGACGATCCCTTCTACTATGACTGGAAAAACCTGCAG
CTGAGCGGACTGATCTGCGGAGGGCTCCTGGCCATTGCTGGGATCGCGGCAGTTCTGAGTGG
CAAATGCAAATACAAGAGCAGCCAGAAGCAGCACAGTCCTGTACCTGAGAAGGCCATCCCAC
TCATCACTCCAGGCTCTGCCACTACTTGCTTGAGCACAGGACTGGCCTCCAGGGATGGCCTGA
AGCCTAACACTGGCCCCCAGCACCTCCTCCCCTGGGAGGCCTTATCCTCAAGGAAGGACTTC
TCTCCAAGGGCAGGCTGTTAGGCCCTTTCTGATCAGGAGGCTTCTTTATGAATTAACTCG
CCCCACCACCCCTCA

180/330

FIGURE 180

MERVTLALLLLAGLTALEANDPFANKDDPFYYDWKNLQLSGLICGGLLAIAGIAAVLSGKCK
YKSSQKQHSPVPEKAIPLITPGSATTC

181/330

FIGURE 181

GGAGAAGAGGTTGTGTGGGACAAGCTGCTCCCGACAGAAGGATGTCGCTGCTGAGCCTGCCC
TGGCTGGGCCTCAGACCGGTGGCAATGTCCCCATGGCTACTCCTGCTGCTGGTTGTGGGCTC
CTGGCTACTCGCCCGCATCCTGGCTTGGACCTATGCCTTCTATAACAAC TGCCGCCGGCTCC
AGTGTTTCCACAGCCCCCAAACGGAAC TGGT TTTGGGGTCACCTGGGCCTGATCACTCCT
ACAGAGGAGGGCTTGAAGGACTCGACCCAGATGTCGGCCACCTATTCCCAGGGCTTTACGGT
ATGGCTGGGTCCCATCATCCCCCTTCATCGTTTTATGCCACCCTGACACCATCCGGTCTATCA
CCAATGCCTCAGCTGCCATTGCACCCAAGGATAATCTCTTCATCAGGTTCTGAAGCCCTGG
CTGGGAGAAGGGATACTGCTGAGTGGCGGTGACAAGTGGAGCCGCCACCGTCGGATGCTGAC
GCCCCCTTCCATTTCAACATCCTGAAGTCCTATATAACGATCTTCAACAAGAGTGCAAACA
TCATGCTTGACAAGTGGCAGCACCTGGCCTCAGAGGGCAGCAGTCGTCTGGACATGTTTGAG
CACATCAGCCTCATGACCTTGGACAGTCTACAGAAATGCATCTTCAGCTTTGACAGCCATTG
TCAGGAGAGGCCCAGTGAATATATTGCCACCATCTTGGAGCTCAGTGCCCTTG TAGAGAAAA
GAAGCCAGCATATCCTCCAGCACATGGACTTTCTGTATTACCTCTCCCATGACGGGCGGCGC
TTCCACAGGGCCTGCCGCCTGGTGCATGACTTCACAGACGCTGTCATCCGGGAGCGGCGTCC
CACCTCCCCACTCAGGGTATTGATGATTTTTTCAAAGACAAAGCCAAGTCCAAGACTTTGG
ATTTCAATTGATGTGCTTCTGCTGAGCAAGGATGAAGATGGGAAGGCATTGTCAGATGAGGAT
ATAAGAGCAGAGGCTGACACCTTCATGTTTGGAGGCCATGACACCACGGCCAGTGGCCTCTC
CTGGGTCCTGTACAACCTTGCGAGGCACCCAGAATACCAGGAGCGCTGCCGACAGGAGGTGC
AAGAGCTTCTGAAGGACCGCGATCCTAAAGAGATTGAATGGGACGACCTGGCCCAGCTGCCC
TTCCTGACCATGTGCGTGAAGGAGAGCCTGAGGTTACATCCCCCAGCTCCCTTCATCTCCCG
ATGCTGCACCCAGGACATTGTTCTCCAGATGGCCGAGTCATCCCAAAGGCATTACCTGCC
TCATCGATATTATAGGGGTCCATCACAACCAACTGTGTGGCCGGATCCTGAGGTCTACGAC
CCCTTCCGCTTTGACCCAGAGAACAGCAAGGGGAGGTCACCTCTGGCTTTTATTCCTTTCTC
CGCAGGGCCCAGGAAC TGCA TCGGGCAGGCGTTCGCCATGGCGGAGATGAAAGTGGTCCTGG
CGTTGATGCTGCTGCACTTCCGGTTCCCTGCCAGACCACACTGAGCCCCGAGGAAGCTGGAA
TTGATCATGCGCGCCGAGGGCGGGCTTTGGCTGCGGGTGGAGCCCCCTGAATGTAGGCTTGCA
GTGACTTTCTGACCATCCACCTGTTTTTTTTGCAGATTGTCATGAATAAAACGGTGCTGTCAA

182/330

FIGURE 182

MSLLSLPWLGLRPVAMSPWLLLLLVVGSWLLARILAWTYAFYNNCRRLQCFPPKRNWFWG
HLGLITPTEEGLKDSTQMSATYSQGFTVWLGPIIPFIVLCHPDTIRSITNASAAIAPKDNLF
IRFLKPWLGEIGILLSGGDKWSRHRRLTPAFHFNILKSYITIFNKSANIMLDKWQHLLASEGS
SRLDMEFHISLMTLDSLQKCIFSFDSCQERPSEYIATILELSALVEKRSQHILQHMDFLYY
LSHDGRRFHRACRLVHDFTDAVIRERRRTLPTQGIDDFKDKAKSKTLDIFDVLLLSKDEG
KALSDEDIRAEADTFMFGGHDTTASGLSWVLYNLARHPEYQERCRQEVQELLKDRDPKEIEW
DDLAQLPFLTMCVKESLRLHPPAPFISRCCTQDIVLPDGRVIPKGITCLIDIIGVHHNPTVW
PDPEVYDPFRFDPENSKGRSPLAFIPFSAGPRNCIGQAFAMAEMKVVLALMLLHFRFLPDHT
EPRRKLELIMRAEGGLWLRVEPLNVGLQ

183/330

FIGURE 183

CAACAGAAGCCAAGAAGGAAGCCGTCTATCTTGTGGCGATCATGTATAAGCTGGCCTCCTGC
TGTTTGCTTTTCACAGGATTCTTAAATCCTCTCTTATCTCTTCCTCTCCTTGACTCCAGGGA
AATATCCTTTCAACTCTCAGCACCTCATGAAGACGCGCGCTTAACTCCGGAGGAGCTAGAAA
GAGCTTCCCTTCTACAGATATTGCCAGAGATGCTGGGTGCAGAAAGAGGGGATATTCTCAGG
AAAGCAGACTCAAGTACCAACATTTTTAACCCAAGAGGAAATTTGAGAAAGTTTCAGGATTT
CTCTGGACAAGATCCTAACATTTTACTGAGTCATCTTTTGGCCAGAATCTGGAAACCATACA
AGAAACGTGAGACTCCTGATTGCTTCTGGAAATACTGTGTCTTGAAGTGAAATAAGCATCTGT
TAGTCAGCTCAGAAACACCCATCTTAGAATATGAAAAATAACACAATGCTTGATTGAAAAC
AGTGTGGAGAAAAACTAGGCAAACTACACCCTGTTTATTGTTACCTGGAAAATAAATCCTCT
ATGTTTTGCACAAAAAAAAAAAAAAAAA

184/330

FIGURE 184

MYKLASCCLFTGFLNPLLSLPLLDREISFQLSAPHEDARLTPEELERASLLQILPEMLGA
ERGDILRKADSSTNIFNPRGNLRKFQDFSGQDPNILLSHLLARIWKPYKKRETPDCFWKYCV

185/330

FIGURE 185

GAACATTTTTAGTTCCCAAGGAATGTACATCAGCCCCACGGAAGCTAGGCCACCTCTGGGAT
GGGGTTGCTGGTTTAAACAAACGCCAGTCATCCTATATAAGGACCTGACAGCCACCAGGCA
CCACCTCCGCCAGGAAGTGCAGGCCCCACCTGTCTGCAACCCAGCTGAGGCCATGCCCTCCCC
AGGGACCGTCTGCAGCCTCCTGCTCCTCGGCATGCTCTGGCTGGACTTGGCCATGGCAGGCT
CCAGCTTCCTGAGCCCTGAACACCAGAGAGTCCAGCAGAGAAAGGAGTCGAAGAAGCCACCA
GCCAAGCTGCAGCCCCGAGCTCTAGCAGGCTGGCTCCGCCCCGGAAGATGGAGGTCAAGCAGA
AGGGGCAGAGGATGAACTGGAAGTCCGGTTCAACGCCCCCTTTGATGTTGGAATCAAGCTGT
CAGGGGTTTCAGTACCAGCAGCACAGCCAGGCCCTGGGGAAGTTTCTTCAGGACATCCTCTGG
GAAGAGGCCAAAGAGGCCCCAGCCGACAAGTGATCGCCCACAAGCCTTACTCACCTCTCTCT
AAGTTTAGAAGCGCTCATCTGGCTTTTCGCTTGCTTCTGCAGCAACTCCCACGACTGTTGTA
CAAGCTCAGGAGGCGAATAAATGTTCAAAGTGTGTA

186/330

FIGURE 186

MPSPGTVCSLLLLGMLWLDLAMAGSSFLSPEHQRVQQRKESKKPPAKLQPRALAGWLRPEDG
GQAEGAEDELEVRFNAPFDVGIKLSGVQYQQHSQALGKFLQDILWEEAKEAPADKO

187/330

FIGURE 187

CGGCCACAGCTGGCATGCTCTGCCTGATCGCCATCCTGCTGTATGTCCTCGTCCAGTACCTC
GTGAACCCCGGGGTGCTCCGCACGGACCCAGATGTCAAGAATATGAACACGTGGCTGCTGT
TCCTCCCCCTGTTCCCGGTGCAGGTGCAGACCCTGATAGTCGTGATCATCGGGATGCTCGTG
CTCCTGCTGGACTTTCTTGGCTTGGTGCACCTGGGCCAGCTGCTCATCTTCCACATCTACCT
GAGTATGTCCCCCACCCTAAGCCCCCGATCCCCCAAGGCTGGGTGGTCAGAGCTGCTCATC
TTACACCTCTACTTGAGTATGTCCCTAACCCTGAGCCCCCACGCCTGGGGCCAGAGTCTTT
GTCCCCCGTGTGCGCATGTGTTTCAGGGTCAGCCTCTCCAGAAAGTGAGATCATGGACAAAA
GGGCAAATCACAGGAAGAAATTAAATCCATGAGGACCCAGCAGGCCAGCAAGAAGCTGAAC
TCACGCCGAGACCTGCAGGAGTGGTGCCAGGTGCTTGAAGTAACAAGTTTAAAATGTTTCTCAGA
GACAATGGAATGGAATCTATTAGGCAAGAACAGGACATTATGAAATAAGGACAGGTGGACTT
CCAAAAACACAAGTAGAAATTCTAACAATGAAATATATTACAGGCAGGTCACCCACTAACCA
AACAACCTGAAGCGAGAGCTGTGGTCTTGCTTGGTCTCACAGTGGGCACAGCGGTAGGCGGTC
AGTCATGTTGCTGAACGACGGAGGGTAAACTCCCCAGCCCCAAGAAAACCTGTGTTGGAAGT
AACAACAACCTCCCTGCTCCTGGCACCAGCCGTTTTGGTCATGGTGGGCCAGCTGCAAAGCG
TCTTCCATTCTCTGGGCAGTGGTGGCCCCGAGGCTGTGGCCTCTCAGGGGGTTTCTGTGGAC
ACGGGCAGCAGAGTGTGTCCAGGCCAGCCCCAAGAATGCCCTGCTCCTGACAGCTTGGCCA
ACCCCTGGTCAGGGCAGAGGGAGTTGGGTGGGTGAGGCTCTGGGCTCACCTCCATCTCCAGA
GCATCCCCTGCCTGCAGTTGTGGCAAGAACGCCAGCTCAGAATGAACACACCCACCAAGA
GCCTCCTTGTTTATAACACAGGTTACCCTACAAACCACTGTCCCCACACAACCTGGGGAT
GTTTTAAACACACACCTCTAACGCATATCTTACAGTCACTGTTGTCTTGCCTGAGGGTTGA
ATTTTTTTTAAATGAAAGTGCAATGAAAATCACTGGATTAAATCCTACGGACACAGAGCTGAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAA

188/330

FIGURE 188

MNTWLLFLPLFPVQVQTLIVVVIIGMLVLLLDLGLVHLGQLLIFHIYLSMSPTLSPRSPQGW
VVRAAHLTPLLEYVPNPEPPTPGARVFVPRVRMCSGSASPRSEIMDKKGKSQEEIKSMRTQQ
AQQEAELTPRPAGVVPGA

189/330

FIGURE 189

GGAGTGCAGATGGCATCCTTCGGTTCTTCCAGACAAGCTGCAAGACGCTGACCA**ATGG**CCAAG
ATGGAGCTCTCGAAGGCCCTTCTCTGGCCAGCGGACACTCCTATCTGCCATCCTCAGCATGCT
ATCACTCAGCTTCTCCACAACATCCCTGCTCAGCAACTACTGGTTTGTGGGCACACAGAAGG
TGCCCAAGCCCCTGTGCGAGAAAGGTCTGGCAGCCAAGTGCTTTGACATGCCAGTGTCCCTG
GATGGAGATACCAACACATCCACCCAGGAGGTGGTACAATACAACCTGGGAGACTGGGGATGA
CCGGTTCTCCTTCCGGAGCTTCCGGAGTGGCATGTGGCTATCCTGTGAGGAAACTGTGGAAG
AACCAGGGGAGAGGTGCCGAAGTTTCATTGAACTTACACCACCAGCCAAGAGAGGTGAGAAA
GGACTACTGGAATTTGCCACGTTGCAAGGCCCATGTACCCCCACTCTCCGATTTGGAGGGAA
GCGGTTGATGGAGAAGGCTTCCCTCCCCTCCCCTCCCTTGGGGCTTTGTGGCAAAAATCCTA
TGGTTATCCCTGGGAACGCAGATCACCTACATCGGACTTCAATTCATCAGCTTCCTCCTGCT
ACTAACAGACTTGCTACTCACTGGGAACCCTGCCTGTGGGCTCAAACCTGAGCGCCTTTGCTG
CTGTTTCCTCTGTCTGTCTCAGGTCTCCTGGGGATGGTGGCCCACATGATGTATTACAAAGTC
TTCCAAGCGACTGTCAACTTGGGTCCAGAAGACTGGAGACCACATGTTTGAATTATGGCTG
GGCCTTCTACATGGCCTGGCTCTCCTTCACCTGCTGCATGGCGTCGGCTGTCAACCACCTTCA
ACACGTACACCAGGATGGTGCTGGAGTTCAAGTGCAAGCA**TAG**TAAGAGCTTCAAGGAAAAC
CCGAACCTGCCTACCACATCACCATCAGTGTTTCCCTCGGCGGCTGTCAAGTGCAGCCCCCAC
CGTGGGTCCCTTTGACCAGCTACCACCAGTATCATAATCAGCCCATCCACTCTGTCTCTGAGG
GAGTCGACTTCTACTCCGAGCTGCGGAACAAGGGATTTCAAAGAGGGGCCAGCCAGGAGCTG
AAAGAAGCAGTTAGGTCATCTGTAGAGGAAGAGCAGTGTTAGGAGTTAAGCGGGTTTGGGGA
GTAGGCTTGAGCCCTACCTTACACGTCTGCTGATTATCAACATGTGCTTAAGCCAACATCCG
TCTCTTGAGCATGGTTTTTAGAGGCTACGAATAAGGCTATGAATAAGGGTTATCTTTAAGTC
CTAAGGGATTCTGGGTGCCACTGCTCTCTTTTCTCTACAGCTCCATCTTGTTTCACCCAC
CCCACATCTCACACATCCAGAATTCCTTCTTTACTGATAGTTTCTGTGCCAGGTCTGGGC
TAAACCATGGAGATAAAAAGAAGAGTAAATACACTTCCCGACCTTAAGGATCTGAAA

190/330

FIGURE 190

MAKMELSKAFSGQRTLLSAILSMLSLSFSTTSLLSNYWFVGTQKVPKPLCEKGLAAKCFDMP
VSLDGDNTSTQEYVQYNWETGDDRFSSFRSGMWLSCEETVEEPGERCRSFIELTPPAKR
GEKGLLEFATLQGPCHPTLRFGGKRLMEKASLPSPPLGLCGKNPMVIPGNADHLHRTSIHQL
PPATNRLATHWEPCLWAQTERLCCCFLCPVRSPGDGGPHDVFTSLPSCQLGSRRLTTCLE
LWLGLLHGLALLHLLHGVGCHHLQHVDGAGVQVQA

191/330

FIGURE 191

AACTGGAAGGAAAGAAAGAAAGGTCAGCTTTGGCCCAGATGTGGTTACCCCTTGGTCTCCTG
TCTTTATGTCTTTCTCCTCTTCCTATTCTGTCACTCTCCCTCACTTAAGTCTCAGGCCTGTCA
GCAGCTCCTGTGGACATTGCCATCCCCCTCTGGTAGCCTTCAGAGCAAACAGGACAACCTATG
TTATGGATGTTTCCACCAACCAGGGTAGTGGCATGGAGCACCGTAACCATCTGTGCTTCTGT
GATCTCTATGACAGAGCCACTTCTCCACCTCTGAAATGTTCCCTGCTCTGAAATCTGGCATG
AGATGGCACAGGTGACCACGCAGAAGCCACCAGAATCTTGCTGCCCTATTCTCTCCTCCCAA
GTCTGTTCTCTTATTGTCAACCTCAGCACAACAGGCTGGCGCCAATGGCATTACAGAGAAAG
CAATCTGTGTGGCTAGTGGGCAGATTACCATGCAAGCCCCAGGAGAAATGGAGGAGCTTTGT
AGCCACCTCCCTGTCAGCCAGTATTAACATGTCCCCTTCCCCCTGCCCCGCCGTAGATTGAG
GACATTGCCCCCTGTGTGCCACCAACCAGGACTTCCCCCTTGGCTTGGCATCCCTGGCTCT
CTCCTGGTACCCAGCAAGACGTCTGTTCCAGGGCAGTGTAGCATCTTTCAAGCTCCGTTACT
ATGGCGATGGCCATGATGTTACAATCCCACTTGCCTGAATAATCAAGTGGGAAGGGGAAGCA
GAGGGAAATGGGGCCATGTGAATGCAGCTGCTCTGTTCTCCCTACCCTGAGGAAAAACCAA
GGGAAGCAACAGGAACCTTCTGCAACTGGTTTTTATCGGAAAGATCATCCTGCCTGCAGATGC
TGTTGAAGGGGCACAAGAAATGTAGCTGGAGAAGATTGATGAAAGTGCAGGTGTGTAAGGAA
ATAGAACAGTCTGCTGGGAGTCAGACCTGGAATTCTGATTCCAACTCTTTATTACTTTGGG
AAGTCACTCAGCCTCCCCGTAGCCATCTCCAGGGTGACGGAACCCAGTGTATTACCTGCTGG
AACCAAGGAAACTAACAATGTAGGTTACTAGTGAATACCCCAATGGTTTCTCCAATTATGCC
CATGCCACCAAAACAATAAAACAAAATTCTCTAACACTGAAA

192/330

FIGURE 192

MWLPLGLLSLCLSPLPILSSPSLKSQACQQLLWTLPSPLVAFRANRTTYVMDVSTNQSGME
HRNHLCFCDLYDRATSPPLKCSLL

193/330

FIGURE 193

GTAGCGCGTCTTGGGTCTCCCGGCTGCCGCTGCTGCCGCCGCCGCTCGGGTCTGCGGAGCCAGGAGCGACGTCA
CCGCCATGGGCAGGCATCAAAGCTTTGATTAGTTTGTCTTTGGAGGAGCAATCGGACTGATGTTTTTGATGCTT
GGATGTGCCCTTCCAATATACAACAAATACTGGCCCTCTTTGTTCTATTTTTTACATCCTTTCACCTATTCC
ATACTGCATAGCAAGAAGATTAGTGGATGATACAGATGCTATGAGTAACGCTTGTAAGGAACTTGCCATCTTTC
TTACAACGGGCATTGTCGTGTGAGCTTTTGGACTCCCTATTGTATTGTCAGAGCACATCTGATTGAGTGGGGA
GCTTGTGCACTTGTCTCACAGGAAACACAGTCATCTTTGCAACTATACTAGGCTTTTTCTTGGTCTTTGGAAG
CAATGACGACTTCAGCTGGCAGCAGTGGTGAAGAAATTAAGTAATGTAATGGAATTCCTGTCTATTT
GTTGGCCATTACGCACACAGGAGATGGGGCAGTTAATGCTGAATGGTATAGCAAGCCTCTTGGGGGTATTTA
GGTGCTCCCTTCTCACTTTTATTGTAAGCATACTATTTTACAGAGACTTGCTGAAGGATTAAAGGATTTTCT
CTTTTGGAAAAGCTTGACTGATTTTACACTTATCTATAGTATGCTTTTTGTGGTGTCTGCTGAATTTAAATAT
TTATGTGTTTTCTGTTAGGTGATTTTTTTTTGGAATCAATATGCAATGTTAAACACTTTTTTAATGTAATCA
TTTGCAATGGTTAGGAATTCAGAATTCGCCCGGCTCTATTACTGGTCAAGTACATCTTTCTCTTAAATTTATT
TAGCCTCCATTATTACAAAAAATTATAAAAAAAGTTTTCAGTCAGTCAGGATGACATCACTCCCAATGTTATG
CAGACATACAGACGGTTGGCATACGTTATAGACTGTATACCTCAGTCAGTCAAAATATAGCTGCATTTATACCTCAGAG
GGGCCAAGTGTTAATGCCCATGCCCTCCGTTAAGGGTTGTTGGTTTTACTGGTAGACAGATGTTTTGTGGATTG
AAAATTATTTTATGGAATTGCTACAGAGGAGTGCTTTTCTTCTCAATTGTTAGAAGAATTTATGTTAACTTTA
AGGTAAGGGTGTA AAAACATTTTGTAGATAAGGTTTTTATTTATGTTTATTATTGTTAGAGTGAGTTGCAATGT
GGGAAGAAATGACATTGAAATTCAGTTTTTGAATCCTGTTTCTATTTATAAGTGAAATTTGTGATCTCCTATC
AACCTTTTCATGTTTTACCCTGTTAAATGGACATACATGGAACCACTACTGATGAGGGACAGTTGTATGTTTGC
ATCATATATGCCAGAAAACCTTCCTCTGCTTCCTCTTTTGACTTATTTGGTATGTTGTATATATTACATAAAA
TAACCTTTCAAATATAGTTTAAATAACACTTAGAAGTGTTTACTTACCTGGAAAATAATTGCTATGCCGTACATT
CAGAGTGCCCCCTCCCCTGCAAGGCCTTGCCATGATTAACAAGTAACCTTGTTAGTCTTACAGATAATTCATGCA
TTAACAGTTTAAGATTTAGACCATGGTAATAGTAGTCTTATTCTCTAAGGTTATATCATATGTAATTTAAAG
TATTTTAAAGACAAGTTTCTGTATACCTCTGAAGTGTGTTTGAATTTGAGTTCATCATGATAGATCTGCTGTTT
CCTTATAAAAAGGCATTTGTTGTGTGAGTTAATGCAAAGTAGCCAAGTCCAGCTATATAGCAGCTTCAGAAACAT
ACCTGACCAAAAAATTTCCAGTAACCAGGCATGATCAATTTATAGTGGTCTGTTTACATCTAATAATTATCAGGA
CTTTTTTTCAGGAGTGGGTATATAAAAACATTCAGTTGGTCTGACAGTATTTTGTTAAGGATATTTGTTTGTATG
TTTATTCAGTATACTTACATAAAAAATTTTCGCCATCAGCCAAAACCTCAGTAATCATGACAGCTGTCTGTTGT
TTTATGAAGTTTATTTCTCAAGAAAATGGGAATAAATTTGGGATTTGTTTACAGCTTTTTTACTAAAGATGCCTAA
AGCCACAGGTTTTTATGCTTAACCTTAAGCCATGACTTTTAGATATGAGATGACGGGAAGCAGGACGAAATATCG
GCGTGTGGCTGGAGCCTTCCCAGTGGAGGCTGAAAGTGGCTGTGGTATTATAATGTTTCAAGAGGAA
GGTGCAGGTACACATGAGTTAGAGAGCTGGTGAGACAGTTGGGAACCTTTTGTGCTTGTGATCTACTGGACTTT
TTTTTTCAGGAAGTGCAATCTCTGGTCTTCCCTATTTTCTGTTCTGGATGTCAGTGCAGTGCAGTGCCTACTG
TTTTATCCACTTGGCCACAGACTTTTTCTAACAGCTGCGTATTATTTCTATATACTAATTGCATTGGCAGCATT
GTGCTTTGACCTTGATATACTAGCTTGACATAGTGCTGTCTCTGATTTCTAGGCTAGTTACTTGAGATATGAAT
TTTCCATAGAATATGCACTGATACAACATTACCATTCTTCTATGGAAAGAAAACCTTTTGATGATGAAACAATAA
AGATTTTAAATATCTATTTTAAAAA

194/330

FIGURE 194

MAGIKALISLSFGGAIGLMFLMLGCALPIYNKYWPLFVLFFYILSPIPYCIARRLVDDTDAM
SNACKELAIFLT TGIVVSAFGLPIVFARAH LIEWGACALVLTGNTVIFATILGFFLVFGSND
DFSWQQW

FIGURE 195

[illegible]

196/330

FIGURE 196

MDFLLLGLCLYWLLRRPSGVVLCLLGACFQMLPAAPSGCPQLCRCEGRLLYCEALNLTEAPH
NLSGLLGLSLRYNSLSELRAGQFTGLMQLTWLYLDHNNHICSVQGDAFQKLRRVKELTLSSNQ
ITQLPNTTFRPMPNLRSDLSYNKLQALAPDLFHGLRKLTTLHMRANAIQFVPVRIFQDCRS
LKFLDIGYNQLKSLARNSFAGLFKLTLEHLEHNDLVKVNFAHFPRLISLHSLCLRRNKVAIV
VSSLDWVWNLEKMDLSGNEIEYMEPHVFETVPHLQSLQLDSNRLTYIEPRILNSWKSLSIT
LAGNLWDCGRNVCALASWLSNFQGRYDGNLQCASPEYAQGEDVLDVAVYAFHLCEDGAEPSTG
HLLSAVTNRSDLGPPASSATTADGGEGQHDGTFEPATVALPGGEHAENAVQIHKVVTGTMA
LIFSFLIVLVLYVSWKCFPASLRQLRQCFTQRRKQKQKQTMHQMAAMSAQEYYVDYKPNH
IEGALVIINEYGSCTCHQQPARECEV

197/330

FIGURE 197

GTGCAAGGAGCCGAGGCGAG**ATG**GGCGTCCTGGGCCGGGTCCCTGCTGTGGCTGCAGCTCTGC
GCACTGACCCAGGCGGTCTCCAAACTCTGGGTCCCCAACACGGACTTCGACGTCGCAGCCAA
CTGGAGCCAGAACCGGACCCCGTGCGCCGGCGGGCGCCGTTGAGTTCCCGGCGGACAAGATGG
TGTCAGTCCTGGTGCAAGAAGGTCACGCCGTCTCAGACATGCTCCTGCCGCTGGATGGGGAA
CTCGTCCTGGCTTCAGGAGCCGGATTCTGGCGTCTCAGACGTGGGCTCGCACCTGGACTGTGG
CGCGGGCGAACCTGCCGTCTTCCGCGACTCTGACCGCTTCTCCTGGCATGACCCGCACCTGT
GGCGCTCTGGGGACGAGGCACCTGGCCTCTTCTTCGTGGACGCCGAGCGCTGCCCTGCCGC
CACGACGACGTCTTCTTTCCGCCTAGTGCCTCCTTCCGCGTGGGGCTCGGCCCTGGCGCTAG
CCCCGTGCGTGTCCGCAGCATCTCGGCTCTGGGCCGGACGTTACGCGCGACGAGGACCTGG
CTGTTTTCTGGCGTCCCGCGCGGGCCGCCTACGCTTCCACGGGCCGGGCGCGCT**TGAG**CGTG
GGCCCCGAGGACTGCGCGGACCCGTCGGGCTGCGTCTGCGGCAACGCGGAGGCGCAGCCGTG
GATCTGCGCGGCCCTGCTCCAGCCCCT

198/330

FIGURE 198

MGVLGRVLLWLQLCALTQAVSKLWVPNTDFDVAANWSQNRTPCAGGAVEFPADKMVSVLVQE
GHAVSDMLLPLDGELVLASGAGFGVSDVGSHLDCGAGEPAVFRDSDRFSWHDPHLWRSGDEA
PGLFFVDAERVPCRHDDVFFPPSASFRVGLGPGASPVVRVRSISALGRTFTRDEDLAVFLASR
AGRLRFHGPALSVGPEDCADPSGCVCGNAEAQPWICAALLQP

200/330

FIGURE 200

MGPVKQLKRMFEPTRLIATIMVLLCFALTLCSAFWWHNKGLALIFCILQSLALTWYSLSFIP
FARDAVKKCFVCLA

201/330

FIGURE 201

TTGAGCGCAGGTGAGCTCCTGCGCGTTCCGGGGGCGTTCTCCAGTCACCCCTCCCGCCGTTACCCGCGGCGCGC
CCGAGGGAGTCTCCTCCAGACCCTCCCTCCCGTTGCTCCAACTAATACGGACTGAACGGATCGCTGCGAGGGT
GGGAGAGAAAATTAGGGGGAGAAAGGACAGAGAGAGCAACTACCATCCATAGCCAGATAGATTATCTTACACTG
AACTGATCAAGTACTTTGAAAATGACTTCGAAATTTATCTTGGTGTCTTCATACTTGCTGCACTGAGTCTTTC
AACCACCTTTTCTCTCCAAC TAGACCAGCAAAAGGTTCTACTAGTTTCTTTTGATGGATTCCGTTGGGATTACT
TATATAAAGTTCCAACGCCCCATTTTCATTATATTATGAAATATGGTGTTACGTGAAGCAAGTTACTAATGTT
TTTATTACAAAAACCTACCCTAACCATTATACTTTGGTAACTGGCCTCTTTGCAGAGAAATCATGGGATTGTTGC
AAATGATATGTTTGATCCTATTTCGGAACAAATCTTCTCCTTGGATCACATGAATATTTATGATTCCAAGTTTT
GGGAAGAAGCGACACCAATATGGATCACAAACCAGAGGGCAGGACATACTAGTGGTGCAGCCATGTGGCCCGGA
ACAGATGTAAAAATACATAAGCGCTTTCCTACTCATTACATGCCTTACAATGAGTCAGTTTCATTTGAAGATAG
AGTTGCCAAAATTGTTGAATGGTTTACGTCAAAAGAGCCCATAAATCTTGGTCTTCTCTATTGGGAAGACCCTG
ATGACATGGGCCACCATTGTTGGACCTGACAGTCCGCTCATGGGGCCTGTCAATTCAGATATTGACAAGAAGTTA
GGATATCTCATACAAATGCTGAAAAAGGCAAGTTGTGGAACACTCTGAACCTAATCATCACAAGTGATCATGG
AATGACGCAAGTGTCTGAGGAAAGGTTAATAGAACTTGACCAGTACCTGGATAAAGACCACTATACCCTGATTG
ATCAATCTCCAGTAGCAGCCATCTTGCCAAAAGAAGGTAAATTTGATGAAGTCTATGAAGCACTAACTCACGCT
CATCCTAATCTTACTGTTTACAAAAAGAAGACGTTCCAGAAAGGTGGCATTACAAATACAACAGTCGAATTCA
ACCAATCATAGCAGTGGCTGATGAAGGGTGGCACATTTTACAGAATAAGTCAGATGACTTTCTGTTAGGCAACC
ACGGTTACGATAATGCGTTAGCAGATATGCATCCAATATTTTTAGCCCATGGTCCCTGCCCTTCAGAAAGAATTC
TCAAAGAAGCCATGAACCTCCACAGATTTGTACCCACTACTATGCCACCTCCTCAATATCACTGCCATGCCACA
CAATGGATCATTCTGGAATGTCCAGGATCTGCTCAATTCAGCAATGCCAAGGGTGGTCCCTTATACACAGAGTA
CTATACTCCTCCCTGGTAGTGTTAAACCAGCAGAATATGACCAAGAGGGGTACATACCCTTATTTCATAGGGGTC
TCTCTTGGCAGCATTATAGTGATTGATTTTTTTGTAATTTTCATTAAAGCATTTAATTCACAGTCAAATACCTGC
CTTACAAGATATGCATGCTGAAATAGCTCAACCATTATTACAAGCCTAAATGTTACTTTGAAGTGGATTGTCATA
TTGAAGTGGAGATTCCATAATTATGTCAGTGTTTAAAGGTTTCAAATCTGGGAACCACTCCAAACATCTGC
AGAAACCATTAAGCAGTTACATATTTAGGTATACACACACACACACACATACACACACACCGGACCAA
ATACTTACACCTGCAAAGGAATAAAGATGTGAGAGTATGTCTCCATTGTTCACTGTAGCATAGGGATAGATAAG
ATCCTGCTTTATTTGGACTTGGCGCAGATAATGTATATTTAGCAACTTTGCACTATGTAAGTACCTTATAT
ATTGCACTTTAAATTTCTCTCCTGATGGGTACTTTAATTTGAAATGCACCTTTATGGACAGTTATGTCTTATAAC
TTGATTGAAAATGACAACCTTTTGCACCCATGTCACAGAATACTTGTACGCATTGTTCAAACCTGAAGGAAAT
TCTAATAATCCCGAATAATGAACATAGAATCTATCTCCATAAATTGAGAGAAGAAGAAGGTGATAAGTGTGGA
AAATTAATGTGATAACCTTTGAACCTTGAATTTTGGAGATGTATCCCAACAGCAGAATGCAACTGTGGGCAT
TTCTTGCTTATTTCTTTCCAGAGAACGTGGTTTTCATTTATTTTTCCCTCAAAGAGAGTCAAATACTGACAG
ATTGCTTCTAAATATATTGTTCTGTCTATAAAATTATTGTGATTTCCCTGATGAGTCATATTACTGTGATTTTCA
TAATAATGAAGACACCATGAATATACTTTTCTCTATATAGTTCAGCAATGGCCTGAATAGAAGCAACCAGGCA
CCATCTCAGCAATGTTTTCTTGTGTTGTAATTTATTTGCTCCTTTGAAAATTAAATCACTATTAATTACATTAA
AAATCAAATTTGGATAAAAAAAAAAAAAAAAAA

202/330

FIGURE 202

MTSKFILVSFILAALSLSTTFSLQLDQQKVLVVSFDGFRWDYLYKVPTPHFHYIMKYGVHVK
QVTNVFITKTYPNHYTLVTGLFAENHGIVANDMFDPIRNKSFSLDHMNIYDSKFWEEATPIW
ITNQRAGHTSGAAMWPGTDVKIHKRFPTHYMPYNESVSFEDRVAKIVEWFTSKEPINLGLLY
WEDPDDMGHHLGPDSPLMGPVISDIDKKLGYLIQMLKKAKLWNTLNLIITSDHGMTQCSEER
LIELDQYLDKDHYTELIDQSPVAAILPKEGKFDEVYEALTHAHPNLTVYKKEDVPERWHYKYN
SRIQPIIAVADEGWHILQNKSDDFLLGNHGYDNALADMHPIFLAHGPAFRKNFSKEAMNSTD
LYPLLCHLLNITAMPHNGSFWNVQDLLNSAMPRVVPYTQSTILLPGSVKPAEYDQEGSYPYF
IGVSLGSIIVIVFFVIFIKHLIHSQIPALQDMHAEIAQPLLQA

Signal Peptide:

amino acids 1-22

Transmembrane Domain:

amino acids 429-452

N-glycosylation sites:amino acids 101-104, 158-161, 292-295, 329-332, 362-365, 369-
372, 382-385, 389-392**Somatomedin B Domain:**

amino acids 69-85

Sulfatase protein Region:

amino acids 212-241

203/330

FIGURE 203

GGATTTTTGTGATCCGCGATTTCGCTCCACGGGCGGGACCTTTGTAAGTGC GGGAGGCCAG
GACAGGCCCACCTGCGGGGCGGGAGGCAGCCGGGGTGAGGGAGGTGAAGAAACCAAGACGC
AGAGAGGCCAAGCCCCTTGCCCTGGGGTCACACAGCCAAAGGAGGCAGAGCCAGAACTCACAA
CCAGATCCAGAGGCAACAGGGACCATGGCCACCTGGGACGAAAAGGCAGTCACCCGCAGGGCC
AAGGTGGCTCCCGCTGAGAGGATGAGCAAGTTCTTAAGGCACTTCACGGTCGTGGGAGACGA
CTACCATGCCTGGAACATCAACTACAAGAAATGGGAGAATGAAGAGGAGGAGGAGGAGGAGG
AGCAGCCACCACCCACACCAGTCTCAGGCGAGGAAGGCAGAGCTGCAGCCCCCTGACGTTGCC
CCTGCCCTGGCCCCGCACCCAGGGCCCCCCTTGACTTCAGGGGCATGTTGAGGAACTGTT
CAGCTCCCACAGGTTTCAGGTCATCATCATCTGCTTGGTGGTTCTGGATGCCCTCCTGGTGC
TTGCTGAGCTCATCCTGGACCTGAAGATCATCCAGCCCGACAAGAATAACTATGCTGCCATG
GTATTCCACTACATGAGCATCACCATCTTGGTCTTTTTTATGATGGAGATCATCTTTAAATT
ATTTGTCTTCCGCCTGAGTTCTTTCACCACAAGTTTGAGATCCTGGATGCCCGTCGTGGTGG
TGGTCTCATTATCCTGGACATTGTCCTCCTGTTCCAGGAGCACCAGTTTGAGGCTCTGGGC
CTGCTGATTCTGCTCCGGCTGTGGCGGGTGGCCCGGATCATCAATGGGATTATCATCTCAGT
TAAGACACGTTCAGAACGGCAACTCTTAAGGTTAAAACAGATGAATGTACAATTGGCCGCCA
AGATTCAACACCTTGAGTTCAGCTGCTCTGAGAAGCCCCTGGACTGATGAGTTTGCTGTATC
AACCTGTAAGGAGAAGCTCTCTCCGGATGGCTATGGGAATGAAAGAATCCGACTTCTACTCT
CACACAGCCACCGTGAAAGTCCTGGAGTAAAATGTGCTGTGTACAGAAGAGAGAGAAGGAAG
CAGGCTGGCATGTTCACTGGGCTGGTGTACGACAGAGAACCTGACAGTCACTGGCCAGTTA
TCACTTCAGATTACAAATCACACAGAGCATCTGCCTGTTTTCAATCACAAGAGAACAAAACC
AAAATCTATAAAGATATTCTGAAAATATGACAGAATTTGACAAATAAAAGCATAAACGTGTA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

204/330

FIGURE 204

MATWDEKAVTRRAKVAPAERMSKFLRHFTVVGGDYHAWNINYKKWENEEEEEEEEQPPPTPV
SGEEGRAAAPDVAPAPGPAPRAPLDFRGMLRKLFSSHRFQVIIICLVVLDALLVLAELILDL
KIIQPDKNNYAAMVFHYMSITILVFFMMEIIFKLFVFRLLSSFTTSLRSWMPVVVVVSFILD
VLLFQEHQFEALGLLLRLWRVARIINGIIISVKTRSERQLRLKQMNVLAAKIQHLEFS
CSEKPLD

FIGURE 205

[illegible]

206/330

FIGURE 206

MLCLCLYVPVIGEAEQTEFQYFESKGLPAELKSIFKLSVFIPSQEFSTYRQWKQKIVQAGDKD
LDGQLDFEEFVHYLQDHEKKLRLVFKILDKKNDGRIDAQEIMQSLRDLGVKISEQQAEKILK
SMDKNGTMTIDWNEWRDYHLLHPVENIPEIILYWKHSTIFDVGENLTPDEFTVEERQTGMW
WRHLVAGGGAGAVSRTCTAPLDRLKVLMOVHASRSNNMGIVGGFTQMIREGGARSLWRNGI
NVLKIAPESAIKFMAYEQIKRLVGSDQETLRIHERLVAGSLAGAIQSSIYPMEVLKTRMAL
RKTGQYSGMLDCARRILAREGVAAFYKGYVPNMLGIIPYAGIDLAVYETLKNWLQHYAVNS
ADPGVFVLLACGTMSSTCGQLASYPLALVRTRMQAQASIEGAPEVTMSSLFKHILRTEGAFG
LYRGLAPNFMKVIPAVSISYVVYENLKITLGVQSR

Important features:**Signal peptide:**

amino acids 1-16

Transmembrane domain:

amino acids 284-304, 339-360, 376-394

Mitochondrial energy transfer proteins signature.

amino acids 206-215, 300-309

N-glycosylation site.

amino acids 129-133, 169-173

Elongation Factor-hand calcium-binding protein.

amino acids 54-73, 85-104, 121-140

207/330

FIGURE 207

GGAAGGCAGCGGCAGCTCCACTCAGCCAGTACCCAGATACGCTGGGAACCTTCCCCAGCC**AT**
GGCTTCCCTGGGGCAGATCCTCTTCTGGAGCATAATTAGCATCATCATTATTCTGGCTGGAG
CAATTGCACTCATCATTGGCTTTGGTATTTACGGGAGACACTCCATCACAGTCACTACTGTC
GCCTCAGCTGGGAACATTGGGGAGGATGGAATCCTGAGCTGCACTTTTGAACCTGACATCAA
ACTTCTGATATCGTGATACAATGGCTGAAGGAAGGTGTTTTAGGCTTGGTCCATGAGTTCA
AAGAAGGCAAAGATGAGCTGTCTGGAGCAGGATGAAATGTTGAGAGCCGGACAGCAGTGTTC
GCTGATCAAGTGATAGTTGGCAATGCCTCTTTGCGGCTGAAAAACGTGCAACTCACAGATGC
TGGCACCTACAAATGTTATATCATCACTTCTAAAGGCAAGGGGAATGCTAACCTTGAGTATA
AAACTGGAGCCTTCAGCATGCCGGAAGTGAATGTGGACTATAATGCCAGCTCAGAGACCTTG
CGGTGTGAGGCTCCCCGATGGTTCCCCAGCCCACAGTGGTCTGGGCATCCCAAGTTGACCA
GGGAGCCAACTTCTCGGAAGTCTCCAATACCAGCTTTGAGCTGAACTCTGAGAATGTGACCA
TGAAGGTTGTGTCTGTGCTCTACAATGTTACGATCAACAACACATACTCCTGTATGATTGAA
AATGACATTGCCAAAGCAACAGGGGATATCAAAGTGACAGAATCGGAGATCAAAAGGCGGAG
TCACCTACAGCTGCTAAACTCAAAGGCTTCTCTGTGTGTCTCTTCTTTCTTTGCCATCAGCT
GGGCACTTCTGCCTCTCAGCCCTTACCTGATGCTAAAA**TAA**TGTGCCTTGGCCACAAAAAAG
CATGCAAAGTCATTGTTACAACAGGGATCTACAGAACTATTTACCACCAGATATGACCTAG
TTTTATATTTCTGGGAGGAAATGAATTCATATCTAGAAGTCTGGAGTGAGCAAACAAGAGCA
AGAAACAAAAAGAAGCCAAAAGCAGAAGGCTCCAATATGAACAAGATAAATCTATCTTCAA
GACATATTAGAAGTTGGGAAAATAATTCATGTGAACTAGACAAGTGTGTTAAGAGTGATAAG
TAAAATGCACGTGGAGACAAGTGCATCCCCAGATCTCAGGGACCTCCCCCTGCCTGTCACCT
GGGGAGTGAGAGGACAGGATAGTGCATGTTCTTTGTCTCTGAATTTTTAGTTATATGTGCTG
TAATGTTGCTCTGAGGAAGCCCCTGGAAAGTCTATCCCAACATATCCACATCTTATATTCCA
CAAATTAAGCTGTAGTATGTACCCTAAGACGCTGCTAATTGACTGCCACTTCGCAACTCAGG
GGCGGCTGCATTTTAGTAATGGGTCAAATGATTCACCTTTTTATGATGCTTCCAAAGGTGCCT
TGGCTTCTCTTCCCAACTGACAAATGCCAAAGTTGAGAAAAATGATCATAATTTTAGCATAA
ACAGAGCAGTCGGGGACACCGATTTTATAAATAAACTGAGCACCTTCTTTTTAAACAAAAAA
AA

208/330

FIGURE 208

MASLGQILFWSIISIIIIILAGAIALIIGFGISGRHSITVTTVASAGNIGEDGILSCTFEPDI
KLSDIVIQWLKEGVLGLVHEFKEGKDELSEQDEMFRGRTAVFADQVIVGNASRLKKNVQLTD
AGTYKCYIITSKGKGNANLEYKTGAFSMPEVNVVDYNASSETLRCEAPRWFPOPTVVWASQVD
QGANFSEVSNTSFELNSENVTMKVVSVLNVNTINNTYSCMIENDIAKATGDIKVTSEIKRR
SHLQLLSKASLCVSSFFAISWALLPLSPYLMLK

210/330

FIGURE 210

MAASLGQVLALVLVAALWGGTQPLLKRASAGLQRVHEPTWAQQLQEMKTLFLNTEYLMPEL
LNQCGSLLYYLTLASTDLTLAVPICNSLAIIFTLIVGKALGEDIGGKRKLDYCECGTQLCGS
RHTCVSSFPEPISP EWVRTRPFPILPFPLQLFCFLVAIRVPFPWTVWRKTEAGVWD

211/330

FIGURE 211

CTTCTGTAGGACAGTCACCAGGCCAGATCCAGAAGCCTCTCTAGGCTCCAGCTTTCTCTGTG
GAAGATGACAGCAATTATAGCAGGACCCTGCCAGGCTGTGCGAAAAGATTCCGCAATAAACT
TTGCCAGTGGGAAGTACCTAGTGAAACGGCCTAAGATGCCACTTCTTCTCATGTCCCAGGCT
TGAGGCCCTGTGGTCCCCATCCTTGGGAGAAGTCAGCTCCAGCACCCATGAAGGGGCATCCTCG
TTGCTGGTATCACTGCAGTGCTTGTTGCAGCTGTAGAATCTCTGAGCTGCGTGCAGTGTAAT
TCATGGGAAAAATCCTGTGTCAACAGCATTGCCCTCTGAATGTCCCTCACATGCCAACACCAG
CTGTATCAGCTCCTCAGCCAGCTCCTCTCTAGAGACACCAGTCAGATTATAACCAGAATATGT
TCTGCTCAGCGGAGAACTGCAGTGAGGAGACACACATTACAGCCTTCACTGTCCACGTGTCT
GCTGAAGAACACTTTCATTTTGTAAAGCCAGTGCTGCCAAGGAAAGGAATGCAGCAACACCAG
CGATGCCCTGGACCCTCCCCTGAAGAACGTGTCCAGCAACGCAGAGTGCCCTGCTTGTTATG
AATCTAATGGAACCTCCTGTCGTGGGAAGCCCTGGAAATGCTATGAAGAAGAACAGTGTGTC
TTTCTAGTTGCAGAACTTAAGAATGACATTGAGTCTAAGAGTCTCGTGCTGAAAGGCTGTTC
CAACGTCAGTAACGCCACCTGTCAGTTCCTGTCTGGTGAAAACAAGACTCTTGGAGGAGTCA
TCTTTCGAAAGTTTGAGTGTGCAAATGTAAACAGCTTAACCCCCACGTCTGCACCAACCACT
TCCCACAACGTGGGCTCCAAAGCTTCCCTCTACCTCTTGGCCCTTGCCAGCCTCCTTCTTCG
GGGACTGCTGCCCCTGAGGTCCTGGGGCTGCACTTTGCCCAGCACCCCATTTCTGCTTCTCTG
AGGTCCAGAGCACCCCCTGCGGTGCTGACACCCTCTTTCCTGCTCTGCCCCGTTTAACTGC
CCAGTAAGTGGGAGTCACAGGTCTCCAGGCAATGCCGACAGCTGCCTTGTTCTTCATTATTA
AAGCACTGGTTCATTCACTGCCAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

212/330

FIGURE 212

MKGILVAGITAVLVAAVESLSCVQCNSWEKSCVNSIASECPSHANTSCISSSASSSLETPVR
LYQNMFCSAENCSEETHITAFTVHVSAEEHFHFVSQCCQGKECSNTSDALDPPLKNVSSNAE
CPACYESNGTSCRGKPWKCYEEEQCVFLVAELKNDIESKSLVLKGCSNVSNATCQFLSGENK
TLGGVIFRKFEKANVNSLTPTSAPTTSHNVGSKASLYLLALASLLLRGLLP

213/330

FIGURE 213

GGCCTCGGTTCAAACGACCCGGTGGGTCTACAGCGGAAGGGAGGGAGCGAAGGTAGGAGGCA
GGGCTTGCCTCACTGGCCACCCTCCCAACCCCAAGAGCCCAGCCCC**AT**GGTCCCCGCCGCCG
GCGCGCTGCTGTGGGTCTGCTGCTGAATCTGGGTCCCCGGGCGGCGGGGGCCCAAGGCCTG
ACCCAGACTCCGACCGAAATGCAGCGGGTCAGTTTACGCTTTGGGGGCCCCATGACCCGCAG
CTACCGGAGCACCGCCCGGACTGGTCTTCCCCGGAAGACAAGGATAATCCTAGAGGACGAGA
ATGATGCCATGGCCGACGCCGACCGCCTGGCTGGACCAGCGGCTGCCGAGCTCTTGGCCGCC
ACGGTGTCCACCGGCTTTAGCCGGTCGTCCGCCATTAACGAGGAGGATGGGTCTTCAGAAGA
GGGGGTGTGATTAATGCCGGAAGGATAGCACCAGCAGAGAGCTTCCCAGTGCGACTCCCA
ATACAGCGGGGAGTTCCAGCACGAGGTTTATAGCCAATAGTCAGGAGCCTGAAATCAGGCTG
ACTTCAAGCCTGCCGCGCTCCCCGGGAGGTCTACTGAGGACCTGCCAGGCTCGCAGGCCAC
CCTGAGCCAGTGGTCCACACCTGGGTCTACCCCGAGCCGGTGGCCGTCACCCTCACCCACAG
CCATGCCATCTCCTGAGGATCTGCGGCTGGTGCTGATGCCCTGGGGCCCGTGGCACTGCCAC
TGCAAGTCGGGCACCATGAGCCGGAGCCGGTCTGGGAAGCTGCACGGCCTTTCCGGGCGCCT
TCGAGTTGGGGCGCTGAGCCAGCTCCGCACGGAGCACAAGCCTTGACCTATCAACAATGTC
CCTGCAACCGACTTCGGGAAGAGTGCCCCCTGGACACAAGTCTCTGTACTGACACCAACTGT
GCCTCTCAGAGCACCACTAGTACCAGGACCACCACTACCCCTTCCCCACCATCCACCTCAG
AAGCAGTCCCAGCCTGCCACCCGCCAGCCCTGCCAGCCCTGGCTTTTTGGAAACGGGTCA
GGATTGGCCTGGAGGATATTTGGAATAGCCTCTCTTCAGTGTTACAGAGATGCAACCAATA
GACAGAAACCAGAGG**TAA**TGGCCACTTCATCCACATGAGGAGATGTCAGTATCTCAACCTCT
CTTGCCCTTTCAATCCTAGCACCCACTAGATATTTTGTAGTACAGAAAAACAAAACCTGGAAAA
CACAA

214/330

FIGURE 214

MVPAAGALLWVLLLNLGPRAAGAQGLTQTPTMQRVSLRFGGPMTRSYRSTARTGLPRKTRI
ILEDENDAMADADRLAGPAAAELLAATVSTGFSRSSAINEEDGSSEEGVVINAGKDSTSREL
PSATPNTAGSSSTRFIANSQEPEIRLTSSLPRSPGRSTEDLPGSQATLSQWSTPGSTPSRWP
SPSPTAMPSPEDLRLVLPWGPWHCHCKSGTMSRSRSGKLHGLSGRLRVGALSQLRTEHKPC
TYQQCPCNRLREECPLDTSLCDTNCASQSTTSTRTTTTPFPTIHLRSSPSLPPASPCPALA
FWKRVRIGLEDIWNSLSSVFTEMQPIDRNQR

215/330

FIGURE 215

CCCGGGTCGACCCACGCGTCCGGGGAGAAAGGATGCGCCGGCCTGGCGGCGCGGTTGGTCCTGCTAGCTGGGGCA
GCGGCGCTGGCGAGCGGCTCCAGGGCGACCGTGAGCCGGTGTACCGCGACTGCGTACTGCACTGCGAAGAGCA
GAATGCTCTGGGGGCGCTCTGAATCACTTCCGCTCCCGCCAGCCAATCTACATGAGTCTAGCAGGCTGGACCT
GTCGGGACGACTGTAAGTATGAGTGTATGTGGGTACCGTTGGGCTCTACCTCCAGGAAGGTCACAAAGTGCCT
CAGTTCCATGGCAAGTGGCCCTTCTCCCGTTCTGTTCTTTCAAGAGCCGGCATCGGCCGTGGCCTCGTTTTCT
CAATGGCCTGGCCAGCCTGGTGATGCTCTGCCGCTACCGCACCTTCGTGCCAGCCTCCTCCCCATGTACCACA
CCTGTGTGGCCTTCGCCTGGGTGTCCCTCAATGCATGGTTCTGGTCCACAGTCTTCCACACCAGGGACACTGAC
CTCACAGAGAAAATGGACTACTTCTGTGCCTCCACTGTATCTTACACTCAATCTACCTGTGCTGCGTCAGGAC
CGTGGGGCTGCAGCACCCAGCTGTGGTCAGTGCCTTCCGGGCTCTCCTGCTGCTCATGCTGACCGTGCACGTCT
CCTACCTGAGCCTCATCCGCTTCGACTATGGCTACAACCTGGTGGCCAACGTGGCTATTGGCCTGGTCAACGTG
GTGTGGTGGCTGGCCTGGTGCTGTGGAACAGCGGCGGCTGCCTACGTGCGCAAGTGCCTGGTGGTGGTCTT
GCTGCTGCAGGGGCTGTCCCTGCTCGAGCTGCTTGACTTCCACCGCTCTTCTGGGTCTGGATGCCCATGCCA
TCTGGCAGATCAGCACCATCCCTGTCCACGTCCTCTTTTTCAGCTTCTGGAAGATGACAGCCTGTACCTGCTG
AAGGAATCAGAGGACAAGTTCAAGCTGGACTGAAAGACCTTGGAGCGAGTCTGCCCCAGTGGGGATCCTGCCCC
GCCCTGCTGGCCTCCCTTCTCCCTCAACCTTGAGATGATTTTCTCTTTTCAACTTCTTGAAGTGGACATGA
AGGATGTGGGCCCAGAATCATGTGGCCAGCCACCCCTGTTGGCCCTCACCAGCCTTGGAGTCTGTTCTAGGG
AAGGCCTCCAGCATCTGGGACTCGAGAGTGGGCGAGCCCTCTACCTCCTGGAGCTGAACTGGGGTGGAACTGA
GTGTGTTCTTAGCTCTACCGGGAGGACAGCTGCCTGTTTCTCCCCACAGCCTCCTCCCCACATCCCCAGCTG
CCTGGCTGGGTCTGAAGCCCTCTGTCTACCTGGGAGACCAGGACCACAGGCCTTAGGGATACAGGGGTCCC
CTTCTGTTACCAACCCCCACCCTCCTCCAGGACACCACTAGGTGGTGGTGGATGCTTGTCTTTGGCCAGCCAA
GGTTCACGGCGATTCTCCCCATGGGATCTTGAGGGACCAAGCTGCTGGGATTGGGAAGGAGTTTACCCTGACC
GTTGCCCTAGCCAGGTTCCAGGAGGCCTCACCATACTCCCTTTCAGGGCCAGGGCTCCAGCAAGCCAGGGCA
AGGATCCTGTGCTGCTGTCTGGTTGAGAGCCTGCCACCGTGTGTCGGGAGTGTGGGCCAGGCTGAGTGCATAGG
TGACAGGGCCGTGAGCATGGGCTGGGTGTGTGTGAGCTCAGGCCTAGGTGCGCAGTGTGGAGACGGGTGTTGT
CGGGGAAGAGGTGTGGCTCAAAGTGTGTGTGTGACAGGGGTGGGTGTGTTAGCGTGGGTAGGGGAACGTGTG
TGCGCGTGTGGTGGGCATGTGAGATGAGTACTGCCGCTGAATGTGTCCACAGTTGAGAGGTTGGAGCAGGAT
GAGGGAATCCTGTCAACATCAATAATCACTTGTGGAGCGCCAGCTCTGCCCAAGACGCCACCTGGGCGGACAGC
CAGGAGCTCTCCATGGCCAGGCTGCCTGTGTGCATGTTCCCTGTCTGGTGGCCCTTTGCCCGCCTCCTGCAAC
CTCACAGGGTCCCCACACAACAGTGCCTCCAGAAGCAGCCCTCGGAGGCAGAGGAAGGAAAATGGGGATGGC
TGGGGCTCTCTCCATCCTCCTTTTCTCCTTGCTTGCATGGCTGGCCTTCCCTCCAAAACCTCCATTCCCT
GCTGCCAGCCCTTTGCCATAGCCTGATTTTGGGGAGGAGGAAGGGGCGATTGAGGGAGAAGGGGAGAAAGCT
TATGGCTGGGTCTGGTTTCTTCCCTTCCAGAGGCTTACTGTTCCAGGGTGGCCCCAGGGCAGGCAGGGGCC
ACACTATGCCTGTGCCCTGGTAAAGGTGACCCCTGCCATTTACCAGCAGCCCTGGCATGTTCTGCCCCACAGG
AATAGAATGGAGGGAGCTCCAGAACTTTCCATCCCAAAGGCAGTCTCCGTGGTTGAAGCAGACTGGATTTTG
CTCTGCCCTGACCCCTTGTCCCTCTTTGAGGGAGGGGAGCTATGCTAGGACTCCAACCTCAGGGACTCGGGTG
GCCTGCGCTAGCTTCTTTTGATACTGAAACTTTTAAGGTGGGAGGGTGGCAAGGGATGTGCTTAATAAATCAA
TTCCAAGCCTCAAAAAAAAAAAAAAAAAA

216/330

FIGURE 216

MAGLAARLVLLAGAAALASGSQGDREP VYRDCVLQCEEQNCSGGALNHFRSRQPIYMSLAGW
TCRDDCKYECMWVTVG LYLQEGHKVPQFHGKWPFSRFLFFQEPASAVASFLNGLASLVMLCR
YRTFVPASSPMYHTCVAFAWVSLNAFWSTVFHTRD TDLTEKMDYFCASTVILHSIYLCCVR
TVGLQH PAVVSAFRALLLMLTVHVS YLSLIRFDYGYNLVANVAIGLVNVVWLLAWCLWNQR
RLPHVRKCVVVVLL LQGLSLELLDFPPLFWVLDAHAIWHISTIPVHVLFFSFLEDDSLYLL
KESEDKFKLD

Important features:

Signal peptide:

amino acids 1-20

Transmembrane domains:

amino acids 105-123, 138-156, 169-185, 193-209, 221-240, 256-272

N-glycosylation site.

amino acids 40-44

N-myristoylation site.

amino acids 43-49

CUB domain proteins profile.

amino acids 285-302

Amiloride-sensitive sodium channels proteins.

amino acids 162-186

217/330

FIGURE 217

[illegible]

218/330

FIGURE 218

MAPQSLPSSRMAPLGMLLGLLMAACFTFCLSHQNLKEFALTNPEKSSTKETERKETKAEEL
DAEVLEVFPHTHEWQALQPGQAVPAGSHVRLNLQTGEREAKLQYEDKFRNNLKGKRLDINTN
TYTSQDLKSALAKFKEGAEMESSKEDKARQAEVKRLFRPIEELKKDFDELNVVIETDMQIMV
RLINKFNSSSSSLEEKIAALFDLEYVHQMDNAQDLLSFGGLQVVINGLNSTEPLVKEYAAF
VLGAAFSSNPVKVQVEAIEGGALQKLLVILATEQPLTAKKKVLFALCSLLRHFPYAQRQFLKL
GGLQVLRTLVQEKGTAVLAVRVVTLTYDLVTEKMFEEEEAELTQEMSPEKLQQYRQVHLLPG
LWEQGWCEITAHLLALPEHDAREKVLQTLGVLLTTCRDRYRQDPQLGRTLASLQAEYQVLAS
LELQDGEDEGYFQELLGSVNSLLKELR

Important features:**Signal peptide:**

amino acids 1-29

Hypothetical YJL126w/YLR351c/yhcX family protein.

amino acids 364-373

N-glycosylation site.

amino acids 193-197, 236-240

N-myristoylation site.

amino acids 15-21, 19-25, 234-240, 251-257, 402-408, 451-457

Homologous region SLS1 protein.

amino acids 68-340

FIGURE 219

[illegible]

220/330

FIGURE 220

MGAAVFFGCTFVAFGPAFALFLITVAGDPLRVIIILVAGAFFWLVSLLLASVVWFILVHVTDR
SDARLQYGLLIFGAAVSVLLQEVFRFAYYKLLKKADEGLASLSEDGRSPISIRQMAYVSGLS
FGIISGVFSVINILADALGPGVVGIIHGDSPIYFLTSAFLTAAIILLHTFWGVVFFDACERRR
YWALGLVVGSHLLTSGLTFLNPWYEASLLPIYAVTVSMGLWAFITAGGSLRSIQRSLLCKD

221/330

FIGURE 221

AAGCTGGTTTAAGGAAGCAGAGGAGGGTTAGATTCGTTGAGTGAGGACGGAAGATCAACCCA
TTTCCATTCCGCCAGATGGCCTATGTTTCTGGTCTCTCCCTTCGGNATCATCAGTGGTGTNT
TNTCTGTTATCAATATTTTGGCTGATGCANTTGGGCCAGGTGTGGTTGGGATCCATGGAGAC
TCACCCTATTANTTCCTGANTTCAGCCTTTNTGACAGCAGCCATTATCCTGCTC

222/330

FIGURE 222

GACCGACCGTTCAGATGCCCGGTTCCAGTACGGCTTCCTGATTTTTGGTGCTGCTGTNTCTG
TCCTTCTACAGGAGGTGTTCCGCTTTGCCTANTACAAGCTGCTTAAGAAGGCAGATGAGGGG
TTAGCATNGCTGAGTGAGGACGGAAGATCACCCATTTCCATCCGCCAGATGGCCTATGTTN
TGGTNTTTCCTTCGGTATCATCAGTGGTGTTTTNTCTGTTATCAATATTTTGGNTGATGCAN
TTGGGCCAGGTGTGGTTGGGATCCATGGAGANTCACCCCTATTAATTCCTGAATTCAGCCTTT
NTGACAGCAGCCATTATCCTGNTCCATACCTTTTGGGGAGTTGTGTTTTTTGATGCCTGTGA
GAGGAG

223/330

FIGURE 223

NGTTGGAGAAGTGGCGCGGACNTTCATTTGGGGTTTCGGTTTCCCCCCTTTCCCTTTCCCCG
GGGTCTGGGGTGACATTGCACGGGCCCCCTCGTGGGGTCGCGTTGCCACCCACGCGGACTCC
CCAGNTGGNGCGCCCTTCCCATTTCCTGTCTGGTCAGGCCCCACCCCTTCCCACNTG
ACCAGCCATGGGGGCTGCGGTGTTTTTCGGCTGCACTTTCGTCGCGTTTCGGCCCGGCCTTCG
CGCTTTTCTTGATCACTGTGGCTGGGGACCGCTTCGCGTTATCATCCTGGTCGCAGGGGCA
TTTTTCTGGCTGGTCTCCCTGCTCCTGGCCTCTGTGGTCTGGTTCATCTGGTCCATGTGAC
CGACCGGTCAGATGCCCCGGCTCCAGTACGGCCTCCTGATTTTTGGTGCTGCTGTCTCTGTCC
TTCTACAGGAGGTGTTCCGCTTTCCTACTACAAGCTGCTTAAGAAGGCAGATGAGGGGTTA
GCATCGCTGAGTGAGGACGGAAGATCACCCATCTCCATCCGCCAGATGGCCTATGTTTCTGG
TCTCTCCTTCGGTATCATCAGTGGTGTCTTCTCTGTTATCAATATTTGGCTGATGCACTTG
GGCCAGGTGTGGTTGGGATCCATGGAGACTCACCC

224/330

FIGURE 224

GTAAAAGAAAGTGGCCGGACCTTCATTGGGGTTTCGGTTCCCCCCTTTCCCNNTCCCCGGGG
TCTGGGGGTGACATTGCACCGCGCCCNCTCGTGGGGTCGCGTTGCCACCCACGCGGACTCCC
CAGNTGGCGCGCCCCCTCCATTTGCCTGTCTGGTCAGGCCCCACCCCCCTTCCCACCTGA
CCAGCCATGGGGGCTGCGGTGTTTTTCGGGCTGCACTTTCGTGCGTTTCGGGCCCGGCCTTC
GCGCTTTTCTTGATCACTGTGGCTGGGGACCCGCTTCGCGTTATCATCCTGGTCGCAGGGGC
ATTTTTCTGGCTGGTCTCCCTGCTCCTGGCCTCTGTGGTCTGGTTCATCTTGGTCCATGTGA
CCGACCGGTCAGATGCCCCGGCTCCAGTACGGCCTCCTGATTTTTGGTGCTGCTGTCTCTGTC
CTTCTACAGGAGGTGTTCCGCTTTGCCTACTACAAGCTGCTTAAGAAGGCAGATGAGGGGTT
AGCATCGCTGAGTGAGGACGGAAGATCACCCATCTCCATCCGCCAGATGGCCTATGTTTCTG
GTCTCTCCTTCGGTATCATCAGTGGTGTCTTCTCTGTTATCAATATTTTGGCTGATGCACTT
GGGCCAGGTGTGGTTGGGATCCATGGAGAC

225/330

FIGURE 225

GCCCCAGGGAGCAGTGGGTGGTTATAACTCAGGCCCGGTGCCCAGAGCCCAGGAGGAGGCAG
TGGCCAGGAAGGCACAGGCCTGAGAAGTCTGCGGCTGAGCTGGGAGCAAATCCCCACCCCC
TACCTGGGGGACAGGGCAAGTGAGACCTGGTGAGGGTGGCTCAGCAGGCAGGGAAGGAGAGG
TGTCTGTGCGTCCTGCACCCACATCTTTCTCTGTCCCCTCCTTGCCCTGTCTGGAGGCTGCT
AGACTCCTATCTTCTGAATTCTATAGTGCCTGGGTCTCAGCGCAGTGCCGATGGTGGCCCCGT
CCTTGTGGTTCCCTCTCTACCTGGGGAAATAAGGTGCAGCGGCCATGGCTACAGCAAGACCCC
CCTGGATGTGGGTGCTCTGTGCTCTGATCACAGCCTTGCTTCTGGGGGTACAGAGCATGTT
CTCGCCAACAATGATGTTTCTGTGACCACCCCTCTAACACCGTGCCCTCTGGGAGCAACCA
GGACCTGGGAGCTGGGGCCGGGGAAGACGCCCCGGTCCGATGACAGCAGCAGCCGCATCATCA
ATGGATCCGACTGCGATATGCACACCCAGCCGTGGCAGGCCGCGCTGTTGCTAAGGCCCAAC
CAGCTCTACTGCGGGGCGGTGTTGGTGCATCCACAGTGGCTGCTCACGGCCGCCACTGCAG
GAAGAAAGTTTTTCAGAGTCCGTCTCGGCCACTACTCCCTGTCACCAGTTTATGAATCTGGGC
AGCAGATGTTCCAGGGGGTCAAATCCATCCCCACCCTGGCTACTCCCACCCTGGCCACTCT
AACGACCTCATGCTCATCAAACGAAGAATTCGTCCCCTAAAGATGTCAGACCCAT
CAACGTCTCCTCTCATTGTCCCTCTGCTGGGACAAAGTGCTTGGTGTCTGGCTGGGGGACAA
CCAAGAGCCCCCAAGTGCACTTCCCTAAGGTCCCTCAGTGCTTGAATATCAGCGTGCTAAGT
CAGAAAAGGTGCGAGGATGCTTACCCGAGACAGATAGATGACACCATGTTCTGCGCCGGTGA
CAAAGCAGGTAGAGACTCCTGCCAGGGTGATTCTGGGGGGCCTGTGGTCTGCAATGGCTCCC
TGCAGGGACTCGTGTCCTGGGGAGATTACCCTTGTCGCCGGCCCAACAGACCGGGTGTCTAC
ACGAACCTCTGCAAGTTCACCAAGTGGATCCAGGAAACCATCCAGGCCAACTCCTGAGTCAT
CCCAGGACTCAGCACACCGGCATCCCCACCTGCTGCAGGGACAGCCCTGACACTCCTTTCAG
ACCCTCATTCCTTCCCAGAGATGTTGAGAATGTTTCATCTCTCCAGCCCCTGACCCCATGTCT
CCTGGACTCAGGGTCTGCTTCCCCACATTGGGCTGACCGTGTCTCTCTAGTTGAACCCTGG
GAACAATTTCCAAAACGTGTCAGGGCGGGGGTTGCGTCTCAATCTCCCTGGGGCACTTTCAT
CCTCAAGCTCAGGGCCCATCCCTTCTCTGCAGCTCTGACCCAAATTTAGTCCCAGAAATAAA
CTGAGAAGTGGAATAAAAAA

226/330

FIGURE 226

MATARPPMWWLICALITALLGVTEHVLANNVSCDHPSNTVPSGSNQDLGAGAGEDARSDD
SSSRIINGSDCDMHTQPWQAALLLRPNQLYCGAVLVHPQWLLTAAHCRKKVFRVRLGHYSLS
PVYESGQQMFQGVKSIHPGYSHPGHSNDLMLIKLNRRIRPTKDVRPINVSSHCP SAGTKCL
VSGWGTTKSPQVHF PKVLQCLNISVLSQKRCE DAYPRQIDDTMFCAGDKAGRDSCQGD SGGP
VVCNGSLQGLVSWGDYPCARPNRPGVYTNLCKFTKWIQETIQANS

227/330

FIGURE 227

ATGGTCAACGACCGGTGGAAGACCATGGGCGGCGCTGCCCAACTTGAGGACCGGCCGCGCGA
CAAGCCGCGAGCGGCCGAGCTGCGGCTACGTGCTGTGCACCGTGTGCTGGCCCTGGCTGTGC
TGCTGGCTGTAGCTGTACCGGTGCCGTGCTCTTCCTGAACCACGCCACGCGCCGGGCACG
GCGCCCCACCTGTCTGTAGCACTGGGGCTGCCAGCGCCAACAGCGCCCTGGTCACTGTGGA
AAGGGCGGACAGCTCGCACCTCAGCATCCTCATTTGACCCGCGCTGCCCCGACCTCACCGACA
GCTTCGCACGCCTGGAGAGCGCCAGGCCTCGGTGCTGCAGGCGCTGACAGAGCACCAGGCC
CAGCCACGGCTGGTGGGCGACCAGGAGCAGGAGCTGCTGGACACGCTGGCCGACCAGCTGCC
CCGGCTGCTGGCCCGAGCCTCAGAGCTGCAGACGGAGTGCATGGGGCTGCGGAAGGGGCATG
GCACGCTGGGCCAGGGCCTCAGCGCCCTGCAGAGTGAGCAGGGCCGCCTCATCCAGCTTCTC
TCTGAGAGCCAGGGCCACATGGCTCACCTGGTGAACCTCCGTCAGCGACATCCTGGATGCCCT
GCAGAGGGACCGGGGGCTGGGCCGGCCCCGCAACAAGGCCGACCTTCAGAGAGCGCCTGCCC
GGGGAACCCGGCCCCGGGGCTGTGCCACTGGCTCCCGGCCCGAGACTGTCTGGACGTCCTC
CTAAGCGGACAGCAGGACGATGGCGTCTACTCTGTCTTTCCCACTACCCGCGGGCTT
CCAGGTGTACTGTGACATGCGCACGGACGGCGGGCTGGACGGTGTTCAGCGCCGGGAGG
ACGGCTCCGTGAACCTTCTTCGGGGCTGGGACGCGTACCGAGACGGCTTTGGCAGGCTCACC
GGGAGCACTGGCTAGGGCTCAAGAGGATCCACGCCCTGACCACACAGGCTGCCTACGAGCT
GCACGTGGACCTGGAGGACTTTGAGAATGGCAGCGCCTATGCCCGCTACGGGAGCTTCGGCG
TGGGCTTGTTCTCCGTGGACCTGAGGAAGACGGGTACCCGCTCACCGTGGCTGACTATTCC
GGCACTGCAGGCGACTCCCTCCTGAAGCACAGCGGCATGAGGTTACCACCAAGGACCGTGA
CAGCGACCATTCAGAGAACAACCTGTGCCGCTTCTACCGCGGTGCCTGGTGGTACCGCAACT
GCCACAGTCCAACCTCAATGGGCAGTACCTGCGCGGTGCGCACGCCTCCTATGCCAGCGC
GTGGAGTGGTCCCTCGGACCGGCTGGCAGTACTCACTCAAGTTCTCTGAGATGAAGATCCG
GCCGGTCCGGGAGGACCGCT**AG**ACTGGTGCACCTTGTCTTGGCCCTGCTGGTCCCTGTGCG
CCCATCCCCGACCCACCTCACTCTTTCTGTGAATGTTCTCCACCCACCTGTGCCTGGCGGAC
CCACTCTCCAGTAGGGAGGGGCCGGGCCATCCCTGACACGAAGCTCCCTGGGCCGGTGAAGT
CACACATCGCCTTCTCGCCGTCCCCACCCCTCCATTTGGCAGCTCACTGATCTCTTGCCCT
TGCTGATGGGGCTGGCAAACTTGACGACCCCAACTCCTGCCTGCCCCCACTGTGACTCCGG
TGCTGTTTGGCGTCCCCTGGCCAGGATGGTGGAGTCTGCCCCAGGCACCCTCTGCCCTGCCC
GGCCAAATACCCGGCATTATGGGGACAGAGAGCAGGGGGCAGACAGCACCCCTGGAGTCTC
CTAGCAGATCGTGGGAATGTGAGGTCTCTCTGAGGTGAGGTCTGAGGCCAGTATCCTCCAG
CCCTCCCAATGCCAACCCCAACCCGTTTCCCTGGTGCCAGAGAACCCACCTCTCCCCAA
GGCCCTCAGCCTGGCTGTGGGCTGGGTGGCCCCATCCTACCAGGCCCTGAGGTGAGGATGGG
GAGCTGCTGCCTTTGGGGACCCACGCTCCAAGGCTGAGACCAGTTCCTGGAGGCCACCCAC
CCTGTGCCCCGGCAGGCCTGGGGTCTGCAGTCTCTTACCTGCTGTGCCCACCTGCTCTCTG
TCTCAAATGAGGCCCAACCCATCCCCACCCAGCTCCCGGCCGTCTCTACCTGGGGCAGC
CGGGGCTGCCATCCCATTCTCTCTGCTCTGGAAGGTGGGTGGGGCCCTGCACCGTGGGGCT
GGACTGCGCTAATGGGAAGCTCTTGTTTTCTGGGCTGGGGCCTAGGCAGGGCTGGGATGAG
GCTTGTAACACCCCAACCAATTTCCAGGGACTCCAGGGTCTGAGGCCCTCCAGGAGG
GCCTTGGGGGTGATGACCCCTTCCCTGAGGTGGCTGTCTCCATGAGGAGGCCAACCCTTGCC
ATTGACCGTGGCCACCTGGACCCAGGCCAGGCCGGCCGGCGAGTGGTCAAGGGACAGGGA
CCACCTCACCGGGCAAATGGGGTCGGGGGACTGGGGCACCAGACCAGGCACCACCTGGACA
CTTTCTTGTTGAATCCTCCCAACACCCAGCACGCTGTATCCCCACTCCTTGTGTGCACACA
TGCAGAGGTGAGACCCGACGGCTCCCAGGACCAGCAGCCACAAGGGCAGGGCTGGAGCCGGG
TCCTCAGCTGTCTGCTCAGCAGCCCTGGACCCGCGTGCCTTACGTGAGGCCAGATGCAGGG
CGGCTTTTCCAAGGCCTCCTGATGGGGGCTCCGAAAGGGCTGGAGTCAGCCTTGGGGAGCT
GCCTAGCAGCCTCTCCTCGGGCAGGAGGGGAGGTGGCTTCCCTCCAAAGGACACCCGATGGCA
GGTGCCTAGGGGGTGTGGGGTTCGTTCTCCCTTCCCCTCCCACTGAAGTTTGTGCTTAAAA
AACAAATAAATTTGACTTGGCACCCTGGGGGTGGTGGGAGAGGCCGTGTGACCTGGCTCTC
TGTCACAGTGCCACCAGGTATCCACATGCGCAG

228/330

FIGURE 228

MVNDRWKTMGGAAQLED RPRDKPQRPS CGYVLCTVLLALAVLLAVAVTGAVLFLNHAHAPGT
APPPVVSTGAASANSALVTVERADSSHLSILIDPRCPDLTDSFARLESAQASVLQALTEHQA
QPRLVG DQEQLLDTLADQLPRL LARASELQTECMGLRKGHGTLGQGLSALQSEQGR LIQLL
SESQGHMAHLVNSVSDILDALQRDRGLGRPRNKADLQRAPARGTRPRGCATGSRPRDCLDVL
LSGQQDDGVYSVFPTHYPAGFQVYCDMRTDGGGWTVFQRREDGSVNFFRGWDAYRDGFGRLT
GEHWLGLKRIHALTTQAAYELHVDLEDFENG TAYARYGSFGVGLFSVDPEEDGYPLTVADYS
GTAGDSLLKHSGMRFTTKDRSDHSENNCAAFYRGAWWYRNCHTSNLNGQYLRGAHASYADG
VEWSSWTGWQYSLKFSEM KIRPVREDR

229/330

FIGURE 229

GCAGTCAGAGACTTCCCCTGCCCCTCGCTGGGAAAGAACATTAGGAATGCCTTTTAGTGCCT
TGCTTCCTGAACTAGCTCACAGTAGCCCGGCGGCCAGGGCAATCCGACCACATTTCACTCT
CACCGCTGTAGGAATCCAGATGCAGGCCAAGTACAGCAGCACGAGGGACATGCTGGATGATG
ATGGGGACACCACCATGAGCCTGCATTCTCAAGCCTCTGCCACAACCTCGGCATCCAGAGCCC
CGGCGCACAGAGCACAGGGCTCCCTCTTCAACGTGGCGACCAGTGGCCCTGACCCTGCTGAC
TTTGTGCTTGGTGCTGCTGATAGGGCTGGCAGCCCTGGGGCTTTTGTTTTTTTCAGTACTACC
AGCTCTCCAATACTGGTCAAGACACCATTTCTCAAATGGAAGAAAGATTAGGAAATACGTCC
CAAGAGTTGCAATCTCTTCAAGTCCAGAATATAAAGCTTGCAAGGAAGTCTGCAGCATGTGGC
TGAAAACTCTGTCGTGAGCTGTATAACAAAGCTGGAGCACACAGGTGCAGCCCTTGTAACAG
AACAATGGAAATGGCATGGAGACAATTGCTACCAGTTCTATAAAGACAGCAAAAGTTGGGAG
GACTGTAAATATTTCTGCCTTAGTGAAAACTCTACCATGCTGAAGATAAACAAACAAGAAGA
CCTGGAATTTGCCGCTCTCAGAGCTACTCTGAGTTTTTCTACTCTTATTGGACAGGGCTTT
TGCGCCCTGACAGTGGCAAGGCCTGGCTGTGGATGGATGGAACCCCTTTCACTTCTGAACTG
TTCCATATTATAATAGATGTCACCAGCCCAAGAAGCAGAGACTGTGTGGCCATCCTCAATGG
GATGATCTTCTCAAAGGACTGCAAAGAATTGAAGCGTTGTGTCTGTGAGAGAAGGGCAGGAA
TGGTGAAGCCAGAGAGCCTCCATGTCCCCCTGAAACATTAGGCGAAGGTGACTGATTCGCC
CTCTGCAACTACAAATAGCAGAGTGAGCCAGGCGGTGCCAAAGCAAGGGCTAGTTGAGACAT
TGGGAAATGGAACATAATCAGGAAAGACTATCTCTCTGACTAGTACAAATGGGTTCCTCGTG
TTTCCTGTTCAAGGATCACCAGCATTTCTGAGCTTGGGTTTATGCACGTATTTAACAGTCACA
AGAAGTCTTATTTACATGCCACCAACCAACCTCAGAAACCCATAATGTCATCTGCCTTCTTG
GCTTAGAGATAACTTTTAGCTCTCTTCTCTCAATGTCTAATATCACCTCCCTGTTTTTCAT
GTCTTCCTTACACTTGGTGGAATAAGAACTTTTTGAAGTAGAGGAAATACATTGAGGTAAC
ATCCTTTTCTCTGACAGTCAAGTAGTCCATCAGAAATTGGCAGTCACTTCCCAGATTGTACC
AGCAAATACACAAGGAATTCTTTTTGTTTGTTCAGTTCATACTAGTCCCTTCCCAATCCAT
CAGTAAAGACCCCATCTGCCTTGTCATGCCGTTTCCCAACAGGGATGTCACTTGATATGAG
AATCTCAAATCTCAATGCCTTATAAGCATTCCCTCCTGTGTCCATTAAGACTCTGATAATTG
TCTCCCCTCCATAGGAATTTCTCCCAGGAAAGAAATATATCCCCATCTCCGTTTCATATCAG
AACTACCGTCCCCGATATTCCCTTCAGAGAGATTAAAGACCAGAAAAAAGTGAGCCTCTTCA
TCTGCACCTGTAATAGTTTCAGTTCCTATTTTCTTCCATTGACCCATATTTATACCTTTCAG
GTACTGAAGATTTAATAATAATAAATGTAAATACTGTGAAAAA

230/330

FIGURE 230

MQAKYSSTRDMLDDDGD TTMSLHSQASATTRHPEPRRTEHRAPSSTWRPVALTLLTLCLVLL
IGLAALGLLFFQYYQLSNTGQDTISQMEERLGNTSQELQSLQVQNIKLAGSLQHVAEKLCRE
LYNKAGAHRCSPCTEQWKWHGDNCYQFYKDSKSWEDCKYFCLSENSTMLKINKQEDLEFAAS
QSYSEFFYSYWTGLLRPDSGKAWLWMDGTPFTSELFHIIIDVTSPRSRDCVAILNGMIFSKD
CKELKRCVCERRAGMVKPESLHVPPETLGEGD

231/330

FIGURE 231

AATTTTCACCGCTGTAGGAATCCAGATGCAGGCCAAGTACAGCAGCACGAGGGACATGNTGG
ATGATGATGGGACACCACCATGAGCCTGCATTNTCAAGCTTTTGCCACAATTCGGCATCCAG
AGCCCCGGCGCACAGAGCACAGGGNTCCTTTTTCAACGTGGCGACCAGTGGCCCTGACCCTG
CTGACTTTGTGCTTGGTGCTGCTGATAGGGCTGGCAGCCCTGGGGCTTTTGTTTTTTCAGTA
CTACCAGCTCTCCAATACTGGTCAAGACACCATTTCTCAAATGGAAGAAAGATTAGGAAATA
CGTCCCAAGAGTTGCAATTTNTTCAAGTCCAGAATATAAAGCTTGCAGGAAGTNTGCAGCAT
GTGGCTGAAAACTCTGTCGTGAGCTGTATAACAAAGCTGGAGGAACTTTGAAGGAGGGCAA
AGTNTCCTCATNTACTATACACACACCACTTCCC

232/330

FIGURE 232

CCGAGAGCGCAAGAACCCTGCGCAGCCAGAGCAGCTGCTGGAGGGGAATCGAGGCGCGGCTC
CGGGGATTTCGGCTCGGGCCGCTGGCTCTGCTCTGCGGGGAGGGAGCGGGCCCGCCGCGGGG
CCCAGACCCCTCCGGATCCGCCCCCTCCCGGTTCCGCCCCCTCGGAGACTCCTCTGGCTGCT
CTGGGGGTTTCGCCGGGGCCGGGGACCCGCGGTCCGGGCGCCATGCGGGGCATCGCTGCTGCTG
TCGGTGCTGCGGCCCCGAGGGCCCGTGGCCGTGGGCATCTCCCTGGGCTTACCCCTGAGCCT
GCTCAGCGTCACCTGGGTGGAGGAGCCGTGCGGCCAGGCCCGCCCCAACCTGGAGACTCTG
AGCTGCCGCCGCGCGGCAACACCAACGCGGCGCGCCGGCCCAACTCGGTGCAGCCCCGGAGCG
GAGCGCGAGAAGCCCCGGGGCCGGCAGAGCGCGCGGGAGAATTGGAGCGCGCGCTCTTGCC
CTACCACCTTGCACAGCCCGGCCAGGCGCCAAAAAGGCCGTAGGAGACCCGCTACATCAGCA
CGGAGCTGGGCATCAGGCAGAGGCTGCTGGTGGCGGTGCTGACCTCTCAGACCACGCTGCC
ACGCTGGGCGTGGCCGTGAACCGCACGCTGGGGCACCGGCTGGAGCGTGTGGTGTTCCTGAC
GGGCGCACGGGGCCGCCGGGGCCCCACCTGGCATGGCAGTGGTGACGCTGGGCGAGGAGCGAC
CCATTGGACACCTGCACCTGGCGCTGCGCCACCTGCTGGAGCAGCACGGCGACGACTTTGAC
TGGTTCTTCTGGTGCCTGACACCACCTACACCGAGGCGCACGGCTGGCACGCGCTAACTGG
CCACCTCAGCCTGGCCTCCGCCGCCACCTGTACCTGGGCCGGCCCCAGGACTTTCATCGGCG
GAGAGCCCCACCCCGGCCCTACTGCCACGGAGGCTTTGGGGTGCTGCTGCTGCGCATGTCTG
CTGCAACAACCTGCGCCCCCACCCTGGAAGGCTGGCGCAACGACATCGTCAGTGCGCGCCCTGA
CGAGTGGCTGGGTGCTGCACTTCTCGATGCCACCGGGGTGGGCTGCACTGGTGACCACGAGG
GGGTGCACTATAGCCATCTGGAGCTGAGCCCTGGGGAGCCAGTGCAGGAGGGGGACCCCTCAT
TTCCGAAGTGCCCTGACAGCCCCACCCTGTGCGTGACCCTGTGCACATGTACCAGCTGCACAA
AGCTTTTCGCCGAGCTGAACTGGAACGCACGTACCAGGAGATCCAGGAGTTACAGTGGGAGA
TCCAGAATACCAGCCATCTGGCCGTTGATGGGGACCGGGCAGCTGCTTGGCCCGTGGGTATT
CCAGACCACTCCCGCCCGGCCCTCCCGCTTACGAGGTGCTGCGCTGGGACTACTTACCGGAGCA
CGACGCTTTCTCCTGCCCGCATGCCCTATCCCGCTGCCACTGCGCTGGGGCTGACCGGGCTG
ATGTGGCCGATGTTCTGGGGACAGCTCTAGAGGAGCTGAACCGCCGCTACCACCCGGCCTTG
CGGCTCCAGAAGCAGCAGCTGGTGAATGGCTACCGACGCTTTGATCCGGCCCCGGGGTATGGA
ATACACGCTGGACTTGACAGCTGGAGGCACTGACCCCCAGGGAGGCCGCCGGCCCCCTCACTC
GCCGAGTGCAGCTGCTCCGGCCGCTGAGCCGCGTGAGATCTTGCCCTGTGCCCTATGTCACT
GAGGCCTCACGTCTCACTGTGCTGCTGCCTCTAGCTGCGGCTGAGCGTGACCTGGCCCCCTGG
CTTCTTGAGAGCCTTTGCCACTGCAGCACTGGAGCCTGGTGATGCTGCGGCAGCCCTGACCC
TGCTGCTACTGTATGAGCGCGCCAGGCCAGCGCGTGCGCCCATGCAGATGTCTTCGCACCT
GTCAAGGCCACAGTGGCGAGAGCTGGAGCGCGCTTCCCGGCTGCCGGGTGCCATGGCTCAG
TGTGCAGACAGCCGCACCCTCACCACTGCGCCTCATGGATCTACTCTCCAAGAAGCACCCGC
TGGACACACTGTTCTGCTGGCCGGGCCAGACACGGTGCTCACGCCTGACTTCTGAACCGC
TGCCGCATGCATGCCATCTCCGGCTGGCAGGCCTTCTTTCCCATGCATTTCCAAGCCTTCCA
CCCAGGTGTGGCCCCACCACAAGGGCCTGGGGCCCCAGAGCTGGGCCGTGACACTGGCCGCT
TTGATCGCCAGGCAGCCAGCGAGGCCTGCTTCTACAACCTCCGACTACGTGGCAGCCCCGTGGG
CGCCTGGCGGCAGCCTCAGAACAGAAGAGGAGCTGCTGGAGAGCCTGGATGTGTACGAGCT
GTTCTCTCACTTCTCCAGTCTGCATGTGCTGCGGGCGGTGGAGCCGCGCTGCTGACGCGCT
ACCGGGCCCCAGCGTGCAGCGAGGCTCAGTGAGGACCTGTACCAACCGCTGCCTCCAGAGC
GTGCTTGAGGGCCTCGGCTCCCGAACCAGCTGGCCATGCTACTCTTTGAACAGGAGCAGGG
CAACAGCACCTGACCCCCACCCTGTCCCGTGGGCCGTGGCATGGCCACACCCCCACCCCACTT
CTCCCCCAAAACCAGAGCCACCTGCCAGCCTCGCTGGGCAGGGCTGGCCGTAGCCAGACCCC
AAGCTGGCCCACTGGTCCCCTCTCTGGCTCTGTGGGTCCCTGGGCTCTGGACAAGCACTGGG
GGACGTGCCCCCAGAGCCACCCACTTCTCATCCCAAACCCAGTTTCCCTGCCCCCTGACGCT
GCTGATTTCGGGCTGTGGCCTCCACGTATTTATGCAGTACAGTCTGCCTGACGCCAGCCCTGC
CTCTGGGCGCTGGGGGCTGGGCTGTAGAAGAGTTGTTGGGGAAGGAGGGAGCTGAGGAGGGG
GCATCTCCCACTTCTCCCTTTTGGACCCTGCCGAAGCTCCCTGCCTTTAATAAACTGGCCA
AGTGTGGAAAAA

233/330

FIGURE 233

MRASLLLSVLRPAGPVAVGISLGFTLSLLSVTWVEEPCGPGPPQPGDSELPPRGNTNAARRP
NSVQPGAEREKPGAGEGAGENWEPRVLPYHPAQPGQAACKAVRTRYISTELGIRQRLLVAVL
TSQTTLPTLGVAVNRTLGHRLERVVFLTGARGRRAPPGMAVVTLGEERPIGHLHLALRHLE
QHGDDEFDWWFLVPDTTYTEAHGLARLTGHLSLASAAHLYLGRPQDFIGGEPTPGRYCHGGFG
VLLSRMLLQQLRPHLEGCRNDIVSARPDEWLGRCIL DATGVGCTGDHEGVHYSHLELSPGEP
VQEGDPHFRSALTAHPVRDPVHMYQLHKAFARAELERTYQEIQELQWEIQNTSHLAVDGDRA
AAWPVGIPAPSRPASRFEVLRWDYFTEQHAFSCADGSPRCPLRGADRADVADVLTGTALEELN
RRYHPALRLQKQQLVNGYRRFDPARGMEYTLDLQLEALTPQGGRRPLTRRVQLLRPLSRVEI
LPVPYVTEASRLTVLLPLAAAERDLAPGFLEAFATAALEPGDAAAALTLLLLYEPRQAQRVA
HADVFAPVKAHVAELERRFPGARVPWLSVQTAAPSPLRLMDLLSKKHPLDTLFLLAGPDTV
LPDFLNRCRMHAISGWQAFFPMHFQAFHPGVAPPQGPPELGRDTGRFDRQAASEACFYNS
DYVAARGRLAAASEQEEELLES LDVYELFLHFSSLHVLRAVEPALLQRYRAQTCSARLSEDL
YHRCLQSVLEGLGSRTQLAMLLFEQE QGNST

234/330

FIGURE 234

GCTCTGGCCGGCCCCGGCGATTGGTCACCGCCCGCTAGGGGACAGCCCTGGCCTCCTCTGAT
TGGCAAGCGCTGGCCACCTCCCCACACCCCTTGCGAACGCTCCCCTAGTGGAGAAAAGGAGT
AGCTATTAGCCAATTTCGGCAGGGCCCCGCTTTTTAGAAAGCTTGATTTCTTTGAAGATGAAAG
ACTAGCGGAAGCTCTGCCTCTTTCCCCAGTGGGCGAGGGAACTCGGGGCGATTGGCTGGGAA
CTGTATCCACCCAAATGTCACCGATTTCTTCCTATGCAGGAAATGAGCAGACCCATCAATAA
GAAATTTCTCAGCCTGGCCGAAAATGGTTGGCCCCACGAAGCCACGACAACTGGAGGCAAAG
AGGGTTGCTCAACGCCCCGCCTCATTGGAAAACCAAATCAGATCTGGGACCTATATAGCGTG
GCGGAGGCGGGGCGATGATTGTCGCGCTCGCACCCACTGCAGCTGCGCACAGTCGCATTTCT
TTCCCCGCCCTGAGACCCTGCAGCACCATCTGTCATGGCGGCTGGGCTGTTTGGTTTGAGC
GCTCGCCGTCTTTTGGCGGCAGCGGCGACGCGAGGGCTCCCGGCCGCCCGCGTCCGCTGGGA
ATCTAGCTTCTCCAGGACTGTGGTCGCCCCGTCCGCTGTGGCGGGAAAGCGGCCCCCAGAAC
CGACCACACCGTGGCAAGAGGACCCAGAACCCGAGGACGAAAACCTGTATGAGAAGAACCCA
GACTCCCATGGTTATGACAAGGACCCCGTTTTGGACGTCTGGAACATGCGACTTGTCTTCTT
CTTTGGCGTCTCCATCATCCTGGTCCTTGGCAGCACCTTTGTGGCCTATCTGCCTGACTACA
GGATGAAAGAGTGGTCCCGCCGCGAAGCTGAGAGGCTTGTGAAATACCGAGAGGCCAATGGC
CTTCCCATCATGGAATCCAACCTGCTTCGACCCCAGCAAGATCCAGCTGCCAGAGGATGAGTG
ACCAGTTGCTAAGTGGGGCTCAAGAAGCACCGCCTTCCCCACCCCCTGCCTGCCATTCTGAC
CTCTTCTCAGAGCACCTAATTAAAGGGGCTGAAAGTCTGAA

235/330

FIGURE 235

MAAGLFGLSARRLLAAAATRGLPAARVRWESSFSRTVVAPSAVAGKRPPEPTTPWQEDPEPE
DENLYEKNPD SHGYDKDPVLDVWNMRLVFFFVGSIIILVLGSTFVAYLPDYRMKEWSRREAER
LVKYREANGLPIMESNCFDPSKIQLPED

236/330

FIGURE 236

GGCGGCTGGGCTGTTTGGTTTGAGCGCTCGCCGTCTTTTGGCGGCAGCGGCGACGCGAGGGC
TCCCGGCCGCCCCGCGTCCGCTGGGAATCTAGCTTCTCCAGGACTGTGGTCGCCCCGTCCGCT
GTGGCGGGAAAGCGGCCCCCAGAACCGACCACACCGTGGCAAGAGGACCCAGAACCCGAGGA
CGAAAAC TTGTATGAGAAGAACCCAGACTCCCATGGTTATGACAAGGACCCCGTTTTGGACG
TCTGGAACATGCGACTTGTCTTCTTCTTTGGCGTCTCCATCATCCTGGTCCTTGGCAGCACC
TTTGTGGCCTATCTGCCTGACTACAGGATGAAAGAGTGGTCCCGCCGCGAAGCTGAGAGGCT
TGTGAAATACCGAGAGGCCAATGGCCTTCCCATCATGGAATCCAAC TGCTTCGACCCCAGCA
AGATCCAG

237/330

FIGURE 237

CGGCGGGCT**ATG**CCGCTTGCTCTGCTCGTCCTGTTGCTCCTGGGGCCCGGCGGCTGGTGCCT
TGCAGAACCCCCACGCGACAGCCTGCGGGAGGAACCTTGTCATCACCCCGCTGCCTTCCGGGG
ACGTAGCCGCCACATTCCAGTTCCGCACGCGCTGGGATTTCGGAGCTTCAGCGGGAAGGAGTG
TCCCATTACAGGCTCTTTCCCAAAGCCCTGGGGCAGCTGATCTCCAAGTATTCTCTACGGGA
GCTGCACCTGTCAATTCACACAAGGCTTTTGGAGGACCCGATACTGGGGGCCACCTTCCTGC
AGGCCCCATCAGGTGCAGAGCTGTGGGTCTGGTTCCAAGACACTGTCACTGATGTGGATAAA
TCTTGGAAGGAGCTCAGTAATGTCCTCTCAGGGATCTTCTGCGCCTCTCTCAACTTCATCGA
CTCCACCAACACAGTCACTCCCCTGCTCCTTCAAACCCCTGGGTCTGGCCAATGACACTG
ACCACTACTTTCTGCGCTATGCTGTGCTGCCGCGGGAGGTGGTCTGCACCGAAAACCTCACC
CCCTGGAAGAAGCTCTTGCCCTGTAGTTCCAAGGCAGGCCTCTCTGTGCTGCTGAAGGCAGA
TCGCTTGTTCCACACCAGCTACCACTCCCAGGCAGTGCATATCCGCCCTGTTTGCAGAAATG
CACGCTGTACTAGCATCTCCTGGGAGCTGAGGCAGACCCTGTCAAGTTGATTTGATGCCTTC
ATCACGGGGCAGGGAAAGAAAGACTGGTCCCTCTTCCGGATGTTCTCCCGAACCTCAGCGA
GCCCTGCCCCCTGGCTTCAGAGAGCCGAGTCTATGTGGACATCACCACTACAACCAGGACA
ACGAGACATTAGAGGTGCACCCACCCCGACCACTACATATCAGGACGTCACTTAGGCACT
CGGAAGACCTATGCCATCTATGACTTGCTTGACACCGCCATGATCAACAACTCTCGAAACCT
CAACATCCAGCTCAAGTGGAAGAGACCCCGAGAGAATGAGGCCCCCAGTGCCCTTCCTGC
ATGCCCAGCGGTACGTGAGTGGCTATGGGCTGCAGAAGGGGGAGCTGAGCACACTGCTGTAC
AACACCTACCCATAACCGGCCTTCCCGGTGCTGCTGGACACCGTACCTGGTATCTGCG
GCTGTATGTGCACACCCTCACCATCACCTCCAAGGGCAAGGAGAACAAACCAAGTTACATCC
ACTACCAGCCTGCCCAGGACCGGCTGCAACCCACCTCCTGGAGATGCTGATTGAGCTGCCG
GCCAACTCAGTCACCAAGGTTTCCATCCAGTTTGAGCGGGCGCTGCTGAAGTGGACCGAGTA
CACGCCAGATCCTAACCATGGCTTCTATGTACGCCATCTGTCTCAGCGCCCTTGTGCCCA
GCATGGTAGCAGCCAAGCCAGTGGACTGGGAAGAGAGTCCCCTCTTCAACAGCCTGTTCCCA
GTCTCTGATGGCTCTAACTACTTTGTGCGGCTCTACACGGAGCCGCTGCTGGTGAACCTGCC
GACACCGGACTTCAGCATGCCCTACAACGTGATCTGCCTCACGTGCACTGTGGTGGCCGTGT
GCTACGGCTCCTTCTACAATCTCCTCACCCGAACCTTCCACATCGAGGAGCCCCGCACAGGT
GGCCTGGCCAAGCGGCTGGCCAACCTTATCCGGCGCGCCCGAGGTGTCCCCCACTCT**TG**ATT
CTTGCCCTTTCCAGCAGCTGCAGCTGCCGTTTCTCTCTGGGGAGGGGAGCCCAAGGGCTGTT
TCTGCCACTTGCTCTCCTCAGAGTTGGCTTTTGAACCAAGTGCCCTGGACCAGGTGAGGGC
CTACAGCTGTGTTGTCCAGTACAGGAGCCACGAGCCAAATGTGGCATTGAAATTTGAATTAA
CTTAGAAATTCATTTCCCTCACCTGTAGTGGCCACCTCTATATTGAGGTGCTCAATAAGCAAA
AGTGGTCGGTGGCTGCTGTATTGGACAGCACAGAAAAAGATTTCCATCACACAGAAAGGTC
GGCTGGCAGCACTGGCCAAGGTGATGGGGTGTGCTACACAGTGTATGTCACTGTGTAGTGGA
TGGAGTTTACTGTTTGTGGAATAAAAAACGGCTGTTCCGTGGAAAAAAAAAAAAA

238/330

FIGURE 238

MPLALLVLLLLGPGGWCLAEP PRDSLREELVITPLPSGDVAATFQFRTRWDSELQREGVSHY
RLFPKALGQLISKYSLRELHLSFTQGFWRTRYWGPPFLQAPSGAELWVWFQDVTVDVDSWK
ELSNVLSGIFCASLNFIDSTNTVTPTASF KPLGLANDTDHYFLRYAVLPREVVCTENLTPWK
KLLPCSSKAGLSVLLKADRLFHTSYHSQAVHIRPVCRNARCTSSISWELRQTL SVVFDAFITG
QGKKDWSLFRMFSRTLTEPCPLASESRVYVDITTYNQDNETLEVHPPPTTTYQDVILGTRKT
YAIYDLLDTAMINNSRNLNIQLKWKRPENEAPPVPFLHAQRYVSGYGLQKGELSTLLYNTH
PYRAFPVLLLDTPWYLRLYVHTLTITSKGKENKPSYIHYQPAQDR LQPHLLEMLIQLPANS
VTKVSIQFERALLKWTEYTPDPNHGFYVSPSVLSALVPSMVAAK PVDWEESPLFNSLFPVSD
GSNYFVRLYTEPLLNLPTPDFSMPYNVICLTCTVVAVCYGSFYNLLTRTFHIEEPRTGGLA
KRLANLIRRARGVPPL

239/330

FIGURE 239

CAACATGGGGTCCAGCAGCTTCTTGGTCCTCATGGTGTCTCTCGTTCTTGTGACCCTGGTGG
CTGTGGAAGGAGTTAAAGAGGGTATAGAGAAAGCAGGGGTTTGCCCAGCTGACAACGTACGC
TGCTTCAAGTCCGATCCTCCCCAGTGTACACAGACCAGGACTGTCTGGGGGAAAGGAAGTG
TTGTTACCTGCACTGTGGCTTCAAGTGTGTGATTCCTGTGAAGGAAGTGAAGAAGGAGGAA
ACAAGGATGAAGATGTGTCAAGGCCATACCCTGAGCCAGGATGGGAGGCCAAGTGTCCAGGC
TCCTCCTCTACCAGGTGTCTCAGAATGATGCTGGGTCCCTTCTACCTCTGGGGGTCACTC
TCACTTGGCACCTGCCCCTGAGGGTCCTGAGACTTGGAATATGGAAGAAGCAATACCCAACC
CCACCAAAGAAAACCTGAGCTTGAAGTCCTTTTCCCCAAAAGAGGGAAGAGTCACAAAAAG
TCCAGACCCCAGGGACGGTACTTTCCCTCTCTACCTGGTGCTCCTCCCTAATGCTCATGAAT
GGACCCCTCATGAATGAAACCAGTGGCCTTATAAGAGACCCCAAAGAGCTGCCTTGCCCTTC
TGCAATGTGTGATCACAGCTAGAAGGCACTGTCAGAGAAGAGAACTGGTCCTCACCAGATG
CTGAATCTGCTGGTGCCTTGATCTTGGACTTCCCAGCCTCTAGAACTGTAAGAAATAAATAT
TTGCTGTTTATAATCCAA

240/330

FIGURE 240

MGSSSFVLVMVSLVLVTLVAVEGVKEGIEKAGVCPADNVRCFKSDPPQCHTDQDCLGERKCC
YLHCGFKCVIPVKELEEGGNKDEDVSRPYPEPGWEAKCPGSSSTRCPQK

Signal sequence:

amino acids 1-19

N-myristoylation sites:

amino acids 23-29, 27-33, 32-38, 102-108

WAP-type 'four-disulfide core' domain signature:

amino acids 49-63

241/330

FIGURE 241

AAACTCAGCACTTGCCGGAGTGGCTCATTGTTAAGACAAAGGGTGTGCACTTCCTGGCCAGG
AAACCTGAGCGGTGAGACTCCCAGCTGCCTACATCAAGGCCCCAGGACATGCAGAACCTTCC
TCTAGAACCCGACCCACCACCATGAGGTCTGCCTGTGGAGATGCAGGCACCTGAGCCAAGG
CGTCCAGTGGTCTTGCTTCTGGCTGTCCTGGTCTTCTTTCTCTTCGCCTTGCCCTCTTTTA
TTAAGGAGCCTCAAACAAAGCCTTCCAGGCATCAACGCACAGAGAACATTAAAGAAAGGTCT
CTACAGTCCCTGGCAAAGCCTAAGTCCCAGGCACCCACAAGGGCGAGGAGGACAACCATCTA
TGCAGAGCCAGCGCCAGAGAACAATGCCCTCAACACACAAACCCAGCCCAAGGCCACACCA
CCGGAGACAGAGGAAAGGAGGCCAACCAGGCACCGCCGGAGGAGCAGGACAAGGTGCCCCAC
ACAGCACAGAGGGCAGCATGGAAGAGCCCAGAAAAAGAGAAAACCATGGTGAACACACTGTC
ACCCAGAGGGCAAGATGCAGGGATGGCCTCTGGCAGGACAGAGGCACAATCATGGAAGAGCC
AGGACACAAAGACGACCCAAGGAAATGGGGGCCAGACCAGGAAGCTGACGGCCTCCAGGACG
GTGTCAGAGAAGCACCAGGGCAAAGCGGCAACCACAGCCAAGACGCTCATTCCCAAAAGTCA
GCACAGAAATGCTGGCTCCACAGGAGCAGTGTCAACAAGGACGAGACAGAAAGGAGTGACCA
CAGCAGTCATCCCACCTAAGGAGAAGAAACCTCAGGCCACCCACCCCTGCCCTTTCCAG
AGCCCCACGACGCAGAGAAACCAAAGACTGAAGGCCGCAACTTCAAATCTGAGCCTCGGTG
GGATTTTGAGGAAAAATACAGCTTCGAAATAGGAGGCCTTCAGACGACTTGCCCTGACTCTG
TGAAGATCAAAGCCTCCAAGTCGCTGTGGCTCCAGAAACTCTTTCTGCCCAACCTCACTCTC
TTCTGGCTTCAGACACTTCAACCAGAGTGAGTGGGACCGCCTGGAACACTTTGCACCACC
CTTTGGCTTCACTGGAGCTCACTACTCCTTGGTGCAGAAGGTCGTGACACGCTTCCCTCCAG
TGCCCCAGCAGCAGCTGCTCCTGGCCAGCCTCCCCGCTGGGAGCCTCCGGTGCATCACCTGT
GCCGTGGTGGGCAACGGGGGCATCCTGAACAACCTCCACATGGGCCAGGAGATAGACAGTCA
CGACTACGTGTTCCGATTGAGCGGAGCTCTCATTAAAGGCTACGAACAGGATGTGGGGACTC
GGACATCCTTCTACGGCTTTACCGCCTTCTCCCTGACCCAGTCACTCCTTATATTGGGCAAT
CGGGGTTTCAAGAACGTGCCTCTTGGAAGGACGTCCGCTACTTGCACTTCCTGGAAGGCAC
CCGGGACTATGAGTGGCTGGAAGCACTGCTTATGAATCAGACGGTGATGTCAAAAAACCTTT
TCTGGTTCAGGCACAGACCCAGGAAGCTTTTCGGGAAGCCCTGCACATGGACAGGTACCTG
TTGCTGCACCCAGACTTTCTCCGATACATGAAGAACAGGTTTCTGAGGTCTAAGACCCTGGA
TGGTGGCCACTGGAGGATATACCGCCCCACCACTGGGGCCCTCCTGCTGCTCACTGCCCTTC
AGCTCTGTGACCAGGTGAGTGCTTATGGCTTCATCACTGAGGGCCATGAGCGCTTTTCTGAT
CACTACTATGATACATCATGGAAGCGGCTGATCTTTTACATAAACCATGACTTCAAGCTGGA
GAGAGAAGTCTGGAAGCGGCTACACGATGAAGGGATAATCCGGCTGTACCAGCGTCCTGGTC
CCGGAAGTGCCAAAGCCAAGAAGTGAACCGGGGCCAGGGCTGCCATGGTCTCCTTGCCTGCTC
CAAGGCACAGGATACAGTGGGAATCTTGAGACTCTTTGGCCATTTCCCATGGCTCAGACTAA
GCTCCAAGCCCTTCAGGAGTTCCAAGGGAACACTTGAACCATGGACAAGACTCTCTCAAGAT
GGCAAATGGCTAATTGAGGTTCTGAAGTTCTTCAGTACATTGCTGTAGGTCCTGAGGCCAGG
GATTTTAAATTAAATGGGGTGATGGGTGGCCAATACCACAATTCCTGCTGAAAAACACTCTT
CCAGTCCAAAAGCTTCTTGATACAGAAAAAAGAGCCTGGATTTACAGAAACATATAGATCTG
GTTTGAATTCCAGATCGAGTTTACAGTTGTGAAATCTTGAAGGTATTACTTAACTTCACTAC
AGATTGTCTAGAAGACCTTTCTAGGAGTTATCTGATTCTAGAAGGGTCTATACTTGTCTTGT
TCTTTAAGCTATTTGACAACTCTACGTGTTGTAGAAAACTGATAATAATACAAATGATTGTT
GTCCATGGAAAGGCAATAAATTTTCTACAGTGAAAAA

242/330

FIGURE 242

MRSCLWRCRHLSQGVQWSLLLVFLFALPSFIKEPQTKPSRHQRTENIKERSLQSLAKP
KSQAPTRARRTTIYAEPAPENNALNTQTQPKAHTTGDRGKEANQAPPEEQDKVPHTAQRAAW
KSPEKEKTMVNTLSPRGQDAGMASGRTEAQSWKSQDTKTTQGNGGQTRKLTASRTVSEKHQG
KAATTAKTLIPKSQHRMLAPTGA VSTRTRQKGVTTAVIPPKEKKPQATPPPAPFQSPTTQRN
QRLKAANFKSEPRWDFEEKYSFEIGGLQTTCPDSVKIKASKSLWLQKLELPNLTFLDSRHF
NQSEWDRLEHFAPPFGMELNYSLVQKVVTREPPVPQQQLLLASLPAGSLRCITCAVVGNGG
ILNNSHMQEIDSHDYVFRLSGALIKGYEQDVGTRTSFYGFATAFSLTQSLILGNRGFKNVP
LGKDVRYLHFLEGTRDYEWLEALLMNQTVMSKNLFWFRHRPQEAFFREALHMDRYLLHPDFL
RYMKNRFLRSKTL DGAHWRIYRPTTGALLLLTALQLCDQVSAYGFITEGHERFSDHYDTSW
KRLIFYINHDFKLEREVWKRLHDEGIIRLYQRPGPGTAKAKN

Cytoplasmic Domain:

amino acids 1-10

Type II Transmembrane Domain:

amino acids 11-35

Lumenal catalytic Domain:

amino acids 36-600

Ribonucleotide Reductase small subunit Signature:

amino acids 481-496

N-glycosylation Sites:

amino acids 300-303, 311-314, 331-334, 375-378, 460-463

243/330

FIGURE 243

CGATGCGCGGACCCGGGCACCCCCTCCTCCTGGGGCTGCTGCTGGTGCTGGGGCCTTCGCCG
GAGCAGCGAGTGGAATTGTTCCCTCGAGATCTGAGGATGAAGGACAAGTTTCTAAAACACCT
TACAGGCCCTCTTTATTTTAGTCCAAAGTGCAGCAAACACTTCCATAGACTTTATCACAACA
CCAGAGACTGCACCATTCCTGCATACTATAAAAGATGCGCCAGGCTTCTTACCCGGCTGGCT
GTCAGTCCAGTGTGCATGGAGGATAAGTGAGCAGACCGTACAGGAGCAGCACACCAGGAGCC
ATGAGAAGTGCCTTGGAACCAACAGGGAAACAGAACTATCTTTATACACATCCCCTCATGG
ACAAGAGATTTATTTTGCAGACAGACTCTTCCATAAGTCCTTTGAGTTTTGTATGTTGTTG
ACAGTTTGCAGATATATATTCGATAAATCAGTGTACTTGACAGTGTTATCTGTCACTTATTT

244/330

FIGURE 244

MRGPGHPLLLGLLLVLGPSPEQRVEIVPRDLRMKDKFLKHLTGPLYFSPKCSKHFRLYHNT
RDCTIPAYYKRCARLLTRLAVSPVCMEDK

245/330

FIGURE 245

GGGCTGGGCCCCGCCGAGCTCCAGCTGGCCGGCTTGGTCCTGCGGTCCCTTCTCTGGGAGG
CCCGACCCCGGCCGCGCCAGCCCCACCATGCCACCCGCGGGGCTCCGCCGGGCCGCGCCG
CTCACCGCAATCGCTCTGTTGGTGCTGGGGGCTCCCCTGGTGCTGGCCGGCGAGGACTGCCT
GTGGTACCTGGACCGGAATGGCTCCTGGCATCCGGGGTTTAACTGCGAGTTCTTCACCTTCT
GCTGCGGGACCTGCTACCATCGGTACTGCTGCAGGGACCTGACCTTGCTTATCACCGAGAGG
CAGCAGAAGCACTGCCTGGCCTTCAGCCCCAAGACCATAGCAGGCATCGCCTCAGCTGTGAT
CCTCTTTGTTGCTGTGGTTGCCACCACCATCTGCTGCTTCCTCTGTTCTGTGCTACCTGT
ACCGCCGGCGCCAGCAGCTCCAGAGCCCATTGGAAGGCCAGGAGATTCCAATGACAGGCATC
CCAGTGCAGCCAGTATACCCATAÇCCCCAGGACCCCAAAGCTGGCCCTGCACCCCCACAGCC
TGGCTTCATGTACCCACCTAGTGGTCCTGCTCCCCAATATCCACTCTACCCAGCTGGGCCCC
CAGTCTACAACCCTGCAGCTCCTCCTCCCTATATGCCACCACAGCCCTCTTACCCGGGAGCC
TGAGGAACCAGCCATGTCTCTGCTGCCCCCTTCAGTGATGCCAACCTTGGGAGATGCCCTCAT
CCTGTACCTGCATCTGGTCCTGGGGGTGGCAGGAGTCCTCCAGCCACCAGGCCCCAGACCAA
GCCAAGCCCTGGGCCCTACTGGGGACAGAGCCCCAGGGAAGTGGAACAGGAGCTGAAGTAGA
ACTATGAGGGGTTGGGGGGAGGGCTTGAATTATGGGCTATTTTTACTGGGGGCAAGGGAGG
GAGATGACAGCCTGGGTACAGTGCCTGTTTTCAAATAGTCCCTCTGCTCCCAAGATCCCAG
CCAGGAAGGCTGGGGCCCTACTGTTTGTCCCCTCTGGGCTGGGGTGGGGGGAGGGAGGAGGT
TCCGTCAGCAGCTGGCAGTAGCCCTCCTCTCTGGCTGCCCCACTGGCCACATCTCTGGCCTG
CTAGATTAAAGCTGTAAAGACAAAA

246/330

FIGURE 246

MPPAGLRRRAAPLTAIALLVLGAPLVLAGEDCLWYLDRNGSWHPGFNCEFFTFC CGTCYHRYC
CRDLTLLITERQQKHCLAFSPKTIAGIASAVILFVAVVATTICCF LCSCCYLYRRRQQLQSP
FEGQEIPMTGIPVQPVYPYPQDPKAGPAPPQPGFMYPPSGPAPQYPLYPAGPPVYNPAAPPP
YMPPQPSYPGA

Transmembrane Domains:

amino acids 10-28, 85-110

N-glycosylation Site:

amino acids 38-41

N-myristoylation Sites:

amino acids 5-10, 88-93

247/330

FIGURE 247

GGGGGAGCTAGGCCGGCGGCAGTGGTGGTGGCGGGCGGCGCAAGGGTGAGGGCGGCCCCAGAA
CCCCAGGTAGGTAGAGCAAGAAGATGGTGTCTTCTGCCCCCTCAAATGGTCCCTTGCAACCATG
TCATTTCTACTTTTCTCCTCACTGTTGGCTCTCTTAAGTGTGTCCACTCCTTCATGGTGTAGAG
CACTGAAGCATCTCCAAAACGTAGTGATGGGACACCATTTCCTTGGAATAAAATACGACTTC
CTGAGTACGTCATCCAGTTCATTATGATCTCTTGATCCATGCAAACCTTACCACGCTGACC
TTCTGGGGAACACGAAAGTAGAAATCACAGCCAGTCAGCCCACCAGCACCATCATCTGCA
TAGTCACCACCTGCAGATATCTAGGGCCACCCTCAGGAAGGGAGCTGGAGAGAGGGCTATCGG
AAGAACCCTTGCAGGTCTTGAACACCCCCCTCAGGAGCAAATTGCACTGCTGGCTCCCGAG
CCCCTCCTTGTCGGGCTCCCGTACACAGTTGTCATTCACTATGCTGGCAATCTTTCGGAGAC
TTTCCACGGATTTTACAAAAGCACCTACAGAACCAAGGAAGGGGAACTGAGGATACTAGCAT
CAACACAATTTGAACCCACTGCAGCTAGAATGGCCTTTCCTGCTTTGATGAACCTGCCTTC
AAAGCAAGTTTCTCAATCAAAATTAGAAGAGAGGCCAAGGCACCTAGCCATCTCCAATATGCC
ATTGGTGAAATCTGTGACTGTTGCTGAAGGACTCATAGAAGACCATTTTGATGTCACTGTGA
AGATGAGCACCTATCTGGTGGCCTTCATCATTTCAGATTTTGAGTCTGTGAGCAAGATAACC
AAGAGTGGAGTCAAGGTTTCTGTTTATGCTGTGCCAGACAAGATAAATCAAGCAGATTATGC
ACTGGATGCTCGGGTGAATCTTCTAGAATTTTATGAGGATTATTTGAGCATACCGTATCCCC
TACCCAACTAAGATCTTGCTGCTATTTCCGACTTTTCACTGCTGGTGTATGGAAACTGGGGA
CTGACAACATATAGAGAATCTGCTCTGTTGTTGATGCAGAAAAGTCTTCTGCATCAAGTAA
GCTTGGCATCACAGTGAATGCTGGCCCATGAAGTGGCCACCAGTGGTTTGGGAACCTGGTCA
CTATGGAATGGTGAATGATCTTTGGCTAAATGAAGGATTTGCCAAATTTATGGAGTTTGTG
TCTGTCACTGTGACCCATCCTGAAGTGAAGTTGGAGATTATTTCTTTGGCAAATGTTTTGA
CGCAATGGAGGTAGATGCTTTAAATTCCTCACACCCTGTGTCTACACCTGTGGAAAATCCTG
CTCAGATCCGGGAGATGTTTGATGATGTTTCTTATGATAAGGGAGCTTGTATTCTGAATATG
CTAAGGGAGTATCTTAGCGCTGACGCATTTAAAGTGGTATTGTACAGTATCTCCAGAAGCA
TAGCTATAAAAAATACAAAAAACGAGGACCTGTGGGATAGTATGGCAAGTATTTGCCCTACAG
ATGGTGTAAAGGGATGGATGGCTTTTGCTCTAGAAGTCAACATTCATCTTCATCCTCACAT
TGGCATCAGGAAGGGGTGGATGTGAAAACCATGATGAACACTTGGACACTGCAGAGGGGTTT
TCCCCATAATAACCATCACAGTGAAGGGGGAGGAATGTACACATGAAGCAAGAGCACTACATGA
AGGGCTCTGACGGCGCCCCGGACACTGGGTACCTGTGGCATGTTCCATTGACATTCATCACC
AGCAAATCCAACATGGTCCATCGATTTTTGTCTAAAAACAAAAACAGATGTGCTCATCCTCCC
AGAAGAGGTGGAATGGATCAAATTTAATGTGGGCATGAATGGCTATTACATTGTGCATTACG
AGGATGATGGATGGGACTCTTTGACTGGCCTTTTAAAGGAACACACACAGCAGTCAGCAGT
AATGATCGGGCAAGTCTCATTAACAATGCATTTTCAGCTCGTCAGCATTGGGAAGCTGTCCAT
TGAAAAGGCCTTGGATTTATCCCTGTACTTGAACATGAACTGAAATTATGCCCGTGTTC
AAGGTTTGAATGAGCTGATTCCCTATGTATAAGTTAATGGAGAAAAGAGATATGAATGAAGTG
GAACTCAATTCAAGGCCTTCTCATCAGGCTGCTAAGGGACCTCATTGATAAGCAGACATG
GACAGACGAGGGCTCAGTCTCAGAGCAAATGCTGCGGAGTGAAGTACTACTCCTCGCCTGTG
TGCACAACATATCAGCCGTGCGTACAGAGGGCAGGAAGGCTATTTGAGAAAGTGAAGGAATCC
AATGGAACTTGAGCCTGCCTGTGACGTGACCTTGGCAGTGTGTTGCTGTGGGGGCCAGAG
CACAGAAGGCTGGGATTTTCTTTATAGTAAATATCAGTTTTCTTTGTCCAGTACTGAGAAAA
GCCAAATTGAATTTGCCCTCTGCAGAACCCAAAATAAGGAAAAGCTTCAATGGCTACTAGAT
GAAAGCTTTAAGGGAGATAAAATAAAAACTCAGGAGTTTCCACAAATTTCTTACACTCATTGG
CAGGAACCCAGTAGGATACCCACTGGCCTGGCAATTTCTGAGGAAAACTGGAACAACTTG
TACAAAAGTTTGAACCTGGCTCATCTTCCATAGCCACATGGTAATGGGTACAACAAATCAA
TTCTCCACAAGAACACGGCTTGAAGAGGTAAAGGATTCTTCAGCTCTTTGAAAGAAAATGG
TTCTCAGCTCCGTTGTGTCCAACAGACAATTGAACCATTGAAGAAAACATCGGTTGGATGG
ATAAGAATTTTGATAAAATCAGAGTGTGGCTGCAAAGTGAAGGCTTGAACGTATGTAAAAA
TTCTCCCTTGCCCGGTTCTGTATCTCTAATCACCAACATTTTGTGAGTGTATTTTCAA
ACTAGAGATGGCTGTTTTGGCTCCAAGTGGAGATACTTTTTTCCCTTCAACTCATTTTTTGA
CTATCCCTGTGAAAAGAATAGCTGTAGTTTTTTCATGAATGGGCTTTTTTCATGAATGGGCTA
TCGCTACCATGTGTTTTGTTTCATCACAGGTGTTGCCCTGCAACGTAAACCCAAAGTGTGGGT
TCCCTGCCACAGAAGAATAAAGTACCTTATTCTCTCAAAAAAAAAAAAAAAAAAAAAAAAAA

248/330

FIGURE 248

MVFLPLKWSLATMSFLLSSLLALLTVSTPSWCQSTEASPKRSDGTPFPWNKIRLPEYVIPVH
YDLLIHANLTTLTFWGTTKVEITASQPTSTIILHSHHLQISRATLRKGAGERLSEEPLQVLE
HPPQEQIALLAPEPLLVLGYTVVIHYAGNLSETFHGFYKSTYRTKEGELRILASTQFEPTA
ARMAFFPCFDEPAFKASFISIKIRREPRHLAISNMPLVKSVTVAEGLIEDHFDVTVKMSTYLVA
FIISDFESVSKITKSGVKVSVYAVPDKINQADYALDAAVTLLFEFYEDYFSIPYPLPKQDLAA
IPDFQSGAMENWGLTTYRESALLFDAEKSSASSKLGITVTVAHELAHQWFGNLVTMEWWNDL
WLNEGFAKFMEFVSVSVTHPELVGDYFFGKCFDAMEVDALNSSHPVSTPVENPAQIREMFD
DVSYDKGACILNMLREYLSADAFKSGIVQYLQKHSYKNTKNEDLWDSMASICPTDGVKGMDG
FCSRSQHSSSSSHWHQEGVDVKTMMNTWTLQRGFPLITITVRGRNVHMKQEHYMKGSDGAPD
TGYLWHVPLTFITSKSNMVHRFLLKTKTDVLILPEEVEWIKFNVGMNGYYIVHYEDDGWDSL
TGLLKGTHTAVSSNDRASLINNAFQLVLSIGKLSIEKALDLSLYLKHETEIMPVFQGLNELIP
MYKLMEKRDMEVETQFKAFLIRLLRDLIDKQTTWTDEGSVSEQMLRSELLLLACVHNYQPCV
QRAEGYFRKWKESNGNLSLPVDVTLAVFAVGAQSTEGWDFLYSKYQFSLSSTEKSQIEFALC
RTQNKEKLQWLLDESFKGDKIKTQEFQILTLIGRNPVGYPLAWQFLRKNWNKLVQKFELGS
SSIAHMVMGTTNQFSTRTRLEEVRKGFSSSLKENGSQLRCVQQTIEETIEENIGWMDKNFDKIR
VWLQSEKLERM

Signal peptide:

amino acids 1-34

N-glycosylation sites:

amino acids 70-74, 154-158, 414-418, 760-764, 901-905

Neutral zinc metallopeptidases, zinc-binding region signature:

amino acids 350-360

249/330

FIGURE 249

CAGCCACAGACGGGTC**ATG**AGCGCGGTATTACTGCTGGCCCTCCTGGGGTTCATCCTCCCAC
TGCCAGGAGTGCAGGCGCTGCTCTGCCAGTTTGGGACAGTTCAGCATGTGTGGAAGGTGTCC
GACCTACCCCGGCAATGGACCCCTAAGAACACCAGCTGCGACAGCGGCTTGGGGTGCCAGGA
CACGTTGATGCTCATTGAGAGCGGACCCCAAGTGAGCCTGGTGCTCTCCAAGGGCTGCACGG
AGGCCAAGGACCAGGAGCCCCGCGTCACTGAGCACCGGATGGGCCCCGGCCTCTCCCTGATC
TCCTACACCTTCGTGTGCCGCCAGGAGGACTTCTGCAACAACCTCGTTAACTCCCTCCCGCT
TTGGGCCCCACAGCCCCCAGCAGACCCAGGATCCTTGAGGTGCCAGTCTGCTTGTCTATGG
AAGGCTGTCTGGAGGGGACAACAGAAGAGATCTGCCCCAAGGGGACCACACACTGTTATGAT
GGCTCCTCAGGCTCAGGGGAGGAGGCATCTTCTCCAATCTGAGAGTCCAGGGATGCATGCC
CCAGCCAGGTTGCAACCTGCTCAATGGGACACAGGAAATTGGGCCCCTGGGTATGACTGAGA
ACTGCAATAGGAAAGATTTTCTGACCTGTCATCGGGGGACCACCATTATGACACACGGAAAC
TTGGCTCAAGAACCCACTGATTGGACCACATCGAATACCGAGATGTGCGAGGTGGGGCAGGT
GTGTCAGGAGACGCTGCTGCTCATAGATGTAGGACTCACATCAACCCTGGTGGGGACAAAAG
GCTGCAGCACTGTTGGGGCTCAAATTTCCAGAAGACCACCATCCACTCAGCCCCCTCCTGGG
GTGCTTGTGGCCTCCTATACCCACTTCTGCTCCTCGGACCTGTGCAATAGTGCCAGCAGCAG
CAGCGTTCTGCTGAACTCCCTCCCTCCTCAAGCTGCCCCCTGTCCCAGGAGACCGGCAGTGTC
CTACCTGTGTGCAGCCCCCTTGGAACCTGTTCAAGTGGCTCCCCCGAATGACCTGCCCCAGG
GGCGCCACTCATTGTTATGATGGGTACATTATCTCTCAGGAGGTGGGCTGTCCACCAAAT
GAGCATTGAGGGCTGCGTGGCCCAACCTTCCAGCTTCTTGTGAACCACACCAGACAAATCG
GGATCTTCTCTGCGCGTGAGAAGCGTGATGTGCAGCCTCCTGCCTCTCAGCATGAGGGAGGT
GGGGCTGAGGGCCTGGAGTCTCTCACTTGGGGGGTGGGGCTGGCACTGGCCCCAGCGCTGTG
GTGGGGAGTGGTTTGCCCTTCTGCT**TAA**CTCTATTACCCCCACGATTCTTACCGCTGCTGA
CCACCCACACTCAACCTCCCTCTGACCTCATAACCTAATGGCCTTGGACACCAGATTCTTTC
CCATTCTGTCCATGAATCATCTTCCCCACACACAATCATTATATCTACTCACCTAACAGCA
ACACTGGGGAGAGCCTGGAGCATCCGGACTTGCCCTATGGGAGAGGGGACGCTGGAGGAGTG
GCTGCATGTATCTGATAATACAGACCCTGTCCTTTCA

250/330

FIGURE 250

MSAVLLLALLGFILPLPGVQALLCQFGTVQHVKVSDLPQWTPKNTSCDSGLGCQDTLMLI
ESGPQVSLVLSKGCTEAKDQEPRVTEHRMGPLSLISYTFVCRQEDFCNNLVNSLPLWAPQP
PADPGSLRCPVCLSMEGCLEGTTEEICPKGTTTCYDGLLRRLRGGGIFSNLRVQGCMPPQPGCN
LLNGTQEIGPVGMTENCNRKDFLTCHRGTTIMTHGNLAQEPTDWTTSENTEMCEVGQVCQETL
LLIDVGLTSTLVGTKGCSTVGAQNSQKTTIHSAPPGVLVASYTHFCSSDLCNSASSSSVLLN
SLPPQAAPVPGDRQCPTCVQPLGTCSSGSPRMTCPRGATHCYDGYIHLSGGGLSTKMSIQGC
VAQPSSFLLNHTRQIGIFSAREKRDVQPPASQHEGGGAEGLESLTWGVGLALAPALWWGVVC
PSC

251/330

FIGURE 251

CGGACGGGCAGGACGCCCCGTTGCGCTAGCGCGTGCTCAGGAGTTGGTGTCTGCGCTGCGCT
CAGGATGAGGGGGAATCTGGCCCTGGTGGGCGTTCTAATCAGCCTGGCCTTCCTGTCACTGCTG
CCATCTGGACATCCTCAGCCGGCTGGCGATGACGCCTGCTCTGTGCAGATCCTCGTCCCTGG
CCTCAAAGGGGATGCGGGAGAGAAGGGAGACAAAGGCGCCCCGGACGGCCTGGAAGAGTCG
GCCCCACGGGAGAAAAAGGAGACATGGGGGACAAAGGACAGAAAGGCAGTGTGGGTCGTCAT
GGAAAAATTGGTCCCATTGGCTCTAAAGGTGAGAAAGGAGATTCCGGTGACATAGGACCCCC
TGGTCCTAATGGAGAACCAGGCCTCCCATGTGAGTGCAGCCAGCTGCGCAAGGCCATCGGGG
AGATGGACAACCAGGTCTCTCAGCTGACCAGCGAGCTCAAGTTCATCAAGAATGCTGTGCGC
GGTGTGCGCGAGACGGAGAGCAAGATCTACCTGCTGGTGAAGGAGGAGAAGCGCTACGCGGA
CGCCCAGCTGTCTTGCCAGGGCCGCGGGGGCACGCTGAGCATGCCCAAGGACGAGGCTGCCA
ATGGCCTGATGGCCGCATACCTGGCGCAAGCCGGCCTGGCCCCGTGTCTTCATCGGCATCAAC
GACCTGGAGAAGGAGGGCGCCTTCGTGTACTCTGACCACTCCCCATGCGGACCTTCAACAA
GTGGCGCAGCGGTGAGCCCAACAATGCCTACGACGAGGAGGACTGCGTGGAGATGGTGGCCT
CGGGCGGCTGGAACGACGTGGCCTGCCACACCACCATGTACTTCATGTGTGAGTTTGACAAG
GAGAACATGTGAGCCTCAGGCTGGGGCTGCCCATTGGGGGCCCCACATGTCCCTGCAGGGTT
GGCAGGGACAGAGCCCAGACCATGGTGCCAGCCAGGGAGCTGTCCCTCTGTGAAGGGTGGAG
GCTCACTGAGTAGAGGGCTGTTGTCTAAACTGAGAAAATGGCCTATGCTTAAGAGGAAAATG
AAAGTGTTCTGGGGTGTGTCTCTGAAGAAGCAGAGTTTCATTACCTGTATTGTAGCCCCA
ATGTCATTATGTAATTATTACCCAGAATTGCTCTTCATAAAGCTTGTGCCTTTGTCCAAGC
TATACAATAAAATCTTTAAGTAGTGCAGTAGTTAAGTCCAAAAAAAAAAAAAAAAAAAAA

252/330

FIGURE 252

MRGNLALVGVLI SLAFLSLLPSGHPQPAGDDACSVQILVPGLKGDAGEKGDKGAPGRPGRVG
PTGEKGMGDKGQKGSVGRHGKIGPIGSKGEKGDSDIGPPGPNGEPGLPCECSQLRKAIGE
MDNQVSQLTSELKFIKNAVAGVRETESKIYLLVKEEKRYADAQLSCQGRGGTLSMPKDEAAN
GLMAAYLAQAGLARVFIGINDLEKEGAFVYSDHSPMRTFNKWRSGEPNNAYDEEDCVEMVAS
GGWNDVACHTTMYFMCEFDKENM

253/330

FIGURE 253

AGTGACTGCAGCCTTCCTAGATCCCCTCCACTCGGTTTCTCTCTTTGCAGGAGCACCGGCAG
CACCAGTGTGTGAGGGGAGCAGGCAGCGGTCCTAGCCAGTTCCTTGATCCTGCCAGACCACC
CAGCCCCCGGCACAGAGCTGCTCCACAGGCACCAATGAGGATCATGCTGCTATTACAGCCAT
CCTGGCCTTCAGCCTAGCTCAGAGCTTTGGGGCTGTCTGTAAGGAGCCACAGGAGGAGGTGG
TTCCTGGCGGGGGCCGCAGCAAGAGGGATCCAGATCTCTACCAGCTGCTCCAGAGACTCTTC
AAAAGCCACTCATCTCTGGAGGGATTGCTCAAAGCCCTGAGCCAGGCTAGCACAGATCCTAA
GGAATCAACATCTCCCGAGAAACGTGACATGCATGACTTCTTTGTGGGACTTATGGGCAAGA
GGAGCGTCCAGCCAGAGGGAAAGACAGGACCTTTCTTACCTTCAGTGAGGGTTCCTCGGCCC
CTTCATCCCAATCAGCTTGGATCCACAGGAAAGTCTTCCCTGGGAACAGAGGAGCAGAGACC
TTTATAAGACTCTCCTACGGATGTGAATCAAGAGAACGTCCCCAGCTTTGGCATCCTCAAGT
ATCCCCGAGAGCAGAATAGGTACTCCACTTCCGGACTCCTGGACTGCATTAGGAAGACCTC
TTTCCCTGTCCCAATCCCCAGGTGCGCACGCTCCTGTTACCCTTTCTCTTCCCTGTTCTTGT
AACATTCTTGTGCTTTGACTCCTTCTCCATCTTTTCTACCTGACCCTGGTGTGGAAACTGCA
TAGTGAATATCCCCAACCCCAATGGGCATTGACTGTAGAATACCCTAGAGTTCCTGTAGTGT
CCTACATTAAAAATATAATGTCTCTCTCTATTCCCTCAACAATAAAGGATTTTTGCATATGAA
AA

254/330

FIGURE 254

MRIMLLFTAILAFSLAQSFQAVCKEPQEEVVPGGGRSKRDPDLYQLLQRLFKSHSSLEGLLK
ALSQASTDPKESTSPEKRDMDHDFVGLMGKRSVQPEGKTGPFLPSVRVPRPLHPNQLGSTGK
SSLGTEEQRPL

Important features:

Signal peptide:

amino acids 1-18

Tyrosine kinase phosphorylation site.

amino acids 36-45

N-myristoylation site.

amino acids 33-39, 59-65

Amidation site.

amino acids 90-94

Leucine zipper pattern.

amino acids 43-65

Tachykinin family signature.

amino acids 86-92

255/330

FIGURE 255

GGGCGTCTCCGGCTGCTCCTATTGAGCTGTCTGCTCGCTGTGCCGCTGTGCCTGCTGTGCC
CGCGCTGTGCGCGCTGCTACCGCGTCTGCTGGACGCGGGAGACGCCAGCGAGCTGGTGATTG
GAGCCCTGCGGAGAGCTCAAGCGCCCAGCTCTGCCCCAGGAGCCCAGGCTGCCCCGTGAGTC
CCATAGTTGCTGCAGGAGTGAGGCCATGAGCTGCGTCCTGGGTGGTGTATCCCCTTGGGGC
TGCTGTTCTGCTGCGGATCCCAAGGCTACCTCCTGCCCAACGTCACTCTCTTAGAGGAG
CTGCTCAGCAAATACCAGCACAAAGAGTCTCACTCCCGGGTCCGCAGAGCCATCCCCAGGGA
GGACAAGGAGGAGATCCTCATGCTGCACAACAAGCTTCGGGGCCAGGTGCAGCCTCAGGCCT
CCAACATGGAGTACATGGTGAGCGCCGGCTCCGGCCGCAGAGGCTGGCACCGGGGGTGGGGC
CTGGGCCACCAGCCTGCTCTGTTCCCCAGCCAGCTCTGTTCCCCAGCCAGTGCGTGTGATGG
CTGGCTCAGGGTCTCCTCTGGCAGGGGAGGATCCCGGCTCTGTTCTGTTTTGTTTGTGTTGTT
TTGAGACAGGGTCTCACTCTGCCACTGACGCTGGAGTGCAATGGCACAAATCGTCATGCCCTG
AAACCTTAGACTCCCGGGGTTAAGCGATCCTGCTTCAGCCTCCCAAGTAGCTGGAACCTACAG
GCATGCACCATGGTGCCCAGCTAGATTTTAAATATTTTGTGGAGATGGGGGTCTTGCTACGT
TGCCCAGGCTGGTCTTGAACTCCTAGGCTCAAGCAATCCTCCTGCCTCAGCCTCTCAAAGTG
CTAGGATTATAGGCATGAGTCACCCTGTCTGGCTCTGGCTCTGTTCTTAACATTCTGCCAAA
ACAACACACGTGGGTTCCTGTGCAGAGCCTGCCTCGTTGCCTTCATGTCACTCTTGGTAGC
TCCACTGGGAACACAGCTCTCAGCCTTTCCACCTGGAGGCAGAGTGGGGAGGGGCCAGGG
CTGGGCTTTGCTGATGCTGATCTCAGCTGTGCCACACGCTAGCTGCACCACCCTGACTTCTC
CTTAGCCCGTGAGCCTCACTTTCCACTTGAGAGTCTTTCCTCGCGTGGTTGCCATGACT
GTGAGATAAGTCGAGGCTGTGAAGGGCCCCGGCACAGACTGACCTGCCTCCCCAACCCCTAGG
CTTTGCTAACCGGGAAAGGAGCTAACGGTGACAGAAGACAGCCAAGGTCAACCCTCCCGGGT
GATTGTGATGGGTGTTCCAGGTGTGGTTGGGCGATGCTGCTACTTGACCCCAAGCTCCAGTG
TGGAACCTTCCTTCCTGGCTGGTTTTCCAGAACTACAGAGGAATGGACCACAGTCTTCAGG
GTCCCTCCTCGTCCACCAACCGGGAGCCTCCACCTTGGCCATCCGTCAGCTATGAATGGCTT
TTTAAACAAACCCACGTCCCAGCCTGGGTAACATGGTAAAGCCCCGTCTCTACAAAAAATC
CAAGTTAGCCGGGCATGGTGGTGCGCACCTGTAGTCCCAGCTGCAGTGGGACTGAGGTGGAG
GTGGAGGTGGGGGGTGGGAGCTGAGGAAGGAGGATCGCTTGAGCCTGGGAAGTCGAGGCTGC
AGTGAGCTGAGATTGCACCACTGCACTCCAGCCTGGGTGACAGAGCAAGACCCTGTCTCAAAAA

256/330

FIGURE 256

MSCVLGGVIFLGLLFLVCGSQGYLLPNVTLLLEELLSKYQHNEHSRVRRAIPREDKEEILML
HNKLRGQVQPQASNMEYMVSAAGSGRRGWHRGWGLGHQPALFPSQLCSPASACDGWLRVSSGR
GGSRLCSVLFCFETGSHSATDAGVQWHNRHALKP

Important features:

Signal peptide:

amino acids 1-22

N-glycosylation site.

amino acids 27-31, 41-45

N-myristoylation site.

amino acids 126-132, 140-146

Amidation site.

amino acids 85-89

257/330

FIGURE 257

AAGGAGAGGCCACCGGGACTTCAGTGTCTCCTCCATCCCAGGAGCGCAGTGGCCACTATGGG
GTCTGGGCTGCCCCCTGTCCTCCTCTTGACCCTCCTTGGCAGCTCACATGGAACAGGGCCGG
GTATGACTTTGCAACTGAAGCTGAAGGAGTCTTTTCTGACAAATTCCTCCTATGAGTCCAGC
TTCCTGGAATTGCTTGAAAAGCTCTGCCTCCTCCTCCATCTCCCTTCAGGGACCAGCGTCAC
CCTCCACCATGCAAGATCTCAACACCATGTTGTCTGCAACACATTGACCAGCCATTGAAGCCTG
TGTCTTCTTGGCCCGGGCTTTTGGGCCGGGGATGCAGGAGGCAGGCCCCGACCCTGTCTTT
CAGCAGGCCCCCACCCTCCTGAGTGGCAATAAATAAAATTCGGTATGCTG

258/330

FIGURE 258

MSGGLPLVLLLTLLGSSHGTGPGMTLQLKLKESFLTNSSESSFLELLEKLCLLLHLPSGTS
VTLHHARSQHHVVCNT

259/330

FIGURE 259

AATTGTATCTGTGTAATGTTAAAACAAACGAAATAAAATAGAAGGAAAACTTTCTGAGTTT
CAAAAACAACAGACTAGTACTCTAAAGAACTCTTTAAAACAATTAAGTGTAGGATTGCAGT
TATGATTGGATATTATTTAATTCTGTTTCTGATGTGGGGTTCCTCCACTGTGTTCTGTGTGC
TATTAATATTTACCATTGCAGAAGCTTCATTCAGTGTTGAAAATGAATGCTTAGTGGATCTG
TGCCTCTTACGCATATGTTACAAATTATCTGGAGTTCCTAATCAATGCAGAGTCCCCCTCCC
CTCCGATTGTTCTAAATTAATTGAAAGATGTCTGCTGTGGAAAAAGGCATGTATTTAAATCTG
TATGATTCTCAACCATCTTTAGTTGGGAAAGGTCCTTGAAAGCCAATGGAAATACTTTTTTT
TTTTCTTGGCACTAATCAAGTGAGTGTTACCTTTTCACTTAGTAGGATGTGTTGTTACGCTA
GTAAAATAGAAACCTGTGTTTATTCTCAGGTATTTTAGAAACAACAGCCATCATTTTATTTT
ATGTGTGTGTTCTTGGCTGTATTCATAAATTATATATTTTGGGCTATCAAATATTACTTCAT
TCAATATAAATAACAATAGTAGAAGTTGTTTACTTAGATATGCTTTCTAGTTGCATTTTCTC
AGCCTATGTAAGACTACTTTGTTGTAATAGCCTTTGAAATTTACAGTACTGTCTCTCTACTA
TCTTCAGATTACTTGATTCAAATAAACCAATTATGTTTGTAATTGATATTAATAAAACCAGA
ATAAAAGTTCATATCTACCC

260/330

FIGURE 260

MIGYYLILFLMWGSSTVFCVLLIFTIAEASFVENECLVDLCLLRICYKLSGVPNQCRVPLP
SDCSK

Important features:

Signal peptide:

amino acids 1-29

261/330

FIGURE 261

GAGGATTTGCCACAGCAGCGGATAGAGCAGGAGAGCACCACCGGAGCCCTTGAGACATCCTT
GAGAAGAGCCACAGCATAAGAGACTGCCCTGCTTGGTGTGTTTGCAGGATGATGGTGGCCCTT
CGAGGAGCTTCTGCATTGCTGGTCTGTTCCTTGACAGCTTTTCTGCCCCCGCCGAGTGTAC
CCAGGACCCAGCCATGGTGCATTACATCTACCAGCGCTTTCGAGTCTTGGAGCAAGGGCTGG
AAAAATGTACCCAAGCAACGAGGGCATACATTCAAGAATTCCAAGAGTTCTCAAAAAATATA
TCTGTCTATGCTGGGAAGATGTCAGACCTACACAAGTGAGTACAAGAGTGCAGTGGGTAACTT
GGCACTGAGAGTTGAACGTGCCCAACGGGAGATTGACTACATAACAATACCTTCGAGAGGCTG
ACGAGTGCATCGTATCAGAGGACAAGACACTGGCAGAAATGTTGCTCCAAGAAGCTGAAGAA
GAGAAAAAGATCCGGACTCTGCTGAATGCAAGCTGTGACAACATGCTGATGGGCATAAAGTC
TTTGAAAATAGTGAAGAAGATGATGGACACACATGGCTCTTGGATGAAAGATGCTGTCTATA
ACTCTCCAAAGGTGTACTTATTAATTGGATCCAGAAACAACACTGTTTGGGAATTTGCAAAC
ATACGGGCATTTCATGGAGGATAACACCAAGCCAGCTCCCCGGAAGCAAATCCTAACACTTTC
CTGGCAGGGAAACAGGCCAAGTGATCTACAAAGGTTTTCTATTTTTTTCATAACCAAGCAACTT
CTAATGAGATAATCAAATATAACCTGCAGAAGAGGACTGTGGAAGATCGAATGCTGCTCCCA
GGAGGGGTAGGCCGAGCATTGGTTTACCAGCACTCCCCCTCAACTTACATTGACCTGGCTGT
GGATGAGCATGGGCTCTGGGCCATCCACTCTGGGCCAGGCACCCATAGCCATTTGGTTCCTCA
CAAAGATTGAGCCGGGCACACTGGGAGTGGAGCATTCATGGGATACCCCATGCAGAAGCCAG
GATGCTGAAGCCTCATTCCTCTTGTGTGGGGTTCTCTATGTGGTCTACAGTACTGGGGGCCA
GGGCCCTCATCGCATCACCTGCATCTATGATCCACTGGGCACTATCAGTGAGGAGGACTTGC
CCAACTTGTTCTTCCCCAAGAGACCAAGAAGTCACTCCATGATCCATTACAACCCAGAGAT
AAGCCTCTATGCCTGGAATGAAGGAAACAGATCATTACAAACTCCAGACAAAGAGAGAA
GCTGCCTCTGAAGTAATGCATTACAGCTGTGAGAAAGAGCACTGTGGCTTTGGCAGCTGTTC
TACAGGACAGTGAGGCTATAGCCCCTTCACAATATAGTATCCCTCTAATCACACACAGGAAG
AGTGTGTAGAAGTGGAATACGTATGCCTCCTTTCCCAAATGTCAGTGCCTTAGGTATCTTC
CAAGAGCTTAGATGAGAGCATATCATCAGGAAAGTTTCAACAATGTCCATTACTCCCCAAA
CCTCCTGGCTCTCAAGGATGACCACATTCTGATACAGCCTACTTCAAGCCTTTTGTCTTACT
GCTCCCCAGCATTACTGTAACCTCGCCATCTTCCCTCCCACAATTAGAGTTGTATGCCAGC
CCCTAATATTACCACTGGCTTTTCTCTCCCCTGGCCTTTGCTGAAGCTCTTCCCTCTTTTT
CAAATGTCTATTGATATTCTCCCATTTTCACTGCCCAACTAAAATACTATTAATATTTCTTT
CTTTCTTTTCTTTTTTTTTGAGACAAGGTCTCACTATGTTGCCCAGGCTGGTCTCAAACCTCC
AGAGCTCAAGAGATCCTCCTGCCTCAGCCTCCTAAGTACCTGGGATTACAGGCATGTGCCAC
CACACCTGGCTTAAAATACTATTTCTTATTGAGGTTTAACTCTATTTCCCCTAGCCCTGTC
CTTCCACTAAGCTTGGTAGATGTAATAATAAAGTGAAAATATTAACATTTGAATATCGCTTT
CCAGGTGTGGAGTGTGTCACATCATGAATTCTCGTTTACCTTTGTGAAACATGCACAAG
TCTTTACAGCTGTCAATTCTAGAGTTTAGGTGAGTAACACAATTACAAAGTGAAAGATACAGC
TAGAAAATACTACAAATCCCATAGTTTTTTCATTGCCCAAGGAAGCATCAAATACGTATGTT
TGTTACCTACTCTTATAGTCAATGCGTTTCATCGTTTCAGCCTAAAAATAATAGTCTGTCCC
TTTAGCCAGTTTTTCATGTCTGCACAAGACCTTTCAATAGGCCTTTCAAATGATAATTCCTCC
AGAAAACCAGTCTAAGGGTGAGGACCCCAACTCTAGCCTCCTCTTGTCTTGCTGTCTCTGT
TTCTCTCTTTCTGCTTTAAATTCAATAAAAGTGACACTGAGCAAAAAAAAAAAAAA

262/330

FIGURE 262

MMVALRGASALLVLFLAAFLPPPQCTQDPAMVHYIYQRFVLEQGLEKCTQATRAYIQEFQE
FSKNISVMLGRCQTYTSEYKSAVGNLALRVERAQREIDYIQYLREADECIVSEDKTLAEMLL
QEAEKKKIRTLLNASCDNMLMGIKSLKIVKKMMDTHGSWMKDAVYNPKVYLLIGSRNNTV
WEFANIRAFMEDNTKPAPRKQILTLWQGTGQVIYKGFLFFHNQATSNEIIKYNLQKRTVED
RMLLPGGVGRALVYQHSPSTYIDLAVDEHGLWAIHSGPGTHSHLVLTKEPGLGVEHSWDT
PCRSQDAEASFLLCGVLYVVYSTGGQGPHRITCIYDPLGTISEEDLPNLFFPKRPRSHSMIH
YNPRDKQLYAWNEGNQIIYKLQTKRKLPLK

263/330

FIGURE 263

[illegible]

264/330

FIGURE 264

MELSQMSELMGLSVLLGLLALMATAAVARGWLRAGEERSGRPACQKANGFPPDKSSGSKKQK
QYQRIRKEKPQQHNFTHRLLAALKSHSGNISCMDFSSNGKYLATCADDRTIRIWSTKDFLQ
REHRSMRANVELDHATLVRFSPPDCRAFIVWLANGDTLRVFKMTKREDGGYTFTATPEDFPKK
HKAPVIDIGIANTGKFIMTASSDTTVLIWLSLKGQVLSTINTNQMNNTAAVSPCGRFVASC
GFTPDVKVWEVCFGKKGEFQEVVRAFELKGHSAAVHSFAFSNDSRRMASVSKDGTWKLWDTDV
EYKKKQDPYLLKTGRFEEAAGAAPCRLALSPNAQVLALASGSSIHLYNTRRGEKEECFERVH
GECIANLSFDITGRFLASCGDRAVRLFHNTPGHRAMVEEMQGHLKRASNESTRQRLQQQLTQ
AQETLKS LGALKK

Important features:**Signal peptide:**

amino acids 1-25

N-glycosylation site.

amino acids 76-80, 92-96, 231-235, 289-293, 378-382, 421-425

Beta-transducin family Trp-Asp repeat protein.

amino acids 30-47, 105-118, 107-119, 203-216, 205-217, 296-308

265/330

FIGURE 265

TGGCCTCCCCAGCTTGCCAGGCACAAGGCTGAGCGGGAGGAAGCGAGAGGCATCTAAGCAGG
CAGTGTTTTGCCTTCACCCCAAGTGACCATGAGAGGTGCCACGCGAGTCTCAATCATGCTCC
TCCTAGTAACTGTGTCTGACTGTGCTGTGATCACAGGGGCCTGTGAGCGGGATGTCCAGTGT
GGGGCAGGCACCTGCTGTGCCATCAGCCTGTGGCTTCGAGGGCTGCGGATGTGCACCCCGCT
GGGGCGGGAAGGCGAGGAGTGCCACCCCGGCAGCCACAAGGTCCCCTTCTTCAGGAAACGCA
AGCACCACACCTGTCCTTGCTTGCCCAACCTGCTGTGCTCCAGGTTCCCGGACGGCAGGTAC
CGCTGCTCCATGGACTTGAAGAACATCAATTTTTAGGCGCTTGCCTGGTCTCAGGATACCCA
CCATCCTTTTCTTGAGCACAGCCTGGATTTTTTATTTCTGCCATGAAACCCAGCTCCCATGAC
TCTCCAGTCCCTACACTGACTACCCTGATCTCTCTTGTCTAGTACGCACATATGCACACAG
GCAGACATACCTCCCATCATGACATGGTCCCCAGGCTGGCCTGAGGATGTCACAGCTTGAGG
CTGTGGTGTGAAAGGTGGCCAGCCTGGTTCTCTTCCCTGCTCAGGCTGCCAGAGAGGTGGTA
AATGGCAGAAAGGACATTCCCCCTCCCCTCCCCAGGTGACCTGCTCTCTTTCTGGGCCCTG
CCCCCTCTCCCACATGTATCCCTCGGTCTGAATTAGACATTCTTGGGCACAGGCTCTTGGGT
GCATTGCTCAGAGTCCCAGGTCTGGCCTGACCCTCAGGCCCTTCACGTGAGGTCTGTGAGG
ACCAATTTGTGGGTAGTTCATCTTCCCTCGATTGGTTAACTCCTTAGTTTCAGACCACAGAC
TCAAGATTGGCTCTTCCCAGAGGGCAGCAGACAGTCACCCCAAGGCAGGTGTAGGGAGCCCA
GGGAGGCCAATCAGCCCCCTGAAGACTCTGGTCCCAGTCAGCCTGTGGCTTGTGGCCTGTGA
CCTGTGACCTTCTGCCAGAATTGTCATGCCTCTGAGGCCCCCTCTTACCACACTTTACCAGT
TAACCACTGAAGCCCCCAATTCCCACAGCTTTTCCATTAAAATGCAAATGGTGGTGGTTCAA
TCTAATCTGATATTGACATATTAGAAGGCAATTAGGGTGTTTCCTTAAACAACCTTTTCCA
AGGATCAGCCCTGAGAGCAGGTTGGTGACTTTGAGGAGGGCAGTCCTCTGTCCAGATTGGGG
TGGGAGCAAGGGACAGGGAGCAGGGCAGGGGCTGAAAGGGGCACTGATTCAGACCAGGGAGG
CAACTACACACCAACATGCTGGCTTTAGAATAAAAGCACCAACTGAAAAA

266/330

FIGURE 266

MRGATRVSIMLLLVTVSDCAVITGACERDVQCGAGTCCAISLWLRGLRMCTPLGREGEECHP
GSHKVPFFRKRKHHTCPCLPNLLCSRFPDGRYRCSMDLKNINF

Signal peptide:

amino acids 1-19

Tyrosine kinase phosphorylation site:

amino acids 88-95

N-myristoylation sites:

amino acids 33-39, 35-41, 46-52

267/330

FIGURE 267

AGCGCCCGGGCGTCGGGGCGGTAAAAGGCCGGCAGAAGGGAGGCACTTGAGAAATGTCTTTC
CTCCAGGACCCAAAGTTTCTTCACCATGGGGATGTGGTCCATTGGTGCAGGAGCCCTGGGGGC
TGCTGCCTTGGCATTGCTGCTTGCCAACACAGACGTGTTTCTGTCCAAGCCCCAGAAAGCGG
CCCTGGAGTACCTGGAGGATATAGACCTGAAAACACTGGAGAAGGAACCAAGGACTTTCAAA
GCAAAGGAGCTATGGGAAAAAAATGGAGCTGTGATTATGGCCGTGCGGAGGCCAGGCTGTTT
CCTCTGTGCGAGAGGAAGCTGCGGATCTGTCCTCCCTGAAAAGCATGTTGGACCAGCTGGGCG
TCCCCCTCTATGCAGTGGTAAAGGAGCACATCAGGACTGAAGTGAAGGATTTCCAGCCTTAT
TTCAAAGGAGAAATCTTCCTGGATGAAAAGAAAAAGTTCTATGGTCCACAAAGGCGGAAGAT
GATGTTTATGGGATTTATCCGTCTGGGAGTGTGGTACAACCTCTTCCGAGCCTGGAACGGAG
GCTTCTCTGGAAACCTGGAAGGAGAAGGCTTCATCCTTGGGGGAGTTTTCTGTGGTGGGATCA
GGAAAGCAGGGCATTCTTCTTGAGCACCGAGAAAAAGAATTTGGAGACAAAGTAAACCTACT
TTCTGTTCTGGAAGCTGCTAAGATGATCAAACCACAGACTTTGGCCTCAGAGAAAAAATTGAT
TGTGTGAAACTGCCCAGCTCAGGGATAACCAGGGACATTCACCTGTGTTCATGGGATGTATT
GTTTCCACTCGTGTCCCTAAGGAGTGAGAAACCCATTTATACTCTACTCTCAGTATGGATTA
TTAATGTATTTTAATATTCTGTTTAGGCCCACTAAGGCAAAATAGCCCCAAAACAAGACTGA
CAAAAATCTGAAAACTAATGAGGATTATTAAGCTAAAACCTGGGAAATAGGAGGCTTAAAA
TTGACTGCCAGGCTGGGTGCAGTGGCTCACACCTGTAATCCCAGCACTTTGGGAGGCCAAGG
TGAGCAAGTCACTTGAGGTGCGGAGTTCGAGACCAGCCTGAGCAAATGGCGAAACCCCGTC
TCTACTAAAAATACAAAATCACCCGGGTGTGGTGGCAGGCACCTGTAGTCCCAGCTACCCG
GGAGGCTGAGGCAGGAGAATCACTTGAACCTGGGAGGTGGAGGTGCGGTGAGCTGAGATCA
CACCACTGTATTCCAGCCTGGGTGACTGAGACTCTAACTAA

268/330

FIGURE 268

MSFLQDPSFFTGMWSIGAGALGAAALALLLANTDVFLSKPQKAALEYLEDIDLKTLEKEPR
TFKAKELWEKNGAVIMAVRRPGCFLCREEAADLSSLKSMLDQLGVPLYAVVKEHIRTEVKDF
QPYFKGEIFLDEKKKFYGPQRRKMMFMGFIRLGWYNFFRAWNGGFSGNLEGEFGLGGVFV
VGSGKQGILLEHREKEFGDKVNLLSVLEAAKMIKPQTLASEKK

269/330

FIGURE 269

ACGGACCGAGGGTTCGAGGGAGGGACACGGACCAGGAACCTGAGCTAGGTCAAAGACGCCCCG
GGCCAGGTGCCCCGTCGCAGGTGCCCCCTGGCCGGAGATGCGGTAGGAGGGGCGAGCGCGAGA
AGCCCCCTTCCTCGGCGCTGCCAACCCGCCACCCAGCCCATGGCGAACCCCGGGCTGGGGCTG
CTTCTGGCGCTGGGCCTGCCGTTCTTGCTGGCCCGCTGGGGCCGAGCCTGGGGGGCAAATACA
GACCACTTCTGCAAATGAGAATAGCACTGTTTTGCCTTCATCCACCAGCTCCAGCTCCGATG
GCAACCTGCGTCCGGAAGCCATCACTGCTATCATCGTGGTCTTCTCCCTCTTGGCTGCCTTG
CTCCTGGCTGTGGGGCTGGCACTGTTGGTGCGGAAGCTTCGGGAGAAGCGGCAGACGGAGGG
CACCTACCGGCCCAGTAGCGAGGAGCAGTTCTCCCATGCAGCCGAGGCCCGGGCCCCCTCAGG
ACTCCAAGGAGACGGTGCAGGGCTGCCTGCCCATCTAGGTCCCCTCTCCTGCATCTGTCTCC
CTTCATTGCTGTGTGACCTTGGGGAAAGGCAGTGCCCTCTCTGGGCAGTCAGATCCACCCAG
TGCTTAATAGCAGGGAAGAAGGTACTTCAAAGACTCTGCCCCTGAGGTCAAGAGAGGATGGG
GCTATTCACCTTTTATATATTTATATAAAATTAGTAGTGAGATGTAAAAAAAAAAAAAAAAAAAA

270/330

FIGURE 270

MANPGLGLLLALGLPFLLARWGRAWGQIQTTSANENSTVLPSSSTSSSSDGNLRPEAITAIIV
VFSLLAALLLAVGLALLVRKLREKRQTEGTYRPSSEEQFSHAAEARAPQDSKETVQGCLPI

271/330

FIGURE 271

AATATATCATCTATTTATCATTAATCAATAATGTATTCTTTTATTCCAATAACATTTGGGTT
TTGGGATTTTAAATTTTCAAACACAGCAGAAATGACATTTTTCTGTCACTATTATTATTGTTG
GTATGTGAAGCTATTTGGAGATCCAATTCAGGAAGCAACACATTGGAGAATGGCTACTTTCT
ATCAAGAAATAAAGAGAACCACAGTCAACCCACACAATCATCTTTAGAAGACAGTGTGACTC
CTACCAAAGCTGTCAAACCACAGGCAAGGGCATAGTTAAAGGACGGAATCTTGACTCAAGA
GGGTTAATTCTTGGTGCTGAAGCCTGGGGCAGGGGTGTAAAGAAAAACACTTAGATTCAATG
ATTGTAAATTTAAGGCAAATACACATATTAGTATTACCTTAGTGTAATGTATCCCTGTCATA
TATACAATAAGGTGAAATTATAAGTACCCTATGCAGTTGGCTGGACAGTTCTAAATTGGACT
TTATTAATTTTTAAATCAGTAACTGATTTATCACTGGCTATGTGCTTAGATCTACAGGAGA
TCATATAATTTGATACAAATAAAAGAAAAGTGTTCTCTCCCCTTACAGAATTGACATTTTAA
ATGCGATACAGTTAGAATAGGAAATATGACATTAGAAAGGAAGAATGACAGGGAGAAAGGAA
AGAAGGGAAAATGTTGCCAAGGAAAAAAAAA

272/330

FIGURE 272

MTFFLSLLLLLVCEAIWRSNSGSNTLENGYFLSRNKENHSQPTQSSLEDSVTPTKAVKTTGK
GIVKGRNLDSRGLILGAEAWGRGVKKNT

273/330

FIGURE 273

GCCAGGAATAACTAGAGAGGAACAATGGGGTTATTTCAGAGGTTTTGTTTTCTCTTAGTTCT
GTGCCCTGCTGCACCAAGTCAAATACTTCCTTCATTAAGCTGAATAATAATGGCTTTGAAGATA
TTGTCATTGTTATAGATCCTAGTGTGCCAGAAGATGAAAAAATAATTGAACAAATAGAGGAT
ATGGTGACTACAGCTTCTACGTACCTGTTTGAAGCCACAGAAAAAGATTTTTTTTCAAAAA
TGTATCTATATTAATTCCTGAGAATTGGAAGGAAAATCCTCAGTACAAAAGGCCAAAACATG
AAAACCATAAACATGCTGATGTTATAGTTGCACCACCTACACTCCCAGGTAGAGATGAACCA
TACACCAAGCAGTTCACAGAATGTGGAGAGAAAGGCGAATACATTCACCTTCACCCCTGACCT
TCTACTTGGAAAAAAACAAAATGAATATGGACCACCAAGGCAAACTGTTTGTCCATGAGTGGG
CTCACCTCCGGTGGGGAGTGTGTTGATGAGTACAATGAAGATCAGCCTTTCTACCGTGCTAAG
TCAAAAAAATCGAAGCAACAAGGTGTTCCGCAGGTATCTCTGGTAGAAATAGAGTTTATAA
GTGTCAAGGAGGCAGCTGTCTTAGTAGAGCATGCAGAATTGATTCTACAACAAAACCTGTATG
GAAAAGATTGTCAATTCTTTCTGATAAAGTACAAAACAGAAAAAGCATCCATAATGTTTTATG
CAAAGTATTGATTCTGTTGTTGAATTTTGTAAACGAAAAAACCATAATCAAGAAGCTCCAAG
CCTACAAAACATAAAGTGCAATTTTAGAAGTACATGGGAGGTGATTAGCAATTCTGAGGATT
TTAAAAACACCATACCCATGGTGACACCACCTCCTCCACCTGTCTTCTCATTGCTGAAGATC
AGTCAAAGAATTGTGTGCTTAGTTCTTGATAAGCTCTGGAAGCATGGGGGTAAGGACCCGCT
AAATCGAATCAAGCAGCAAAACATTTCTCTGCTGCAGACTGTTGAAAATGGATCCTGGG
TGGGGATGGTTCACTTTGATAGTACTGCCACTATTGTAAATAAGCTAATCCAAATAAAAAGC
AGTGATGAAAGAAACACACTCATGGCAGGATTACCTACATATCCTCTGGGAGGAACTTCCAT
CTGCTCTGGAATTAAATATGCATTTCAAGGTGATTGGAGAGCTACATTTCCCAACTCGATGGAT
CCGAAGTACTGCTGCTGACTGATGGGGAGGATAACACTGCAAGTCTTGTATTGATGAAGTG
AAACAAAGTGGGGCCATTGTTTCATTTTATTGCTTTGGGAAGAGCTGCTGATGAAGCAGTAAT
AGAGATGAGCAAGATAACAGGAGGAAGTCATTTTTATGTTTCAGATGAAGCTCAGAACAATG
GCCTCATTGATGCTTTTGGGGCTCTTACATCAGGAAATACTGATCTCTCCCAGAAGTCCCTT
CAGCTCGAAAGTAAGGGATTAACTGTAATAGTAAATGCCTGGATGAACGACACTGTCTATAAT
TGATAGTACAGTGGGAAAGGACACGTTCTTCTCATCACATGGAACAGTCTGCCTCCCAGTA
TTTCTCTCTGGGATCCCAGTGGAAACAATAATGGAAAATTTACAGTGGATGCAACTTCCAAA
ATGGCCTATCTCAGTATTTCCAGGAACGTCAAAGGTGGGCACCTTGGGCATACAATCTTCAAGC
CAAAGCGAACCAGAAACATTAACTATTACAGTAACCTTCTCGAGCAGCAAAATCTTCTGTGC
CTCCAATCACAGTGAATGCTAAAAATGAATAAGGACGTAAACAGTTTCCCCAGCCCAATGATT
GTTTACGCAGAAATTTCTACAAGGATATGTACCTGTTCTTGGAGCCAATGTGACTGCTTTTCAT
TGAATCACAGAATGGACATACAGAAGTTTTTGGAACTTTTGGATAATGGTGCAGGCGCTGATT
CTTTCAAGAATGATGGAGTCTACTCCAGGTATTTTACAGCATATACAGAAAATGGCAGATAT
AGCTTAAAAGTTCGGGCTCATGGAGGAGCAACACTGCCAGGCTAAAATTACGGCCTCCACT
GAATAGAGCCGCGTACATACCAGGCTGGGTAGTGAACGGGGAAATGAAGCAAACCCGCCAA
GACCTGAAATTGATGAGGATACTCAGACCACCTTGGAGGATTTTCAAGCCGAACAGCATCCGGA
GGTGCATTTGTGGTATCACAAGTCCCAAGCCTTCCCTTGCTTGACCAATACCCACCAAGTCA
AATCACAGACCTTGATGCCACAGTTCATGAGGATAAGATTATTCTTACATGGACAGCACCAG
GAGATAATTTTGTGTTGGAAAAGTTCAACGTTATATCATAAGAATAAGTGCAAGTATTCTT
GATCTAAGAGACAGTTTTGATGATGCTCTTCAAGTAAATACTACTGATCTGTCACCAAAGGA
GGCCAACTCCAAGGAAAGCTTTGCATTTAAACCAGAAAATATCTCAGAAGAAAATGCAACCC
ACATATTTTATTGCCATTAAAAGTATAGATAAAAGCAATTTGACATCAAAGTATCCAACATT
GCACAAGTAACTTTGTTTATCCCTCAAGCAATCCTGATGACATTGATCCTACACCTACTCC
TACTCCTACTCCTACTCCTGATAAAAGTCATAATTCTGGAGTTAATATTTCTACGCTGGTAT
TGTCTGTGATTGGGTCTGTTGTAATTGTTAACTTTATTTTAAAGTACCACCATTTTGAACCTTA
ACGAAGAAAAAATCTTCAAGTAGACCTAGAAGAGAGTTTTTAAAAAACAACAAATGTAAGT
AAAGGATATTTCTGAATCTTAAATTCATCCCATGTGTGATCATAAACTCATAAAAAATAATT
TTAAGATGTCGGAAAAGGATACTTTGATTAAATAAAAACACTCATGGATATGTAAAAACTGT
CAAGATTAATAATTAATAGTTTTCATTTTATTTGTTATTTTATTTGTAAGAAATAGTGATGAAC
AAAGATCCTTTTTTCACTGATACCTGGTTGTATATTTATTTGATGCAACAGTTTTCTGAAAT
GATATTTCAAATTGCATCAAGAAATTAATATCATCTATCTGAGTAGTCAAAATACAAGTAAA
GGAGAGCAAAATAACAACATTTGAAAAAATAAAAAAATAAAAAAATAAAAAAATAAAAAA
AAAAAATAAAAAAATAAAAAAATAAAAAAATAAAAAAATAAAAAAATAAAAAAATAAAAAA

274/330

FIGURE 274

MGLFRGFVLLVLCLLHQSNSTFIKLNNGFEDIVIVIDPSVPEDEKIIIEQIEDMVTASTY
LFEATEKRFFFFKNVSILIPENWKENPQYKRPKHENHKKHADVIVAPPTLPGRDEPYTKQFTEC
GEKGEYIHFTPDLLLGGKQNEYGPPGKLFVHEWAHLRWGVFDEYNEDQPFYRAKSKKIEATR
CSAGISGRNRVYKCQGGSCLSRACRIDSTTKLYGKDCQFFPDKVQTEKASIMFMQSIDSVVE
FCNEKTHNQEAPSLQNIKCNFRSTWEVISNSEDFKNTIPMVTPPPPPVFSLKISQRIVCLV
LDKSGSMGGKDRLNRMNQAAKHFLLOTVENGSWVGMVHFDSTATIVNKLIQIKSSDERNTLM
AGLPTYPLGGTSICSGIKYAFQVIGELHSQLDGSEVLLLTDGEDNTASSCIDEVKQSGAIVH
FIALGRAADEAVIEMSKITGGSHFYVSDEAQNNGLIDAFGALTSGNTDLSQKSLQLESKGLT
LNSNAWMNDTVIIDSTVGKDTFFLITWNSLPPSISLWDPSTIMENFTVDATSKMAYLSIPG
TAKVGTWAYNLQAKANPETLTITVTSRAANSSVPPITVNAKMNKDVNSFSPMIVYAEILQG
YVPVLGANVTAFIESQNGHTEVLELLDNGAGADSFKNDGVYSRYFTAYTENGRYSLKVRAGH
GANTARLKLRLPPLNRAAYIPGWVNGEIEANPPRPEIDEDTQTTLEDFSRASGGAFVVSQV
PSLPLPDQYPPSQITDLDATVHEDKIIILTWTAPGDNFDVGKVQRYIIRISASILDRLDSFDD
ALQVNTTDLSPKEANSKESFAFKPENISEENATHIFIAIKSIDKSNLTSKVSNIAQVTLFIP
QANPDDIDPTPTPTPTPTPKSHNSGVNISTLVLSVIGSVVIVNFILSTTI

Signal peptide:

amino acids 1-21

Putative transmembrane domains:

amino acids 284-300, 617-633

Leucine zipper pattern.

amino acids 469-491, 476-498

N-glycosylation site.amino acids 20-24, 75-79, 340-344, 504-508, 542-546, 588-592,
628-632, 811-815, 832-836, 837-841, 852-856, 896-900

275/330

FIGURE 275

CTCCTTAGGTGGAAACCTTGGGAGTAGAGTACTGACAGCAAAGACCGGGAAAGACCATACGTCCTCCCG
GGCAGGGGTGACAACAGGTGTCATCTTTTTGATCTCGTGTGTGGCTGCCTTCTATTTCAAGGAAAG
ACGCCAAGGTAAATTTTGACCCAGAGGAGCAATGATGTAGCCACCTCCTAACCTTCCCTTCTTGAACC
CCCAGTTATGCCAGGATTTACTAGAGAGTGTCAACTCAACCAGCAAGCGGCTCCTTCGGCTTAACCTT
GTGGTTGGAGGAGAGAACCTTTGTGGGGCTGCGTTCTCTTAGCAGTGCTCAGAAGTGACTTGCCTGA
GGGTGGACCAGAAAGAAAGGAAAGTCCCTCTTGTCTTTGGCTGCACATCAGGAAGGCTGTGATGGG
AATGAAGGTGAAAACTTGGAGATTTCACTTCAGTCATTGCTTCTGCCTGCAAGATCATCTTTAAAA
GTAGAGAAGCTGCTCTGTGTGGTGGTTAACTCCAAGAGGCAGAACTCGTTCTAGAAGGAAATGGATG
CAAGCAGCTCCGGGGGGCCCCAAACGCATGCTTCTGTGGTCTAGCCCAGGGAAGCCCTTCCGTGGGG
GCCCCGGCTTTGAGGGATGCCACCGGTTCTGGACGCATGGCTGATTCTGAATGATGATGGTTCCGCC
GGGGGCTGCTTGGCTGGATTTCCTGGGTGGTGGTTTTGCTGGTGTCTCTGCTGTGCTATCTCTGT
CCTGTACATGTTGGCTGCAACCCAAAGGTGACGAGGAGCAGCTGGCACTGCCAGGGGCCAACAGC
CCCACGGGGAAGGAGGGGTACCAGGCCGTCTTCAGGAGTGGGAGGAGCAGCACCAGCACTACGTGA
GCAGCTGAAGCGGCAGATCGCACAGCTCAAGGAGGAGCTGCAGGAGAGGAGTGAGCAGCTCAGGAA
TGGGCAGTACCAAGCCAGCGATGCTGCTGGCCTGGGTCTGGACAGGAGCCCCCAGAGAAAACCCAG
GCCGACCTCCTGGCCTTCTGCACTCGCAGGTGGACAAGGCAGAGGTGAATGCTGGCGTCAAGCTGG
CCACAGCTGACAGCAGTGCCTTTCGATAGCTTTACTCTACAGAAGGTGTACCAGCTGGAGACTGG
CCTTACCCGCCACCCCGAGGAGAAGCCTGTGAGGAAGGACAAGCGGGATGAGTTGGTGGAAAGCCATT
GAATCAGCCTTGGAGACCCTGAACAACTCTGCAGAGAACAGCCCCAATCACCGTCTTACACGGCCT
CTGATTTTATAGAAGGGATCTACCGAACAGAAAGGGACAAAGGGACATTGTATGAGCTCACCTTCAA
AGGGGACCACAAACACGAATTCAAACGGCTCATCTTATTTTCGACCATTACGCCCCATCATGAAAGTG
AAAAATGAAAAGCTCAACATGGCCAACACGCTTATCAATGTTATCGTGCCTCTAGCAAAAAGGGTGG
ACAAGTTCCGGCAGTTCATGCAGAAATTTAGGGAGATGTGCATTGAGCAGGATGGGAGAGTCCATCT
CACTGTTGTTTACTTTGGGAAAGAAGAAATAAATGAAGTCAAAGGAATACTTGAAAACACTTCCAAA
GCTGCCAACTTCAGGAACCTTACCTTTCATCCAGCTGAATGGAGAATTTTCTCGGGGAAAGGGACTTG
ATGTTGGAGCCCCGCTTCTGGAAGGGAAGCAACGTCCTTCTCTTTTCTGTGATGTGGACATCTACTT
CACATCTGAATTCCTCAATACGTGTAGGCTGAATACACAGCCAGGGAAGAAGGTATTTTATCCAGTT
CTTTTCAGTCAGTACAATCCTGGCATAATATACGGCCACCATGATGCAGTCCCTCCCTTGGAAACAG
AGCTGGTCATAAAGAAGGAAACTGGATTTTGGAGAGACTTTGGATTTGGGATGACGTGTGAGTATCG
GTCAGACTTCATCAATATAGGTGGGTTTGATCTGGACATCAAAGGCTGGGGCGGAGAGGATGTGCAC
CTTTATCGCAAGTATCTCCACAGCAACCTCATAGTGGTACGGACGCCTGTGCGAGGACTCTTCCACC
TCTGGCATGAGAAGCGCTGCATGGACGAGCTGACCCCCGAGCAGTACAAGATGTGCATGCAGTCCAA
GGCCATGAACGAGGCATCCCACGGCCAGCTGGGCATGCTGGTGTTCAGGCACGAGATAGAGGCTCAC
CTTCGCAACAGAAAACAGAAAGACAAGTAGCAAAAAACATGAACTCCCAGAGAAGGATTGTGGGAGA
CACTTTTTCTTTCTTTTGGCAATTACTGAAAGTGGCTGCAACAGAGAAAAGACTTCCATAAAGGACG
ACAAAAGAATTGGACTGATGGGTGAGAGATGAGAAAGCCTCCGATTTCTCTCTGTTGGGCTTTTTAC
AACAGAAATCAAAATCTCCGCTTTGCCTGCAAAAGTAACCCAGTTGCACCCTGTGAAGTGTCTGACA
AAGGCAGAAATGCTTGTGAGATTATAAGCCTAATGGTGTGGAGGTTTTGATGGTGTTTACAATACACT
GAGACCTGTGTGTTTGTGTGCTCATTGAAATATTCATGATTTAAGAGCAGTTTTGTAAAAAATTCAT
TAGCATGAAAGGCAAGCATATTTCTCCTCATATGAATGAGCCTATCAGCAGGGCTCTAGTTTCTAGG
AATGCTAAAATATCAGAAGGCAGGAGAGGAGATAGGCTTATTATGATACTAGTGAGTACATTAAGTA
AAATAAAATGGACCAGAAAAGAAAAGAACCATAAATATCGTGTGCATATTTTCCCCAAGATTAAACCA
AAAATAATCTGCTTATCTTTTGGTTGTCCTTTTAACTGTCTCCGTTTTTTTCTTTTATTTAAAAAT
GCACTTTTTTTTCCCTTGTGAGTTATAGTCTGCTTATTTAATTACCACTTTGCAAGCCTTACAAGAGA
GCACAAGTTGGCCTACATTTTATATTTTTTAAAGAAGATACTTTGAGATGCATTATGAGAACTTTCA
GTTCAAAGCATCAAATTGATGCCATATCCAAGGACATGCCAAATGCTGATTCTGTGAGGCACTGAAT
GTCAGGCATTGAGACATAGGGAAGGAATGGTTTGTACTAATACAGACGTACAGATACTTTCTCTGAA
GAGTATTTTCGAAGAGGAGCAACTGAACACTGGAGGAAAAGAAAATGACACTTTCTGCTTTACAGAA
AAGGAAACTCATTACAGACTGGTGATATCGTGATGTACCTAAAAGTCAGAAACCACATTTTCTCCTCA
GAAGTAGGGACCGCTTCTTACCTGTTTAAATAAACCAAGTATACCGTGTGAACCAACAATCTCT
TTTCAAAACAGGGTGCTCCTCCTGGCTTCTGGCTTCCATAAGAAGAAATGGAGAAAAATATATATAT
ATATATATATATTGTGAAAGATCAATCCATCTGCCAGAATCTAGTGGGATGGAAGTTTTTGTACAT
GTTATCCAGCCAGGCGAGGTGGAAGTAACCTGAATTTATTTTTTAAATTAAGCAGTTTCTACTCAATCA
CCAAGATGCTTCTGAAAATTGCATTTTATTACCATTTCAAACATTTTTTTAAAAATAAATACAGTTA
ACATAGAGTGGTTTCTTCATTCATGTGAAAATTATTAGCCAGCACCAGATGCATGAGCTAATTAATCT
CTTTGAGTCCTTGTCTGTGTTGCTCAGATAAATCATTTGTTTAAAGCTTCAAGAACATTAAGC
TGTTGGTGTGTTAAAAATGCATTGTATTGATTTGTACTGGTAGTTTATGAAATTTAATTAACAC
AGGCCATGAATGGAAGGTGGTATTGCACAGCTAATAAAATATGATTTGTGGATATGAA

276/330

FIGURE 276

MMMVRRGLLAWISRVVLLVLLCCAISVLYMLACTPKGDEEQLALPRANSPTGKEGYQAVLQ
EWEEQHRNYVSSLKRQIAQLKEELQERSEQLRNGQYQASDAAGLGLDRSPPEKTQADLLAFL
HSQVDKAEVNAGVKLATEYAAVPFDSFTLQKVYQLETGLTRHPEEKPVRKDKRDELVEAIES
ALETNNPAENSPNHRPYTASDFIEGIYRTERDKGTLYELTFKGDHKHEFKRLILFRPFSP
MKVKNEKLNMAANTLINVIVPLAKRVDKFRQFMQNFREMCIEQDGRVHLTVVYFGKEEINEVK
GILENTSKAANFRNFTFIQLNGEFSRGKGLDVGARFWKGSNVLLFFCDVDIYFTSEFLNTCR
LNTQPGKKVFYPVLF SQYNPGIIYGHDAVPPLEQQLVIKKETGFWRDFGFGMTCQYRSDFI
NIGGFDLDIKGWGGEDVHLYRKYLHSNLIVVRTPVRGLFHLWHEKRCMDLTPEQYKMCMQS
KAMNEASHGQLGMLVFRHEIEAHLRKQKQKTSSKKT

277/330

FIGURE 277

GAAAGAATGTTGTGGCTGCTCTTTTTCTGGTGACTGCCATTCATGCTGAACTCTGTCAACC
AGGTGCAGAAAATGCTTTTAAAGTGAGACTTAGTATCAGAACAGCTCTGGGAGATAAAGCAT
ATGCCTGGGATACCAATGAAGAATACCTCTTCAAAGCGATGGTAGCTTTCTCCATGAGAAAA
GTTCCCAACAGAGAAGCAACAGAAATTTCCCATGTCCTACTTTGCAATGTAACCCAGAGGGT
ATCATTCTGGTTTGTGGTTACAGACCCTTCAAAAAATCACACCCTTCCTGCTGTTGAGGTGC
AATCAGCCATAAGAATGAACAAGAACCGGATCAACAATGCCTTCTTTCTAAATGACCAACT
CTGGAATTTTTTAAAAATCCCTTCCACACTTGCACCACCCATGGACCCATCTGTGCCCATCTG
GATTATTATATTTGGTGTGATATTTTGCATCATCATAGTTGCAATTGCACTACTGATTTTAT
CAGGGATCTGGCAACGTAGAAGAAAGAACAAAGAACCATCTGAAGTGGATGACGCTGAAGAT
AAGTGTGAAAACATGATCACAAATTGAAATGGCATCCCCTCTGATCCCCTGGACATGAAGGG
GGGCATATTAATGATGCCTTCATTGACAGAGGATGAGAGGCTCACCCCTCTCTGAAGGGCTGT
TGTTCTGCTTCCTCAAGAAATTAAACATTTGTTTCTGTGTGACTGCTGAGCATCCTGAAATA
CCAAGAGCAGATCATATATTTTGTTCACCATTCTTCTTTTGTAATAAATTTTGAATGTGCT
TGAAAGTGAAAAGCAATCAATTATACCCACCAACACCACTGAAATCATAAGCTATTCACGAC
TCAAAATATTCTAAAATATTTTTCTGACAGTATAGTGTATAAATGTGGTCATGTGGTATTTG
TAGTTATTGATTTAAGCATTTTTTAGAAATAAGATCAGGCATATGTATATATTTTCACACTTC
AAAGACCTAAGGAAAAATAAATTTTCCAGTGGAGAATACATATAATATGGTGTAGAAATCAT
TGAAAATGGATCCTTTTTGACGATCACTTATATCACTCTGTATATGACTAAGTAAACAAAAG
TGAGAAGTAATTATTGTAAATGGATGGATAAAAATGGAATTACTCATATACAGGGTGGAATT
TTATCCTGTTATCACACCAACAGTTGATTATATATTTTCTGAATATCAGCCCCTAATAGGAC
AATTCTATTTGTTGACCATTTCTACAATTTGTAAAAGTCCAATCTGTGCTAACTTAATAAAG
TAATAATCATCTCTTTTTTAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

278/330

FIGURE 278

MLWLLFFLVTAIHAELCQPGAENAFKVRLSIRTALGDKAYAWDTNEEYLFKAMVAFSMRKVP
NREATEISHVLLCNVTQRVSFVFWVTDPSKNHTLPAVEVQSAIRMNKNRINNAFFLNDQTLE
FLKIPSTLAPPMDPSVPIWIIIFGVIFCIIIVAIALLLSGIWQRRRKNKEPSEVDDAEDKC
ENMITIENGIPSDPLDMKGGILMMPS

279/330

FIGURE 279

AACTCAAACCTCCTCTCTCTGGGAAAACGCGGTGCTTGCTCCTCCCGGAGTGGCCTTGGCAGG
GTGTTGGAGCCCTCGGTCTGCCCCGTCCGGTCTCTGGGGCCAAGGCTGGGTTTCCCTC**ATGT**
ATGGCAAGAGCTCTACTCGTGCGGTGCTTCTTCTCCTTGGCATAACAGCTCACAGCTCTTTGG
CCTATAGCAGCTGTGGAAATTTATACCTCCCGGGTGCTGGAGGCTGTTAATGGGACAGATGC
TCGGTTAAAATGCACTTTCTCCAGCTTTGCCCCGTGGGGTGATGCTCTAACAGTGACCTGGA
ATTTTCGTCCTCTAGACGGGGGACCTGAGCAGTTTGTATTCTACTACCACATAGATCCCTTC
CAACCCATGAGTGGGCGGTTTAAGGACCGGTGTCTTGGGATGGGAATCCTGAGCGGTACGA
TGCTCCATCCTTCTCTGGAACTGCAGTTCGACGACAATGGGACATACACCTGCCAGGTGA
AGAACCCACCTGATGTTGATGGGGTGATAGGGGAGATCCGGCTCAGCGTCGTGCACACTGTA
CGCTTCTCTGAGATCCACTTCCTGGCTCTGGCCATTGGCTCTGCCTGTGCACTGATGATCAT
AATAGTAATTGTAGTGGTCCTCTTCCAGCATTACCGGAAAAAGCGATGGGCCGAAAGAGCTC
ATAAAGTGGTGGAGATAAAATCAAAAGAAGAGGAAAGGCTCAACCAAGAGAAAAAGGTCTCT
GTTTATTTAGAAGACACAGAC**TAA**CAATTTTAGATGGAAGCTGAGATGATTTCCAAGAACAA
GAACCCTAGTATTTCTTGAAGTTAATGGAACTTTTCTTTGGCTTTTCCAGTTGTGACCCGT
TTTCCAACCAGTTCTGCAGCATATTAGATTCTAGACAAGCAACACCCCTCTGGAGCCAGCAC
AGTGCTCCTCCATATCACCAGTCATACACAGCCTCATTATTAAGGTCTTATTTAATTTTCA
GTGTAAATTTTTTCAAGTGCTCATTAGGTTTTATAACAAGAAGCTACATTTTTGCCCTTAA
GACACTACTTACAGTGTTATGACTTGTATACACATATATTGGTATCAAAGGGGATAAAAGCC
AATTTGTCTGTTACATTTCTTTTACGATTTTCTTTTAGCAGCACTTCTGCTACTAAAGTTA
ATGTGTTTACTCTCTTTCTTTCCACATTCTCAATTTAAAGGTGAGCTAAGCCTCCTCGGTG
TTTCTGATTAACAGTAAATCCTAAATTCAAAGTTAAATGACATTTTTATTTTTATGTCTC
TCCTTAACTATGAGACACATCTTGTTTTACTGAATTTCTTTCAATATTCCAGGTGATAGATT
TTTGTCG

280/330

FIGURE 280

MYGKSSTRAVLLLLLGIQLTALWPAAVEIYTSRVLEAVNGTDARLKCTFSSFAPVGDALTVT
WNFRPLDGGPEQFVFYYHIDPFQPMGRFKDRVSWDGNPERYDASILLWKLQFDDNGTYTCQ
VKNPPDVGVIIEIRLSVVHTVRFSEIHFLALAIGSACALMIIIVIVVVLQHYRKKRWAER
AHKVVEIKSKEEERLNQEKKVSVYLETD

281/330

FIGURE 281

GCATTTTTGTCTGTGCTCCCTGATCTTCAGGTCACCACCATGAAGTTCTTAGCAGTCCTGGT
ACTCTTGGGAGTTTCCATCTTTCTGGTCTCTGCCCAGAATCCGACAACAGCTGCTCCAGCTG
ACACGTATCCAGCTACTGGTCCTGCTGATGATGAAGCCCCTGATGCTGAAACCACTGCTGCT
GCAACCACTGCGACCACTGCTGCTCCTACCACTGCAACCACCGCTGCTTCTACCACTGCTCG
TAAAGACATTCCAGTTTTACCCAAATGGGTTGGGGATCTCCCGAATGGTAGAGTGTGTCCCT
GAGATGGAATCAGCTTGAGTCTTCTGCAATTGGTCACAACATTCATGCTTCCTGTGATTTC
ATCCAAC TACTTACCTTGCCTACGATATCCCCTTTATCTCTAATCAGTTTATTTTCTTTCAA
ATAAAAAATAACTATGAGCAACATAAAAAAAAAAAAAA

282/330

FIGURE 282

MKFLAVLVLLGVSI FLVSAQNPTTAAPADTYPATGPADDEAPDAETTAAATTATTAAPTAT
TAASTTARKDIPVLPKWVDLPNGRVCP

283/330

FIGURE 283

GGACTCTGAAGGTCCCAAGCAGCTGCTGAGGCCCCCAAGGAAGTGGTTCCAACCTTGGACCC
CTAGGGGTCTGGATTTGCTGGTTAACAAGATAACCTGAGGGCAGGACCCCATAGGGGAATGC
TACCTCCTGCCCTTCCACCTGCCCTGGTGTTCACGGTGGCCTGGTCCCTCCTTGCCGAGAGA
GTGTCCTGGGTGAGGACGCAGAGGACGCTCACAGACTCCAGCCCTTTGTTACCGAGAGGAC
ACTTGGCAAGGTCCAGCGATGGTCCGGAGTCCACACACAGACTGGCGGCAGGGCAGGAGGGG
GACAGTTCTGTTGTGCTTGGTTGGACAGTAAGAGGGTCTTGGCCAGTCCAGGGTGGGGGGCG
GCAAACTCCATAAAGAACCAGAGGGTCTGGGCCCCGGCCACAGAGTCATCTGCCCAGCTCCT
CTGCTGCTGGCCAGTGGGAGTGGCACGAGGTGGGGCTTTGTGCCAGTTAAAACCACAGGCTGG
ATTTGCCTGCGGGCCATGGTCCCTGTCTAGGGCAGCAATTCTCAACCTTCTTGCTCTCAGGA
CCCCAAAGAGCTTTCATTGTATCTATTGATTTTTACCACATTAGCAATTAAAACTGAGAAAT
GGGCCGGGCACGGTGGCTCACGCCTGTAATCCCAGCACTTTGGGAGGCCGAGGCGGGTGGAT
CACCTGAGATCAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAACCTTGTCTACTAAAAA
TACAAAAAATTAGCCAGGCACAGTGGTGTGCACTGGTAGTCCCAGTTACTCGGGAGGCTGAG
GCAGGAAAATCGCTTGAACCCAGGAGGCGGACGTTGCGGTGAGCCGAGATCGCGCCGCTGAT
TCCAGCCTGGGCGACAAGAGTGAGACTCCATCTCACACA

284/330

FIGURE 284

MLPPALPPALVFTVAWSLLAERVSWVRDAEDAHRLQPFVTERTLGKVQRWSGVHTQTGGRAG
GGQFCCAWLDSKRVLASPGWGAANSIKNQRVWAPATESSAQLLCCWPVGVARGGALCQ

285/330

FIGURE 285

GTCATGCCAGTGCCTGCTCTGTGCCTGCTCTGGGCCCTGGCAATGGTGACCCGGCCTGCCTCA
GCGGCCCCCATGGGCGGCCAGAACTGGCACAGCATGAGGAGCTGACCCTGCTCTTCCATGG
GACCCTGCAGCTGGGCCAGGCCCTCAACGGTGTGTACAGGACCACGGAGGGACGGCTGACAA
AGGCCAGGAACAGCCTGGGTCTCTATGGCCGCACAATAGAACTCCTGGGGCAGGAGGTCAGC
CGGGGCCGGGATGCAGCCAGGAACTTCGGGCAAGCCTGTTGGAGACTCAGATGGAGGAGGA
TATTCTGCAGCTGCAGGCAGAGGCCACAGCTGAGGTGCTGGGGGAGGTGGCCCAGGCACAGA
AGGTGCTACGGGACAGCGTGCAGCGGCTAGAAGTCCAGCTGAGGAGCGCCTGGCTGGGCCCT
GCCTACCGAGAATTTGAGGTCTTAAAGGCTCACGCTGACAAGCAGAGCCACATCCTATGGGC
CCTCACAGGCCACGTGCAGCGGCAGAGGCGGGAGATGGTGGCACAGCAGCATCGGCTGCGAC
AGATCCAGGAGAGACTCCACACAGCGGCGCTCCCAGCCTGAATCTGCCTGGATGGAACTGAG
GACCAATCATGCTGCAAGGAACACTTCCACGCCCCGTGAGGCCCTGTGCAGGGAGGAGCTG
CCTGTTCACTGGGATCAGCCAGGGCGCCGGGCCCCACTTCTGAGCACAGAGCAGAGACAGAC
GCAGGCGGGGACAAAGGCAGAGGATGTAGCCCCATTGGGGAGGGGTGGAGGAAGGACATGTA
CCCTTTCATGCCTACACACCCCTCATTAAGCAGAGTCGTGGCATTTCAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAA

286/330

FIGURE 286

MPVPALCLLWALAMVTRPASAAPMGGPELAQHEELTLLFHGTLQLGQALNGVYRTTEGRLTK
ARNSLGLYGRTIELLGQEVSRGRDAAQELRASLLETQMEEDILQLQAEATAEVLGEVAQAQK
VLRDSVQRLEVQLRSAWLGPAYREFEVLKAHADKQSHILWALTGHVQRQRREMVAQQHRLRQ
IQERLHTAALPA

287/330

FIGURE 287

GGCAAC**ATG**GCTCAGCAGGCTTGCCCCAGAGCCATGGCAAAGAATGGACTTGTAATTTGCAT
CCTGGTGATCACCTTACTCCTGGACCAGACCACCAGCCACACATCCAGATTAAAAGCCAGGA
AGCACAGCAAACGTCGAGTGAGAGACAAGGATGGAGATCTGAAGACTCAAATTGAAAAGCTC
TGGACAGAAGTCAATGCCTTGAAGGAAATTCAAGCCCTGCAGACAGTCTGTCTCCGAGGCAC
TAAAGTTCACAAGAAATGCTACCTTGCTTCAGAAGGTTTGAAGCATTTCCATGAGGCCAATG
AAGACTGCATTTCCAAAGGAGGAATCCTGGTTATCCCCAGGAACCTCGACGAAATCAACGCC
CTCCAAGACTATGGTAAAAGGAGCCTGCCAGGTGTCAATGACTTTTGGCTGGGCATCAATGA
CATGGTCACGGAAGGCAAGTTTGTGACGTCAACGGAATCGCTATCTCCTTCTCAACTGGG
ACCGTGACAGCCTAACGGTGGCAAGCGAGAAAACCTGTGTCCTGTTCTCCCAATCAGCTCAG
GGCAAGTGGAGTGATGAGGCCTGTCGCAGCAGCAAGAGATACATATGCGAGTTCACCATCCC
TAAAT**TAG**GTCTTTCTCCAATGTGTCCTCCAAGCAAGATTCATCATAACTTATAGGTTTCATGA
TCTCTAAGATCAAGTAAAAATCATAATTTTTACTTATTAAAAAATTGCAACACAAGATCAAT
GTCCATAGCAATATGATAGCATCAGCCAATTTTGCTAACACATTTCTTTGGGATTTTGCCCT
TCCTGGGGTATAGGGGATCAGAAATATTGATCCATGTGCACGCAGATAAAATGGCTTCTGCT
AAACAGACTAAAATCTTTCTCTCTAGTCTTTCTCACTTGTACAAACCCAGTTTGTTTTCAA
AAATCACAGTAGCAATGCAACTCATCACTCTAGAAAAGCAAGCTTAGGCTACCTGAAAGATT
TTCCCTTGGAAGTTTAGCGTATGTTTGAATAACAAAATTCCTTACATCAGAGACTCTAGGT
GCTATATAATCCAAAAACTTTTCAGCCTGTTGCTCATTTCTGTCCCATGCTGGCAATAATACC
TTGTCAGCCCATTACCCTTATTTTGAATTGCTCCATCTCCTGGTGGGACTTGTATCTTGTCT
GCCATATCAGAACACAAACCCCTGAAGAGGTTCTGATTTGATTTTTTTTTTTCTTCATGCC
TACCCTTTTTTTTGAAGTTTCCAGCCGCAATTTGAAATGAAATGACAAGGTGTATATTTGAT
CAATTTTCATTCCCACCATTGCATTACAACCTCTAACTTAAATGGGTAACCCTAAGGCATAT
CAAAGAAGCAGATTGCATGATAAACGGAATAGAAAAAAGAACCTACATTTATTTTGCTTT
AGCATCCTTACTCTCACCTTTTATGAGATTGAGAGTGGACTTACATTTCTTTTTTACATTT
TCGTATATTTATTTTTTTTAGCCATCATTATATGTTTAAAGTCTATTATGGGCAACCAATCTT
TGGAAGCTGAAAACCTGAATTTAAAGAATGCTATCTTGGAATAATTGCATACGTCTGTGCAATT
TTTTATTCTGCCTAGTGCTATTCTGCTTGTTAACTAGATTGTACAAAATAACTTCATTGCT
TAATATCAAATTACAAAGTTTAGACTTGGAGGGAAATGGGCTTTTTTAGAAGCAAACAATTTT
AAATATATTTTGTTCCTCAAATAAATAGTGTTTAAACATTGAATGTGTTTTGTGAACAATAT
CCCCTTTGCAAACCTTAACTACACATGCTTGGAATTAAGTTTTAGCTGTTTTTCATTGCTCA
ATAATAAGCCTGAATTCTGATCAATAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

288/330

FIGURE 288

MAQQACPRAMAKNGLVICILVITLLLDQTTSHTSRLKARKHKKRRVRDKDGD LKTQIEKLWT
EVNALKEIQALQTVCLRGTKVHKKCYLASEGLKHFHEANEDCISKGGILVIPRNSDEINALQ
DYGKRSLPGVNDFWLGINDMVTEGKFVDVNGIAISFLNWDRAQPNGGKRENCVLFSQSAQ GK
WSDEACRSSKRYICEFTIPK

289/330

FIGURE 289

GCAGAGACCGGGTATAAGAAGCCTCGTGGCCTTGCCCGGGCAGCCGCAGGTTCCCCGCGCGC
CCCGAGCCCCCGCGCCATGAAAGCTCGCCGCCCTCCTGGGGCTCTGCGTGGCCCTGTCCTGCA
GCTCCGCTGCTGCTTTCTTAGTGGGCTCGGCCAAGCCTGTGGCCCAGCCTGTCGCTGCGCTG
GAGTCGGCGGCGGAGGCCGGGGCCGGGACCCTGGCCAACCCCTCGGCACCCTCAACCCGCT
GAAGCTCCTGCTGAGCAGCCTGGGCATCCCCGTGAACCACCTCATAGAGGGCTCCCAGAAGT
GTGTGGCTGAGCTGGGTCCCCAGGCCGTGGGGGCCGTGAAGGCCCTGAAGGCCCTGCTGGGG
GCCCTGACAGTGTTTGGCTGAGCCGAGACTGGAGCATCTACACCTGAGGACAAGACGCTGCC
CACCCGCGAGGGCTGAAAACCCCGCCGCGGGGAGGACCGTCCATCCCCTTCCCCGGCCCCT
CTCAATAAACGTGGTTAAGAGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAA

290/330

FIGURE 290

MKLAALLGLCVALSCSSAAFLVGSAPVAPVAALESAAEAGAGTLANPLGTNLPLKLLLS
SLGIPVNHLEGSQKCVNELGPQAVGAVKALKALLGALTVFG

291/330

FIGURE 291

TGAAGGACTTTTCCAGGACCCAAGGCCACACACTGGAAGTCTTGCAGCTGAAGGGAGGCACT
CCTTGCCCTCCGCAGCCGATCACATGAAGGTGGTGCCAAGTCTCCTGCTCTCCGTCCTCCTG
GCACAGGTGTGGCTGGTACCCGGCTTGGCCCCCAGTCCTCAGTCGCCAGAGACCCCAGCCCC
TCAGAACCAGACCAGCAGGGTAGTGCAGGCTCCCAGGGAGGAAGAGGAAGATGAGCAGGAGG
CCAGCGAGGAGAAGGCCGGTGAGGAAGAGAAAAGCCTGGCTGATGGCCAGCAGGCAGCAGCTT
GCCAAGGAGACTTCAAACCTTCGGATTACAGCTGCTGCGAAAGATCTCCATGAGGCACGATGG
CAACATGGTCTTCTCTCCATTTGGCATGTCTTGGCCATGACAGGCTTGATGCTGGGGGCCA
CAGGGCCGACTGAAACCCAGATCAAGAGAGGGCTCCACTTGCAGGCCCTGAAGCCCACCAAG
CCCGGGCTCCTGCCTTCCCTCTTTAAGGGACTCAGAGAGACCTCTCCCGCAACCTGGAACCT
GGGCTCTCACAGGGGAGTTTTGCCTTCATCCACAAGGATTTTGATGTCAAAGAGACTTTCT
TCAATTTATCCAAGAGGTATTTTGATACAGAGTGCCTGCCTATGAATTTTCGCAATGCCTCA
CAGGCCAAAAGGCTCATGAATCATTACATTAACAAAGAGACTCGGGGGAAAATTCCCAAACCT
GTTTGATGAGATTAATCCTGAAACCAATTAATTCTTGTGGATTACATCTTGTTCAAAGGGA
AATGGTTGACCCCATTTGACCCTGTCTTCACCGAAGTCGACACTTCCACCTGGACAAGTAC
AAGACCATTAAGGTGCCCATGATGTACGGTGCAGGCAAGTTTGCCTCCACCTTTGACAAGAA
TTTTCGTTGTCATGTCCTCAAACCTGCCCTACCAAGGAAATGCCACCATGCTGGTGGTCTCA
TGGAGAAAATGGGTGACCACCTCGCCCTTGAAGACTACCTGACCACAGACTTGGTGGAGACA
TGGCTCAGAAACATGAAAACCAAGAACATGGAAGTTTTCTTTCCGAAGTTCAAGCTAGATCA
GAAGTATGAGATGCATGAGCTGCTTAGGCAGATGGGAATCAGAAGAATCTTCTCACCTTTG
CTGACCTTAGTGAACCTCTCAGCTACTGGAAGAAATCTCCAAGTATCCAGGGTTTTACGAAGA
ACAGTGATTGAAGTTGATGAAAGGGGCACTGAGGCAGTGGCAGGAATCTTGTGAGAAATTAC
TGCTTATTCCATGCCCTCCTGTCATCAAAGTGACCGGCCATTTCAATTCATGATCTATGAAG
AAACCTCTGGAATGCTTCTGTTTCTGGGCAGGGTGGTGAATCCGACTCTCCTATTAAATTCAGG
ACATGCATAAGCACTTCGTGCTGTAGTAGATGCTGAATCTGAGGTATCAAACACACACAGGA
TACCAGCAATGGATGGCAGGGGAGAGTGTTCCCTTTTGTTCTTAACTAGTTTAGGGTGTTCTC
AAATAAATACAGTAGTCCCCACTTATCTGAGGGGGATACATTCAAAGACCCCCAGCAGATGC
CTGAAACGGTGGACAGTGCTGAACCTTATATATATTTTTTCTACACATACATACCTATGAT
AAAGTTTAATTTATAAATTAGGCACAGTAAGAGATTAACAATAATAACAACATTAAGTAAAA
TGAGTTACTTGAACGCAAGCACTGCAATACCATAACAGTCAAACCTGATTATAGAGAAGGCTA
CTAAGTGACTCATGGGCGAGGAGCATAGACAGTGTGGAGACATTGGGCAAGGGGAGAATTCA
CATCCTGGGTGGGACAGAGCAGGACGATGCAAGATTCATCCCACTACTCAGAATGGCATGC
TGCTTAAGACTTTTAGATTGTTTATTTCTGGAATTTTTCATTTAATGTTTTTGGACCATGGT
TGACCATGGTTAACTGAGACTGCAGAAAGCAAAACCATGGATAAGGGAGGACTACTACAAA
GCATTAAATTGATACATATTTTTTAAAAA

292/330

FIGURE 292

MKVVP S L L L S V L L A Q V W L V P G L A P S P Q S P E T P A P Q N Q T S R V V Q A P R E E E E D E Q E A S E E K A G E
E E K A W L M A S R Q Q L A K E T S N F G F S L L R K I S M R H D G N M V F S P F G M S L A M T G L M L G A T G P T E T Q I
K R G L H L Q A L K P T K P G L L P S L F K G L R E T L S R N L E L G L S Q G S F A F I H K D F D V K E T F F N L S K R Y F
D T E C V P M N F R N A S Q A K R L M N H Y I N K E T R G K I P K L F D E I N P E T K L I L V D Y I L F K G K W L T P F D P
V F T E V D T F H L D K Y K T I K V P M M Y G A G K F A S T F D K N F R C H V L K L P Y Q G N A T M L V V L M E K M G D H L
A L E D Y L T T D L V E T W L R N M K T R N M E V F F P K F K L D Q K Y E M H E L L R Q M G I R R I F S P F A D L S E L S A
T G R N L Q V S R V L R R T V I E V D E R G T E A V A G I L S E I T A Y S M P P V I K V D R P F H F M I Y E E T S G M L L F
L G R V V N P T L L

293/330

FIGURE 293

CTGGGATCAGCCACTGCAGCTCCCTGAGCACTCTCTACAGAGACGCGGACCCCAGACATGAG
GAGGCTCCTCCTGGTCACCAGCCTGGTGGTTGTGCTGCTGTGGGAGGCAGGTGCAGTCCCAG
CACCCAAGGTCCCTATCAAGATGCAAGTCAAACACTGGCCCTCAGAGCAGGACCCAGAGAAG
GCCTGGGGCGCCCGTGTGGTGGAGCCTCCGGAGAAGGACGACCAGCTGGTGGTGTGTTCCC
TGTCCAGAAGCCGAAACTCTTGACCACCGAGGAGAAGCCACGAGGTCAGGGCAGGGGCCCA
TCCTTCCAGGCACCAAGGCCTGGATGGAGACCGAGGACACCCTGGGCCGTGTCCTGAGTCCC
GAGCCCGACCATGACAGCCTGTACCACCCTCCGCCTGAGGAGGACCAGGGCGAGGAGAGGCC
CCGGTTGTGGGTGATGCCAAATCACCAGGTGCTCCTGGGACCGGAGGAAGACCAAGACCACA
TCTACCACCCCCAGTAGGGCTCCAGGGGCCATCACTGCCCCCGCCCTGTCCCAAGGGCCAGG
CTGTTGGGACTGGGACCCTCCCTACCCTGCCCCAGCTAGACAAATAAACCCCAGCAGGCAAA
AAAAAAAAAAAAAAAAA

294/330

FIGURE 294

MRRLLLVTSLVVLLWEAGAVPAPKVPIKMQVKHWPSEQDPEKAWGARVVEPPEKDDQLVVL
FPVQKPKLLTTEEKPRGQGRGPILPGTKAWMETEDTLGRVLSPEPDHDSLYHPPPEEDQGEE
RPRLWVMPNHQVLLGPEEDQDHIYHPQ

295/330

FIGURE 295

AGAAAGCTGCACTCTGTTGAGCTCCAGGGCGCAGTGGAGGGAGGGAGTGAAGGAGCTCTCTG
TACCCAAGGAAAGTGCAGCTGAGACTCAGACAAGATTACAATGAACCAACTCAGCTTCCTGC
TGTTTCTCATAGCGACCACCAGAGGATGGAGTACAGATGAGGCTAATACTTACTTCAAGGAA
TGGACCTGTTCTTCGTCTCCATCTCTGCCCAGAAGCTGCAAGGAAATCAAAGACGAATGTCC
TAGTGCATTTGATGGCCTGTATTTTCTCCGCACTGAGAATGGTGTTATCTACCAGACCTTCT
GTGACATGACCTCTGGGGGTGGCGGTGGACCTGGTGGCCAGCGTGCATGAGAATGACATG
CGTGGGAAGTGCACGGTGGGCGATCGCTGGTCCAGTCAGCAGGGCAGCAAAGCAGACTACCC
AGAGGGGGACGGCAACTGGGCCAACTACAACACCTTTGGATCTGCAGAGGCGGCCACGAGCG
ATGACTACAAGAACCCTGGCTACTACGACATCCAGGCCAAGGACCTGGGCATCTGGCACGTG
CCCAATAAGTCCCCCATGCAGCACTGGAGAAACAGCTCCCTGCTGAGGTACCGCACGGACAC
TGGCTTCCTCCAGACACTGGGACATAATCTGTTTGGCATCTACCAGAAATATCCAGTGAAAT
ATGGAGAAGGAAAGTGTGGACTGACAACGGCCCGGTGATCCCTGTGGTCTATGATTTTGGC
GACGCCCAGAAAACAGCATCTTATTACTCACCTATGGCCAGCGGGAATTCAGTGCGGGATT
TGTTCAAGTTCAGGGTATTTAATAACGAGAGAGCAGCCAACGCCTTGTGTGCTGGAATGAGGG
TCACCGGATGTAACACTGAGCATCACTGCATTGGTGGAGGAGGATACTTTCCAGAGGCCAGT
CCCCAGCAGTGTGGAGATTTTCTGGTTTTGATTGGAGTGGATATGGAACATGTTGGTTA
CAGCAGCAGCCGTGAGATAACTGAGGCAGCTGTGCTTCTATTCTATCGTTGAGAGTTTTGTG
GGAGGGAACCCAGACCTCTCCTCCCAACCATGAGATCCCAAGGATGGAGAACAACCTACCCA
GTAGCTAGAATGTTAATGGCAGAAGAGAAAACAATAAATCATATTGACTCAAGAAAAAAA

296/330

FIGURE 296

MNQLSFLFLIATTRGWSTDEANTYFKEWTCSSSPSLPRSCKEIKDECPSAFDGLYFLRTEN
GVIIYQTFCDMTSGGGGWTLVASVHENDMRGKCTVGDRWSSQQGSKADYPEGDGNWANYNTFG
SAEAATSDDYKNPGYYDIQAKDLGIWHVPNKSPMQHWRNSSLLRYRTDTGFLQTLGHNLFGI
YQKYPVKYGEGKCWTDNGPVI PVVYDFGDAQKTASYSPYGQREFTAGFVQFRVFNNERAAN
ALCAGMRVTGCNTEHHCIGGGGYFPEASPQCGDFSGFDWSGYGTHVGYSSSREITEAAVLL
FYR

297/330

FIGURE 297

GCGGAGCCGGCGCCGGCTGCGCAGAGGAGCCGCTCTCGCCGCCGCCACCTCGGCTGGGAGCC
CACGAGGCTGCCGCATCCTGCCCTCGGAACAATGGGACTCGGCGCGCGAGGTGCTTGGGCCG
CGCTGCTCCTGGGGACGCTGCAGGTGCTAGCGCTGCTGGGGGCCGCCCATGAAAGCGCAGCC
ATGGCGGCATCTGCAAACATAGAGAATTCTGGGCTTCCACACAACCTCCAGTGCTAACTCAAC
AGAGACTCTCCAACATGTGCCTTCTGACCATACAAATGAAACTTCCAACAGTACTGTGAAAC
CACCAACTTCAGTTGCCTCAGACTCCAGTAATACAACGGTCACCACCATGAAACCTACAGCG
GCATCTAATACAACAACACCAGGGATGGTCTCAACAAATATGACTTCTACCACCTTAAAGTC
TACACCCAAAACAACAAGTGTTTCACAGAACACATCTCAGATATCAACATCCACAATGACCG
TAACCCACAATAGTTCAGTGACATCTGCTGCTTCATCAGTAACAATCACAACAACCTATGCAT
TCTGAAGCAAAGAAAGGATCAAAATTTGATACTGGGAGCTTTGTTGGTGGTATTGTATTAAC
GCTGGGAGTTTTATCTATTCTTTACATTGGATGCAAATGTATTACTCAAGAAGAGGCATTC
GGTATCGAACCATAGATGAACATGATGCCATCATTAAAGGAAATCCATGGACCAAGGATGGA
ATACAGATTGATGCTGCCCTATCAATTAATTTTGGTTTATTAATAGTTTAAAACAATATTCT
CTTTTTGAAAATAGTATAAACAGGCCATGCATATAATGTACAGTGTATTACGTAAATATGTA
AAGATTCTTCAAGGTAACAAGGGTTTGGGTTTTGAAATAAACATCTGGATCTTATAGACCGT
TCATACAATGGTTTTAGCAAGTTCATAGTAAGACAAACAAGTCCTATCTTTTTTTTTTTGGCT
GGGGTGGGGGCATTGGTCACATATGACCAGTAATTGAAAGACGTCATCACTGAAAGACAGAA
TGCCATCTGGGCATACAATAAGAAGTTTGTACAGCACTCAGGATTTTGGGTATCTTTTGT
AGCTCACATAAAGAACTTCAGTGCTTTTCAGAGCTGGATATATCTTAATTACTAATGCCACA
CAGAAATTATACAATCAAACCTAGATCTGAAGCATAATTTAAGAAAAACATCAACATTTTTTG
TGCTTTAACTGTAGTAGTTGGTCTAGAAACAAAATACTCC

298/330

FIGURE 298

MGLGARGAWAALLLGTQLQVLALLGAAHESAAMAASANIENSGLPNSSANSTETLQHVPSDH
TNETSNSTVKPPTSVASDSSNTTVTTMKPTAASNTTTPGMVSTNMTSTTLKSTPKTTSVSQN
TSQISTSTMTVTHNSSVTSAASSVTITTTMHSEAKKGSKFDTGSGFVGIVLTGLVLSILYIG
CKMYYSRRGIRYRTIDEHDAII

299/330

FIGURE 299

CAGCCGGGTCCCAAGCCTGTGCCTGAGCCTGAGCCTGAGCCTGAGCCGAGCCGGGAGCCGG
TCGCGGGGGCTCCGGGCTGTGGGACCGCTGGGCCCCAGCGATGGCGACCCTGTGGGGAGGC
CTTCTTCGGCTTGGCTCCTTGCTCAGCCTGTCGTGCCTGGCGCTTCCGTGCTGCTGCTGGC
GCAGCTGTCAGACGCCGCCAAGAATTTGAGGATGTCAGATGTAAATGTATCTGCCCTCCCT
ATAAAGAAAATTCTGGGCATATTTATAATAAGAACATATCTCAGAAAGATTGTGATTGCCTT
CATGTTGTGGAGCCCATGCCTGTGCGGGGGCCTGATGTAGAAGCATACTGTCTACGCTGTGA
ATGCAAATATGAAGAAAGAAGCTCTGTCACAATCAAGGTTACCATTATAATTTATCTCTCCA
TTTTGGGCCTTCTACTTCTGTACATGGTATATCTTACTCTGGTTGAGCCATACTGAAGAGG
CGCCTCTTTGGACATGCACAGTTGATACAGAGTGATGATGATATTGGGGATCACCAGCCTTT
TGCAAATGCACACGATGTGCTAGCCCGCTCCCGCAGTCGAGCCAACGTGCTGAACAAGGTAG
AATATGCACAGCAGCGCTGGAAGCTTCAAGTCCAAGAGCAGCGAAAGTCTGTCTTTGACCGG
CATGTTGTCCTCAGCTAATTGGGAATTGAATTCAAGGTGACTAGAAAGAAACAGGCAGACAA
CTGGAAAGAACTGACTGGGTTTTGCTGGGTTTCATTTTAATACCTTGTTGATTTACCAACT
GTTGCTGGAAGATTCAAACTGGAAGCAAAAACCTGCTTGATTTTTTTTTCTTGTTAACGTA
ATAATAGAGACATTTTTAAAAGCACACAGCTCAAAGTCAGCCAATAAGTCTTTTCCTATTTG
TGACTTTTACTAATAAAAATAAATCTGCCTGTAAATTATCTTGAAAGTCCTTTACCTGGAACA
AGCACTCTCTTTTTACCAACATAGTTTTAACTTGACTTTCAAGATAATTTTCAGGGTTTTTG
TTGTTGTTGTTTTTTGTTTGTGTTTGGTGGGAGAGGGGAGGGATGCCTGGGAAGTGGTT
AACAACTTTTTTCAAGTCACTTTACTAAACAACTTTTGTAATAGACCTTACCTTCTATTT
TCGAGTTTCATTTATATTTTGCAGTGTAGCCAGCCTCATCAAAGAGCTGACTTACTCATTTG
ACTTTTGCACTGACTGTATTATCTGGGTATCTGCTGTGTCTGCACCTCATGGTAAACGGGAT
CTAAAATGCCTGGTGGCTTTTACAAAAAGCAGATTTTCTTCATGTACTGTGATGTCTGATG
CAATGCATCCTAGAACAACTGGCCATTTGCTAGTTTACTCTAAAGACTAAACATAGTCTTG
GTGTGTGTGGTCTTACTCATCTTCTAGTACCTTTAAGGACAAATCCTAAGGACTTGGACACT
TGCAATAAAGAAATTTTATTTTAAACCCAAGCCTCCCTGGATTGATAATATATACACATTTG
TCAGCATTTCCGGTCGTGGTGAGAGGCAGCTGTTTGAGCTCCAATATGTGCAGCTTTGAACT
AGGGCTGGGGTTGTGGGTGCCTCTTCTGAAAGGTCTAACCATTATTGGATAACTGGCTTTTT
TCTTCCTATGTCCTCTTTGGAATGTAACAATAAAAATAATTTTTGAAACATCAA

300/330

FIGURE 300

MATLWGGLRLGSLLSLCLALSVLLLAQLSDAAKNFEDVRCKCICPPYKENS
GHIYNKNIS
QKDCDCLHVVEPMPVRGPDVEAYCLRCECKYEERSSVTIKVTIIYLSILG
LLLLYMVYLT
LVEPILKRRLFGHAQLIQSDDDIGDHQPFANAHDVLARSRSRANVLNKVEYA
QQRWKLQVQEQ
RKSVFDRHVLS

302/330

FIGURE 302

MAYSTVQRVALASGLVLALSLLLPKAFLSRGKRQEPPPTPEGKLGRFPPMMHHHQAPSDGQT
PGARFQRSHLAEAFKAKGSGGGAGGGGSGRGLMGQIIPYGFGLYILYILFKVSRIILI
ILHQ

303/330

FIGURE 303

CGGCTCGAGTGCAGCTGTGGGGAGATTTTCAGTGCATTGCCTCCCCTGGGTGCTCTTCATCTT
GGATTTGAAAGTTGAGAGCAGCATGTTTTTGGCCACTGAAACTCATCCTGCTGCCAGTGTTAC
TGGATTATTCCCTTGGGCCTGAATGACTTGAATGTTTCCCCGCCTGAGCTAACAGTCCATGTG
GGTGATTCAGCTCTGATGGGATGTGTTTTCCAGAGCACAGAAGACAAATGTATATTCAAGAT
AGACTGGACTCTGTCCACCAGGAGAGCACGCCAAGGACGAATATGTGCTATACTATTACTCCA
ATCTCAGTGTGCCTATTGGGCGCTTCCAGAACCGGTACACTTGATGGGGGACATCTTATGC
AATGATGGCTCTCTCCTGCTCCAAGATGTGCAAGAGGCTGACCAGGGAACCTATATCTGTGA
AATCCGCCTCAAAGGGGAGAGCCAGGTGTTCAAGAAGGCGGTGGTACTGCATGTGCTTCCAG
AGGAGCCCAAAGAGCTCATGGTCCATGTGGGTGGATTGATTTCAGATGGGATGTGTTTTCCAG
AGCACAGAAGTGAAACACGTGACCAAGGTAGAATGGATATTTTCAGGACGGCGCGCAAAGGA
GGAGATTGTATTTTCGTTACTACCACAACTCAGGATGTCTGTGGAGTACTCCCAGAGCTGGG
GCCACTTCCAGAATCGTGTGAACCTGGTGGGGGACATTTTCCGCAATGACGGTTCATCATG
CTTCAAGGAGTGAGGGAGTCAGATGGAGGAACTACACCTGCAGTATCCACCTAGGGAACCT
GGTGTTCAAGAAAACCATTTGTGCTGCATGTGAGCCCGGAAGAGCCTCGAACACTGGTGACCC
CGGCAGCCCTGAGGCCTCTGGTCTTGGGTGGTAATCAGTTGGTGATCATTGTGGGAATTGTC
TGTGCCACAATCCTGCTGCTCCCTGTTCTGATATTGATCGTGAAGAAGACCTGTGGAAATAA
GAGTTCAGTGAATTCTACAGTCTTGGTGAAGAACACGAAGAAGACTAATCCAGAGATAAAAG
AAAAACCCTGCCATTTTGAAAGATGTGAAGGGGAGAAACACATTTACTCCCCAATAATTGTA
CGGGAGGTGATCGAGGAAGAAGAACCAAGTGAAAAATCAGAGGCCACCTACATGACCATGCA
CCCAGTTTGGCCTTCTCTGAGGTGAGATCGGAACAACCTCACTTGAAAAAAGTCAGGTGGGG
GAATGCCAAAAACACAGCAAGCCTTTTGAGAAGAATGGAGAGTCCCTTCATCTCAGCAGCGG
TGGAGACTCTCTCCTGTGTGTGTCTGGGCCACTCTACCAGTGATTTTCAGACTCCCGCTCTC
CCAGCTGTCTCCTGTCTCATTGTTTGGTCAATACACTGAAGATGGAGAATTTGGAGCCTGG
CAGAGAGACTGGACAGCTCTGGAGGAACAGGCCTGCTGAGGGGAGGGGAGCATGGACTTGGC
CTCTGGAGTGGGACACTGGCCCTGGGAACCAGGCTGAGCTGAGTGGCCTCAAACCCCCCGTT
GGATCAGACCCTCCTGTGGGCAGGGTTCTTAGTGGATGAGTTACTGGGAAGAATCAGAGATA
AAAACCAACCCAAATCAA

304/330

FIGURE 304

MFCPLKLILLPVLLDYSGLNDLNVSPPELTVHVGDSALMGCVFQSTEDKCIFKIDWTLSPG
EHAKDEYVLYYYSNLSVPIGRFQNRVHLMGDILCNDGSLLLQDVQEADQGTYICEIRLKGES
QVFKKAVVLHVLPEEPKELMVHVGGLIQMGCVFQSTEVKHVTKVEWIFSGRRAKEEIVFRYY
HKLRMSVEYSQSWGHFQNRVNLVGDI FRNDGSIMLQGVRES DGGNYTCSIHLGNLVFKKTIV
LHVSPEEPRTLVT PAALRPLVLGGNQLVIIVGIVCATILLPVLILIVKKTCGNKSSVNSTV
LVKNTKKTNPEIKEKPCHFERCEGEKHIYSPIIVREVIEEEEPSEKSEATYMTMHPVWPSLR
SDRNN SLEKKSGGMPKTQQAF

305/330

FIGURE 305

CTATGAAGAAGCTTCCTGGAAAACAATAAGCAAAGGAAAACAAATGTGTCCCATCTCACATG
GTTCTACCCTACTAAAGACAGGAAGATCATAACTGACAGATACTGAAATTGTAAGAGTTGG
AAACTACATTTTGCAAAGTCATTGAACTCTGAGCTCAGTTGCAGTACTCGGGAAGCCATGCA
GGATGAAGATGGATACATCACCTTAAATATTAATACTCGGAAACCAGCTCTCGTCTCCGTTG
GCCCTGCATCCTCCTCCTGGTGGCGTGTGATGGCTTTGATTCTGCTGATCCTGTGCGTGGGG
ATGGTTGTGGGCTGGTGGCTCTGGGGATTTGGTCTGTCATGCAGCGCAATTACCTACAAGA
TGAGAATGAAAATCGCACAGGAAGCTCTGCAACAATTAGCAAAGCGCTTCTGTCAATATGTGG
TAAACAATCAGAACTAAAGGGCACTTTCAAAGGTCATAAATGCAGCCCCTGTGACACAAAC
TGGAGATATTATGGAGATAGCTGCTATGGGTTCTTCAGGCACAACTTAACATGGGAAGAGAG
TAAGCAGTACTGCACTGACATGAATGCTACTCTCCTGAAGATTGACAACCGGAACATTGTGG
AGTACATCAAAGCCAGGACTCATTTAATTCGTTGGGTCTGGATTATCTCGCCAGAAGTCGAAT
GAGGTCTGGAAGTGGGAGGATGGCTCGGTTATCTCAGAAAATATGTTTGAGTTTTTGGAAGA
TGGAAAAGGAAATATGAATTGTGCTTATTTTCATAATGGGAAAATGCACCCTACCTTCTGTG
AGAACAAACATTATTTAATGTGTGAGAGGAAGGCTGGCATGACCAAGGTGGACCAACTACCT
TAATGCAAAGAGGTGGACAGGATAACACAGATAAGGGCTTTATTGTACAATAAAAGATATGT
ATGAATGCATCAGTAGCTGAAAAAAAAAAAAA

306/330

FIGURE 306

MQDEDEGYITLNIKTRKPALVSVGPASSSWWRVMALILLILCVGMVVGLVALGIWSVMQRNYL
QDENENRTGTLQQLAKRFCQYVVKQSELKGTFKGHKCSPCDTNWRYYGDSYGFRRHNLWE
ESKQYCTDMNATLLKIDNRNIVEYIKARTHLIRWVGLSRQKSNEVWKWEDGSVISENMFEEFL
EDGKGNMNCAYFHNGKMHPTFCENKHLYLMCERKAGMTKVDQLP

307/330

FIGURE 307

CCCACGCGTCCGCGCAGTCGCGCAGTTCTGCCTCCGCCTGCCAGTCTCGCCCGCGATCCCGG
CCCGGGGCTGTGGCGTCGACTCCGACCCAGGCAGCCAGCAGCCCCGCGCGGGAGCCGGACCGC
CGCCGGAGGAGCTCGGACGGCATGCTGAGCCCCCTCCTTTGCTGAAGCCCGAGTGCGGAGAA
GCCCCGGGCAAACGCAGGCTAAGGAGACCAAAGCGGCGAAGTCGCGAGACAGCGGACAAGCAG
CGGAGGAGAAGGAGGAGGAGGCGAACCCAGAGAGGGGGCAGCAAAAGAAGCGGTGGTGGTGGG
CGTCGTGGCCATGGCGGCGGCTATCGCCAGCTCGCTCATCCGTCAGAAGAGGCAAGCCCGCG
AGCGCGAGAAATCCAACGCCTGCAAGTGTGTGTCAGCAGCCCCAGCAAAGGCAAGACCAGCTGC
GACAAAACAAGTTAAATGTCTTTCCCGGGTCAAACCTCTTCGGCTCCAAGAAGAGGCGCAG
AAGAAGACCAGAGCCTCAGCTTAAGGGTATAGTTACCAAGCTATACAGCCGACAAGGCTACC
ACTTGCAGCTGCAGGCGGATGGAACCATTGATGGCACCAAAGATGAGGACAGCACTTACACT
CTGTTTAACCTCATCCCTGTGGGTCTGCGAGTGGTGGCTATCCAAGGAGTTCAAACCAAGCT
GTACTTGGCAATGAACAGTGAGGGATACTTGTACACCTCGGAACTTTTACACCTGAGTGCA
AATTCAAAGAATCAGTGTTTGAAAATTATTATGTGACATATTCATCAATGATATACCGTCAG
CAGCAGTCAGGCCGAGGGTGGTATCTGGGTCTGAACAAAGAAGGAGAGATCATGAAAGGCAA
CCATGTGAAGAAGAACAAGCCTGCAGCTCATTTTCTGCCTAAACCACTGAAAGTGGCCATGT
ACAAGGAGCCATCACTGCACGATCTCACGGAGTTCTCCCGATCTGGAAGCGGGACCCCAACC
AAGAGCAGAAGTGTCTCTGGCGTGCTGAACGGAGGCAAATCCATGAGCCACAATGAATCAAC
GTAGCCAGTGAGGGCAAAGAAGGGCTCTGTAACAGAACCTTACCTCCAGGTGCTGTTGAAT
TCTTCTAGCAGTCCTTCACCCAAAAGTTCAAATTTGTCAGTGACATTTACCAAACAAACAGG
CAGAGTTCATATTCTATCTGCCATTAGACCTTCTTATCATCCATACTAAAGC

308/330

FIGURE 308

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA28498

><subunit 1 of 1, 245 aa, 1 stop

><MW: 27564, pI: 10.18, NX(S/T): 1

MAAAIASSLIRQKRQAREREKSNACKCVSSPSKGKTSCDKNKLVFSRVKLFSGSKRRRRRP
EPQLKGIVTKLYSRQGYHLQLQADGTIDGTDKEDSTYTLFNLIPVGLRVVAIQGVQTKLYLA
MNSEGYLYTSELFTECKFKESVFENYYVTYSSMIYRQQQSGRGWYLGLNKEGEIMKGNHVK
KNKPAAHFLPKPLKVAMYKEPSLHDLTEFSRSGSGTPTKRSVSGVLNGGKSMHNEST

N-glycosylation site.

amino acids 242-246

Glycosaminoglycan attachment site.

amino acids 165-169, 218-222

Tyrosine kinase phosphorylation site.

amino acids 93-100

N-myristoylation site.

amino acids 87-93, 231-237

ATP/GTP-binding site motif A (P-loop).

amino acids 231-239

HBGF/FGF family proteins

amino acids 78-94, 102-153

309/330

FIGURE 309

CCAGGATGGAGCTGGGGCCTGTATAGCCATATTATTGTTCTATGCTACTAGACATGGGGGGG
ACTTGGTGAAAAAGGTATTATCCAGCCAGAGGGTCTGGGAGCCCTGTCTTACTGAACCTGGG
CAACCTGGATATTCTGAGACATATTTTGGGGGGATTTCAGTGAAAAAAGTGGGGGATCCCCT
CCATTTAGAGTGTAGCAAAGGAAAAAACACCAAGGTTGGGTTCCCTTCCTGACATTGGCAGTG
CCCCAGTAGGGGTGGGATGAGCGAATATTCCTAAAGCTAAAGTCCCACACCCTGTAGATTAC
AAGAGTGGATTGTCAGGAGTGTGCCCCAAAATACAGTGGAAGGTGCCTGAAGATATTTAA
ACCACGTCTTGGAATTTAGTGGGTCTTGCTTTGGGATAGGTGAAGTGAGGACAGACACTG
GAGAGGAGGGAAAGGGACGTTTTCAATAGGAGGCCAAACTCGAGGGTGGGATCCACTGAGG
AGTACATAGGCTGCTGGATCTGGTGGAGCCAGCACTGGGCCCACGGGTGGTAACTGGCTGCT
GTGGAGGGGGGTACGTGAGGGGGGGGTCTGGGGCTTATCCTCAGGTCCTGTGGGTGGGGCAG
CGAGTCGGGGCCTGAGCGTCAAGAGCATGCCCTAGTGAGCGGGCTCCTCTGGGGGAGCCCAG
CGCGCTCCGGGCGCCTGCCGGTTTGGGGGTGTCTCCTCCCGGGGCGCT**ATG**GCGGCGCTGGC
CAGTAGCCTGATCCGGCAGAAGCGGGAGGTCCGCGAGCCCGGGGGCAGCCGGCCGGTGTCCG
CGCAGCGGCGCGTGTGTCCCCGCGGCACCAAGTCCCTTTGCCAGAAGCAGCTCCTCATCCTG
CTGTCCAAGGTGCGACTGTGCGGGGGGCGGCCCCGCGCGGCCGGACCGCGGCCCCGAGCCTCA
GCTCAAAGGCATCGTCACCAAAGTGTCTGCGGCCAGGGTTTCTACCTCCAGGCGAATCCCG
ACGGAAGCATCCAGGGCACCCCAGAGGATACCAGCTCCTTCACCCACTTCAACCTGATCCCT
GTGGGCCTCCGTGTGGTCACCATCCAGAGCGCCAAGCTGGGTCACTACATGGCCATGAATGC
TGAGGGACTGCTCTACAGTTCGCCGCATTTACAGCTGAGTGTGCTTTAAGGAGTGTGTCT
TTGAGAATTACTACGTCTGTACGCCTCTGCTCTCTACCGCCAGCGTCGTTCTGGCCGGGCC
TGGTACCTCGGCCTGGACAAGGAGGGCCAGGTCATGAAGGGAAACCGAGTTAAGAAGACCAA
GGCAGCTGCCCCACTTTCTGCCCAAGCTCCTGGAGGTGGCCATGTACCAGGAGCCTTCTCTCC
ACAGTGTCCCCGAGGCCTCCCCTTCCAGTCCCCCTGCCCCC**TGA**AATGTAGTCCCTGGACTG
GAGGTTCCCTGCACTCCCAGTGAGCCAGCCACCACCACAACCTGT

310/330

FIGURE 310

MAALASSLIRQKREVPGGSRPVSAQRRVCPRGTKSLCQKQLLILLSKVRLCGGRPARPDR
GPEPQLKGIVTKLFCRQGFYQLQANPDGSIQGTPEDTSSFTHFNLIPVGLRVVTIQSAKLGHY
MAMNAEGLLYSSPHFTAECRFKECVFENYYVLYASALYRQRRSGRAWYLGLDKEGQVMKGNR
VKKTKAAAHFLPKLLEVAMYQEPSLHSVPEASPSSPPAP

Tyrosine kinase phosphorylation site:

amino acids 199-207

N-myristoylation sites:

amino acids 54-60, 89-95, 131-137

HBGF/FGF family signature:

amino acids 131-155

311/330

FIGURE 311

ATGGCCGCGGCCATCGCTAGCGGCTTGATCCGCCAGAAGCGGCAGGCGCGGGAGCAGCACTG
GGACCGGCCGTCTGCCAGCAGGAGGCGGAGCAGCCCCAGCAAGAACCGCGGGCTCTGCAACG
GCAACCTGGTGGATATCTTCTCCAAAGTGCGCATCTTCGGCCTCAAGAAGCGCAGGTTGCGG
CGCCAAGATCCCCAGCTCAAGGGTATAGTGACCAGGTTATATTGCAGGCAAGGCTACTACTT
GCAAATGCACCCCGATGGAGCTCTCGATGGAACCAAGGATGACAGCACTAATTCTACACTCT
TCAACCTCATACCAGTGGGACTACGTGTTGTTGCCATCCAGGGAGTGAAAACAGGGTTGTAT
ATAGCCATGAATGGAGAAGGTTACCTCTACCCATCAGAACTTTTTACCCCTGAATGCAAGTT
TAAAGAATCTGTTTTTGAAAATTATTATGTAATCTACTCATCCATGTTGTACAGACAACAGG
AATCTGGTAGAGCCTGGTTTTTTGGGATTAAATAAGGAAGGGCAAGCTATGAAAGGGAACAGA
GTAAAGAAAACCAAACCAGCAGCTCATTTTCTACCCAAGCCATTGGAAGTTGCCATGTACCG
AGAACCATCTTTGCATGATGTTGGGGAAACGGTCCCGAAGCCTGGGGTGACGCCAAGTAAAA
GCACAAGTGCGTCTGCAATAATGAATGGAGGCAAACCAGTCAACAAGAGTAAGACAACA**TAG**

312/330

FIGURE 312

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA28503
><subunit 1 of 1, 247 aa; 1 stop
><MW: 27702, pI: 10.36, NX(S/T): 2
MAAAIASGLIRQKRQAREQHWRPSASRRRSSPSKNRGLCNGNLVDIFSKVRI FGLKKRRLR
RQDPQLKGIVTRLYCRQGYLQMHDPGALDGTKDDSTNSTLFNLI PVGLRVVAIQGVKTGLY
IAMNGEGYLYPSELF TPECKFKESVFENYYVIYSSMLYRQQESGRAWFLGLNKEGQAMKGNR
VKKTKPAAHFLPKPLEVAMYREPSLHDVGETVPKPGVTPSKSTSASAIMNGGKPVNKSITT

N-glycosylation site.

amino acids 100-104, 242-246

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 28-32, 29-33

Tyrosine kinase phosphorylation site.

amino acids 199-207

N-myristoylation site.

amino acids 38-44, 89-95, 118-124, 122-128, 222-228

HBGF/FGF family proteins.

amino acids 104-155, 171-198

313/330

FIGURE 313

GGGGAGAGGAATTGACCATGTAAAAGGAGACTTTTTTTTTTGGTGGTGGTGGCTGTTGGGTGCCTTGCAAAAAT
GAAGGATGCAGGACGCAGCTTCTCCTGGAACCGAACGCAATGGATAAACTGATTGTGCAAGAGAGAAGGAAGA
ACGAAGCTTTTCTTGAGCCCTGGATCTTAACACAAATGTGTATATGTGCACACAGGGAGCATTCAAGAATG
AAATAAACAGAGTTAGACCCGCGGGGGTGGTGTGTTCTGACATAAATAAATAATCTTAAAGCAGCTGTTCCC
CTCCCCACCCCAAAAAAAGGATGATTGGAATGAAGAACCGAGGATTACAAAAGAAAAAGTATGTTCAATTT
TTCTCTATAAAGGAGAAAGTGAGCCAAGGAGATATTTTTGGAATGAAAAGTTTGGGGCTTTTTTAGTAAAGTAA
AGAAGTGGTGTGGTGGTGTTCCTTTCTTTTTGAATTTCCACAAAGAGGAGAGGAAATTAATAATACATCTGC
AAAGAAATTTAGAGAAGAAAAGTTGACCGCGGCAGATTGAGGCATTGATTGGGGGAGAGAAAACAGCAGAGCA
CAGTTGGATTGTGCCTATGTTGACTAAAATTGACGGATAATTGCAGTTGGATTTTTCTTCATCAACCTCCTTT
TTTTTAAATTTTTATTCTTTTGGTATCAAGATCATGCGTTTTCTCTTGTCTTAACCACCTGGATTTCCATCT
GGATGTTGCTGTGATCAGTCTGAAATACAACCTGTTGAATTCAGAAGGACCAACACCAGATAAATTATGAATG
TTGAACAAGATGACCTTACATCCACAGCAGATAATGATAGGTCCTAGGTTTAACAGGGCCCTATTTGACCCCT
GCTTGTGGTGTGCTGGCTCTTCAACTTCTTGTGGTGGCTGGTCTGGTGC GGCTCAGACCTGCCCTTCTGTGT
GCTCCTGCAGCAACCAGTTCAGCAAGGTGATTTGTGTTCCGAAAAACCTGCGTGAGGTTCCGGATGGCATCTCC
ACCAACACACGGCTGCTGAACCTCCATGAGAACCATAATCCAGATCATCAAAGTGAACAGCTTCAAGCACTTGAG
GCACTTGGAATCCTACAGTTGAGTAGGAACCATATCAGAACCATTGAAATTGGGGCTTCAATGGTCTGGCGA
ACCTCAACACTCTGGAACCTTTGACAATCGTCTTACTACCATCCCGAATGGAGCTTTGTATACTTGTCTAAA
CTGAAGGAGCTCTGGTTGCGAAACAACCCATTGAAAGCATCCCTTCTTATGCTTTTAACAGAATTCCTTCTTT
GCGCCGACTAGACTTAGGGGAATTGAAAAGACTTTCATACATCTCAGAAGGTGCCTTTGAAGGTCTGTCCAACT
TGAGGTATTTGAACCTTGCCATGTGCAACCTTCGGGAAATCCCTAACCTCACACCGCTCATAAACTAGATGAG
CTGGATCTTTCTGGGAATCATTTATCTGCCATCAGGCCTGGCTCTTCCAGGGTTTGATGCACCTTCAAAAAT
GTGGATGATACAGTCCCAGATTCAAGTGATTGAACGGAATGCCTTTGACAACCTTCAGTCACTAGTGGAGATCA
ACCTGGCACACAATAATCTAACATTACTGCCTCATGACCTCTTCACTCCCTTGATCATCTAGAGCGGATACAT
TTACATCACAACTTGGAACTGTAACCTGTGACATACTGTGGCTCAGCTGGTGGATAAAAGACATGGCCCCCTC
GAACACAGCTTGTGTGCCCCGTGTAACACTCCTCCCAATCTAAAGGGGAGGTACATTGGAGAGCTCGACCAGA
ATTACTTCACATGCTATGCTCCGGTGATTGTGGAGCCCCCTGCAGACCTCAATGTCACTGAAGGCATGGCAGCT
GAGCTGAAATGTGGGGCTCCACATCCCTGACATCTGTATCTTGGATTACTCCAAATGGAACAGTCATGACACA
TGGGGCGTACAAAGTGCGGATAGCTGTGCTCAGTGATGGTACGTTAAATTTACAAAATGTAACCTGTGCAAGATA
CAGGCATGTACACATGTATGGTGAGTAATCCGTTGGGAATACTACTGCTTCAGCCACCCTGAATGTTACTGCA
GCAACCACTACTCCTTTCTTACTTTTCAACCGTCACAGTAGAGACTATGGAACCGTCTCAGGATGAGGCACG
GACCACAGATAACAATGTGGGTCCCACTCCAGTGGTGCAGTGGGAGACCACCAATGTGACCACCTCTCTCACAC
CACAGAGCACAAGGTCGACAGAGAAAACCTTACCATCCAGTGACTGATATAAACAGTGGGATCCCAGGAATT
GATGAGGTCATGAAGACTACCAAAATCATATTGGGTGTTTTGTGGCCATCACACTCATGGCTGCAGTGATGCT
GGTCATTTTCTACAAGATGAGGAAGCAGCACCATCGGCAAAACCATCACGCCCCAACAGGACTGTTGAAATTA
TTAATGTGGATGATGAGATTACGGGAGACACACCCATGGAAGCCACCTGCCATGCCTGCTATCGAGCATGAG
CACCTAAATCACTATAACTCATACAAATCTCCCTTCAACCACACAACAACAGTTAACACAATAAATTCATACA
CAGTTCAGTGATGAACCGTTATTGATCCGAATGAACTCTAAAGACAATGTACAAGAGACTCAAATCTAAACA
TTTACAGAGTTACAAAAACAACAATCAAAAAAAGACAGTTTATTAATAATGACACAAATGACTGGGCTAA
ATCTACTGTTTCAAAAAAGTGCTTTTACAAAAAACAAGAAAGAAATTTATTTATTAATAAATCTATTG
TGATCTAAAGCAGACAAAAA

314/330

FIGURE 314

MLNKMTLHPQQIMIGPRFNRALFDPLLVLALLQLLVVAGLVRAQTCPSVCSCSNQFSKVIC
VRKNLREVPDGI STNTRLLNLHENQIQI IKVNSFKHLRHLEILQLSRNHIRTIEIGAFNGLA
NLNTLELFDNRLTTIPNGAFVYLSKLKELWLRNNPIESIPSYAFNRIPSLRRLDLGELKRLS
YISEGAFEGLSNLRYLNLAMCNLREIPNLTPLIKLDELDSLGNHLSAIRPGSFQGLMHLQKL
WMIQSQIQVIERNAFDNLQSLVEINLAHNNLTLLPHDLFTPLHHLERIHLLHNPWNCNDIL
WLSWWIKDMAPSNTACCARCNTPPNLKGRYIGELDQNYFTCYAPVIVEPPADLNVTEGMAAE
LKCRASSTLSVSWITPNGTVMTHGAYKVRIAVLSDGTLNFTNVTVQDTGMYTCMVNSVGN
TTASATLNVTAATTTTFSYFSTVTVETMEPSQDEARTTDNNVGPTPVVDWETTNVTTSLTPQ
STRSTEKTFITPVT DINS GIPGIDEVMKTTKIIIGCFVAITLMAAVMLVIFYKMRKQHHRQN
HHAPTRTVEIINVDDEITGDTPMESHLPMPAIEHEHLNHYSYKSPFNHTTTVNTINSIHSS
VHEPLLIRMNSKDNVQETQI

Signal sequence:

amino acids 1-44

Transmembrane domain:

amino acids 523-543

N-glycosylation site.amino acids 278-282, 364-368, 390-394, 412-416, 415-419,
434-438, 442-446, 488-492, 606-610**cAMP- and cGMP-dependent protein kinase phosphorylation site.**

amino acids 183-187

Casein kinase II phosphorylation site.

amino acids 268-272, 417-421, 465-469, 579-583, 620-624

N-myristoylation site.amino acids 40-46, 73-79, 118-124, 191-197, 228-234, 237-243,
391-397, 422-428, 433-439, 531-537

315/330

FIGURE 315

GC GCCGGGAGCCCATCTGCCCCAGGGGCACGGGGCGCGGGGCCGGCTCCCCGCCGGCACAT
GGCTGCAGCCACCTCGCGCGCACCCCGAGGCGCCGCGCCAGCTCGCCCGAGGTCGGTCGGA
GGCGCCCGGGCCCGCCCGGAGCCAAGCAGCAACTGAGCGGGGAAGCGCCCGCGTCCGGGGATC
GGGATGTCCTCCTCCTTCTCCTCTTGCTAGTTTCCTACTATGTTGGAACCTTGGGGACTCA
CACTGAGATCAAGAGAGTGGCAGAGGAAAAGGTCACCTTGCCCTGCCACCATCAACTGGGGC
TTCCAGAAAAAGACACTCTGGATATTGAATGGCTGCTCACCGATAATGAAGGGAACCAAAAA
GTGGTGATCACTTACTCCAGTCGTCATGTCTACAATAACTTGACTGAGGAACAGAAGGGCCG
AGTGGCCTTTGCTTCCAATTTCTTGGCAGGAGATGCCTCCTTGACAGATTGAACCTCTGAAGC
CCAGTGATGAGGGCCGGTACACCTGTAAGGTTAAGAATTCAGGGCGCTACGTGTGGAGCCAT
GTCATCTTAAAAGTCTTAGTGAGACCATCCAAGCCCAAGTGTGAGTTGGAAGGAGAGCTGAC
AGAAGGAAGTGACCTGACTTTGCAGTGTGAGTCATCCTCTGGCACAGAGCCCATTTGTGTATT
ACTGGCAGCGAATCCGAGAGAAAAGAGGGAGAGGATGAACGTCTGCCTCCCAATCTAGGATT
GACTACAACCACCTGGACGAGTTCTGCTGCAGAATCTTACCATGTCCTACTCTGGACTGTA
CCAGTGACACAGCAGGCAACGAAGCTGGGAAGGAAAGCTGTGTGGTGCGAGTAACTGTACAGT
ATGTACAAAGCATCGGCATGGTTGCAGGAGCAGTGACAGGCATAGTGGCTGGAGCCCTGCTG
ATTTTCCTCTTGGTGTGGCTGCTAATCCGAAGGAAAGACAAAGAAAGATATGAGGAAGAAGA
GAGACCTAATGAAATTCGAGAAGATGCTGAAGCTCCAAAGCCCGTCTTGTGAAACCCAGCT
CCTCTTCCTCAGGCTCTCGGAGCTCACGCTCTGGTTCTTCCTCCACTCGCTCCACAGCAAAT
AGTGCCTCACGCAGCCAGCGGACACTGTCAACTGACGCAGCACCCAGCCAGGGCTGGCCAC
CCAGGCATACAGCCTAGTGGGGCCAGAGGTGAGAGGTTCTGAACCAAAGAAAGTCCACCATTG
CTAATCTGACCAAAGCAGAAACCACACCCAGCATGATCCCCAGCCAGAGCAGAGCCTTCCAA
ACGGTCTGAATTACAATGGACTTGACTCCCACGCTTTCTAGGAGTCAGGGTCTTTGGACTC
TTCTCGTCATTGGAGCTCAAGTCACCAGCCACACAACCAGATGAGAGGTCATCTAAGTAGCA
GTGAGCATTGCACGGAACAGATTAGATGAGCATTTTCCTTATACAATACCAAACAAGCAAA
AGGATGTAAGCTGATTCTCTGTAAAAAGGCATCTTATTGTGCCTTTAGACCAGAGTAAGGG
AAAGCAGGAGTCCAAATCTATTTGTTGACCAGGACCTGTGGTGAGAAGGTTGGGGAAAGGTG
AGGTGAATATACCTAAAACCTTTAATGTGGGATATTTTGTATCAGTGCTTTGATTCACAATT
TTCAAGAGGAAATGGGATGCTGTTTGTAAATTTTCTATGCATTTCTGCAAACCTTATTGGATT
ATTAGTTATTACAGACAGTCAAGCAGAACCCACAGCCTTATTACACCTGTCTACACCATGTAC
TGAGCTAACCACCTCTAAGAACTCCAAAAAGGAAACATGTGTCTTCTATTCTGACTTAAC
TTCATTTGTCATAAGGTTTGGATATTAATTTCAAGGGGAGTTGAAATAGTGGGAGATGGAGA
AGAGTGAATGAGTTTCTCCACTCTATACTAATCTCACTATTTGTATTGAGCCCAAAATAAC
TATGAAAGGAGACAAAATTTGTGACAAAGGATTGTGAAGAGCTTCCATCTTCATGATGTT
ATGAGGATTGTTGACAAACATTAGAAATATATAATGGAGCAATTGTGGATTTCCCCTCAAAT
CAGATGCCTCTAAGGACTTTCTGCTAGATATTTCTGGAAGGAGAAAATACAACATGTCATT
TATCAACGTCCTTAGAAAGAATTCTTCTAGAGAAAAAGGGATCTAGGAATGCTGAAAGATTA
CCCAACATACCATTATAGTCTCTTCTTCTGAGAAAATGTGAAACCAGAATTGCAAGACTGG
GTGGACTAGAAAGGGAGATTAGATCAGTTTCTCTTAATATGTCAAGGAAGGTAGCCGGGCA
TGGTGCCAGGCACCTGTAGGAAAATCCAGCAGGTGGAGGTTGCAGTGAGCCGAGATTATGCC
ATTGCACTCCAGCCTGGGTGACAGAGCGGGACTCCGTCTC

316/330

FIGURE 316

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45419

><subunit 1 of 1, 373 aa, 1 stop

><MW: 41281, pI: 8.33, NX(S/T): 3

MSLLLLLLLVSYVGTLGTHTEIKRVAEEKVTLPCHHQLGLPEKDTLDIEWLLTDNEGNQKV
VITYSSRHVYNNLTEEQKGRVAFASNFLAGDASLQIEPLKPSDEGRYTCKVKNSGRYVWSHV
ILKVLVRPSKPKCELEGELTEGSDTLQCESSSGTEPIVYYWQRIREKEGEDERLPPKSRID
YNHPGRVLLQNLTMSYSGLYQCTAGNEAGKESCVVRVTQYVQSIGMVAGAVTGIVAGALLI
FLLVWLLIRRKDKERYEEEEERPNEIREDAEAPKARLVKPSSSSSSGSRSSRSGSSSTRSTANS
ASRSQRTLSTDAAPQPGLATQAYSLVGPEVRGSEPKKVHHANLTKAETTPSMIPSQSRAFQTV

Signal sequence:

amino acids 1-16

Transmembrane domain:

amino acids 232-251

317/330

FIGURE 317

CGCGAGGCGCGGGGAGCCTGGGACCAGGAGCGAGAGCCGCTACCTGCAGCCGCCGCCACGGCACGGCAGCCA
CCATGGCGCTCCTGCTGTGCTTCGTGCTCCTGTGCGGAGTAGTGGATTTGCCAGAGTTTGTAGTATCACTACT
CCTGAAGAGATGATTGAAAAAGCCAAAGGGGAACTGCCTATCTGCCATGCAAATTTACGCTTAGTCCCGAAGA
CCAGGGACCGCTGGACATCGAGTGGCTGATATCACCAGCTGATAATCAGAAGGTGGATCAAGTGATTATTTTAT
ATTCTGGAGACAAAATTTATGATGACTACTATCCAGATCTGAAAGGCCGAGTACATTTTACGAGTAATGATCTC
AAATCTGGTGATGCATCAATAAATGTAACGAATTTACAACGTGTCAGATATTGGCACATATCAGTGCAAAGTGAA
AAAAGCTCCTGGTGTTGCAAATAAGAAGATTCATCTGGTAGTTCTTGTAAAGCCTTCAGGTGCGAGATGTTACG
TTGATGGATCTGAAGAAATTGGAAGTGACTTTAAGATAAAATGTGAACCAAAAGAAGGTTCACTTCCATTACAG
TATGAGTGGCAAAAATTTGCTGACTCACAGAAAATGCCCACTTCATGGTTAGCAGAAAATGACTTCATCTGTTAT
ATCTGTAAAAAATGCCTCTTCTGAGTACTCTGGGACATACAGCTGTACAGTCAGAAACAGAGTGGGCTCTGATC
AGTGCCTGTTGCGTCTAAACGTTGTCCCTCCTTCAAATAAAGCTGGACTAATTGCAGGAGCCATTATAGGAACT
TTGCTTGCTCTAGCGCTCATTTGGTCTTATCATCTTTTGCTGTGCTAAAAAGCGCAGAGAGAAAAATATGAAAA
GGAAGTTCATCACGATATCAGGGAAGATGTGCCACCTCCAAAGAGCCGTACGTCCACTGCCAGAAGCTACATCG
GCAGTAATCAATCATCCCTGGGGTCCATGTCTCCTTCCAACATGGAAGGATATTCCAAGACTCAGTATAACCAA
GTACCAAGTGAAGACTTTGAACGCACTCCTCAGAGTCCGACTCTCCACCTGCTAAGTTCAGTACCCCTTACAA
GACTGATGGAATTACAGTTGTATTAATATGGACTACTGAAGAATCTGAAGTATTGTATTATTTGACTTTATTTT
AGGCCTCTAGTAAAGACTTAAATGTTTTTAAAAAAGCACAAGGCACAGAGATTAGAGCAGCTGTAAGAACAC
ATCTACTTTATGCAATGGCATTAGACATGTAAGTCAGATGTCATGTCAAAATTAGTACGAGCCAAATCTTTGT
TAAAAAACCTATGTATAGTGACACTGATAGTTAAAGATGTTTTATTATATTTTCAATAACTACCACATAACAA
ATTTTAACTTTTTCATATGCATATTCTGATATGTGGTCTTTTAGGAAAAGTATGGTTAATAGTTGATTTTTCAA
AGGAAATTTTAAATTTCTTACGTTCTGTTTAAATGTTTTTGCTATTTAGTTAAATACATTGAAGGGAAATACCCG
TTCTTTTCCCCTTTTATGCACACAACAGAAACAGCGGTTGTGTCATGCCTCAAACATTTTTTATTTGCAACTACA
TGATTTACACAATTTCTCTTAAACAACGACATAAAATAGATTTCCCTGTATATAAATAACTTACATACGCTCCA
TAAAGTAAATTTCTCAAAGGTGCTAGAACAATCGTCCACTTCTACAGTGTTCTCGTATCCAACAGAGTTGATGC
ACAATATATAAATACTCAAGTCCAATATTTAAAACTTAGGCACTTGACTAACTTTAATAAAAATTTCTCAAAC
TATCAATATCTAAAGTGCATATATTTTTTAAAGAAAGATTATTTCTCAATAACTTCTATAAAAAATAAGTTTGATGG
TTTGGCCCATCTAACTTCACTACTATTAGTAAGAACTTTTAACTTTTAAATGTGTAGTAAGGTTTATTCTACCTT
TTTCTCAACATGACACCAACACAATCAAAAACGAAGTTAGTGAGGTGCTAACATGTGAGGATTAATCCAGTGAT
TCCGGTCACAATGCATTCCAGGAGGAGGTACCCATGTCACTGGAATTGGGCGATATGGTTTATTTTTTCTTCCC
TGATTTGGATAACCAATGGAACAGGAGGAGGATAGTGATTCTGATGGCCATTCCCTCGATACATTCTTGGCTT
TTTTCTGGGCAAGGGTGCCACATTGGAAGAGGTGGAATATAAGTTCTGAAATCTGTAGGGAAGAGAACACAT
TAAGTTAATTCAAAGGAAAAAATCATCATCTATGTTCCAGATTTCTCATTAAGACAAAGTTACCCACAACACT
GAGATCACATCTAAGTGACACTCCTATTGTGAGGTCTAAATACATTAAAAACCTCATGTGTAATAGGCGTATAA
TGTATAACAGGTGACCAATGTTTTCTGAATGCATAAAGAAATGAATAAATCAAAACAGTACTTCTTAACAA
CTTCAACCAAAAAAGACCAAAACATGGAACGAATGGAAGCTTGTAAAGGACATGCTTGTTTTAGTCCAGTGGTTT
CCACAGCTGGCTAAGCCAGGAGTCACTTGGAGGCTTTTAAATACAAAACATTGGAGCTGGAGGCCATTATCCTT
AGCAAATAATGCAGAAACAGAAAATCAACTACCGCATGTTCTCACTTATAAGTGGGAGGTAATGATAAGAACT
TATGAACACAAAGAAGGAAACAATAGACATTGGAGTCTATTTGAGAGGGGAGGGTGGGAGAAGGAAAAGGAGCA
GAAAAGATAACTATTGAGTACTGCCTTCACACCTGGGTGATGAAATAATATGTACAACAAATCCCTGTGACACA
TGTTTACCTATGGAACAAACCTTCATGTGTATCCCTAAACCTAAAATAAAAGTTAAAAAARAAAAA
AAAAAARAAAAAARAAAAAARAAAAAARAAAAAARAAAAAARAAAAAARAAAAAARAAAAAARAAAAA
AAAAAARAAAAAARAAAAAARAAAAAARAAAAAARAAAAAARAAAAAARAAAAAARAAAAAARAAAAA

318/330

FIGURE 318

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA82361

><subunit 1 of 1, 352 aa, 1 stop

><MW: 38938, pI: 7.86, NX(S/T): 3

MALLLCFVLLCGVVDFAFARSLSTTPEEMIEKAKGETAYLPCKFTLSPEDQGPLDIEWLISPA
DNQKVDQVIILYSGDKIYDDYYPDLKGRVHFTSNDLKSGDASINVTNLQLSDIGTYQCKVKK
APGVANKKIHLVVLVKPSGARCIVDVGSEEIGSDFKIKCEPKESLPLQYEWQKLSDSQKMPT
SWLAEMTSSVISVKNASSEYSGTYSCTVRNRVGSQCLLRNLNVVPPSNKAGLIAGAIIGTLL
ALALIGLIIFCCRKKRREEKYEKEVHHDIREDVPPPKSRTSTARSYIGSNHSSLGSMSPSNM
EGYSKTQYNQVPSEDFERTPQSPTLPPAKFKYPYKTDGITVV

Signal sequence.

amino acids 1-19

Transmembrane domain:

amino acids 236-257

N-glycosylation sites.

amino acids 106-110, 201-205, 298-302

Tyrosine kinase phosphorylation sites.

amino acids 31-39, 78-85, 262-270

N-myristoylation sites.amino acids 116-122, 208-214, 219-225, 237-243, 241-247,
245-251, 296-302**Myelin P0 protein.**

amino acids 96-125

319/330

FIGURE 319

TGAAATGACTTCCACGGCTGGGACGGGAACCTTCCACCCACAGCTATGCCTCTGATTGGTGA
ATGGTGAAGGTGCCTGTCTAACTTTTCTGTAAAAAGAACCAGCTGCCTCCAGGCAGCCAGCC
CTCAAGCATCACTTACAGGACCAGAGGGACAAGACATGACTGTGATGAGGAGCTGCTTTTCGC
CAATTTAACACCAAGAAGAATTGAGGCTGCTTGGGAGGAAGGCCAGGAGGAACACGAGACTG
AGAGATGAATTTTCAACAGAGGCTGCAAAGCCTGTGGACTTTAGCCAGACCCTTCTGCCCTC
CTTTGCTGGCGACAGCCTCTCAAATGCAGATGGTTGTGCTCCCTTGCCTGGGTTTTACCCTG
CTTCTCTGGAGCCAGGTATCAGGGGCCAGGGCCAAGAATTCCACTTTGGGCCCTGCCAAGT
GAAGGGGGTTGTTCCCCAGAACTGTGGGAAGCCTTCTGGGCTGTGAAAGACACTATGCAAG
CTCAGGATAACATCACGAGTGCCCCGGCTGCTGCAGCAGGAGGTTCTGCAGAACGTCTCGGAT
GCTGAGAGCTGTTACCTTGTCACACCCTGCTGGAGTTCTACTTGAAAAGTGTTCCTCAAAAA
CCACCACAATAGAACAGTTGAAGTCAGGACTCTGAAGTCATTCTCTACTCTGGCCAACAAC
TTGTTCTCATCGTGTCAAACTGCAACCCAGTCAAGAAAATGAGATGTTTTCCATCAGAGAC
AGTGACACAGGCGGTTTTCTGCTATTCCGGAGAGCATTCAAACAGTTGGACGTAGAAGCAGC
TCTGACCAAAGCCCTTGGGGAAGTGGACATTCTTCTGACCTGGATGCAGAAATTCTACAAGC
TCTTGAATGTCTAGACCAGGACCTCCCTCCCCCTGGCACTGGTTTGTTCCCTGTGTCAATTTCA
AACAGTCTCCCTTCCTATGCTGTTCACTGGACACTTCACGCCCTTGGCCATGGGTCCCATT
TTGGCCCAGGATTATTGTCAAAGAAGTCATTCTTTAAGCAGCGCCAGTGACAGTCAGGGAAG
GTGCCTCTGGATGCTGTGAAGAGTCTACAGAGAAGATTCTTGTATTTATTACAACCTCTATTT
AATTAATGTCAGTATTTCAACTGAAGTTCTATTTATTTGTGAGACTGTAAGTTACATGAAGG
CAGCAGAATATTGTGCCCCATGCTTCTTTACCCCTCACAAATCCTTGCCACAGTGTGGGGCAG
TGGATGGGTGCTTAGTAAGTACTTAATAAACTGTGGTGCTTTTTTTGGCCTGTCTTTGGATT
GTTAAAAAACAGAGAGGGATGCTTGGATGTAAACTGAACTTCAGAGCATGAAAATCACACT
GTCTTCTGATATCTGCAGGGACAGAGCATTGGGGTGGGGGTAAGGTGCATCTGTTTGAAAAG
TAAACGATAAAATGTGGATTAAAGTGCCCAGCACAAAGCAGATCCTCAATAAACATTTTCATT
TCCCACCCACACTCGCCAGCTCACCCCATCATCCCTTCCCTTGGTGCCCTCCTTTTTTTTT
TATCCTAGTCATTCTTCCCTAATCTTCCACTTGAGTGTCAAGCTGACCTTGCTGATGGTGAC
ATTGCACCTGGATGTACTATCCAATCTGTGATGACATTCCCTGCTAATAAAAGACAACATAA
CTCCAAAAAAAAAAAAAAAAAAAAAAAAA

320/330

FIGURE 320

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA88002

><subunit 1 of 1, 206 aa, 1 stop

><MW: 23799, pI: 9.12, NX(S/T): 3

MNFQQRLQSLWTLARPFCPPLLATASQMOMVVLPCLGFTLLLWSQVSGAQQQEFHFGPCQVK
GVVPQKLWEAFWAVKDTMQAQDNITSARLLQQEVLQNVSDAESCYLEVHTLLEFYLKTVFKNH
HNRTVEVRTLKSFSTLANNFVLIVSQLQPSQENEMFSIRDSAHRRFLLFRRAFKQLDVEAAL
TKALGEVDILLTWMQKFYKL

Signal sequence:

amino acids 1-42

N-glycosylation sites.

amino acids 85-89, 99-103, 126-130

321/330

FIGURE 321

AAGGAGCAGCCCGCAAGCACCAAGTGAGAGGCATGAAGTTACAGTGTGTTTCCCTTTGGCTC
CTGGGTACAATACTGATATTGTGCTCAGTAGACAACCACGGTCTCAGGAGATGTCTGATTTC
CACAGACATGCACCATATAGAAGAGAGTTTCCAAGAAATCAAAAGAGCCATCCAAGCTAAGG
ACACCTTCCCAAATGTCACTATCCTGTCCACATTGGAGACTCTGCAGATCATTAAGCCCTTA
GATGTGTGCTGCGTGACCAAGAACCTCCTGGCGTTCTACGTGGACAGGGTGTTCAAGGATCA
TCAGGAGCCAAACCCCAAATCTTGAGAAAAATCAGCAGCATTGCCAACTCTTTCCTCTACA
TGCAGAAACTCTGCGGCAATGTCAGGAACAGAGGCAGTGTCACTGCAGGCAGGAAGCCACC
AATGCCACCAGAGTCATCCATGACAACTATGATCAGCTGGAGGTCCACGCTGCTGCCATTAA
ATCCCTGGGAGAGCTCGACGTCTTCTAGCCTGGATTAATAAGAATCATGAAGTAATGTTCT
CAGCTTGATGACAAGGAACCTGTATAGTGATCCAGGGATGAACACCCCCTGTGCGGTTTACT
GTGGGAGACAGCCCACCTTGAAGGGGAAGGAGATGGGGAAGGCCCTTGCAGCTGAAAGTCC
CACTGGCTGGCCTCAGGCTGTCTTATTCGCTTGAAAATAGGCAAAAAGTCTACTGTGGTAT
TTGTAATAAACTCTATCTGCTGAAAGGGCCTGCAGGCCATCCTGGGAGTAAAGGGCTGCCTT
CCCATCTAATTTATTGTAAAGTCATATAGTCCATGTCTGTGATGTGAGCCAAGTGATATCCT
GTAGTACACATTGTACTGAGTGGTTTTTCTGAATAAATTCCATATTTTACCTATGA

322/330

FIGURE 322

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA92282

><subunit 1 of 1, 177 aa, 1 stop

><MW: 20452, pI: 8.00, NX(S/T): 2

MKLQCVSLWLLGTILILCSVDNHGLRRCLISTDMHHIEESFQEIKRAIQAKDTFPNVTILST
LETLQIIKPLDVCCVTKNLLAFYVDRVFKDHQEPNPKILRKISSIANSFLYMQKTLRQCQEQ
RQCHCRQEATNATRVIHNDYDQLEVHAAAIKSLGELDVFLAWINKNHEVMFSA

Signal sequence:

amino acids 1-18

N-glycosylation sites.

amino acids 56-60, 135-139

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 102-106

N-myristoylation site.

amino acids 24-30

Actinin-type actin-binding domain signature 1.

amino acids 159-169

323/330

FIGURE 323

CCCGTGCCAAGAGTGACGTAAGTACCGCCTATAGAGTCTATAGGCCCACTTGGCTTCGTTAG
AACGCGGCTACAATTAATACATAACCTTATGTATCATACACATACGATTTAGGTGACACTAT
AGAATAACATCCACTTTGCCTTTCTCTCCACAGGTGTCCACTCCCAGGTCCAACCTGCACCTC
GGTTCTATCGATAATCTCAGCACCAGCCACTCAGAGCAGGGCACGATGTTGGGGGCCCCGCCT
CAGGCTCTGGGTCTGTGCCTTGTGCAGCGTCTGCAGCATGAGCGTCCTCAGAGCCTATCCCA
ATGCCTCCCCACTGCTCGGCTCCAGCTGGGGTGGCCTGATCCACCTGTACACAGCCACAGCC
AGGAACAGCTACCACCTGCAGATCCACAAGAATGGCCATGTGGATGGCGCACCCCATCAGAC
CATCTACAGTGCCCTGATGATCAGATCAGAGGATGCTGGCTTTGTGGTGATTACAGGTGTGA
TGAGCAGAAGATACCTCTGCATGGATTTTCTAGAGGCAACATTTTTTGGATCACACTATTTTCGAC
CCGGAGAACTGCAGGTTCCAACACCAGACGCTGGAAAACGGGTACGACGTCTACCACTCTCC
TCAGTATCACTTCCTGGTCAGTCTGGGCCGGGCGAAGAGAGCCTTCTGCCAGGCATGAACC
CACCCCCGTACTCCCAGTTCTGTCCCGGAGGAACGAGATCCCCCTAATTCATTCAACACC
CCCATACCACGGCGGCACACCCGGAGCGCCGAGGACGACTCGGAGCGGGACCCCCTGAACGT
GCTGAAGCCCCGGGCCCCGATGACCCCGGCCCCGGCCTCCTGTTTACAGGAGCTCCCGAGCG
CCGAGGACAACAGCCCGATGGCCAGTGACCCATTAGGGGTGGTCAGGGGCGGTTCGAGTGAAC
ACGCACGCTGGGGGAACGGGCCCCGGAAGGCTGCCGCCCTTCGCCAAGTTCATCTAGGGTCTG
CTGG

324/330

FIGURE 324

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA142238
><subunit 1 of 1, 251 aa, 1 stop
><MW: 27954, pI: 9.22, NX(S/T): 1
MLGARLRLWVCALCSVCSMSVLRAYPNASPLLGSWSGGLIHLYTATARN SYHLQIHKN GHVD
GAPHQTIYSALMIRSEDAGFVVITGVMSRRYLCMDFRGNI FGSHYFDPENCRFQHQTLENGY
DVIYHSPQYHFLVSLGRAKRAFLPGMNPPPYSQLSRNEIPLIHFNTPIPRRHTRSAEDDSE
RDPLNVLKPRARMT PAPASCSQELPSAEDNSPMASDPLGVVRGGRVNT HAGGTGPEGCRPFA
KFI
```

Important features of the protein:**Signal peptide:**

amino acids 1-24

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 175-179

N-myristoylation site.

amino acids 33-39, 100-106, 225-231, 229-235

HBGF/FGF family proteins

amino acids 73-124

325/330

FIGURE 325

GGAAAAGGTACCCGCGAGAGACAGCCAGCAGTTCTGTGGAGCAGCGGTGGCCGGCTAGG**ATG**
GGCTGTCTCTGGGGTCTGGCTCTGCCCCTTTTCTTCTTCTGCTGGGAGGTTGGGGTCTCTGG
GAGCTCTGCAGGCCCCAGCACCCGCGAGAGCAGACACTGCGATGACAACGGACGACACAGAAG
TGCCCGCTATGACTCTAGCACCGGGCCACGCCGCTCTGGAAACTCAAACGCTGAGCGCTGAG
ACCTCTTCTAGGGCCTCAACCCAGCCGGCCCCATTCCAGAAGCAGAGACCAGGGGAGCCAA
GAGAATTTCCCCTGCAAGAGAGACCAGGAGTTTCACAAAAACATCTCCCAACTTCATGGTGC
TGATCGCCACCTCCGTGGAGACATCAGCCGCCAGTGGCAGCCCCGAGGGAGCTGGAATGACC
ACAGTTCAGACCATCACAGGCAGTGATCCCGAGGAAGCCATCTTTGACACCCTTTGCACCGA
TGACAGCTCTGAAGAGGCCAAAGACACTCACAATGGACATATTGACATTGGCTCACACCTCCA
CAGAAGCTAAGGGCCTGTCTCAGAGAGCAGTGCCTCTTCCGACGGCCCCCATCCAGTCATC
ACCCCGTCACGGGCCTCAGAGAGCAGCGCCTCTTCCGACGGCCCCCATCCAGTCATCACCCC
GTCACGGGCCTCAGAGAGCAGCGCCTCTTCCGACGGCCCCCATCCAGTCATCACCCCGTCAT
GGTCCCCGGGATCTGATGTCACTCTCCTCGCTGAAGCCCTGGTGACTGTCACAAACATCGAG
GTTATTAATTGCAGCATCACAGAAATAGAAACAACAACCTTCCAGCATCCCTGGGGCCTCAGA
CATAGATCTCATCCCCACGGAAGGGGTGAAGGCCTCGTCCACCTCCGATCCACCAGCTCTGC
CTGACTCCACTGAAGCAAAACCACACATCACTGAGGTACACAGCCTCTGCCGAGACCCTGTCC
ACAGCCGGCACCAACAGAGTCAGCTGCACCTCATGCCACGGTTGGGACCCCACTCCCCACTAA
CAGCGCCACAGAAAGAGAAGTGACAGCACCCGGGGCCACGACCCCTCAGTGGAGCTCTGGTCA
CAGTTAGCAGGAATCCCCTGGAAGAAACCTCAGCCCTCTCTGTTGAGACACCAAGTTACGTC
AAAGTCTCAGGAGCAGCTCCGGTCTCCATAGAGGCTGGGTGAGCAGTGGGCAAAACAACCTTC
CTTTGCTGGGAGCTCTGCTTCTCTCTACAGCCCCCTCGGAAGCCGCCCTCAAGAACTTCACCC
CTTCAGAGACACCGACCATGGACATCGCAACCAAGGGGCCCTTCCCCACCAGCAGGGACCCT
CTTCTTCTGTCCCTCCGACTACAACCAACAGCAGCCGAGGGACGAACAGCACCTTAGCCAA
GATCACAACCTCAGCGAAGACCACGATGAAGCCCCAACAGCCACGCCACGACTGCCCGGAC
GAGGCCGACCACAGACG**TGAG**TGCAGGTGAAAATGGAGGTTTCTCTCTCTGCGGCTGAGTG
TGGCTTCCCCGGAAGACCTCACTGACCCACAGAGTGGCAGAAAGGCTGATGCAGCAGCTCCAC
CGGGAACCTCACGCCCACGCGCCTCACTTCCAGGTCTCCTTACTGCGTGTGAGGAGGCTA
ACGGACATCAGCTGCAGCCAGGCATGTCCCGTATGCCAAAAGAGGGTGCTGCCCTAGCCTG
GGCCCCACCGACAGACTGCAGCTGCGTTACTGTGCTGAGAGGTACCCAGAAGGTTCCCATG
AAGGGCAGCATGTCCAAGCCCCTAACCCAGATGTGGCAACAGGACCCTCGCTCACATCCAC
CGGAGTGTATGTATGGGGAGGGGCTTACCTGTTCCCAGAGGTGTCCTTGGACTCACCTTGG
CACATGTTCTGTGTTTTCAGTAAAGAGAGACCTGATCACCCATCTGTGTGCTTCCATCCTGCA
TTAAAATTCACTCAGTGTGGCCCAAAAAAAA

326/330

FIGURE 326

MGCLWGLALPLFFFCWEVGVSGSSAGPSTRRADTAMTTDDTEVPAMTLAPGHAALETQTL
ETSSRASTPAGPIPEAETRGAKRISPARETRSF TKTSPNFMVLIATSVETSAASGSPEGAGM
TTVQTITGSDPEEAIFDTLCTDDSS EEA KTLTMDILT LAHTSTEAKGLSSESSASSDGPHPV
ITPSRASESSASSDGPHPVITPSRASESSASSDGPHPVITPSWSPGSDVTL LAEALVTVTNI
EVINCSITEIETTTSSIPGASDIDLIPTEGVKASSTSDPPALPDSTEAKPHITEVTASAETL
STAGTTESAAPHATVGTPLPTNSATEREVTAPGATTLSGALVTVSRNPLEETSALSVETPSY
VKVSGAAPVSI EAGSAVGKTTSFAGSSASSYSPSEAALKNFTPSETPTMDIATKGPFPTSRD
PLPSVPPTTTNSSRGTNSTLAKITTS AKTTMKPQQPRRLPGRGRPQT

N-glycosylation sites:

amino acids 252-256, 445-449, 451-455

cAMP-and cGMP-dependent protein kinase phosphorylation site.

amino acids 84-90

Casein kinase II phosphorylation sites.

amino acids 37-41, 108-112, 131-135, 133-137, 148-152, 165-169,
246-250, 254-258, 256-260, 269-273, 283-287, 333-337, 335-339,
404-408, 414-418, 431-435

N-myristoylation sites.

amino acids 2-8, 19-25, 117-123, 121-127, 232-238, 278-284, 314-
320, 349-355, 386-392, 397-403, 449-455

ATP/GTP-binding site motif A (P-loop).

amino acids 385-393

327/330

FIGURE 327

GCGGAGCATCCGCTGCGGTCCTCGCCGAGACCCCCGCGCGGATTGCGCCGGTCCCTCCCCGCGG
GCGCGACAGAGCTGTCTCGCACCTGGATGGCAGCAGGGGCGCCGGGGTCCCTCTCGACGCCA
GAGAGAAATCTCATCATCTGTGCAGCCTTCTTAAAGCAAATAAGACCAGAGGGAGGATTAT
CCTTGACCTTTGAAGACCAAACTAACTGAAATTTAAATGTTCTTCGGGGGAGAAGGGAG
CTTGACTTACACTTTGGTAATAATTTGCTTCCCTGACACTAAGGCTGTCTGCTAGTCAGAATT
GCCTCAAAAAGAGTCTAGAAGATGTTGTCATTGACATCCAGTCATCTCTTTCTAAGGGAATC
AGAGGCAATGAGCCCGTATATACTTCAACTCAAGAAGACTGCATTAATTCTTGCTGTTCAAC
AAAAACATATCAGGGGACAAAGCATGTAACCTTGATGATCTTCGACACTCGAAAAACAGCTA
GACAACCCAAGTCTACCTATTTTTCTGTCCCAACGAGGAAGCCTGTCCATTGAAACCAGCA
AAAGGACTTATGAGTTACAGGATAATTACAGATTTTCCATCTTTGACCAGAAATTTGCCAAG
CCAAGAGTTACCCAGGAAGATTCTCTCTTACATGGCCAATTTTCACAAGCAGTCACTCCCC
TAGCCCATCATCACACAGATTATTCAAAGCCACCGATATCTCATGGAGAGACACACTTTCT
CAGAAGTTTGGATCCTCAGATCACCTGGAGAACTATTTAAGATGGATGAAGCAAGTGCCCA
GCTCCTTGCTTATAAGGAAAAAGGCCATTCTCAGAGTTCAATTTTCTCTGATCAAGAAA
TAGCTCATCTGCTGCCTGAAAATGTGAGTGCGCTCCAGCTACGGTGGCAGTTGCTTCTCCA
CATACCACCTCGGCTACTCAAAGCCCGCCACCTTCTACCCACCAATGCTTCAGTGACACC
TTCTGGGACTTCCCAGCCACAGCTGGCCACCACAGCTCCACCTGTAACCACTGTCACTTCTC
AGCCTCCCACGACCCTCATTTCTACAGTTTTTACACGGGCTGCGGCTACACTCCAAGCAATG
GCTACAACAGCAGTTCTGACTACCACCTTTACGGCACCTACGGACTCGAAAGCTAGCTTAGA
AACCATACCGTTTTACAGAAATCTCCAACCTTAACCTTGAACACAGGGAATGTGTATAACCTA
CTGCACTTTCTATGTCAAATGTGGAGTCTTCCACTATGAATAAACTGCTTCTGGGAAGGT
AGGGAGGCCAGTCCAGGCAGTTCTCCAGGGCAGTGTTCCAGAAAATCAGTACGGCCTTCC
ATTTGAAAAATGGCTTCTTATCGGGTCCCTGCTCTTTGGTGTCTGTTCTGGTGATAGGCC
TCGTCTCTCTGGGTAGAATCCTTTCCGAATCACTCCGCAGGAAACGTTACTCAAGACTGGAT
TATTTGATCAATGGGATCTATGTGGACATCTAAGGATGGAACCTCGGTGTCTCTTAATTCATT
TAGTAACCAGAAGCCCAAATGCAATGAGTTTCTGCTGACTTGCTAGTCTTAGCAGGAGGTTG
TATTTTGAAGACAGGAAAATGCCCCCTTCTGCTTTCTTTTTTTTTTTGGAGACAGAGTCTT
GCTCTGTTGCCAGGCTGGAGTGCAGTAGCACGATCTCGGCTCTCACCGCAACCTCCGTCTC
CTGGGTTCAAGCGATTCTCCTGCCTCAGCCTCCTAAGTATCTGGGATTACAGGCATGTGCCA
CCACACCTGGGTGATTTTTGTATTTTAGTAGAGACGGGGTTTCACCATGTTGGTCAGGCTG
GTCTCAAACCTCCTGACCTAGTGATCCACCCTCCTCGGCCTCCCAAAGTGCTGGGATTACAGG
CATGAGCCACCACAGCTGGCCCCCTTCTGTTTTATGTTTGGTTTTTGAGAAGGAATGAAGTG
GGAACCAAATTAGGTAATTTTGGGTAATCTGTCTCTAAATATTAGCTAAAAACAAAGCTCT
ATGTAAAGTAATAAAGTATAATTGCCATATAAATTTCAAATTCAACTGGCTTTTATGCAAA
GAAACAGGTTAGGACATCTAGGTTCCAATTCATTCACATTCTTGGTTCAGATAAAATCAAC
TGTTTATATCAATTTCTAATGGATTGCTTTTCTTTTTATATGGATTCCCTTTAAACTTATT
CCAGATGTAGTTCCTTCCAATTAAATATTTGAATAAATCTTTTGTTACTCAA

328/330

FIGURE 328

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45410

><subunit 1 of 1, 431 aa, 1 stop

><MW: 46810, pI: 6.45, NX(S/T): 6

MFFGGEGSLTYTLVIICFLTLRLSASQNCCLKSLEDVVIDIQSSLKSGIRGNEPVYTSTQED
CINSCCSTKNISGDKACNLMIFDTRKTARQPNCYLFFCPNEEACPLKPAKGLMSYRIITDFP
SLTRNLPSQELPQEDSLLHGQFSQAVTPLAHHHTDYSKPTDISWRDTLSQKFGSSDHLEKLF
KMDEASAQLLAYKEKGHSQSSQFSSDQEIAHLLPENVSALPATVAVASPHTTSATPKPATLL
PTNASVTPSGTSQPQLATTAPPVTTVTSQPPTTLISTVFTRAAATLQAMATTAVLTTTFQAP
TDSKGSLETIPFTEISNLTNTGNVYNPTALSMSNVESSTMNKTASWEGREASPGSSSQGSV
PENQYGLPFKELLIGSLFLGVFLVLVIGLVLLGRILSESLRRKRYSRDYLINGIYVDI

Signal sequence.

amino acids 1-25

Transmembrane domain.

amino acids 384-405

N-glycosylation sites.

amino acids 72-76, 222-226, 251-255, 327-331, 352-356

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 415-419

Tyrosine kinase phosphorylation site.

amino acids 50-57

N-myristoylation sites.

amino acids 4-10, 48-54, 315-321

329/330

FIGURE 329

CTCCACGGTGTCCAGCGCCAGAAATGCGGCTTCTGGTCCCTGCTATGGGGTTGCCTGCTGCT
CCCAGGTTATGAAGCCCTGGAGGGCCAGAGGAAATCAGCGGGTTCGAAGGGGACACTGTGT
CCCTGCAGTGCACCTACAGGGAAGAGCTGAGGGACCACCGGAAGTACTGGTGCAGGAAGGGT
GGGATCCTCTTCTCTCGCTGCTCTGGCACCATCTATGCAGAAGAAGAAGGCCAGGAGACAAT
GAAGGGCAGGGTGTCCATCCGTGACAGCCGCCAGGAGCTCTCGCTCATTGTGACCCTGTGGA
ACCTCACCTGCAAGACGCTGGGGAGTACTGGTGTGGGGTCGAAAACGGGGCCCCGATGAG
TCTTTACTGATCTCTCTGTTCTTTCAGGACCCTGCTGTCCTCCCTCCCCTTCTCCCAC
CTTCCAGCCTCTGGCTACAACACGCCTGCAGCCCAAGGCAAAAGCTCAGCAAACCCAGCCCC
CAGGATTGACTTCTCCTGGGCTCTACCCGGCAGCCACCACAGCCAAGCAGGGGAAGACAGGG
GCTGAGGCCCCCTCCATTGCCAGGGACTTCCCAGTACGGGCACGAAAGGACTTCTCAGTACAC
AGGAACCTCTCCTCACCCAGCGACCTCTCCTCCTGCAGGGAGCTCCCGCCCCCCCATGCAGC
TGGACTCCACCTCAGCAGAGGACACCAGTCCAGCTCTCAGCAGTGGCAGCTCTAAGCCCAGG
GTGTCCATCCCGATGGTCCGCATACTGGCCCCAGTCCCTGGTGCTGCTGAGCCTTCTGTGACG
CGCAGGCCTGATCGCCTTCTGCAGCCACCTGCTCCTGTGGAGAAAGGAAGCTCAACAGGCCA
CGGAGACACAGAGGAACGAGAAGTTCTGGCTCTCACGCTTGACTGCGGAGGAAAAGGAAGCC
CCTTCCCAGGCCCCGTGAGGGGGACGTGATCTCGATGCCTCCCCTCCACACATCTGAGGAGGA
GCTGGGCTTCTCGAAGTTTGTCTCAGCGTAGGGCAGGAGGCCCTCCTGGCCAGGCCAGCAGT
GAAGCAGTATGGCTGGCTGGATCAGCACCGATTCCCGAAAGCTTTCACCTCAGCCTCAGAG
TCCAGCTGCCCCGACTCCAGGGCTCTCCCCACCTCCCAGGCTCTCCTCTTGATGTTCCA
GCCTGACCTAGAAGCGTTTGTGAGCCCTGGAGCCCAGAGCGGTGGCCTTGCTCTTCCGGCTG
GAGACTGGGACATCCCTGATAGGTTACATCCCTGGGCAGAGTACCAGGCTGCTGACCCTCA
GCAGGGCCAGACAAGGCTCAGTGGATCTGGTCTGAGTTTCAATCTGCCAGGAACCTCTGGGC
CTCATGCCAGTGTGCGACCCCTGCCTTCTCCCACTCCAGACCCCACCTTGCTTCCCTCCC
TGGCGTCTCAGACTTAGTCCCACGGTCTCCTGCATCAGCTGGTGATGAAGAGGAGCATGCT
GGGGTGAGACTGGGATTCTGGCTTCTCTTTGAACCACCTGCATCCAGCCCTTCAGGAAGCCT
GTGAAAACGTGATTCTGGCCCCACCAAGACCACCAAAACCATCTCTGGGCTTGGTGACG
GACTCTGAATTCTAACAATGCCAGTGACTGTCGCACTTGAGTTTGAGGGCCAGTGGGCCCTG
ATGAACGCTCACACCCCTTCAGCTTAGAGTCTGCATTTGGGCTGTGACGTCTCCACCTGCCC
CAATAGATCTGCTCTGTCTGCGACACCAGATCCACGTGGGGACTCCCCTGAGGCCTGCTAAG
TCCAGGCCTTGGTCAGGTGAGGTGCACATTGCAGGATAAGCCCAGGACCGGCACAGAAGTGG
TTGCCTTTNCCATTTGCCCTCCCTGGNCCATGCCTTCTTGCCCTTGGAAAAAATGATGAAGA
AAACCTTGGCTCCTTCCTTGTCTGGAAAGGGTTACTTGCCTATGGGTTCTGGTGGCTAGAGA
GAAAAGTAGAAAACCAGAGTGCACGTAGGTGTCTAACACAGAGGAGAGTAGGAACAGGGCGG
ATACCTGAAGGTGACTCCGAGTCCAGCCCCCTGGAGAAGGGGTGCGGGGTGGTGGTAAAGTA
GCACAACTACTATTTTTTTTCTTTTTCCATTATTATTGTTTTTAAGACAGAATCTCGTGCT
GCTGCCCAGGCTGGAGTGCAGTGGCAGCATCTGCAAACCTCCGCCTCCTGGGTTCAAGTGATT
CTTCTGCCTCAGCCTCCCGAGTAGCTGGGATTACAGGCACGCACCACCACACCTGGCTAATT
TTTGTACTTTTAGTAGAGATGGGGTTTCACCATGTTGGCCAGGCTGGTCTTGAACCTCCTGAC
CTCAAATGAGCCTCCTGCTTCAGTCTCCCAAATTGCCGGGATTACAGGCATGAGCCACTGTG
TCTGGCCCTATTTCTTTTAAAAAGTGAAATTAAGAGTTGTTTCAGTATGCAAACTTGGAAG
ATGGAGGAGAAAAAGAAAAGGAAGAAAAAATGTCACCCATAGTCTCACCAGAGACTATCAT
TATTCGTTTTTGTGTACTTCTTCCACTCTTTCTTCTTACATAATTTGCCGGTGTCTT
TTTACAGAGCAATTATCTTGTATATACAACCTTTGTATCCTGCCTTTTCCACCTTATCGTTCC
ATCACTTTATTCCAGCACTTCTCTGTGTTTTACAGACCTTTTTATAAATAAAATGTTTCATCA
GCTGCATAAAAAAAAAAAAAA

330/330

FIGURE 330

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44196

<subunit 1 of 1, 332 aa, 1 stop

<MW: 36143, pI: 5.89, NX(S/T): 1

MRLLVLLWGCLLLPGYEALLEGPEEISGFEGDTVSLQCTYREELRDHRKYWCRKGGILFSRCS
GTIYAEEEGQETMKGRVSIRDSRQELSLIVTLWNLTLQDAGEYWCGVEKRGPDSELLISLFV
FPGPCCPPSPSPPTFQPLATTRLQPKAKAQQTQPPGLTSPGLYPAATTAKQKGTGAEAPPLPG
TSQYGHERTSQYTGTSPHPATSPAGSSRPPMQLDSTSAEDTSPALSSGSSKPRVSIPMVRI
LAPVLVLLSLLSAAGLIAFCSHLLLWRKEAQQATETQRNEKFWLSRLTAAEEKEAPSQAPEGD
VISMPLHTSEEELGFSKFVSA

Important features:**Signal peptide:**

amino acids 1-17

Transmembrane domain:

amino acids 248-269

N-glycosylation site.

amino acids 96-99

Fibrinogen beta and gamma chains C-terminal domain.

amino acids 104-113

Ig like V-type domain:

amino acids 13-128

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/08439

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/12 C07K14/47 C07K14/705 C12N15/62 C07K16/18
G01N33/53 A61K38/17

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K G01N A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

STRAND

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98 39448 A (HUMAN GENOME SCIENCES INC) 11 September 1998 (1998-09-11) see passages relating to gene 174 (clone H2MBF44) and the claims. ---	1-28
X	WO 98 42741 A (GENETICS INST) 1 October 1998 (1998-10-01) see passages relating to clone ck181_7 and the claims. ---	1-28
A	EP 0 834 563 A (SMITHKLINE BEECHAM CORP) 8 April 1998 (1998-04-08) the whole document ---	
A	WO 97 07198 A (GENETICS INST) 27 February 1997 (1997-02-27) the whole document ---	
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

16 August 2000

Date of mailing of the international search report

13.11.00

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Smalt, R

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	YOKOYAMA-KOBAYASHI M ET AL: "A signal sequence detection system using secreted protease activity as an indicator" GENE,NL,ELSEVIER BIOMEDICAL PRESS. AMSTERDAM, vol. 163, no. 2, 3 October 1995 (1995-10-03), pages 193-196, XP004041983 ISSN: 0378-1119 the whole document ---	
A	KLEIN R D ET AL: "Selection for genes encoding secreted proteins and receptors" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA,US,NATIONAL ACADEMY OF SCIENCE. WASHINGTON, no. 93, 1 July 1996 (1996-07-01), pages 7108-7113, XP002077277 ISSN: 0027-8424 the whole document ---	
P,X, L	WO 99 63088 A (BAKER KEVIN ;CHEN JIAN (US); GENENTECH INC (US); YUAN JEAN (US); G) 9 December 1999 (1999-12-09) see passages relating to PR0281 and the claims. L: priority. ---	1-28
P,X	WO 99 46375 A (SCHMITT ARMIN ;SPECHT THOMAS (DE); DAHL EDGAR (DE); HINZMANN BERND) 16 September 1999 (1999-09-16) see whole document, particularly passages relating to seq.ID'2 219 and 251 ---	1-13, 17-28
P,X	WO 99 53040 A (SCHMITT ARMIN ;SPECHT THOMAS (DE); DAHL EDGAR (DE); HINZMANN BERND) 21 October 1999 (1999-10-21) page 1 -page 8 see claims. page 128 ---	1-13, 17-22, 24-28
P,X	WO 00 08145 A (NOVARTIS ERFINDUNGEN VERWALTUN ;NOVARTIS AG (CH); HOLNESS CLAIRE L) 17 February 2000 (2000-02-17) the whole document ---	1-13, 21-28
P,X	WO 99 63083 A (TSURITANI KATSUKI ;ARASE SEIJI (JP); IKEDA AKIKO (JP); TAISHO PHAR) 9 December 1999 (1999-12-09) abstract see sequences. -----	1-13,21, 22,25-28

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US 00/08439

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Claims 1-28, All partially.

Remark on Protest

☐ The additional search fees were accompanied by the applicant's protest.

☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: Invention 1: claims 1-28, all partially

Isolated nucleic acid having at least 80% sequence homology to a polynucleotide sequence encoding PRO281 (seq.ID.2), vector comprising said nucleic acid, host cell comprising said vector, method of producing said protein using said host, isolated protein having at least 80% homology to PRO281, chimeric protein comprising a portion corresponding to PRO281, antibody against said protein, the isolated extracellular domain of said protein or a protein with at least 80% homology thereto, and said isolated protein lacking its signal peptide or a protein with at least 80% homology thereto.

2. Claims: Inventions 2-132: claims 1-28,
all partially and claims 4 and 13 as far as
applicable

Subject matter as defined for invention 1 above, but limited to the respective amino acid sequences and corresponding nucleic acid sequences referred to as:

2. PRO276 (Seq.ID's 5/6),
3. PRO189 (Seq.ID's 7/8),
4. PRO190 (Seq.ID's 13/14),
5. PRO341 (Seq.ID's 19/20),
6. PRO180 (Seq.ID's 22/23),
7. PRO190 (Seq.ID's 13/14),
8. PRO194 (Seq.ID's 27/28),
9. PRO203 (Seq.ID's 29/30),
10. PRO290 (Seq.ID's 32/33),
11. PRO874 (Seq.ID's 35/36),
12. PRO710 (Seq.ID's 40/41),
13. PRO1151 (Seq.ID's 46/47),
14. PRO1281 (Seq.ID's 51/52),
15. PRO358 (Seq.ID's 56/57),
16. PRO1310 (Seq.ID's 61/62),
17. PRO698 (Seq.ID's 66/67),
18. PRO732 (Seq.ID's 72/73),
19. PRO1120 (Seq.ID's 83/84),
20. PRO537 (Seq.ID's 94/95),
21. PRO536 (Seq.ID's 96/97),
22. PRO535 (Seq.ID's 98/99),
23. PRO718 (Seq.ID's 102/103),
24. PRO872 (Seq.ID's 112/113),
25. PRO1063 (Seq.ID's 114/115),
26. PRO619 (Seq.ID's 116/117),
27. PRO1188 (Seq.ID's 123/124),
28. PRO784 (Seq.ID's 134/135),
29. PRO783 (Seq.ID's 137/138),
30. PRO820 (Seq.ID's 145/146),

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

31. PR01080 (Seq.ID's 147/148),
32. PR01079 (Seq.ID's 150/151),
33. PR0793 (Seq.ID's 152/153),
34. PR01016 (Seq.ID's 155/156),
35. PR01013 (Seq.ID's 157/158),
36. PR0937 (Seq.ID's 159/160),
37. PR0842 (Seq.ID's 164/165),
38. PR0839 (Seq.ID's 166/167),
39. PR01180 (Seq.ID's 168/169),
40. PR01134 (Seq.ID's 170/171),
41. PR0830 (Seq.ID's 174/175),
42. PR01115 (Seq.ID's 176/177),
43. PR01277 (Seq.ID's 178/179),
44. PR01135 (Seq.ID's 180/181),
45. PR0828 (Seq.ID's 188/189),
46. PR01009 (Seq.ID's 193/194),
47. PR01007 (Seq.ID's 196/197),
48. PR01056 (Seq.ID's 198/199),
49. PR0826 (Seq.ID's 200/201),
50. PR0819 (Seq.ID's 202/203),
51. PR01006 (Seq.ID's 204/205),
52. PR01112 (Seq.ID's 206/207),
53. PR01074 (Seq.ID's 208/209),
54. PR01005 (Seq.ID's 210/211),
55. PR01073 (Seq.ID's 212/213),
56. PR01152 (Seq.ID's 215/216),
57. PR01136 (Seq.ID's 218/219),
58. PR0813 (Seq.ID's 220/221),
59. PR0809 (Seq.ID's 222/223),
60. PR0791 (Seq.ID's 224/225),
61. PR01004 (Seq.ID's 226/227),
62. PR01111 (Seq.ID's 228/229),
63. PR01344 (Seq.ID's 230/231),
64. PR01109 (Seq.ID's 235/236),
65. PR01383 (Seq.ID's 240/241),
66. PR01003 (Seq.ID's 245/246),
67. PR01108 (Seq.ID's 247/248),
68. PR01137 (Seq.ID's 249/250),
69. PR01138 (Seq.ID's 252/253),
70. PR01054 (Seq.ID's 255/256),
71. PR0994 (Seq.ID's 257/258),

3. Claim : 1

72. PR0812 (Seq.ID's 259/260),
73. PR01069 (Seq.ID's 261/262),
74. PR01129 (Seq.ID's 263/264),
75. PR01068 (Seq.ID's 265/266),
76. PR01066 (Seq.ID's 267/268),
77. PR01184 (Seq.ID's 269/270),
78. PR01360 (Seq.ID's 271/272),
79. PR01029 (Seq.ID's 273/274),
80. PR01139 (Seq.ID's 275/276),
81. PR01309 (Seq.ID's 277/278),

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

82. PR01028 (Seq.ID's 280/281),
83. PR01027 (Seq.ID's 282/283),
84. PR01107 (Seq.ID's 284/285),
85. PR01140 (Seq.ID's 286/287),
86. PR01106 (Seq.ID's 288/289),
87. PR01291 (Seq.ID's 290/291),
88. PR01105 (Seq.ID's 292/293),
89. PR0511 (Seq.ID's 294/295),
90. PR01104 (Seq.ID's 296/297),
91. PR01100 (Seq.ID's 298/299),
92. PR0836 (Seq.ID's 300/301),
93. PR01141 (Seq.ID's 302/303),
94. PR01132 (Seq.ID's 308/309),
95. PR01346 (Seq.ID's 313/314),
96. PR01131 (Seq.ID's 318/319),
97. PR01281 (Seq.ID's 325/326),
98. PR01064 (Seq.ID's 333/334),
99. PR01379 (Seq.ID's 339/340),
100. PR0844 (Seq.ID's 344/345),
101. PR0848 (Seq.ID's 346/347),
102. PR01097 (Seq.ID's 348/349),
103. PR01153 (Seq.ID's 350/351),
104. PR01154 (Seq.ID's 352/353),
105. PR01182 (Seq.ID's 356/357),
106. PR01155 (Seq.ID's 358/359),
107. PR01156 (Seq.ID's 360/361),
108. PR01098 (Seq.ID's 362/363),
109. PR01127 (Seq.ID's 364/365),
110. PR01126 (Seq.ID's 366/367),
111. PR01125 (Seq.ID's 368/369),
112. PR01186 (Seq.ID's 370/371),
113. PR01198 (Seq.ID's 372/373),
114. PR01158 (Seq.ID's 374/375),
115. PR01159 (Seq.ID's 376/377),
116. PR01124 (Seq.ID's 378/379),
117. PR01287 (Seq.ID's 380/381),
118. PR01312 (Seq.ID's 386/387),
119. PR01192 (Seq.ID's 388/389),
120. PR01160 (Seq.ID's 393/394),
121. PR01187 (Seq.ID's 398/399),
122. PR01185 (Seq.ID's 400/401),
123. PR01345 (Seq.ID's 402/403),
124. PR01245 (Seq.ID's 407/408),
125. PR01358 (Seq.ID's 409/410),
126. PR01195 (Seq.ID's 411/412),
127. PR01270 (Seq.ID's 413/414),
128. PR01271 (Seq.ID's 415/416),
129. PR01375 (Seq.ID's 417/418),
130. PR01385 (Seq.ID's 419/420),
131. PR01384 (Seq.ID's 423/424),
132. PR09828 (Seq.ID's 510/511).

For the sake of conciseness, the first subject matter is explicitly defined, the other subject matters are defined by analogy thereto.

FURTHER INFORMATION CONTINUED FROM PCT/ISA 210

4. Claims: Invention 133: claims 1-36,69-74,99-102,
all partially and claims 4 and 13 as far as
applicable

Isolated nucleic acid having at least 80% sequence homology to a polynucleotide sequence encoding PR0943 (seq.ID.118), vector comprising said nucleic acid, host cell comprising said vector, method of producing said protein using said host, isolated protein having at least 80% homology to PR0943, chimeric protein comprising a portion corresponding to PR0943, antibody against said protein, the isolated extracellular domain of said protein or a protein with at least 80% homology thereto, and said isolated protein lacking its signal peptide or a protein with at least 80% homology thereto. Method for detecting PR0183, PR0184 or PR0185 through interaction with PR0943 and vice versa, method of linking a bioactive molecule to a cell expressing PR0943 using PR0183, PR0184 or PR0185 as binding ligands and vice versa, and method of modulating the activity of PR0943 by binding with PR0183, PR0184 or PR0185, and vice versa.

5. Claims: Inventions 134-136: claims 1-36,69-74,99-102,
all partially and claims 4 and 13 as far as
applicable

Isolated nucleic acid having at least 80% sequence homology to a polynucleotide sequence encoding PR0183 (seq.ID.495), PR0184 (seq.ID.497) or PR0185 (seq.ID.499), vector comprising said nucleic acid, host cell comprising said vector, method of producing said protein using said host, isolated protein having at least 80% homology to said protein, chimeric protein comprising a portion corresponding to said protein, antibody against said protein, the isolated extracellular domain of said protein or a protein with at least 80% homology thereto, and said isolated protein lacking its signal peptide or a protein with at least 80% homology thereto. Method for detecting PR0183, PR0184 or PR0185 through interaction with PR0943 and vice versa, method of linking a bioactive molecule to a cell expressing PR0943 using PR0183, PR0184 or PR0185 as binding ligands and vice versa, and method of modulating the activity of PR0943 by binding with PR0183, PR0184 or PR0185, and vice versa, whereby invention 134 is limited to PR0183, invention 135 is limited to PR0184, and invention 136 is limited to PR0185.

6. Claims: Invention 137: claims 1-28,37-44,75-80,103-106,
all partially and claims 4 and 13 as far as
applicable

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Isolated nucleic acid having at least 80% sequence homology to a polynucleotide sequence encoding PR0331 (seq.ID.501), vector comprising said nucleic acid, host cell comprising said vector, method of producing said protein using said host, isolated protein having at least 80% homology to PR0331, chimeric protein comprising a portion corresponding to PR0331, antibody against said protein, the isolated extracellular domain of said protein or a protein with at least 80% homology thereto, and said isolated protein lacking its signal peptide or a protein with at least 80% homology thereto. Method for detecting PR01133 through interaction with PR0331 and vice versa, method of linking a bioactive molecule to a cell expressing PR0331 using PR01133 as binding ligands and vice versa, and method of modulating the activity of PR0331 by binding with PR01133, and vice versa.

7. Claims: Invention 138: claims 1-28,37-44,75-80,103-106,
all partially and claims 4 and 13 as far as
applicable

Isolated nucleic acid having at least 80% sequence homology to a polynucleotide sequence encoding PR01133 (seq.ID.129), vector comprising said nucleic acid, host cell comprising said vector, method of producing said protein using said host, isolated protein having at least 80% homology to said protein, chimeric protein comprising a portion corresponding to said protein, antibody against said protein, the isolated extracellular domain of said protein or a protein with at least 80% homology thereto, and said isolated protein lacking its signal peptide or a protein with at least 80% homology thereto. Method for detecting PR01133 through interaction with PR0331 and vice versa, method of linking a bioactive molecule to a cell expressing PR0331 using PR01133 as binding ligands and vice versa, and method of modulating the activity of PR0331 by binding with PR01133, and vice versa.

8. Claims: Invention 139: claims 1-28,45-52,81-86,107-110,
all partially and claims 4 and 13 as far as
applicable

Isolated nucleic acid having at least 80% sequence homology to a polynucleotide sequence encoding PR01387 (seq.ID.422), vector comprising said nucleic acid, host cell comprising said vector, method of producing said protein using said host, isolated protein having at least 80% homology to PR01387, chimeric protein comprising a portion corresponding to PR01387, antibody against said protein, the isolated extracellular domain of said protein or a protein with at

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

least 80% homology thereto, and said isolated protein lacking its signal peptide or a protein with at least 80% homology thereto. Method for detecting PR0363 or PR05723 through interaction with PR01387 and vice versa, method of linking a bioactive molecule to a cell expressing PR01387 using PR0363 or PR05723 as binding ligands and vice versa, and method of modulating the activity of PR01387 by binding with PR0363 or PR05723, and vice versa.

9. Claims: Invention 140 and 141: claims 1-28,45-52,81-86, 107-110,
all partially and claims 4 and 13 as far as applicable

Isolated nucleic acid having at least 80% sequence homology to a polynucleotide sequence encoding PR0363 (seq.ID.503) or PR05723 (seq.ID.505), vector comprising said nucleic acid, host cell comprising said vector, method of producing said protein using said host, isolated protein having at least 80% homology to said protein, chimeric protein comprising a portion corresponding to said protein, antibody against said protein, the isolated extracellular domain of said protein or a protein with at least 80% homology thereto, and said isolated protein lacking its signal peptide or a protein with at least 80% homology thereto. Method for detecting PR0363 or PR05723 through interaction with PR01387 and vice versa, method of linking a bioactive molecule to a cell expressing PR01387 using PR0363 or PR05723 as binding ligands and vice versa, and method of modulating the activity of PR01387 by binding with PR0363 or PR05723, and vice versa, whereby invention 140 is limited to PR0363 and invention 141 is limited to PR05723.

10. Claims: Invention 142: claims 1-28, 53-60,87-92,111-114,
all partially and claims 4 and 13 as far as applicable

Isolated nucleic acid having at least 80% sequence homology to a polynucleotide sequence encoding PR01114 (seq.ID.183), vector comprising said nucleic acid, host cell comprising said vector, method of producing said protein using said host, isolated protein having at least 80% homology to PR01114, chimeric protein comprising a portion corresponding to PR01114, antibody against said protein, the isolated extracellular domain of said protein or a protein with at least 80% homology thereto, and said isolated protein lacking its signal peptide or a protein with at least 80% homology thereto. Method for detecting PR03301 or PR09940 through interaction with PR01114 and vice versa, method of linking a bioactive molecule to a cell expressing PR01114 using PR03301 or PR09940 as binding ligands and vice versa,

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

and method of modulating the activity of PR01114 by binding with PR03301 or PR09940, and vice versa.

11. Claims: Invention 143 and 144: claims 1-28, 53-60,87-92, 111-114,
all partially and claims 4 and 13 as far as
applicable

Isolated nucleic acid having at least 80% sequence homology to a polynucleotide sequence encoding PR03301 (seq.ID.507) or PR09940 (seq.ID.509), vector comprising said nucleic acid, host cell comprising said vector, method of producing said protein using said host, isolated protein having at least 80% homology to said protein, chimeric protein comprising a portion corresponding to said protein, antibody against said protein, the isolated extracellular domain of said protein or a protein with at least 80% homology thereto, and said isolated protein lacking its signal peptide or a protein with at least 80% homology thereto. Method for detecting PR03301 or PR09940 through interaction with PR01114 and vice versa, method of linking a bioactive molecule to a cell expressing PR01114 using PR03301 or PR09940 as binding ligands and vice versa, and method of modulating the activity of PR01114 by binding with PR03301 or PR09940, and vice versa, whereby invention 143 is limited to PR03301 and invention 144 is limited to PR09940.

12. Claims: Invention 145: claims 1-28,61-69,93-98,115-118,
all partially and claims 4 and 13 as far as
applicable

Isolated nucleic acid having at least 80% sequence homology to a polynucleotide sequence encoding PR01181 (seq.ID.355), vector comprising said nucleic acid, host cell comprising said vector, method of producing said protein using said host, isolated protein having at least 80% homology to PR01181, chimeric protein comprising a portion corresponding to PR01181, antibody against said protein, the isolated extracellular domain of said protein or a protein with at least 80% homology thereto, and said isolated protein lacking its signal peptide or a protein with at least 80% homology thereto. Method for detecting PR07170, PR0361 or PR0846 through interaction with PR01181 and vice versa, method of linking a bioactive molecule to a cell expressing PR01181 using PR07170, PR0361 or PR0846 as binding ligands and vice versa, and method of modulating the activity of PR01181 by binding with PR07170, PR0361 or PR0846, and vice versa.

13. Claims: Inventions 146-148: claims 1-28,61-69,93-98,

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

115-118,
all partially and claims 4 and 13 as far as
applicable

Isolated nucleic acid having at least 80% sequence homology to a polynucleotide sequence encoding PRO7170 (seq.ID.513), PRO361 (seq.ID.515) or PRO846 (seq.ID.517), vector comprising said nucleic acid, host cell comprising said vector, method of producing said protein using said host, isolated protein having at least 80% homology to said protein, chimeric protein comprising a portion corresponding to said protein, antibody against said protein, the isolated extracellular domain of said protein or a protein with at least 80% homology thereto, and said isolated protein lacking its signal peptide or a protein with at least 80% homology thereto. Method for detecting PRO7170, PRO361 or PRO846 through interaction with PRO1181 and vice versa, method of linking a bioactive molecule to a cell expressing PRO1181 using PRO7170, PRO361 or PRO846 as binding ligands and vice versa, and method of modulating the activity of PRO1181 by binding with PRO7170, PRO361 or PRO846, and vice versa, whereby invention 146 is limited to PRO7170, invention 147 is limited to PRO361, and invention 148 is limited to PRO846.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/08439

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9839448	A	11-09-1998	AU 6545398 A	22-09-1998
			EP 0972029 A	19-01-2000
			EP 0972030 A	19-01-2000
			WO 9839446 A	11-09-1998
WO 9842741	A	01-10-1998	AU 6777298 A	20-10-1998
			EP 0998490 A	10-05-2000
EP 0834563	A	08-04-1998	JP 10179178 A	07-07-1998
			US 5824504 A	20-10-1998
WO 9707198	A	27-02-1997	US 5707829 A	13-01-1998
			AU 6712396 A	18-02-1997
			AU 6768596 A	12-03-1997
			CA 2227220 A	06-02-1997
			CA 2229208 A	27-02-1997
			EP 0839196 A	06-05-1998
			EP 0851875 A	08-07-1998
			JP 11510045 T	07-09-1999
			US 6043344 A	28-03-2000
			WO 9704097 A	06-02-1997
			US 6074849 A	13-06-2000
			US 5969093 A	19-10-1999
WO 9963088	A	09-12-1999	AU 4328699 A	20-12-1999
			AU 2212299 A	26-07-1999
			WO 9935170 A	15-07-1999
WO 9946375	A	16-09-1999	DE 19811194 A	16-09-1999
WO 9953040	A	21-10-1999	DE 19817557 A	21-10-1999
WO 0008145	A	17-02-2000	AU 5730099 A	28-02-2000
WO 9963083	A	09-12-1999	JP 11332571 A	07-12-1999
			AU 3955099 A	20-12-1999